

Free Steroids

Column: DB-17

30 m x 0.25 mm id, 0.15 μ m

P/N: 122-1731

Carrier: Hydrogen at 44 cm/sec

Oven: 260°C isothermal

Injector: Split 1:100, 1 μ L, 250°C

Detector: FID, 300°C

Nitrogen makeup gas at
30 mL/min

