


Base Neutral 1

Column: DB-5.625
30 m x 0.25 mm I.D., 0.25 µm
J&W P/N: 122-5631
Carrier: Helium at 33 cm/sec
Oven: 35°C for 5 min
35-280°C at 8°/min
280°C for 20 min
Injector: Splitless, 250°C
Detector: FID, 300°C
Nitrogen makeup gas at 30 mL/min

Compounds and Retention Times:

1. *bis* (2-Chloroethyl) ether (13.01)
2. 1,4-Dichlorobenzene (13.59)
3. *bis* (2-Chloroisopropyl) ether (14.66)
4. Nitrobenzene (15.37)
5. Acenaphthylene (22.51)
6. Dimethyl phthalate (22.65)
7. 2,6-Dinitrotoluene (23.10)
8. 4-Bromophenylphenyl ether (26.34)
9. Dibutyl phthalate (29.97)
10. 3,3'-Dichlorobenzidine (36.13)
11. *bis* (2-Ethylhexyl)phthalate (36.64)
12. Benzo(b)fluoranthene (39.85)



C018