


## Base Neutral 4

**Column: DB-5.625**  
30 m x 0.25 mm I.D., 0.25 µm

**J&W P/N: 122-5631**  
Carrier: Helium at 33 cm/sec  
Oven: 35°C for 5 min  
35-280°C at 8°/min  
280°C for 20 min

Injector: Splitless, 250°C  
Detector: FID, 300°C  
Nitrogen makeup  
gas at 30 mL/min

**Compounds and Retention Times:**  
39. 4-Chlorophenylphenyl ether (24.85)  
40. Benzidine (32.11)  
41. Di-n-octyl phthalate (38.77)  
42. Benzo(k)fluoranthene (39.98)  
43. Benzo(a)pyrene (41.26)  
44. Indeno(1,2,3-c,d)pyrene (47.82)  
45. Benzo(g,h,i)perylene (49.67)



C021