

2-, 3-Column, and 3-Cavity Reservoir Plates

Part Number	203852-100	204359-100	201286-100	204249-100	204361-100
Product Description	Reservoir, 2 column, polypropylene, 146 mL/column, 292 mL maximum, pyramid base geometries, 44 mm height, 25/pk	Reservoir, 2 column, polypropylene, 146 mL/column, 292 mL max, pyramid base geometries, 44 mm height, irradiated, 25/pk	Reservoir, unique 3 cavity, polypropylene, 2 control wells 7 mL each, and 273 mL main well, 384 pyramid base geometries, 44 mm height, 25/pk	Reservoir, 3 column, polypropylene, 95 mL/column, 285 mL maximum, pyramid base geometries, 44 mm height, 25/pk	Reservoir, 3 column, polypropylene, 95 mL/column, 285 mL max, pyramid base geometries, 44 mm height, irradiated, 25/pk
Specifications					
Well Number	2	2	3	3	3
Max Well Volume (mL)	143.87	143.87	270.49/6.73/2.15	94.63	94.63
Well Format	Open	Open	Open	Open	Open
Bottom Shape	Pyramid column	Pyramid column	Pyramids	Pyramid column	Pyramid column
Bottom Shape Number	2	2	384	3	3
Dimensions (L x W) (mm)	127.76 x 85.47	127.76 x 85.47	127.76 x 85.47	127.76 x 85.47	127.76 x 85.47
Plate Height (mm)	44.04	44.04	44.04	44.04	44.04
Well Depth (mm)	39.22	39.22	37.87	39.22	39.22
Material	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Color	Natural	Natural	Natural	Natural	Natural
Irradiated	No	Yes	No	No	Yes
Also Available as Irradiated	204359-100	N/A	N/A	204361-100	N/A
Feature					
Shelf Life* (Year, from Production Month)	4 years	1 year/4 years	4 years	4 years	1 year/4 years
Other			2 control wells (7 mL col 24 rows A-L and 2 mL col 24 rows M-P) and 273 mL main		
Packaging					
Plate/Case	25	25	25	25	25
Additional Information					
<ul style="list-style-type: none"> • Microplate facility is a DNase/RNase free production environment with ISO 9001:2015 operations. • All plates are designed and manufactured in accordance with the ANSI/SBS X-2004 specifications. • All reservoirs are designed to comply with ANSI/SLAS 1-2004: Microplates. • Footprint dimensions are compatible with most automation systems. 					

*Irradiated treatment expires after one year; the plate material is stable for four years. Products should be stored in the original sealed package under normal laboratory environment conditions.

www.agilent.com/chem/microplates

DE32989657

This information is subject to change without notice.