

SAFETY DATA SHEET

XL1-Blue MRF' Supercompetent Cells, Part Number 200230

Section 1. Identification

1.1 Product identifier

Product name : XL1-Blue MRF' Supercompetent Cells, Part Number 200230

Part no. (chemical kit) : 200230

Part no. : XL1-Blue MRF' supercompetent cells 200230-41
 pUC 18 DNA Control Plasmid 200231-42
 Beta Mercaptoethanol 210200-43

Validation date : 4/25/2023

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : ☒ Analytical reagent.
 For research use only.

☒ XL1-Blue MRF' supercompetent cells 1 ml (5 x 0.2 ml)
 pUC 18 DNA Control Plasmid 0.01 ml (0.1 ng / µl)
 Beta Mercaptoethanol 0.025 ml (25 µl 1.42M)

Uses advised against : ☒ Not for use in diagnostic procedures.

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
 5301 Stevens Creek Blvd
 Santa Clara, CA 95051, USA
 800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : XL1-Blue MRF' supercompetent cells
 pUC 18 DNA Control Plasmid
 Beta Mercaptoethanol

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

☒ XL1-Blue MRF' supercompetent cells
 H320 EYE IRRITATION - Category 2B

Beta Mercaptoethanol

H312 ACUTE TOXICITY (dermal) - Category 4
 H315 SKIN IRRITATION - Category 2
 H318 SERIOUS EYE DAMAGE - Category 1
 H317 SKIN SENSITIZATION - Category 1
 H361 TOXIC TO REPRODUCTION - Category 2
 H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
 H412 AQUATIC HAZARD (LONG-TERM) - Category 3

Section 2. Hazards identification

XL1-Blue MRF' supercompetent cells

Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 5%

2.2 GHS label elements

Hazard pictograms

: Beta Mercaptoethanol



Signal word

: XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

Warning

No signal word.

Danger

Hazard statements

: XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

H320 - Causes eye irritation.

No known significant effects or critical hazards.

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H361 - Suspected of damaging fertility or the unborn child.

H373 - May cause damage to organs through prolonged or repeated exposure.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

: XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

Not applicable.

Not applicable.

P201 - Obtain special instructions before use.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P273 - Avoid release to the environment.

P260 - Do not breathe vapor.

P264 - Wash thoroughly after handling.

Response

: XL1-Blue MRF' supercompetent cells

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

Not applicable.

P308 + P313 - IF exposed or concerned: Get medical advice or attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P302 + P312, P352 - IF ON SKIN: Call a POISON CENTER or doctor if you feel unwell. Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.

P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

Section 2. Hazards identification

Storage	: XL1-Blue MRF' supercompetent cells	doctor.
	pUC 18 DNA Control Plasmid	Not applicable.
	Beta Mercaptoethanol	Not applicable.
Disposal	: XL1-Blue MRF' supercompetent cells	Not applicable.
	pUC 18 DNA Control Plasmid	Not applicable.
	Beta Mercaptoethanol	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: XL1-Blue MRF' supercompetent cells	None known.
	pUC 18 DNA Control Plasmid	None known.
	Beta Mercaptoethanol	None known.
2.3 Other hazards		
Hazards not otherwise classified	: XL1-Blue MRF' supercompetent cells	None known.
	pUC 18 DNA Control Plasmid	None known.
	Beta Mercaptoethanol	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: XL1-Blue MRF' supercompetent cells	Mixture
	pUC 18 DNA Control Plasmid	Mixture
	Beta Mercaptoethanol	Mixture

Ingredient name	%	CAS number
XL1-Blue MRF' supercompetent cells		
Glycerol	≥10 - ≤25	56-81-5
Dimethyl sulfoxide	≤10	67-68-5
Potassium chloride	≤3	7447-40-7
Beta Mercaptoethanol		
2-Mercaptoethanol	≤12	60-24-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: XL1-Blue MRF' supercompetent cells	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	pUC 18 DNA Control Plasmid	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

Section 4. First aid measures

	Beta Mercaptoethanol	medical attention if irritation occurs. Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: XL1-Blue MRF' supercompetent cells	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	pUC 18 DNA Control Plasmid	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Beta Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: XL1-Blue MRF' supercompetent cells	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	pUC 18 DNA Control Plasmid	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Beta Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

Ingestion

: XL1-Blue MRF' supercompetent cells

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

pUC 18 DNA Control Plasmid

Beta Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

Causes eye irritation.

No known significant effects or critical hazards.
Causes serious eye damage.

Inhalation

: XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

No known significant effects or critical hazards.

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact

: XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

No known significant effects or critical hazards.

No known significant effects or critical hazards.
Harmful in contact with skin. Causes skin irritation.
May cause an allergic skin reaction.

Ingestion

: XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

No known significant effects or critical hazards.

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Over-exposure signs/symptoms

Section 4. First aid measures

Eye contact	: XL1-Blue MRF' supercompetent cells	Adverse symptoms may include the following: irritation watering redness
	pUC 18 DNA Control Plasmid	No specific data.
	Beta Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
Inhalation	: XL1-Blue MRF' supercompetent cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
	Beta Mercaptoethanol	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: XL1-Blue MRF' supercompetent cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
	Beta Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: XL1-Blue MRF' supercompetent cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
	Beta Mercaptoethanol	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: XL1-Blue MRF' supercompetent cells	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pUC 18 DNA Control Plasmid	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Beta Mercaptoethanol	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: XL1-Blue MRF' supercompetent cells	No specific treatment.
	pUC 18 DNA Control Plasmid	No specific treatment.
	Beta Mercaptoethanol	No specific treatment.
Protection of first-aiders	: XL1-Blue MRF' supercompetent cells	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	pUC 18 DNA Control Plasmid	No action shall be taken involving any personal risk or without suitable training.
	Beta Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that

Section 4. First aid measures

fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	None known. None known. None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons
-----------------------------------------------------	------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 5. Fire-fighting measures

Special protective equipment for fire-fighters

: XL1-Blue MRF' supercompetent cells

pUC 18 DNA Control Plasmid

Beta Mercaptoethanol

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: XL1-Blue MRF' supercompetent cells

pUC 18 DNA Control Plasmid

Beta Mercaptoethanol

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: XL1-Blue MRF' supercompetent cells

pUC 18 DNA Control Plasmid

Beta Mercaptoethanol

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

6.2 Environmental precautions	: XL1-Blue MRF' supercompetent cells	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pUC 18 DNA Control Plasmid	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Beta Mercaptoethanol	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: XL1-Blue MRF' supercompetent cells	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	pUC 18 DNA Control Plasmid	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Beta Mercaptoethanol	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	: XL1-Blue MRF' supercompetent cells	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	pUC 18 DNA Control Plasmid	Put on appropriate personal protective equipment (see Section 8).
	Beta Mercaptoethanol	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or

Section 7. Handling and storage

<p>Advice on general occupational hygiene</p>	<p>: XL1-Blue MRF' supercompetent cells</p> <p>pUC 18 DNA Control Plasmid</p> <p>Beta Mercaptoethanol</p>	<p>clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.</p> <p>Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>7.2 Conditions for safe storage, including any incompatibilities</p>	<p>: XL1-Blue MRF' supercompetent cells</p> <p>pUC 18 DNA Control Plasmid</p> <p>Beta Mercaptoethanol</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly</p>

Section 7. Handling and storage

closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: XL1-Blue MRF' supercompetent cells	Industrial applications, Professional applications.
	pUC 18 DNA Control Plasmid	Industrial applications, Professional applications.
	Beta Mercaptoethanol	Industrial applications, Professional applications.
Industrial sector specific solutions	: XL1-Blue MRF' supercompetent cells	Not available.
	pUC 18 DNA Control Plasmid	Not available.
	Beta Mercaptoethanol	Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
XL1-Blue MRF' supercompetent cells Glycerol Dimethyl sulfoxide Potassium chloride Beta Mercaptoethanol 2-Mercaptoethanol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust OARS WEEL (United States, 1/2021). TWA: 250 ppm 8 hours. None. OARS WEEL (United States, 1/2021). Absorbed through skin. TWA: 0.2 ppm 8 hours.

Biological exposure indices

No exposure indices known.

8.2 Exposure controls

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls/personal protection

- Hygiene measures** : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- | | | |
|-----------------------|--------------------------------------|----------------|
| Physical state | : XL1-Blue MRF' supercompetent cells | Liquid. |
| | pUC 18 DNA Control Plasmid | Liquid. |
| | Beta Mercaptoethanol | Liquid. |
| Color | : XL1-Blue MRF' supercompetent cells | Not available. |
| | pUC 18 DNA Control Plasmid | Not available. |
| | Beta Mercaptoethanol | Not available. |
| Odor | : XL1-Blue MRF' supercompetent cells | Not available. |
| | pUC 18 DNA Control Plasmid | Not available. |
| | Beta Mercaptoethanol | Not available. |
| Odor threshold | : XL1-Blue MRF' supercompetent cells | Not available. |
| | pUC 18 DNA Control Plasmid | Not available. |
| | Beta Mercaptoethanol | Not available. |
| pH | : XL1-Blue MRF' supercompetent cells | 6.4 |
| | pUC 18 DNA Control Plasmid | 7.5 |
| | Beta Mercaptoethanol | Not available. |

Section 9. Physical and chemical properties and safety characteristics

Melting point/freezing point : XL1-Blue MRF' supercompetent cells Not available.
 pUC 18 DNA Control Plasmid 0°C (32°F)
 Beta Mercaptoethanol Not available.

Boiling point, initial boiling point, and boiling range : XL1-Blue MRF' supercompetent cells Not available.
 pUC 18 DNA Control Plasmid 100°C (212°F)
 Beta Mercaptoethanol Not available.

Flash point	Ingredient name	Closed cup			Open cup		
		°C	°F	Method	°C	°F	Method
	XL1-Blue MRF' supercompetent cells						
	Dimethyl sulfoxide	87	188.6	ASTM D 93	87	188.6	
	Glycerol				177	350.6	
	Beta Mercaptoethanol						
	2-Mercaptoethanol	74	165.2		74	165.2	

Evaporation rate : XL1-Blue MRF' supercompetent cells Not available.
 pUC 18 DNA Control Plasmid Not available.
 Beta Mercaptoethanol Not available.

Flammability : XL1-Blue MRF' supercompetent cells Not applicable.
 pUC 18 DNA Control Plasmid Not applicable.
 Beta Mercaptoethanol Not applicable.

Lower and upper explosion limit/flammability limit : XL1-Blue MRF' supercompetent cells Not available.
 pUC 18 DNA Control Plasmid Not available.
 Beta Mercaptoethanol Not available.

Vapor pressure	Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
		mm Hg	kPa	Method	mm Hg	kPa	Method
	XL1-Blue MRF' supercompetent cells						
	water	23.8	3.2		92.258	12.3	
	Dimethyl sulfoxide	0.42	0.056	EU A.4			
	pUC 18 DNA Control Plasmid						
	water	23.8	3.2		92.258	12.3	
	Beta Mercaptoethanol						
	water	23.8	3.2		92.258	12.3	

Section 9. Physical and chemical properties and safety characteristics

	2-Mercaptoethanol	0.98	0.13																										
Relative vapor density	: XL1-Blue MRF' supercompetent cells	Not available.																											
	pUC 18 DNA Control Plasmid	Not available.																											
	Beta Mercaptoethanol	Not available.																											
Relative density	: XL1-Blue MRF' supercompetent cells	Not available.																											
	pUC 18 DNA Control Plasmid	Not available.																											
	Beta Mercaptoethanol	Not available.																											
Solubility(ies)	: <table><tr><th>Media</th><th>Result</th></tr><tr><td>XL1-Blue MRF' supercompetent cells</td><td rowspan="3">Soluble</td></tr><tr><td>water</td></tr><tr><td>pUC 18 DNA Control Plasmid</td></tr><tr><td>water</td><td>Soluble</td></tr><tr><td>Beta Mercaptoethanol</td><td rowspan="2">Soluble</td></tr><tr><td>water</td></tr></table>	Media	Result	XL1-Blue MRF' supercompetent cells	Soluble	water	pUC 18 DNA Control Plasmid	water	Soluble	Beta Mercaptoethanol	Soluble	water																	
Media	Result																												
XL1-Blue MRF' supercompetent cells	Soluble																												
water																													
pUC 18 DNA Control Plasmid																													
water	Soluble																												
Beta Mercaptoethanol	Soluble																												
water																													
Partition coefficient: n-octanol/water	: XL1-Blue MRF' supercompetent cells	Not applicable.																											
	pUC 18 DNA Control Plasmid	Not applicable.																											
	Beta Mercaptoethanol	Not applicable.																											
Auto-ignition temperature	: <table><tr><th>Ingredient name</th><th>°C</th><th>°F</th><th>Method</th></tr><tr><td>XL1-Blue MRF' supercompetent cells</td><td></td><td></td><td></td></tr><tr><td>Dimethyl sulfoxide</td><td>300 to 302</td><td>572 to 575.6</td><td></td></tr><tr><td>Glycerol</td><td>370</td><td>698</td><td></td></tr><tr><td>Beta Mercaptoethanol</td><td></td><td></td><td></td></tr><tr><td>2-Mercaptoethanol</td><td>295</td><td>563</td><td></td></tr></table>	Ingredient name	°C	°F	Method	XL1-Blue MRF' supercompetent cells				Dimethyl sulfoxide	300 to 302	572 to 575.6		Glycerol	370	698		Beta Mercaptoethanol				2-Mercaptoethanol	295	563					
Ingredient name	°C	°F	Method																										
XL1-Blue MRF' supercompetent cells																													
Dimethyl sulfoxide	300 to 302	572 to 575.6																											
Glycerol	370	698																											
Beta Mercaptoethanol																													
2-Mercaptoethanol	295	563																											
Decomposition temperature	: XL1-Blue MRF' supercompetent cells	Not available.																											
	pUC 18 DNA Control Plasmid	Not available.																											
	Beta Mercaptoethanol	Not available.																											
Viscosity	: XL1-Blue MRF' supercompetent cells	Not available.																											
	pUC 18 DNA Control Plasmid	Not available.																											
	Beta Mercaptoethanol	Not available.																											
<u>Particle characteristics</u>																													
Median particle size	: XL1-Blue MRF' supercompetent cells	Not applicable.																											
	pUC 18 DNA Control Plasmid	Not applicable.																											
	Beta Mercaptoethanol	Not applicable.																											

Section 10. Stability and reactivity

10.1 Reactivity	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	The product is stable. The product is stable. The product is stable.
10.3 Possibility of hazardous reactions	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No specific data. No specific data. No specific data.
10.5 Incompatible materials	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
XL1-Blue MRF' supercompetent cells				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Dimethyl sulfoxide	LD50 Dermal	Rat	40000 mg/kg	-
	LD50 Oral	Rat	14500 mg/kg	-
Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
Beta Mercaptoethanol				
2-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-

Irritation/Corrosion

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
XL1-Blue MRF' supercompetent cells Glycerol Dimethyl sulfoxide	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	100 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
Beta Mercaptoethanol 2-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Beta Mercaptoethanol 2-Mercaptoethanol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Beta Mercaptoethanol 2-Mercaptoethanol	Category 2	oral	heart, liver

Aspiration hazard

Not available.

Information on the likely routes of exposure : **XL1-Blue MRF' supercompetent cells**
 pUC 18 DNA Control Plasmid
 Beta Mercaptoethanol

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
 Not available.
 Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Section 11. Toxicological information

Eye contact	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	Causes eye irritation. No known significant effects or critical hazards. Causes serious eye damage.
Inhalation	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	Adverse symptoms may include the following: irritation watering redness No specific data. Adverse symptoms may include the following: pain watering redness
Inhalation	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No specific data. No specific data. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No specific data. Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No specific data. No specific data. Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Section 11. Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: XL1-Blue MRF' supercompetent cells pUC 18 DNA Control Plasmid Beta Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
XL1-Blue MRF' supercompetent cells					
XL1-Blue MRF' supercompetent cells	136842.1	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Dimethyl sulfoxide	14500	40000	N/A	N/A	N/A
Potassium chloride	2600	N/A	N/A	N/A	N/A
Beta Mercaptoethanol					
Beta Mercaptoethanol	2440.0	2000	N/A	30	N/A
2-Mercaptoethanol	244	200	N/A	3	N/A

Section 12. Ecological information

12.1 Toxicity

Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
XL1-Blue MRF' supercompetent cells Glycerol Dimethyl sulfoxide	Acute LC50 54000 mg/l Fresh water Acute LC50 25000 ppm Fresh water	Fish - Oncorhynchus mykiss Daphnia - Daphnia magna - Neonate	96 hours 48 hours
	Acute LC50 34000000 µg/l Fresh water Chronic NOEC 100 µl/L Marine water Chronic NOEC 100 µl/L Fresh water	Fish - Pimephales promelas Algae - Ulva lactuca Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 72 hours 21 days
Potassium chloride	Acute EC50 9.24 g/L Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 1337000 µg/l Fresh water Acute EC50 83000 µg/l Fresh water Acute LC50 9.68 mg/l Fresh water	Algae - Navicula seminulum Daphnia - Daphnia magna Crustaceans - Pseudosida ramosa - Neonate	96 hours 48 hours 48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - Danio rerio	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
XL1-Blue MRF' supercompetent cells Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Dimethyl sulfoxide	OECD 301D Ready Biodegradability - Closed Bottle Test	31 % - Not readily - 28 days	-	-
Beta Mercaptoethanol 2-Mercaptoethanol	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	69 % - Not readily - 60 days	20 mg/l	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
XL1-Blue MRF' supercompetent cells Dimethyl sulfoxide Potassium chloride	- -	- -	Not readily Readily
Beta Mercaptoethanol 2-Mercaptoethanol	-	-	Not readily

12.3 Bioaccumulative potential

Section 12. Ecological information

Product/ingredient name	LogP _{ow}	BCF	Potential
XL1-Blue MRF' supercompetent cells			
Glycerol	-1.76	-	low
Dimethyl sulfoxide	-1.35	3.16	low
Potassium chloride	-0.46	-	low
Beta Mercaptoethanol			
2-Mercaptoethanol	-0.056	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 : Listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304


Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification


:  XL1-Blue MRF' supercompetent cells
pUC 18 DNA Control Plasmid
Beta Mercaptoethanol

EYE IRRITATION - Category 2B
Not applicable.
ACUTE TOXICITY (dermal) - Category 4
SKIN IRRITATION - Category 2
SERIOUS EYE DAMAGE - Category 1
SKIN SENSITIZATION - Category 1
TOXIC TO REPRODUCTION - Category 2
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Composition/information on ingredients

Name	%	Classification
XL1-Blue MRF' supercompetent cells		
Glycerol	≥10 - ≤25	EYE IRRITATION - Category 2B
Dimethyl sulfoxide	≤10	FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2B
Sucrose	≤10	COMBUSTIBLE DUSTS
Potassium chloride	≤3	EYE IRRITATION - Category 2B
Beta Mercaptoethanol		
2-Mercaptoethanol	≤12	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

State regulations

Massachusetts :  The following components are listed: GLYCERINE MIST; 2-MERCAPTOETHANOL; SUCROSE DUST

New York : None of the components are listed.

Section 15. Regulatory information

- New Jersey** : The following components are listed: GLYCERIN; THIOGLYCOL; DIMETHYL SULFOXIDE
- Pennsylvania** : The following components are listed: 1,2,3-PROPANETRIOL; ETHANOL, 2-MERCAPTO-; .ALPHA.-D-GLUCOPYRANOSIDE, .BETA.-D-FRUCTOFURANOSYL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia** : All components are listed or exempted.
- Canada** : All components are listed or exempted.
- China** : Not determined.
- Eurasian Economic Union** : **Russian Federation inventory**: All components are listed or exempted.
- Japan** : **Japan inventory (CSCL)**: Not determined.
Japan inventory (ISHL): All components are listed or exempted.
- New Zealand** : Not determined.
- Philippines** : Not determined.
- Republic of Korea** : All components are listed or exempted.
- Taiwan** : All components are listed or exempted.
- Thailand** : Not determined.
- Turkey** : Not determined.
- United States** : All components are active or exempted.
- Viet Nam** : All components are listed or exempted.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
XL1-Blue MRF' supercompetent cells EYE IRRITATION - Category 2B Beta Mercaptoethanol ACUTE TOXICITY (dermal) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1 TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method

Section 16. Other information

History

Date of issue	: 04/25/2023
Date of previous issue	: 11/18/2020
Version	: 5
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

📌 Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.