

SAFETY DATA SHEET

Micro RNA Isolation Kit, Part Number 200344-1

Section 1. Identification

1.1 Product identifier

Product name	: Micro RNA Isolation Kit, Part Number 200344-1														
Part no. (chemical kit)	: 200344-1														
Part no.	: <table border="0"> <tr> <td>β-Mercaptoethanol</td><td>200345-21</td></tr> <tr> <td>Micro RNA Isolation Kit Isopropanol</td><td>200344-17</td></tr> <tr> <td>Chloroform: Isoamyl Alcohol</td><td>200344-15</td></tr> <tr> <td>Micro RNA Isolation Kit Denaturing Solution</td><td>200344-16</td></tr> <tr> <td>Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M</td><td>200344-18</td></tr> <tr> <td>Succinic Acid</td><td></td></tr> <tr> <td>2M Sodium Acetate pH 4.0</td><td>200344-19</td></tr> </table>	β-Mercaptoethanol	200345-21	Micro RNA Isolation Kit Isopropanol	200344-17	Chloroform: Isoamyl Alcohol	200344-15	Micro RNA Isolation Kit Denaturing Solution	200344-16	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M	200344-18	Succinic Acid		2M Sodium Acetate pH 4.0	200344-19
β-Mercaptoethanol	200345-21														
Micro RNA Isolation Kit Isopropanol	200344-17														
Chloroform: Isoamyl Alcohol	200344-15														
Micro RNA Isolation Kit Denaturing Solution	200344-16														
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M	200344-18														
Succinic Acid															
2M Sodium Acetate pH 4.0	200344-19														

Validation date : 11/3/2020

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.	
β-Mercaptoethanol	0.75 ml (750 µl	14.33 M)
Micro RNA Isolation Kit Isopropanol	50 ml	
Chloroform: Isoamyl Alcohol	10 ml	
Micro RNA Isolation Kit Denaturing Solution	50 ml	
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M	50 ml	
Succinic Acid		
2M Sodium Acetate pH 4.0	5 ml	

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status	: β-Mercaptoethanol	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Micro RNA Isolation Kit	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Isopropanol	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Chloroform: Isoamyl Alcohol	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Micro RNA Isolation Kit Denaturing Solution	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Succinic Acid	
	2M Sodium Acetate pH 4.0	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Section 2. Hazards identification

Classification of the substance or mixture

β-Mercaptoethanol

H227	FLAMMABLE LIQUIDS - Category 4
H301	ACUTE TOXICITY (oral) - Category 3
H310	ACUTE TOXICITY (dermal) - Category 2
H331	ACUTE TOXICITY (inhalation) - Category 3
H315	SKIN IRRITATION - Category 2
H318	SERIOUS EYE DAMAGE - Category 1
H317	SKIN SENSITIZATION - Category 1A
H361	TOXIC TO REPRODUCTION - Category 2
H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
H400	AQUATIC HAZARD (ACUTE) - Category 1
H411	AQUATIC HAZARD (LONG-TERM) - Category 2

Micro RNA Isolation Kit

Isopropanol

H225	FLAMMABLE LIQUIDS - Category 2
H319	EYE IRRITATION - Category 2A
H336	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Chloroform: Isoamyl Alcohol

H302	ACUTE TOXICITY (oral) - Category 4
H331	ACUTE TOXICITY (inhalation) - Category 3
H315	SKIN IRRITATION - Category 2
H319	EYE IRRITATION - Category 2A
H351	CARCINOGENICITY - Category 2
H361	TOXIC TO REPRODUCTION - Category 2
H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
H336	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
H372	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
H412	AQUATIC HAZARD (LONG-TERM) - Category 3

Micro RNA Isolation Kit

Denaturing Solution

H302	ACUTE TOXICITY (oral) - Category 4
H332	ACUTE TOXICITY (inhalation) - Category 4
H314	SKIN CORROSION - Category 1C
H318	SERIOUS EYE DAMAGE - Category 1
H412	AQUATIC HAZARD (LONG-TERM) - Category 3

Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid

H227	FLAMMABLE LIQUIDS - Category 4
H301	ACUTE TOXICITY (oral) - Category 3
H311	ACUTE TOXICITY (dermal) - Category 3
H331	ACUTE TOXICITY (inhalation) - Category 3
H314	SKIN CORROSION - Category 1B
H318	SERIOUS EYE DAMAGE - Category 1
H341	GERM CELL MUTAGENICITY - Category 2
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
H411	AQUATIC HAZARD (LONG-TERM) - Category 2

Section 2. Hazards identification

Ingredients of unknown toxicity

Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid

Percentage of the mixture consisting of ingredient (s) of unknown acute dermal toxicity: 1 - 10%
Percentage of the mixture consisting of ingredient (s) of unknown acute inhalation toxicity: 1 - 10%

Chloroform: Isoamyl Alcohol

Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 2%

2.2 GHS label elements

Hazard pictograms

β-Mercaptoethanol



Micro RNA Isolation Kit
Isopropanol



Chloroform: Isoamyl Alcohol



Micro RNA Isolation Kit
Denaturing Solution



Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid



Signal word

β-Mercaptoethanol
Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol
Micro RNA Isolation Kit
Denaturing Solution
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid
2M Sodium Acetate pH 4.0

Danger
Danger

Danger
Danger

Danger

Hazard statements

β-Mercaptoethanol

No signal word.
H227 - Combustible liquid.
H301 + H331 - Toxic if swallowed or if inhaled.
H310 - Fatal in contact with skin.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H335 - May cause respiratory irritation.
H361 - Suspected of damaging fertility or the unborn child.
H373 - May cause damage to organs through prolonged or repeated exposure. (heart, liver) (oral)
H400 - Very toxic to aquatic life.
H411 - Toxic to aquatic life with long lasting effects.
H225 - Highly flammable liquid and vapor.

Micro RNA Isolation Kit

Section 2. Hazards identification

Isopropanol	<p>H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness. H373 - May cause damage to organs through prolonged or repeated exposure. (liver) H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H331 - Toxic if inhaled. H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness. H351 - Suspected of causing cancer. H361 - Suspected of damaging fertility or the unborn child. H372 - Causes damage to organs through prolonged or repeated exposure. (kidneys, liver) H412 - Harmful to aquatic life with long lasting effects. H302 + H332 - Harmful if swallowed or if inhaled.</p>
Chloroform: Isoamyl Alcohol	<p>H314 - Causes severe skin burns and eye damage. H412 - Harmful to aquatic life with long lasting effects. H227 - Combustible liquid.</p>
Micro RNA Isolation Kit Denaturing Solution	<p>H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled. H314 - Causes severe skin burns and eye damage. H341 - Suspected of causing genetic defects. H373 - May cause damage to organs through prolonged or repeated exposure. (kidneys, liver, nervous system) H411 - Toxic to aquatic life with long lasting effects. No known significant effects or critical hazards.</p>
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	<p>H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled. H314 - Causes severe skin burns and eye damage. H341 - Suspected of causing genetic defects. H373 - May cause damage to organs through prolonged or repeated exposure. (kidneys, liver, nervous system) H411 - Toxic to aquatic life with long lasting effects. No known significant effects or critical hazards.</p>
2M Sodium Acetate pH 4.0	<p>P280 - Wear protective gloves, protective clothing and eye or face protection. P210 - Keep away from flames and hot surfaces. No smoking. P273 - Avoid release to the environment. P280 - Wear eye or face protection.</p>
Micro RNA Isolation Kit Isopropanol	<p>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe vapor. P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing and eye or face protection. P260 - Do not breathe vapor. P280 - Wear protective gloves, protective clothing and eye or face protection.</p>
Chloroform: Isoamyl Alcohol	<p>P280 - Wear protective gloves, protective clothing and eye or face protection. P260 - Do not breathe vapor. P280 - Wear protective gloves, protective clothing and eye or face protection. P210 - Keep away from flames and hot surfaces. No smoking. P273 - Avoid release to the environment.</p>
Micro RNA Isolation Kit Denaturing Solution Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	<p>P280 - Wear protective gloves, protective clothing and eye or face protection. P210 - Keep away from flames and hot surfaces. No smoking. P273 - Avoid release to the environment.</p>
2M Sodium Acetate pH 4.0	<p>Not applicable.</p>

Precautionary statements

Prevention

:  Mercaptoethanol

P280 - Wear protective gloves, protective clothing and eye or face protection.
P210 - Keep away from flames and hot surfaces. No smoking.
P273 - Avoid release to the environment.
P280 - Wear eye or face protection.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 - Do not breathe vapor.
P201 - Obtain special instructions before use.
P280 - Wear protective gloves, protective clothing and eye or face protection.
P260 - Do not breathe vapor.
P280 - Wear protective gloves, protective clothing and eye or face protection.
P280 - Wear protective gloves, protective clothing and eye or face protection.
P210 - Keep away from flames and hot surfaces. No smoking.
P273 - Avoid release to the environment.

Not applicable.

Section 2. Hazards identification

Response

<input checked="" type="checkbox"/> Mercaptoethanol Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol Micro RNA Isolation Kit Denaturing Solution	P391 - Collect spillage. P314 - Get medical advice or attention if you feel unwell. P314 - Get medical advice or attention if you feel unwell. P304 + P310 - IF INHALED: Immediately call a POISON CENTER or doctor. P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. P391 - Collect spillage.
--	---

Storage

<input checked="" type="checkbox"/> Mercaptoethanol Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol Micro RNA Isolation Kit Denaturing Solution Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	Not applicable. P403 + P235 - Store in a well-ventilated place. Keep cool. P403 + P235 - Store in a well-ventilated place. Keep cool. P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. Not applicable. P403 + P235 - Store in a well-ventilated place. Keep cool. Not applicable.
---	---

Disposal

<input checked="" type="checkbox"/> Mercaptoethanol Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol Micro RNA Isolation Kit Denaturing Solution Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. Not applicable.
---	---

Supplemental label elements

<input checked="" type="checkbox"/> Mercaptoethanol Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol Micro RNA Isolation Kit Denaturing Solution Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	None known. None known. None known. Keep container tightly closed. Do not breathe vapor or spray. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling. Do not taste or swallow. Wash thoroughly after handling. None known.
---	--

2.3 Other hazards

Section 2. Hazards identification

Hazards not otherwise classified	: β-Mercaptoethanol	None known.
	Micro RNA Isolation Kit	None known.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	None known.
	Micro RNA Isolation Kit	Causes respiratory tract burns. Causes digestive tract burns.
	Denaturing Solution	
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Causes digestive tract burns.
	2M Sodium Acetate pH 4.0	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: β-Mercaptoethanol	Substance
	Micro RNA Isolation Kit Isopropanol	Substance
	Chloroform: Isoamyl Alcohol	Mixture
	Micro RNA Isolation Kit Denaturing Solution	Mixture
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Mixture
	2M Sodium Acetate pH 4.0	Mixture

Ingredient name	%	CAS number
β-Mercaptoethanol β-Mercaptoethanol	100	60-24-2
Micro RNA Isolation Kit Isopropanol Propan-2-ol	100	67-63-0
Chloroform: Isoamyl Alcohol Trichloromethane 3-Methylbutan-1-ol	≥90 ≤3	67-66-3 123-51-3
Micro RNA Isolation Kit Denaturing Solution Guanidinium thiocyanate	≥25 - ≤50	593-84-0
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol Succinic acid	≥90 ≤2.4	108-95-2 110-15-6
2M Sodium Acetate pH 4.0 Acetic acid	≥25 - ≤34	64-19-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.


Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Section 4. First aid measures

Eye contact

: -Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Micro RNA Isolation Kit
Isopropanol

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Chloroform: Isoamyl Alcohol

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Micro RNA Isolation Kit Denaturing
Solution

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

2M Sodium Acetate pH 4.0

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: -Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Micro RNA Isolation Kit
Isopropanol

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth

Section 4. First aid measures

Chloroform: Isoamyl Alcohol

resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Micro RNA Isolation Kit Denaturing Solution

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

2M Sodium Acetate pH 4.0

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

Section 4. First aid measures

Skin contact

:  Mercaptoethanol

Micro RNA Isolation Kit
Isopropanol

Chloroform: Isoamyl Alcohol

Micro RNA Isolation Kit Denaturing
Solution

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

2M Sodium Acetate pH 4.0

attention if symptoms occur.

Get medical attention immediately. Call a poison center or physician. Gently wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

Ingestion

:  Mercaptoethanol

Section 4. First aid measures

Micro RNA Isolation Kit
Isopropanol

tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Chloroform: Isoamyl Alcohol

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Micro RNA Isolation Kit Denaturing
Solution

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical

Section 4. First aid measures


2M Sodium Acetate pH 4.0

personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed


Potential acute health effects

Eye contact

- :  Mercaptoethanol
Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol
Micro RNA Isolation Kit Denaturing Solution
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid
2M Sodium Acetate pH 4.0

Causes serious eye damage.
Causes serious eye irritation.
Causes serious eye irritation.
Causes serious eye damage.
Causes serious eye damage.


Inhalation

- :  Mercaptoethanol
Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol

Micro RNA Isolation Kit Denaturing Solution
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid
2M Sodium Acetate pH 4.0

No known significant effects or critical hazards.
Toxic if inhaled. May cause respiratory irritation. Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
Toxic if inhaled. Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation.
Harmful if inhaled. Corrosive to the respiratory system.
Toxic if inhaled.


Skin contact

- :  Mercaptoethanol

Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol
Micro RNA Isolation Kit Denaturing Solution
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid
2M Sodium Acetate pH 4.0

No known significant effects or critical hazards.
Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
No known significant effects or critical hazards.
Causes skin irritation.
Causes severe burns.
Causes severe burns. Toxic in contact with skin.

Ingestion



- :  Mercaptoethanol
Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol

Micro RNA Isolation Kit Denaturing Solution

Phenol pH 5.3 - 5.7 Equilibrated


No known significant effects or critical hazards.
Toxic if swallowed.
Can cause central nervous system (CNS) depression.
Harmful if swallowed. Can cause central nervous system (CNS) depression.
May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
Toxic if swallowed. Corrosive to the digestive tract.

Section 4. First aid measures

	with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	Causes burns. No known significant effects or critical hazards.
<u>Over-exposure signs/symptoms</u>		
Eye contact	:  -Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
	Micro RNA Isolation Kit Isopropanol	Adverse symptoms may include the following: pain or irritation watering redness
	Chloroform: Isoamyl Alcohol	Adverse symptoms may include the following: pain or irritation watering redness
	Micro RNA Isolation Kit Denaturing Solution	Adverse symptoms may include the following: pain watering redness
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Adverse symptoms may include the following: pain watering redness
	2M Sodium Acetate pH 4.0	No specific data.
	:  -Mercaptoethanol	Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
	Micro RNA Isolation Kit Isopropanol	Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness
	Chloroform: Isoamyl Alcohol	Adverse symptoms may include the following: respiratory tract irritation coughing nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness reduced fetal weight increase in fetal deaths skeletal malformations
	Micro RNA Isolation Kit Denaturing Solution	Adverse symptoms may include the following: respiratory tract irritation coughing
Inhalation	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	No specific data. No specific data.

Section 4. First aid measures

Skin contact

: -Mercaptoethanol

Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
reduced fetal weight
increase in fetal deaths
skeletal malformations
No specific data.

Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol

Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations

Micro RNA Isolation Kit Denaturing
Solution

Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
Adverse symptoms may include the following:

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
No specific data.

2M Sodium Acetate pH 4.0

No specific data.

Ingestion

: -Mercaptoethanol

Adverse symptoms may include the following:
stomach pains
reduced fetal weight
increase in fetal deaths
skeletal malformations
No specific data.

Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol

Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Micro RNA Isolation Kit Denaturing
Solution

Adverse symptoms may include the following:
stomach pains
Adverse symptoms may include the following:

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

stomach pains
Adverse symptoms may include the following:
stomach pains
No specific data.

2M Sodium Acetate pH 4.0

No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: β -Mercaptoethanol

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Micro RNA Isolation Kit
Isopropanol

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Chloroform: Isoamyl Alcohol

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Micro RNA Isolation Kit Denaturing
Solution

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

Section 4. First aid measures

	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	2M Sodium Acetate pH 4.0	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: β-Mercaptoethanol	No specific treatment.
	Micro RNA Isolation Kit	No specific treatment.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	No specific treatment.
	Micro RNA Isolation Kit Denaturing Solution	No specific treatment.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	No specific treatment.
	2M Sodium Acetate pH 4.0	No specific treatment.
Protection of first-aiders	: β-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Micro RNA Isolation Kit	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Isopropanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Chloroform: Isoamyl Alcohol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Micro RNA Isolation Kit Denaturing Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	2M Sodium Acetate pH 4.0	No action shall be taken involving any personal risk or without suitable training.


See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: β -Mercaptoethanol	Use dry chemical, CO ₂ , water spray (fog) or foam.
	Micro RNA Isolation Kit	Use dry chemical, CO ₂ , water spray (fog) or foam.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Use an extinguishing agent suitable for the surrounding fire.
	Micro RNA Isolation Kit Denaturing Solution	Use an extinguishing agent suitable for the surrounding fire.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Use dry chemical, CO ₂ , water spray (fog) or foam.
	2M Sodium Acetate pH 4.0	
		Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: β -Mercaptoethanol	Do not use water jet.
	Micro RNA Isolation Kit	Do not use water jet.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	None known.
	Micro RNA Isolation Kit Denaturing Solution	None known.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Do not use water jet.
	2M Sodium Acetate pH 4.0	
		None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	:  -Mercaptoethanol	Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	Micro RNA Isolation Kit	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	Micro RNA Isolation Kit Denaturing Solution	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Section 5. Fire-fighting measures

Hazardous thermal decomposition products	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	2M Sodium Acetate pH 4.0	In a fire or if heated, a pressure increase will occur and the container may burst.
	: β-Mercaptoethanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
	Micro RNA Isolation Kit Isopropanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Chloroform: Isoamyl Alcohol	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds carbonyl halides
	Micro RNA Isolation Kit Denaturing Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	2M Sodium Acetate pH 4.0	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters

: β-Mercaptoethanol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Micro RNA Isolation Kit Isopropanol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Chloroform: Isoamyl Alcohol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

Special protective equipment for fire-fighters	Micro RNA Isolation Kit Denaturing Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
	2M Sodium Acetate pH 4.0	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	: β-Mercaptoethanol	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Micro RNA Isolation Kit Isopropanol	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Chloroform: Isoamyl Alcohol	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Micro RNA Isolation Kit Denaturing Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	2M Sodium Acetate pH 4.0	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: β-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Micro RNA Isolation Kit Isopropanol	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist.

Section 6. Accidental release measures

Chloroform: Isoamyl Alcohol	Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Micro RNA Isolation Kit Denaturing Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
2M Sodium Acetate pH 4.0	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders : β-Mercaptoethanol	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Micro RNA Isolation Kit Isopropanol	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Chloroform: Isoamyl Alcohol	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Micro RNA Isolation Kit Denaturing Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
2M Sodium Acetate pH 4.0	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

6.2 Environmental precautions

:  β-Mercaptoethanol

Micro RNA Isolation Kit
Isopropanol

Chloroform: Isoamyl Alcohol

Micro RNA Isolation Kit Denaturing
Solution

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

2M Sodium Acetate pH 4.0

on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : β-Mercaptoethanol

Micro RNA Isolation Kit
Isopropanol

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

Chloroform: Isoamyl Alcohol	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Micro RNA Isolation Kit Denaturing Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
2M Sodium Acetate pH 4.0	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures :  Mercaptoethanol

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

Micro RNA Isolation Kit
Isopropanol

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved

Section 7. Handling and storage

Chloroform: Isoamyl Alcohol

alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Micro RNA Isolation Kit Denaturing Solution

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

2M Sodium Acetate pH 4.0

Put on appropriate personal protective equipment (see Section 8).

Section 7. Handling and storage

Advice on general occupational hygiene

: β-Mercaptoethanol

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Micro RNA Isolation Kit
Isopropanol

Chloroform: Isoamyl Alcohol

Micro RNA Isolation Kit Denaturing
Solution

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

2M Sodium Acetate pH 4.0

7.2 Conditions for safe storage, including any incompatibilities

: β-Mercaptoethanol

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in

Micro RNA Isolation Kit

Section 7. Handling and storage

Isopropanol	<p>a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Chloroform: Isoamyl Alcohol	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Micro RNA Isolation Kit Denaturing Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	<p>Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
2M Sodium Acetate pH 4.0	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled</p>

Section 7. Handling and storage

containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

β-Mercaptoethanol	Industrial applications, Professional applications.
Micro RNA Isolation Kit	Industrial applications, Professional applications.
Isopropanol	
Chloroform: Isoamyl Alcohol	Industrial applications, Professional applications.
Micro RNA Isolation Kit Denaturing Solution	Industrial applications, Professional applications.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Industrial applications, Professional applications.
2M Sodium Acetate pH 4.0	Industrial applications, Professional applications.

Industrial sector specific solutions

β-Mercaptoethanol	Not available.
Micro RNA Isolation Kit	Not available.
Isopropanol	
Chloroform: Isoamyl Alcohol	Not available.
Micro RNA Isolation Kit Denaturing Solution	Not available.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
2M Sodium Acetate pH 4.0	Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
β-Mercaptoethanol β-Mercaptoethanol	AIHA WEEL (United States, 7/2018). Absorbed through skin. TWA: 0.2 ppm 8 hours.
Micro RNA Isolation Kit Isopropanol Propan-2-ol	ACGIH TLV (United States, 3/2019). TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 400 ppm 8 hours. TWA: 980 mg/m ³ 8 hours. STEL: 500 ppm 15 minutes. STEL: 1225 mg/m ³ 15 minutes. NIOSH REL (United States, 10/2016). TWA: 400 ppm 10 hours. TWA: 980 mg/m ³ 10 hours. STEL: 500 ppm 15 minutes. STEL: 1225 mg/m ³ 15 minutes. OSHA PEL (United States, 5/2018). TWA: 400 ppm 8 hours. TWA: 980 mg/m ³ 8 hours.
Chloroform: Isoamyl Alcohol Trichloromethane	ACGIH TLV (United States, 3/2019). TWA: 10 ppm 8 hours. TWA: 49 mg/m ³ 8 hours.

Section 8. Exposure controls/personal protection

3-Methylbutan-1-ol

OSHA PEL 1989 (United States, 3/1989).

TWA: 2 ppm 8 hours.

TWA: 9.78 mg/m³ 8 hours.

NIOSH REL (United States, 10/2016).

STEL: 2 ppm 60 minutes.

STEL: 9.78 mg/m³ 60 minutes.

OSHA PEL (United States, 5/2018).

CEIL: 50 ppm

CEIL: 240 mg/m³

ACGIH TLV (United States, 3/2019).

TWA: 100 ppm 8 hours.

TWA: 361 mg/m³ 8 hours.

STEL: 125 ppm 15 minutes.

STEL: 452 mg/m³ 15 minutes.

OSHA PEL 1989 (United States, 3/1989).

TWA: 100 ppm 8 hours.

TWA: 360 mg/m³ 8 hours.

STEL: 125 ppm 15 minutes.

STEL: 450 mg/m³ 15 minutes.

NIOSH REL (United States, 10/2016).

TWA: 100 ppm 10 hours.

TWA: 360 mg/m³ 10 hours.

STEL: 125 ppm 15 minutes.

STEL: 450 mg/m³ 15 minutes.

OSHA PEL (United States, 5/2018).

TWA: 100 ppm 8 hours.

TWA: 360 mg/m³ 8 hours.

Micro RNA Isolation Kit Denaturing Solution

Guanidinium thiocyanate

None.

Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid

Phenol

ACGIH TLV (United States, 3/2019).

Absorbed through skin.

TWA: 19 mg/m³ 8 hours.

TWA: 5 ppm 8 hours.

NIOSH REL (United States, 10/2016).

Absorbed through skin.

CEIL: 60 mg/m³ 15 minutes.

CEIL: 15.6 ppm 15 minutes.

TWA: 19 mg/m³ 10 hours.

TWA: 5 ppm 10 hours.

OSHA PEL (United States, 5/2018).

Absorbed through skin.

TWA: 19 mg/m³ 8 hours.

TWA: 5 ppm 8 hours.

OSHA PEL 1989 (United States, 3/1989).

Absorbed through skin.

TWA: 19 mg/m³ 8 hours.

TWA: 5 ppm 8 hours.

Succinic acid

None.

2M Sodium Acetate pH 4.0

Acetic acid

ACGIH TLV (United States, 3/2019).

TWA: 10 ppm 8 hours.

TWA: 25 mg/m³ 8 hours.

STEL: 15 ppm 15 minutes.

Section 8. Exposure controls/personal protection

STEL: 37 mg/m³ 15 minutes.
OSHA PEL 1989 (United States, 3/1989).
 TWA: 10 ppm 8 hours.
 TWA: 25 mg/m³ 8 hours.
NIOSH REL (United States, 10/2016).
 TWA: 10 ppm 10 hours.
 TWA: 25 mg/m³ 10 hours.
 STEL: 15 ppm 15 minutes.
 STEL: 37 mg/m³ 15 minutes.
OSHA PEL (United States, 5/2018).
 TWA: 10 ppm 8 hours.
 TWA: 25 mg/m³ 8 hours.

8.2 Exposure controls

Appropriate engineering controls

- : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	:	β-Mercaptoethanol	Liquid.
		Micro RNA Isolation Kit	Liquid.
		Isopropanol	
		Chloroform: Isoamyl Alcohol	Liquid.
		Micro RNA Isolation Kit Denaturing Solution	Liquid.
		Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Liquid.
		2M Sodium Acetate pH 4.0	Liquid.
Color	:	β-Mercaptoethanol	Colorless.
		Micro RNA Isolation Kit	Colorless.
		Isopropanol	
		Chloroform: Isoamyl Alcohol	Not available.
		Micro RNA Isolation Kit Denaturing Solution	Not available.
		Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
		2M Sodium Acetate pH 4.0	Not available.
Odor	:	β-Mercaptoethanol	Characteristic.
		Micro RNA Isolation Kit	Alcohol-like.
		Isopropanol	
		Chloroform: Isoamyl Alcohol	Not available.
		Micro RNA Isolation Kit Denaturing Solution	Not available.
		Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
		2M Sodium Acetate pH 4.0	Not available.
Odor threshold	:	β-Mercaptoethanol	Not available.
		Micro RNA Isolation Kit	Not available.
		Isopropanol	
		Chloroform: Isoamyl Alcohol	Not available.
		Micro RNA Isolation Kit Denaturing Solution	Not available.
		Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
		2M Sodium Acetate pH 4.0	Not available.
pH	:	β-Mercaptoethanol	Not available.
		Micro RNA Isolation Kit	Not available.
		Isopropanol	
		Chloroform: Isoamyl Alcohol	Not available.
		Micro RNA Isolation Kit Denaturing Solution	Not available.
		Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	5.3 to 5.7
		2M Sodium Acetate pH 4.0	4

Section 9. Physical and chemical properties

Melting point	: β -Mercaptoethanol	-100°C (-148°F)
	Micro RNA Isolation Kit	-88.9°C (-128°F)
	Isopropanol	
	Chloroform: Isoamyl Alcohol	-63.5°C (-82.3°F)
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	40.85°C (105.5°F)
	2M Sodium Acetate pH 4.0	Not available.
Boiling point	: β -Mercaptoethanol	157°C (314.6°F)
	Micro RNA Isolation Kit	82.5°C (180.5°F)
	Isopropanol	
	Chloroform: Isoamyl Alcohol	61.17°C (142.1°F)
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	181.75°C (359.2°F)
	2M Sodium Acetate pH 4.0	Not available.
Flash point	: β -Mercaptoethanol	Closed cup: 74°C (165.2°F)
		Open cup: 74°C (165.2°F)
	Micro RNA Isolation Kit	Closed cup: 11.7°C (53.1°F)
	Isopropanol	
		Open cup: 11.85°C (53.3°F) [Tagliabue.]
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Closed cup: 61 to 93.3°C (141.8 to 199.9°F)
Evaporation rate	: β -Mercaptoethanol	Not available.
	Micro RNA Isolation Kit	1.7 (butyl acetate = 1)
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.
Flammability (solid, gas)	: β -Mercaptoethanol	Not applicable.
	Micro RNA Isolation Kit	Not applicable.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not applicable.
	Micro RNA Isolation Kit Denaturing Solution	Not applicable.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not applicable.
	2M Sodium Acetate pH 4.0	Not applicable.
Lower and upper explosive (flammable) limits	: β -Mercaptoethanol	Lower: 2.3%
		Upper: 18%
	Micro RNA Isolation Kit	Lower: 2%
	Isopropanol	
		Upper: 12%
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.

Section 9. Physical and chemical properties

Vapor pressure	β-Mercaptoethanol	0.13 kPa (0.98 mm Hg) [room temperature]
	Micro RNA Isolation Kit	4.4 kPa (33 mm Hg) [room temperature]
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.
Vapor density	β-Mercaptoethanol	2.7 [Air = 1]
	Micro RNA Isolation Kit	2.07 [Air = 1]
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.
Relative density	β-Mercaptoethanol	1.1
	Micro RNA Isolation Kit	0.785
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.
Solubility	β-Mercaptoethanol	Easily soluble in the following materials: cold water and hot water.
	Micro RNA Isolation Kit	Easily soluble in the following materials: cold water and hot water.
	Isopropanol	Easily soluble in the following materials: cold water and hot water.
	Chloroform: Isoamyl Alcohol	Partially soluble in the following materials: cold water and hot water.
	Micro RNA Isolation Kit Denaturing Solution	Soluble in the following materials: cold water and hot water.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Soluble in the following materials: cold water and hot water.
	2M Sodium Acetate pH 4.0	Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	β-Mercaptoethanol	-0.056
	Micro RNA Isolation Kit	Not available.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	1.48
	2M Sodium Acetate pH 4.0	Not available.
Auto-ignition temperature	β-Mercaptoethanol	295°C (563°F)
	Micro RNA Isolation Kit	399°C (750.2°F)
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.

Section 9. Physical and chemical properties

Decomposition temperature	: β-Mercaptoethanol	Not available.
	Micro RNA Isolation Kit	Not available.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.
Viscosity	: β-Mercaptoethanol	Dynamic (room temperature): 3.43 mPa·s (3.43 cP)
	Micro RNA Isolation Kit	Not available.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	Not available.
	Micro RNA Isolation Kit Denaturing Solution	Not available.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Not available.
	2M Sodium Acetate pH 4.0	Not available.

Section 10. Stability and reactivity

10.1 Reactivity	: β-Mercaptoethanol	No specific test data related to reactivity available for this product or its ingredients.
	Micro RNA Isolation Kit	No specific test data related to reactivity available for this product or its ingredients.
	Isopropanol	No specific test data related to reactivity available for this product or its ingredients.
	Chloroform: Isoamyl Alcohol	No specific test data related to reactivity available for this product or its ingredients.
	Micro RNA Isolation Kit Denaturing Solution	No specific test data related to reactivity available for this product or its ingredients.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	No specific test data related to reactivity available for this product or its ingredients.
	2M Sodium Acetate pH 4.0	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: β-Mercaptoethanol	The product is stable.
	Micro RNA Isolation Kit	The product is stable.
	Isopropanol	
	Chloroform: Isoamyl Alcohol	The product is stable.
	Micro RNA Isolation Kit Denaturing Solution	The product is stable.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	The product is stable.
	2M Sodium Acetate pH 4.0	The product is stable.
10.3 Possibility of hazardous reactions	: β-Mercaptoethanol	Under normal conditions of storage and use, hazardous reactions will not occur.
	Micro RNA Isolation Kit	Under normal conditions of storage and use, hazardous reactions will not occur.
	Isopropanol	Under normal conditions of storage and use, hazardous reactions will not occur.
	Chloroform: Isoamyl Alcohol	Under normal conditions of storage and use, hazardous reactions will not occur.
	Micro RNA Isolation Kit Denaturing Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Under normal conditions of storage and use, hazardous reactions will not occur.
	2M Sodium Acetate pH 4.0	Under normal conditions of storage and use, hazardous reactions will not occur.


Section 10. Stability and reactivity

10.4 Conditions to avoid	: β -Mercaptoethanol	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
	Micro RNA Isolation Kit Isopropanol	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
	Chloroform: Isoamyl Alcohol Micro RNA Isolation Kit Denaturing Solution Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	No specific data. No specific data.
	2M Sodium Acetate pH 4.0	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. No specific data.
10.5 Incompatible materials	: β -Mercaptoethanol	Reactive or incompatible with the following materials:
	Micro RNA Isolation Kit Isopropanol	oxidizing materials Reactive or incompatible with the following materials:
	Chloroform: Isoamyl Alcohol	oxidizing materials
	Micro RNA Isolation Kit Denaturing Solution	May react or be incompatible with oxidizing materials.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	May react or be incompatible with oxidizing materials.
	2M Sodium Acetate pH 4.0	Reactive or incompatible with the following materials:
		oxidizing materials May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	: β -Mercaptoethanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Micro RNA Isolation Kit Isopropanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Chloroform: Isoamyl Alcohol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Micro RNA Isolation Kit Denaturing Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	2M Sodium Acetate pH 4.0	Under normal conditions of storage and use, hazardous decomposition products should not be produced.


Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
 β-Mercaptoethanol β-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
Micro RNA Isolation Kit Isopropanol Propan-2-ol	LD50 Dermal LD50 Oral	Rabbit Rat	12800 mg/kg 5000 mg/kg	- -
Chloroform: Isoamyl Alcohol Trichloromethane	LD50 Dermal LD50 Oral	Rabbit Rat	>20 g/kg 300 mg/kg	- -
3-Methylbutan-1-ol	LD50 Oral	Rat	1300 mg/kg	-
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	LC50 Inhalation Dusts and mists LD50 Dermal LD50 Dermal LD50 Oral	Rat Rabbit Rat Rat	316 mg/m ³ 630 mg/kg 669 mg/kg 317 mg/kg	4 hours - - -
Succinic acid	LD50 Oral	Rat	2260 mg/kg	-
2M Sodium Acetate pH 4.0 Acetic acid	LC50 Inhalation Vapor LD50 Dermal LD50 Oral	Rat Rabbit Rat	11000 mg/m ³ 1060 mg/kg 3310 mg/kg	4 hours - -

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
 β-Mercaptoethanol β-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 mg	-
Micro RNA Isolation Kit Isopropanol Propan-2-ol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
Chloroform: Isoamyl Alcohol Trichloromethane	Eyes - Moderate irritant	Rabbit	-	24 hours 20 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
3-Methylbutan-1-ol	Eyes - Moderate irritant	Rabbit	-	24 hours 20 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 mg	-
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M					

Section 11. Toxicological information

Succinic Acid					
Phenol	Eyes - Severe irritant	Rabbit	-	5 mg	-
	Skin - Severe irritant	Rabbit	-	535 mg	-
Succinic acid	Eyes - Severe irritant	Rabbit	-	750 ug	-
2M Sodium Acetate pH 4.0					
Acetic acid	Skin - Severe irritant	Rabbit	-	525 mg	-

Sensitization

Not available.


Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
 Micro RNA Isolation Kit			
Isopropanol			
Propan-2-ol	-	3	-
Chloroform: Isoamyl Alcohol			
Trichloromethane	-	2B	Reasonably anticipated to be a human carcinogen.
Phenol pH 5.3 - 5.7			
Equilibrated with 0.1 M			
Succinic Acid			
Phenol	-	3	-


Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
 B-Mercaptoethanol			
β-Mercaptoethanol	Category 3	-	Respiratory tract irritation
Micro RNA Isolation Kit Isopropanol			
Propan-2-ol	Category 3	-	Narcotic effects
Chloroform: Isoamyl Alcohol			
Trichloromethane	Category 3	-	Respiratory tract irritation
	Category 3	-	Narcotic effects
3-Methylbutan-1-ol	Category 3	-	Respiratory tract irritation
	Category 3	-	Narcotic effects

Specific target organ toxicity (repeated exposure)

Section 11. Toxicological information

Name	Category	Route of exposure	Target organs
β-Mercaptoethanol β-Mercaptoethanol	Category 2	oral	heart, liver
Micro RNA Isolation Kit Isopropanol Propan-2-ol	Category 2	-	liver
Chloroform: Isoamyl Alcohol Trichloromethane	Category 1	inhalation	kidneys, liver
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	Category 2	-	kidneys, liver, nervous system

Aspiration hazard

Not available.

Information on the likely routes of exposure

β-Mercaptoethanol	Routes of entry anticipated: Oral, Dermal, Inhalation.
Micro RNA Isolation Kit Isopropanol	Routes of entry anticipated: Oral, Dermal, Inhalation.
Chloroform: Isoamyl Alcohol	Routes of entry anticipated: Oral, Dermal, Inhalation.
Micro RNA Isolation Kit Denaturing Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Routes of entry anticipated: Oral, Dermal, Inhalation.
2M Sodium Acetate pH 4.0	Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects



Eye contact

β-Mercaptoethanol	Causes serious eye damage.
Micro RNA Isolation Kit Isopropanol	Causes serious eye irritation.
Chloroform: Isoamyl Alcohol	Causes serious eye irritation.
Micro RNA Isolation Kit Denaturing Solution	Causes serious eye damage.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Causes serious eye damage.
2M Sodium Acetate pH 4.0	No known significant effects or critical hazards.



Inhalation

β-Mercaptoethanol	Toxic if inhaled. May cause respiratory irritation.
Micro RNA Isolation Kit Isopropanol	Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
Chloroform: Isoamyl Alcohol	Toxic if inhaled. Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation.
Micro RNA Isolation Kit Denaturing Solution	Harmful if inhaled. Corrosive to the respiratory system.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Toxic if inhaled.
2M Sodium Acetate pH 4.0	No known significant effects or critical hazards.

Section 11. Toxicological information

Skin contact	:  B -Mercaptoethanol	Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
	Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol Micro RNA Isolation Kit Denaturing Solution	Causes skin irritation. Causes severe burns.
Ingestion	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	Causes severe burns. Toxic in contact with skin. No known significant effects or critical hazards.
	:  B -Mercaptoethanol Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol Micro RNA Isolation Kit Denaturing Solution Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	Toxic if swallowed. Can cause central nervous system (CNS) depression. Harmful if swallowed. Can cause central nervous system (CNS) depression. May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns. Toxic if swallowed. Corrosive to the digestive tract. Causes burns. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:  B -Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
	Micro RNA Isolation Kit Isopropanol	Adverse symptoms may include the following: pain or irritation watering redness
	Chloroform: Isoamyl Alcohol	Adverse symptoms may include the following: pain or irritation watering redness
	Micro RNA Isolation Kit Denaturing Solution	Adverse symptoms may include the following: pain watering redness
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Adverse symptoms may include the following: pain watering redness
	2M Sodium Acetate pH 4.0	No specific data.
Inhalation	:  B -Mercaptoethanol	Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
	Micro RNA Isolation Kit Isopropanol	Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue

Section 11. Toxicological information

Skin contact	Chloroform: Isoamyl Alcohol	dizziness/vertigo unconsciousness Adverse symptoms may include the following: respiratory tract irritation coughing nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness reduced fetal weight increase in fetal deaths skeletal malformations
	Micro RNA Isolation Kit Denaturing Solution	Adverse symptoms may include the following: respiratory tract irritation coughing No specific data.
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid 2M Sodium Acetate pH 4.0	No specific data.
	:  -Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations No specific data.
	Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol	Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
	Micro RNA Isolation Kit Denaturing Solution	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	2M Sodium Acetate pH 4.0	No specific data.
	:  -Mercaptoethanol	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations No specific data.
	Micro RNA Isolation Kit Isopropanol Chloroform: Isoamyl Alcohol	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Micro RNA Isolation Kit Denaturing Solution	Adverse symptoms may include the following:

Section 11. Toxicological information

Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	stomach pains Adverse symptoms may include the following:
2M Sodium Acetate pH 4.0	stomach pains No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : -Mercaptoethanol

May cause damage to organs through prolonged or repeated exposure if swallowed. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol

May cause damage to organs through prolonged or repeated exposure.
Causes damage to organs through prolonged or repeated exposure.


Micro RNA Isolation Kit Denaturing
Solution

No known significant effects or critical hazards.

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid
2M Sodium Acetate pH 4.0

May cause damage to organs through prolonged or repeated exposure.

Carcinogenicity

: -Mercaptoethanol
Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Micro RNA Isolation Kit Denaturing
Solution

Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.


No known significant effects or critical hazards.

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid
2M Sodium Acetate pH 4.0

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Mutagenicity

: -Mercaptoethanol
Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol
Micro RNA Isolation Kit Denaturing
Solution

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.


No known significant effects or critical hazards.

Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid
2M Sodium Acetate pH 4.0

Suspected of causing genetic defects.

No known significant effects or critical hazards.

Reproductive toxicity

: -Mercaptoethanol
Micro RNA Isolation Kit
Isopropanol
Chloroform: Isoamyl Alcohol
Micro RNA Isolation Kit Denaturing
Solution
Phenol pH 5.3 - 5.7 Equilibrated
with 0.1 M Succinic Acid

Suspected of damaging fertility or the unborn child.
No known significant effects or critical hazards.

Suspected of damaging fertility or the unborn child.
No known significant effects or critical hazards.

No known significant effects or critical hazards.

Section 11. Toxicological information

2M Sodium Acetate pH 4.0

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
β-Mercaptoethanol β-Mercaptoethanol	244	200	N/A	3	N/A
Micro RNA Isolation Kit Isopropanol Micro RNA Isolation Kit Isopropanol Propan-2-ol	5000 5000	N/A 12800	N/A N/A	N/A 72.2	N/A N/A
Chloroform: Isoamyl Alcohol Chloroform: Isoamyl Alcohol Trichloromethane 3-Methylbutan-1-ol	506.2 500 1300	N/A N/A N/A	N/A N/A N/A	7.4 7.348 11	N/A N/A N/A
Micro RNA Isolation Kit Denaturing Solution Micro RNA Isolation Kit Denaturing Solution Guanidinium thiocyanate	1059.3 500	2330.5 1100	N/A N/A	N/A N/A	3.2 1.5
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol Succinic acid	101.2 100 2260	637.7 630 N/A	N/A N/A N/A	3 3 N/A	N/A N/A N/A
2M Sodium Acetate pH 4.0 2M Sodium Acetate pH 4.0 Acetic acid	6304.2 3310	2858.1 1060	N/A N/A	29.7 11	N/A N/A

Other information

β-Mercaptoethanol	Not available.
Micro RNA Isolation Kit Isopropanol	Adverse symptoms may include the following: Repeated exposure may cause skin dryness or cracking.
Chloroform: Isoamyl Alcohol	Adverse symptoms may include the following: jaundice, nausea or vomiting. Repeated exposure may cause skin dryness or cracking.
Micro RNA Isolation Kit Denaturing Solution	Not available.
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	Adverse symptoms may include the following: diarrhea, headache, nausea or vomiting, pulmonary edema, skin rash or hives.
2M Sodium Acetate pH 4.0	Not available.

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Micro RNA Isolation Kit Isopropanol Propan-2-ol	Acute EC50 7550 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 1400000 µg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 4200 mg/l Fresh water	Fish - Rasbora heteromorpha	96 hours
Chloroform: Isoamyl Alcohol Trichloromethane	Acute EC50 13.3 mg/l Fresh water	Algae - Chlamydomonas reinhardtii - Exponential growth phase	72 hours
	Acute EC50 2.803 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute LC50 29000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 13.3 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
	Chronic EC10 3.61 mg/l Fresh water	Algae - Chlamydomonas reinhardtii - Exponential growth phase	72 hours
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	Chronic NOEC 1.8 mg/l Fresh water	Daphnia - Daphnia magna	21 days
	Acute EC50 10 ppm Marine water	Algae - Macrocystis pyrifera - Young	4 days
	Acute EC50 36 mg/l Marine water	Algae - Hormosira banksii - Gamete	72 hours
	Acute EC50 94 mg/l Fresh water	Aquatic plants - Lemna aequinoctialis	96 hours
	Acute EC50 4200 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1450 µg/l Marine water	Crustaceans - Archaeomysis kokuboi - Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 1555 µg/l Fresh water	Fish - Cirrhinus mrigala - Larvae	96 hours
	Chronic NOEC 16 µg/l Marine water	Algae - Hormosira banksii - Gamete	72 hours
	Chronic NOEC 1.5 mg/l Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 118 µg/l Fresh water	Fish - Oncorhynchus mykiss	90 days
	Acute EC50 40.7 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 374200 µg/l Fresh water	Daphnia - Daphnia magna - Larvae	48 hours
	Acute LC50 >100 mg/l Fresh water	Fish - Danio rerio	96 hours
	Acute NOEC 25 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute NOEC 23 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute NOEC 100 mg/l Fresh water	Fish - Danio rerio	96 hours
2M Sodium Acetate pH 4.0 Acetic acid	Acute EC50 73400 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 65000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 32 mg/l Marine water	Crustaceans - Artemia salina	48 hours
	Acute LC50 75000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours

Section 12. Ecological information

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
β-Mercaptoethanol β-Mercaptoethanol	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	69 % - Not readily - 60 days	20 mg/l	-
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Succinic acid	OECD 301E Ready Biodegradability - Modified OECD Screening Test	96.55 % - Readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
β-Mercaptoethanol β-Mercaptoethanol	-	-	Not readily
Micro RNA Isolation Kit Isopropanol Propan-2-ol	-	-	Readily
Chloroform: Isoamyl Alcohol Trichloromethane 3-Methylbutan-1-ol	- -	- -	Not readily Readily
Micro RNA Isolation Kit Denaturing Solution Guanidinium thiocyanate	-	-	Inherent
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol Succinic acid	- -	- -	Inherent Readily
2M Sodium Acetate pH 4.0 Acetic acid	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
β-Mercaptoethanol β-Mercaptoethanol	-0.056	-	low
Micro RNA Isolation Kit Isopropanol Propan-2-ol	0.05	-	low
Chloroform: Isoamyl			

Section 12. Ecological information

Alcohol			
Trichloromethane	1.97	690	high
3-Methylbutan-1-ol	1.35	-	low
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid			
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	1.48	-	low
Phenol	1.47	647	high
Succinic acid	-0.59	-	low
2M Sodium Acetate pH 4.0			
Acetic acid	-0.17	3.16	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

Ingredient	CAS #	Status	Reference number
Chloroform: Isoamyl Alcohol Chloroform; Methane, trichloro-	67-66-3	Listed	U044
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	108-95-2	Listed	U188








Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Section 13. Disposal considerations

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	UN3316	UN3316	UN3316	UN3316	UN3316
UN proper shipping name	Chemical kits	CHEMICAL KIT	EQUIPO QUIMICO	CHEMICAL KIT	Chemical kit
Transport hazard class(es)	9 	9  	9 	9  	9 
Packing group	II	II	II	II	II
Environmental hazards	No.	Yes.	Yes. The environmentally hazardous substance mark is not required.	Yes.	Yes. The environmentally hazardous substance mark is not required.

Additional information

DOT Classification

- : **Reportable quantity** 61.224 lbs / 27.796 kg. Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.
- : **Limited quantity** Yes.
- : **Packaging instruction** Exceptions: 161. Non-bulk: 161. Bulk: None.
- : **Quantity limitation** Passenger aircraft/rail: 10 kg. Cargo aircraft: 10 kg.
- : **Special provisions** 15

TDG Classification

- : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark). The marine pollutant mark is not required when transported by road or rail.
- : **Passenger Carrying Road or Rail Index** 10
- : **Special provisions** 65, 141

Mexico Classification

- : **Special provisions** 251, 340

IMDG

- : The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.
- : **Emergency schedules** F-A, _S-P_
- : **Special provisions** 251, 340

IATA

- : The environmentally hazardous substance mark may appear if required by other transportation regulations.
- : **Quantity limitation** Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960. Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960.
- : **Special provisions** A44, A163

- : **Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

- : **Transport in bulk according to IMO instruments** : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
 Clean Water Act (CWA) 307: Trichloromethane; Phenol
☒ Clean Water Act (CWA) 311: Trichloromethane; Phenol; Acetic acid
- Clean Air Act (CAA) 112 regulated toxic substances: Trichloromethane
- Clean Air Act Section 112 : Listed
 (b) Hazardous Air Pollutants (HAPs)
- Clean Air Act Section 602 : Not listed
 Class I Substances
- Clean Air Act Section 602 : Not listed
 Class II Substances
- DEA List I Chemicals : Not listed
 (Precursor Chemicals)
- DEA List II Chemicals : Not listed
 (Essential Chemicals)

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
Chloroform: Isoamyl Alcohol Trichloromethane	≥90	Yes.	10000	803.8	10	0.8
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	≥90	Yes.	500 / 10000	-	1000	-

SARA 304 RQ : 61.2 lbs / 27.8 kg


SARA 311/312

- Classification** : ☒ Mercaptoethanol
- Micro RNA Isolation Kit
Isopropanol
- Chloroform: Isoamyl Alcohol
- FLAMMABLE LIQUIDS - Category 4
 ACUTE TOXICITY (oral) - Category 3
 ACUTE TOXICITY (dermal) - Category 2
 ACUTE TOXICITY (inhalation) - Category 3
 SKIN IRRITATION - Category 2
 SERIOUS EYE DAMAGE - Category 1
 SKIN SENSITIZATION - Category 1A
 TOXIC TO REPRODUCTION - Category 2
 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
 (Respiratory tract irritation) - Category 3
 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
 FLAMMABLE LIQUIDS - Category 2
- EYE IRRITATION - Category 2A
 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
 (Narcotic effects) - Category 3
 ACUTE TOXICITY (oral) - Category 4
 ACUTE TOXICITY (inhalation) - Category 3
 SKIN IRRITATION - Category 2
 EYE IRRITATION - Category 2A
 CARCINOGENICITY - Category 2
 TOXIC TO REPRODUCTION - Category 2
 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
 (Respiratory tract irritation) - Category 3
 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

Section 15. Regulatory information

Micro RNA Isolation Kit Denaturing Solution	(Narcotic effects) - Category 3 ACUTE TOXICITY (oral) - Category 4
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid	ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract FLAMMABLE LIQUIDS - Category 4
2M Sodium Acetate pH 4.0	ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 3 ACUTE TOXICITY (inhalation) - Category 3 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 GERM CELL MUTAGENICITY - Category 2 HNOC - Corrosive to digestive tract Not applicable.

Composition/information on ingredients

Name	%	Classification
 -Mercaptoethanol β-Mercaptoethanol	100	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
Micro RNA Isolation Kit Isopropanol Propan-2-ol	100	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 HNOC - Defatting irritant
Chloroform: Isoamyl Alcohol Trichloromethane	≥90	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
3-Methylbutan-1-ol	≤3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
Micro RNA Isolation Kit Denaturing Solution Guanidinium thiocyanate	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4

Section 15. Regulatory information

Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	≥90	ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract
Succinic acid	≤2.4	ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 3 ACUTE TOXICITY (inhalation) - Category 3 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 GERM CELL MUTAGENICITY - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 HNOC - Corrosive to digestive tract SERIOUS EYE DAMAGE - Category 1
2M Sodium Acetate pH 4.0 Acetic acid	≥25 - ≤34	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract [severe]

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Chloroform: Isoamyl Alcohol Trichloromethane	67-66-3	≥90
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	108-95-2	≥90
Supplier notification	Chloroform: Isoamyl Alcohol Trichloromethane	67-66-3	≥90
	Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid Phenol	108-95-2	≥90

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts

- ☑ The following components are listed: 2-MERCAPTOETHANOL; ISOPROPYL ALCOHOL; 2-PROPANOL; CHLOROFORM; TRICHLOROMETHANE; PHENOL; ACETIC ACID; ACETIC ACID GLACIAL

New York

- ☑ The following components are listed: Chloroform; Methane, trichloro-; Carbolic acid; Phenol; Acetic acid


New Jersey

- ☑ The following components are listed: THIOGLYCOL; 2-MERCAPTOETHANOL; ISOPROPYL ALCOHOL; 2-PROPANOL; CHLOROFORM; METHANE, TRICHLORO-; PHENOL; CARBOLIC ACID; ACETIC ACID; ETHANOIC ACID

Pennsylvania

- ☑ The following components are listed: ETHANOL, 2-MERCAPTO-; 2-PROPANOL; METHANE, TRICHLORO-; PHENOL; ACETIC ACID; ACETIC ACID, WATER SOLUTIONS

California Prop. 65

 **WARNING:** This product can expose you to Chloroform, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Section 15. Regulatory information

Ingredient name	No significant risk level	Maximum acceptable dosage level
Chloroform: Isoamyl Alcohol Chloroform	Yes.	-

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: <input checked="" type="checkbox"/> All components are active or exempted.
Viet Nam	: <input checked="" type="checkbox"/> All components are listed or exempted.

Section 16. Other information

History

Date of issue	: 11/03/2020
Date of previous issue	: 08/30/2018
Version	: 6
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

Section 16. Other information

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

UN = United Nations

Procedure used to derive the classification

Classification	Justification
B-Mercaptoethanol FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 2	On basis of test data On basis of test data On basis of test data On basis of test data Expert judgment Expert judgment Expert judgment Expert judgment Expert judgment Expert judgment Expert judgment Expert judgment Expert judgment
Micro RNA Isolation Kit Isopropanol FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	On basis of test data Calculation method Calculation method Calculation method
Chloroform: Isoamyl Alcohol ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method
Micro RNA Isolation Kit Denaturing Solution ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method Calculation method Calculation method Calculation method
Phenol pH 5.3 - 5.7 Equilibrated with 0.1 M Succinic Acid FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 3 ACUTE TOXICITY (inhalation) - Category 3 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 GERM CELL MUTAGENICITY - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 2	On basis of test data Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method

Section 16. Other information

Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.