# SAFETY DATA SHEET



PathDetect GRE cis Reporting System, Part Number 240133

# **Section 1. Identification**

1.1 Product identifier

Product name : PathDetect GRE cis Reporting System, Part Number 240133

Part no. (chemical kit) : 240133

Part no. : pGRE-Luc Plasmid 240134-51

pCIS-CK Negative Control Plasmid 219090-51

Validation date : 8/27/2022

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.

pGRE-Luc Plasmid 0.05 ml (50 μg 1 μg/μl) pCIS-CK Negative Control Plasmid 0.05 ml (50 μg 1 μg/μl)

1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer**: Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

### Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : pGRE-Luc Plasmid While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

pCIS-CK Negative Control

Plasmid

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

Classification of the substance or mixture

Not classified.

2.2 GHS label elements

Signal word : pGRE-Luc Plasmid No signal word.

pCIS-CK Negative Control Plasmid No signal word.

**Hazard statements**: pGRE-Luc Plasmid

No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

**Precautionary statements** 

**Prevention**: pGRE-Luc Plasmid Not applicable.

pCIS-CK Negative Control Plasmid Not applicable.

Response : pGRE-Luc Plasmid Not applicable.

pCIS-CK Negative Control Plasmid Not applicable.

Date of issue: 08/27/2022 1/12

PathDetect GRE cis Reporting System, Part Number 240133

### Section 2. Hazards identification

**Storage** : pGRE-Luc Plasmid Not applicable.

pCIS-CK Negative Control Plasmid Not applicable.

**Disposal** : pGRE-Luc Plasmid Not applicable.

pCIS-CK Negative Control Plasmid Not applicable.

Supplemental label : pGRE-Luc Plasmid None known.

elements pCIS-CK Negative Control Plasmid None known.

2.3 Other hazards

**Hazards not otherwise** : pGRE-Luc Plasmid None known. classified pCIS-CK Negative Control Plasmid None known.

### Section 3. Composition/information on ingredients

Substance/mixture : pGRE-Luc Plasmid Mixture pCIS-CK Negative Control Plasmid Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

### Section 4. First aid measures

#### 4.1 Description of necessary first aid measures

**Eye contact**: pGRE-Luc Plasmid Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

pCIS-CK Negative Control Plasmid Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Inhalation : pGRE-Luc Plasmid Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

pCIS-CK Negative Control Plasmid Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

**Skin contact**: pGRE-Luc Plasmid Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

pCIS-CK Negative Control Plasmid Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Ingestion : pGRE-Luc Plasmid Wash out mouth with water. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

pCIS-CK Negative Control Plasmid Wash out mouth with water. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

# 4.2 Most important symptoms/effects, acute and delayed Potential acute health effects

**Date of issue:** 08/27/2022 **2/12** 

### Section 4. First aid measures

: pGRE-Luc Plasmid **Eye contact** No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

Inhalation pGRE-Luc Plasmid No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

Skin contact : pGRE-Luc Plasmid No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

Ingestion : pGRE-Luc Plasmid No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : pGRE-Luc Plasmid No specific data.

pCIS-CK Negative Control Plasmid No specific data.

Inhalation : pGRE-Luc Plasmid No specific data.

pCIS-CK Negative Control Plasmid No specific data.

Skin contact : pGRE-Luc Plasmid No specific data.

pCIS-CK Negative Control Plasmid No specific data. : pGRE-Luc Plasmid Ingestion No specific data.

pCIS-CK Negative Control Plasmid No specific data.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : pGRE-Luc Plasmid Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

pCIS-CK Negative Control Plasmid Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

**Specific treatments** : pGRE-Luc Plasmid No specific treatment.

pCIS-CK Negative Control Plasmid No specific treatment.

**Protection of first-aiders** : pGRE-Luc Plasmid No action shall be taken involving any personal risk

or without suitable training.

pCIS-CK Negative Control Plasmid No action shall be taken involving any personal risk

or without suitable training.

#### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### 5.1 Extinguishing media

media

Suitable extinguishing : pGRE-Luc Plasmid Use an extinguishing agent suitable for the

surrounding fire.

pCIS-CK Negative Control Plasmid Use an extinguishing agent suitable for the

surrounding fire.

None known.

**Unsuitable extinguishing** 

pCIS-CK Negative Control Plasmid None known. media

: pGRE-Luc Plasmid

### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising

from the chemical

: pGRE-Luc Plasmid In a fire or if heated, a pressure increase will occur

and the container may burst.

pCIS-CK Negative Control Plasmid In a fire or if heated, a pressure increase will occur

and the container may burst.

**Hazardous thermal** 

: pGRE-Luc Plasmid No specific data. pCIS-CK Negative Control Plasmid No specific data. decomposition products

#### 5.3 Advice for firefighters

Date of issue: 08/27/2022 3/12

### Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: pGRE-Luc Plasmid

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or

without suitable training.

pCIS-CK Negative Control Plasmid Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

**Special protective** equipment for fire-fighters : pGRE-Luc Plasmid

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

pCIS-CK Negative Control Plasmid Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: pGRE-Luc Plasmid

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: pGRE-Luc Plasmid

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

pCIS-CK Negative Control Plasmid

pCIS-CK Negative Control Plasmid

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: pGRE-Luc Plasmid

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers, waterways, soil or air).

pCIS-CK Negative Control Plasmid Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

Date of issue: 08/27/2022

### Section 6. Accidental release measures

Methods for cleaning up

: pGRE-Luc Plasmid

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

pCIS-CK Negative Control Plasmid Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

**Protective measures** 

: pGRE-Luc Plasmid

Put on appropriate personal protective equipment

(see Section 8).

pCIS-CK Negative Control Plasmid Put on appropriate personal protective equipment

(see Section 8).

Advice on general occupational hygiene : pGRE-Luc Plasmid

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

pCIS-CK Negative Control Plasmid

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: pGRE-Luc Plasmid

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in

original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for

incompatible materials before handling or use.

pCIS-CK Negative Control Plasmid

Date of issue: 08/27/2022 5/12 PathDetect GRE cis Reporting System, Part Number 240133

### Section 7. Handling and storage

#### 7.3 Specific end use(s)

Recommendations

: pGRE-Luc Plasmid Industrial applications, Professional applications. pCIS-CK Negative Control Plasmid Industrial applications, Professional applications.

Industrial sector specific

solutions

: pGRE-Luc Plasmid Not available. pCIS-CK Negative Control Plasmid Not available.

# Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
None.	

#### **Biological exposure indices**

No exposure indices known.

#### **8.2 Exposure controls**

Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Date of issue:** 08/27/2022 **6/12** 

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance** 

pН

Physical state : pGRE-Luc Plasmid Liquid. pCIS-CK Negative Control Plasmid Liquid.

Color : pGRE-Luc Plasmid Not available.

pCIS-CK Negative Control Plasmid Not available.

Odor : pGRE-Luc Plasmid Not available.

pCIS-CK Negative Control Plasmid Not available.

Odor threshold : pGRE-Luc Plasmid Not available. pCIS-CK Negative Control Plasmid Not available.

: pGRE-Luc Plasmid 7.5

pCIS-CK Negative Control Plasmid 7.5

Melting point/freezing point : pGRE-Luc Plasmid 0°C (32°F)

pCIS-CK Negative Control Plasmid 0°C (32°F)

Boiling point, initial boiling point, and boiling range pCIS-CK Negative Control Plasmid 100°C (212°F)

point, and boiling range pCIS-CK Negative Control Plasmid 100°C (212°F)

Flash point : pGRE-Luc Plasmid Not available.

pCIS-CK Negative Control Plasmid Not available. **Evaporation rate**: pGRE-Luc Plasmid Not available.

pCIS-CK Negative Control Plasmid Not available.

Flammability: pGRE-Luc Plasmid Not applicable.
pCIS-CK Negative Control Plasmid Not applicable.

Lower and upper explosion : pGRE-Lu limit/flammability limit : pCIS-CK

Vapor pressure

pGRE-Luc Plasmid Not available.
pCIS-CK Negative Control Plasmid Not available.

	Vapor Pressure at 20°C			Vapor pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
pGRE-Luc Plasmid						
water	23.8	3.2		92.258	12.3	
pCIS-CK Negative Control Plasmid						
water	23.8	3.2		92.258	12.3	

**Relative vapor density**: pGRE-Luc Plasmid Not available.

pCIS-CK Negative Control Plasmid Not available.

**Relative density** : pGRE-Luc Plasmid Not available. pCIS-CK Negative Control Plasmid Not available.

Solubility(ies) : Media Result

Media Result

PGRE-Luc Plasmid
water
pCIS-CK Negative
Control Plasmid
water Easily soluble

Easily soluble

Partition coefficient: n-

octanol/water

**Auto-ignition temperature** 

pGRE-Luc Plasmid Not applicable.
 pCIS-CK Negative Control Plasmid Not applicable.
 pGRE-Luc Plasmid Not available.
 pCIS-CK Negative Control Plasmid Not available.

**Date of issue**: 08/27/2022 **7/12** 

# Section 9. Physical and chemical properties and safety characteristics

**Decomposition temperature**: pGRE-Luc Plasmid Not available.

pCIS-CK Negative Control Plasmid Not available.

**Viscosity** : pGRE-Luc Plasmid Not available. pCIS-CK Negative Control Plasmid Not available.

**Particle characteristics** 

Median particle size : pGRE-Luc Plasmid Not applicable.

pCIS-CK Negative Control Plasmid Not applicable.

### Section 10. Stability and reactivity

**10.1 Reactivity** : pGRE-Luc Plasmid No specific test data related to reactivity available

for this product or its ingredients.

pCIS-CK Negative Control Plasmid No specific test data related to reactivity available

for this product or its ingredients.

**10.2 Chemical stability** : pGRE-Luc Plasmid The product is stable.

pCIS-CK Negative Control Plasmid The product is stable.

10.3 Possibility of : pGRE-Luc Plasmid Under normal conditions of storage and use,

hazardous reactions hazardous reactions will not occur.

pCIS-CK Negative Control Plasmid Under normal conditions of storage and use,

hazardous reactions will not occur.

**10.4 Conditions to avoid** : pGRE-Luc Plasmid No specific data.

pCIS-CK Negative Control Plasmid No specific data.

**10.5 Incompatible materials**: pGRE-Luc Plasmid May react or be incompatible with oxidizing

materials.

pCIS-CK Negative Control Plasmid May react or be incompatible with oxidizing

materials

**10.6 Hazardous** : pGRE-Luc Plasmid Under normal conditions of storage and use,

hazardous decomposition products should not be

produced

pCIS-CK Negative Control Plasmid Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

# **Section 11. Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Not available.

**Irritation/Corrosion** 

decomposition products

Not available.

**Sensitization** 

Not available.

**Mutagenicity** 

Conclusion/Summary : Not available.

Carcinogenicity

**Conclusion/Summary**: Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Date of issue: 08/27/2022 8/12

# Section 11. Toxicological information

**Teratogenicity** 

: Not available. Conclusion/Summary Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on the likely

routes of exposure

Skin contact

Ingestion

: pGRE-Luc Plasmid

Not available.

pCIS-CK Negative Control Plasmid Not available.

Potential acute health effects

: pGRE-Luc Plasmid **Eye contact** 

No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

Inhalation : pGRE-Luc Plasmid No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

: pGRE-Luc Plasmid

No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

: pGRE-Luc Plasmid

No known significant effects or critical hazards.

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : pGRE-Luc Plasmid

No specific data. pCIS-CK Negative Control Plasmid No specific data.

Inhalation : pGRE-Luc Plasmid No specific data.

pCIS-CK Negative Control Plasmid No specific data.

: pGRE-Luc Plasmid Skin contact

No specific data.

pCIS-CK Negative Control Plasmid No specific data.

Ingestion pGRE-Luc Plasmid No specific data.

pCIS-CK Negative Control Plasmid No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects

: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects Not available.

Potential chronic health effects

General : pGRE-Luc Plasmid

No known significant effects or critical hazards. pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

: pGRE-Luc Plasmid Carcinogenicity

No known significant effects or critical hazards. pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

pGRE-Luc Plasmid

No known significant effects or critical hazards.

Mutagenicity

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards. No known significant effects or critical hazards.

Reproductive toxicity

: pGRE-Luc Plasmid

pCIS-CK Negative Control Plasmid No known significant effects or critical hazards.

08/27/2022 Date of issue: 9/12

# **Section 11. Toxicological information**

Numerical measures of toxicity
Acute toxicity estimates

N/A

# **Section 12. Ecological information**

#### **12.1 Toxicity**

Not available.

#### 12.2 Persistence and degradability

Not available.

#### 12.3 Bioaccumulative potential

Not available.

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Date of issue: 08/27/2022 10/12

# **Section 14. Transport information**

DOT / TDG / Mexico / IMDG / : Not regulated.

IATA

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)** 

Class I Substances

Clean Air Act Section 602

Clean Air Act Section 602

Class II Substances

: Not listed

: Not listed

: Not listed

**DEA List I Chemicals** 

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

**SARA 302/304** 

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification pGRE-Luc Plasmid Not applicable. pCIS-CK Negative Control Plasmid Not applicable.

**Composition/information on ingredients** 

No products were found.

State regulations

**Massachusetts** : None of the components are listed. **New York** : None of the components are listed. **New Jersey** : None of the components are listed. **Pennsylvania** : None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Date of issue: 08/27/2022 11/12

### Section 15. Regulatory information

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Eurasian Economic Union : Russian Federation inventory: All components are listed or exempted.

Japan : Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): All components are listed or exempted.

New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.
Republic of Korea : All components are listed or exempted.
Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

### Section 16. Other information

#### Procedure used to derive the classification

Classification	Justification
Not classified.	

#### **History**

Date of issue : 08/27/2022 Date of previous issue : 11/18/2019

Version : 6

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

Indicates information that has changed from previously issued version.

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**Date of issue:** 08/27/2022 **12/12**