Conforms to US OSHA Hazard Communication 29CFR1910.1200

SAFETY DATA SHEET

Agilent Technologies

Absolutely RNA 96 Microprep Kit, Part Number 400793

Section 1. Identification

1.1 Product identifier

Product name : Absolutely RNA 96 Microprep Kit, Part Number 400793

Part no. (chemical kit) : 400793

Part no. :

ß-Mercaptoethanol	200345-21
RNase-Free DNase I (Lyophilized)	400711-23
RNA Lysis Buffer	400790-13
1.67X High Salt Wash Buffer	400790-14
5x Low-Salt Wash Buffer	400790-15
Elution Buffer	400790-16
DNase Reconstitution Buffer	400711-17
DNase Digestion Buffer	400790-18

Validation date : 1/7/2022

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical reagent.

ß-Mercaptoethanol	0.75 ml (750 µl	14.33 M)
RNase-Free DNase I (Lyophilized)	2600 U	
RNA Lysis Buffer	25 ml	
1.67X High Salt Wash Buffer	64 ml	
5x Low-Salt Wash Buffer	2 x 40 ml	
Elution Buffer	12 ml	
DNase Reconstitution Buffer	0.3 ml	
DNase Digestion Buffer	11 ml	

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status :

ß-Mercaptoethanol	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
RNase-Free DNase I (Lyophilized)	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
RNA Lysis Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
1.67X High Salt Wash Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
5x Low-Salt Wash Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Elution Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR

Section 2. Hazards identification

	1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
DNase Reconstitution Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
DNase Digestion Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

β-Mercaptoethanol

H227	FLAMMABLE LIQUIDS - Category 4
H301	ACUTE TOXICITY (oral) - Category 3
H310	ACUTE TOXICITY (dermal) - Category 2
H331	ACUTE TOXICITY (inhalation) - Category 3
H315	SKIN IRRITATION - Category 2
H318	SERIOUS EYE DAMAGE - Category 1
H317	SKIN SENSITIZATION - Category 1A
H361	TOXIC TO REPRODUCTION - Category 2
H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
H400	AQUATIC HAZARD (ACUTE) - Category 1
H411	AQUATIC HAZARD (LONG-TERM) - Category 2

RNase-Free DNase I (Lyophilized)

	COMBUSTIBLE DUSTS

RNA Lysis Buffer

H302	ACUTE TOXICITY (oral) - Category 4
H332	ACUTE TOXICITY (inhalation) - Category 4
H314	SKIN CORROSION - Category 1C
H318	SERIOUS EYE DAMAGE - Category 1
H412	AQUATIC HAZARD (LONG-TERM) - Category 3

1.67X High Salt Wash Buffer

H302	ACUTE TOXICITY (oral) - Category 4
H332	ACUTE TOXICITY (inhalation) - Category 4
H314	SKIN CORROSION - Category 1C
H318	SERIOUS EYE DAMAGE - Category 1
H412	AQUATIC HAZARD (LONG-TERM) - Category 3

DNase Reconstitution Buffer

H320	EYE IRRITATION - Category 2B

DNase Digestion Buffer

H226	FLAMMABLE LIQUIDS - Category 3
H319	EYE IRRITATION - Category 2A

Ingredients of unknown toxicity : 1.67X High Salt Wash Buffer — Percentage of the mixture consisting of ingredient (s) of unknown acute inhalation toxicity: 1 - 10%

2.2 GHS label elements

Section 2. Hazards identification

Hazard pictograms :

ß-Mercaptoethanol



RNA Lysis Buffer

1.67X High Salt Wash Buffer

DNase Digestion Buffer

Signal word :

ß-Mercaptoethanol	Danger
RNase-Free DNase I (Lyophilized)	Warning
RNA Lysis Buffer	Danger
1.67X High Salt Wash Buffer	Danger
5x Low-Salt Wash Buffer	No signal word.
Elution Buffer	No signal word.
DNase Reconstitution Buffer	Warning
DNase Digestion Buffer	Warning

Hazard statements :

ß-Mercaptoethanol

H227 - Combustible liquid.
H301 + H331 - Toxic if swallowed or if inhaled.
H310 - Fatal in contact with skin.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H335 - May cause respiratory irritation.
H361 - Suspected of damaging fertility or the unborn child.
H373 - May cause damage to organs through prolonged or repeated exposure. (heart, liver) (oral)
H400 - Very toxic to aquatic life.
H411 - Toxic to aquatic life with long lasting effects.

RNase-Free DNase I (Lyophilized)

May form combustible dust concentrations in air.

RNA Lysis Buffer

H302 + H332 - Harmful if swallowed or if inhaled.
H314 - Causes severe skin burns and eye damage.
H412 - Harmful to aquatic life with long lasting effects.

1.67X High Salt Wash Buffer

H302 + H332 - Harmful if swallowed or if inhaled.
H314 - Causes severe skin burns and eye damage.
H412 - Harmful to aquatic life with long lasting effects.

5x Low-Salt Wash Buffer

No known significant effects or critical hazards.

Elution Buffer

No known significant effects or critical hazards.

DNase Reconstitution Buffer

H320 - Causes eye irritation.

DNase Digestion Buffer

H226 - Flammable liquid and vapor.
H319 - Causes serious eye irritation.

Section 2. Hazards identification

Precautionary statements

Prevention	:	β-Mercaptoethanol	P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing and eye or face protection. P210 - Keep away from flames and hot surfaces. No smoking. P273 - Avoid release to the environment. P262 - Do not get in eyes, on skin, or on clothing. P260 - Do not breathe vapor. P270 - Do not eat, drink or smoke when using this product. P264 - Wash thoroughly after handling.
		RNase-Free DNase I (Lyophilized)	Not applicable.
		RNA Lysis Buffer	P280 - Wear protective gloves, protective clothing and eye or face protection. P273 - Avoid release to the environment. P261 - Avoid breathing vapor. P270 - Do not eat, drink or smoke when using this product. P264 - Wash thoroughly after handling.
		1.67X High Salt Wash Buffer	P280 - Wear protective gloves, protective clothing and eye or face protection. P273 - Avoid release to the environment. P261 - Avoid breathing vapor. P270 - Do not eat, drink or smoke when using this product. P264 - Wash thoroughly after handling.
		5x Low-Salt Wash Buffer	Not applicable.
		Elution Buffer	Not applicable.
		DNase Reconstitution Buffer	Not applicable.
		DNase Digestion Buffer	P280 - Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 - Use explosion-proof electrical, ventilating or lighting equipment. P242 - Use non-sparking tools. P243 - Take action to prevent static discharges.
Response	:	β-Mercaptoethanol	P391 - Collect spillage. P308 + P313 - IF exposed or concerned: Get medical advice or attention. P304 + P340, P311 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse. P302 + P310, P352 - IF ON SKIN: Immediately call a POISON CENTER or doctor. Wash with plenty of water. P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention. P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
		RNase-Free DNase I (Lyophilized)	Not applicable.
		RNA Lysis Buffer	P304 + P310 - IF INHALED: Immediately call a

Section 2. Hazards identification

		POISON CENTER or doctor. P301 + P310, P330, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. P363 - Wash contaminated clothing before reuse. P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
	1.67X High Salt Wash Buffer	P304 + P310 - IF INHALED: Immediately call a POISON CENTER or doctor. P301 + P310, P330, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. P363 - Wash contaminated clothing before reuse. P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
	5x Low-Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	DNase Digestion Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage :	β-Mercaptoethanol	P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. P403 + P235 - Keep cool.
	RNase-Free DNase I (Lyophilized)	Not applicable.
	RNA Lysis Buffer	Not applicable.
	1.67X High Salt Wash Buffer	Not applicable.
	5x Low-Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	Not applicable.
	DNase Digestion Buffer	P403 + P235 - Store in a well-ventilated place. Keep cool.
Disposal :		

Section 2. Hazards identification

	ß-Mercaptoethanol	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	RNase-Free DNase I (Lyophilized)	Not applicable.
	RNA Lysis Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	1.67X High Salt Wash Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	5x Low-Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	Not applicable.
	DNase Digestion Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements :	ß-Mercaptoethanol	None known.
	RNase-Free DNase I (Lyophilized)	Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.
	RNA Lysis Buffer	Keep container tightly closed. Do not breathe vapor or spray. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling.
	1.67X High Salt Wash Buffer	Keep container tightly closed. Do not breathe vapor or spray. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling.
	5x Low-Salt Wash Buffer	None known.
	Elution Buffer	None known.
	DNase Reconstitution Buffer	None known.
	DNase Digestion Buffer	Avoid contact with skin and clothing. Wash thoroughly after handling.

2.3 Other hazards

Hazards not otherwise classified :	ß-Mercaptoethanol	None known.
	RNase-Free DNase I (Lyophilized)	None known.
	RNA Lysis Buffer	Causes respiratory tract burns. Causes digestive tract burns.
	1.67X High Salt Wash Buffer	Causes respiratory tract burns. Causes digestive tract burns.
	5x Low-Salt Wash Buffer	None known.
	Elution Buffer	None known.
	DNase Reconstitution Buffer	None known.
	DNase Digestion Buffer	Prolonged or repeated contact may dry skin and cause irritation.

Section 3. Composition/information on ingredients

Substance/mixture :	ß-Mercaptoethanol	Substance
	RNase-Free DNase I (Lyophilized)	Substance
	RNA Lysis Buffer	Mixture
	1.67X High Salt Wash Buffer	Mixture
	5x Low-Salt Wash Buffer	Mixture
	Elution Buffer	Mixture
	DNase Reconstitution Buffer	Mixture
	DNase Digestion Buffer	Mixture

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
ß-Mercaptoethanol		
ß-Mercaptoethanol	100	60-24-2
RNase-Free DNase I (Lyophilized)		
Enzyme.	100	-
RNA Lysis Buffer		
Guanidinium thiocyanate	≥25 - ≤50	593-84-0
1.67X High Salt Wash Buffer		
Guanidinium thiocyanate	≥25 - ≤50	593-84-0
DNase Reconstitution Buffer		
Glycerol	≥50 - ≤75	56-81-5
DNase Digestion Buffer		
Ethanol	≥25 - ≤50	64-17-5
Sodium chloride	≤3	7647-14-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	:	ß-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
		RNase-Free DNase I (Lyophilized)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
		RNA Lysis Buffer	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
		1.67X High Salt Wash Buffer	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
		5x Low-Salt Wash Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		Elution Buffer	Immediately flush eyes with plenty of water,

Section 4. First aid measures

			occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		DNase Reconstitution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
		DNase Digestion Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	β-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
		RNase-Free DNase I (Lyophilized)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
		RNA Lysis Buffer	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		1.67X High Salt Wash Buffer	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air

Section 4. First aid measures

		and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	5x Low-Salt Wash Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Elution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	DNase Reconstitution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	DNase Digestion Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact :	ß-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Gently wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	RNase-Free DNase I (Lyophilized)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

Section 4. First aid measures

			before reuse.
		RNA Lysis Buffer	Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
		1.67X High Salt Wash Buffer	Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
		5x Low-Salt Wash Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		DNase Reconstitution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
		DNase Digestion Buffer	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	β-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
		RNase-Free DNase I (Lyophilized)	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by

Section 4. First aid measures

	mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
RNA Lysis Buffer	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
1.67X High Salt Wash Buffer	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
5x Low-Salt Wash Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Elution Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
DNase Reconstitution Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First aid measures

DNase Digestion Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: ß-Mercaptoethanol	Causes serious eye damage.
	RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	RNA Lysis Buffer	Causes serious eye damage.
	1.67X High Salt Wash Buffer	Causes serious eye damage.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	Causes eye irritation.
	DNase Digestion Buffer	Causes serious eye irritation.
Inhalation	: ß-Mercaptoethanol	Toxic if inhaled. May cause respiratory irritation.
	RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	RNA Lysis Buffer	Harmful if inhaled. Corrosive to the respiratory system.
	1.67X High Salt Wash Buffer	Harmful if inhaled. Corrosive to the respiratory system.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.
Skin contact	: ß-Mercaptoethanol	Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	RNA Lysis Buffer	Causes severe burns.
	1.67X High Salt Wash Buffer	Causes severe burns.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	Defatting to the skin. May cause skin dryness and irritation.
Ingestion	: ß-Mercaptoethanol	Toxic if swallowed.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	RNA Lysis Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	1.67X High Salt Wash Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.

Section 4. First aid measures

	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	:	ß-Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
		RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: irritation redness
		RNA Lysis Buffer	Adverse symptoms may include the following: pain watering redness
		1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain watering redness
		5x Low-Salt Wash Buffer	No specific data.
		Elution Buffer	No specific data.
		DNase Reconstitution Buffer	Adverse symptoms may include the following: irritation watering redness
		DNase Digestion Buffer	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	ß-Mercaptoethanol	Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
		RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: respiratory tract irritation coughing
		RNA Lysis Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing
		1.67X High Salt Wash Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing
		5x Low-Salt Wash Buffer	No specific data.
		Elution Buffer	No specific data.
		DNase Reconstitution Buffer	No specific data.
		DNase Digestion Buffer	No specific data.
Skin contact	:	ß-Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
		RNase-Free DNase I (Lyophilized)	No specific data.
		RNA Lysis Buffer	Adverse symptoms may include the following: pain or irritation

Section 4. First aid measures

		redness blistering may occur
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	5x Low-Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	Adverse symptoms may include the following: irritation dryness cracking
Ingestion :	ß-Mercaptoethanol	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	No specific data.
	RNA Lysis Buffer	Adverse symptoms may include the following: stomach pains
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: stomach pains
	5x Low-Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician :	ß-Mercaptoethanol	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	RNase-Free DNase I (Lyophilized)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	RNA Lysis Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	1.67X High Salt Wash Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	5x Low-Salt Wash Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNase Reconstitution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNase Digestion Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 4. First aid measures

Specific treatments	:	ß-Mercaptoethanol	No specific treatment.
		RNase-Free DNase I (Lyophilized)	No specific treatment.
		RNA Lysis Buffer	No specific treatment.
		1.67X High Salt Wash Buffer	No specific treatment.
		5x Low-Salt Wash Buffer	No specific treatment.
		Elution Buffer	No specific treatment.
		DNase Reconstitution Buffer	No specific treatment.
		DNase Digestion Buffer	No specific treatment.
Protection of first-aiders	:	ß-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
		RNase-Free DNase I (Lyophilized)	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
		RNA Lysis Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
		1.67X High Salt Wash Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
		5x Low-Salt Wash Buffer	No action shall be taken involving any personal risk or without suitable training.
		Elution Buffer	No action shall be taken involving any personal risk or without suitable training.
		DNase Reconstitution Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
		DNase Digestion Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	ß-Mercaptoethanol	Use dry chemical, CO_2, water spray (fog) or foam.
		RNase-Free DNase I (Lyophilized)	Use dry chemical powder.
		RNA Lysis Buffer	Use an extinguishing agent suitable for the surrounding fire.
		1.67X High Salt Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
		5x Low-Salt Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
		Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.
		DNase Reconstitution Buffer	Use an extinguishing agent suitable for the surrounding fire.
		DNase Digestion Buffer	Use dry chemical, CO_2, water spray (fog) or foam.
Unsuitable extinguishing media	:	ß-Mercaptoethanol	Do not use water jet.
		RNase-Free DNase I (Lyophilized)	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
		RNA Lysis Buffer	None known.
		1.67X High Salt Wash Buffer	None known.
		5x Low-Salt Wash Buffer	None known.
		Elution Buffer	None known.
		DNase Reconstitution Buffer	None known.
		DNase Digestion Buffer	Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	:	ß-Mercaptoethanol	Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
		RNase-Free DNase I (Lyophilized)	May form explosible dust-air mixture if dispersed.
		RNA Lysis Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
		1.67X High Salt Wash Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
		5x Low-Salt Wash Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
		Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
		DNase Reconstitution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
		DNase Digestion Buffer	Flammable liquid and vapor. Runoff to sewer may

Section 5. Fire-fighting measures

			create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	:	ß-Mercaptoethanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
		RNase-Free DNase I (Lyophilized)	Decomposition products may include the following materials: carbon dioxide carbon monoxide
		RNA Lysis Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
		1.67X High Salt Wash Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds
		5x Low-Salt Wash Buffer	No specific data.
		Elution Buffer	No specific data.
		DNase Reconstitution Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide
		DNase Digestion Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters	:	ß-Mercaptoethanol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
		RNase-Free DNase I (Lyophilized)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
		RNA Lysis Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
		1.67X High Salt Wash Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

	5x Low-Salt Wash Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	DNase Reconstitution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	DNase Digestion Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters :	ß-Mercaptoethanol	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	RNase-Free DNase I (Lyophilized)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	RNA Lysis Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	1.67X High Salt Wash Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	5x Low-Salt Wash Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Elution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	DNase Reconstitution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	DNase Digestion Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Section 6. Accidental release measures

For non-emergency personnel	:	ß-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
		RNase-Free DNase I (Lyophilized)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
		RNA Lysis Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
		1.67X High Salt Wash Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
		5x Low-Salt Wash Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
		Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
		DNase Reconstitution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
		DNase Digestion Buffer	No action shall be taken involving any personal

Section 6. Accidental release measures

		risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders :	ß-Mercaptoethanol	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	RNase-Free DNase I (Lyophilized)	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	RNA Lysis Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	1.67X High Salt Wash Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	5x Low-Salt Wash Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Elution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	DNase Reconstitution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	DNase Digestion Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions :	ß-Mercaptoethanol	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
	RNase-Free DNase I (Lyophilized)	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	RNA Lysis Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in

Section 6. Accidental release measures

	large quantities.
1.67X High Salt Wash Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
5x Low-Salt Wash Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Elution Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DNase Reconstitution Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DNase Digestion Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: ß-Mercaptoethanol	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	RNase-Free DNase I (Lyophilized)	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
	RNA Lysis Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	1.67X High Salt Wash Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	5x Low-Salt Wash Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

Section 6. Accidental release measures

	disposal contractor.
Elution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNase Reconstitution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNase Digestion Buffer	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	:	ß-Mercaptoethanol	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
		RNase-Free DNase I (Lyophilized)	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary

Section 7. Handling and storage

	measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
RNA Lysis Buffer	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
1.67X High Salt Wash Buffer	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
5x Low-Salt Wash Buffer	Put on appropriate personal protective equipment (see Section 8).
Elution Buffer	Put on appropriate personal protective equipment (see Section 8).
DNase Reconstitution Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
DNase Digestion Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Section 7. Handling and storage

Advice on general occupational hygiene	:	ß-Mercaptoethanol	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		RNase-Free DNase I (Lyophilized)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		RNA Lysis Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		1.67X High Salt Wash Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		5x Low-Salt Wash Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		Elution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		DNase Reconstitution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		DNase Digestion Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

7.2 Conditions for safe storage, including any incompatibilities	:	β-Mercaptoethanol	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		RNase-Free DNase I (Lyophilized)	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		RNA Lysis Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		1.67X High Salt Wash Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		5x Low-Salt Wash Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled

Section 7. Handling and storage

	containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Elution Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
DNase Reconstitution Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
DNase Digestion Buffer	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	:	ß-Mercaptoethanol	Industrial applications, Professional applications.
		RNase-Free DNase I (Lyophilized)	Industrial applications, Professional applications.
		RNA Lysis Buffer	Industrial applications, Professional applications.
		1.67X High Salt Wash Buffer	Industrial applications, Professional applications.
		5x Low-Salt Wash Buffer	Industrial applications, Professional applications.
		Elution Buffer	Industrial applications, Professional applications.
		DNase Reconstitution Buffer	Industrial applications, Professional applications.
		DNase Digestion Buffer	Industrial applications, Professional applications.
Industrial sector specific solutions	:	ß-Mercaptoethanol	Not available.
		RNase-Free DNase I (Lyophilized)	Not available.
		RNA Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low-Salt Wash Buffer	Not available.
		Elution Buffer	Not available.
		DNase Reconstitution Buffer	Not available.
		DNase Digestion Buffer	Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
ß-Mercaptoethanol ß-Mercaptoethanol	**OARS WEEL (United States, 1/2021).** **Absorbed through skin.** TWA: 0.2 ppm 8 hours.
RNase-Free DNase I (Lyophilized) Enzyme.	None.
RNA Lysis Buffer Guanidinium thiocyanate	None.
1.67X High Salt Wash Buffer Guanidinium thiocyanate	None.
DNase Reconstitution Buffer Glycerol	**OSHA PEL 1989 (United States, 3/1989).** TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust **OSHA PEL (United States, 5/2018).** TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust
DNase Digestion Buffer Ethanol	**ACGIH TLV (United States, 1/2021).** STEL: 1000 ppm 15 minutes. **OSHA PEL 1989 (United States, 3/1989).** TWA: 1000 ppm 8 hours. TWA: 1900 mg/m³ 8 hours. **NIOSH REL (United States, 10/2020).** TWA: 1000 ppm 10 hours. TWA: 1900 mg/m³ 10 hours. **OSHA PEL (United States, 5/2018).** TWA: 1000 ppm 8 hours. TWA: 1900 mg/m³ 8 hours.
Sodium chloride	None.

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls/personal protection

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state :

ß-Mercaptoethanol	Liquid.
RNase-Free DNase I (Lyophilized)	Solid.
RNA Lysis Buffer	Liquid.
1.67X High Salt Wash Buffer	Liquid.
5x Low-Salt Wash Buffer	Liquid.
Elution Buffer	Liquid.
DNase Reconstitution Buffer	Liquid.
DNase Digestion Buffer	Liquid.

Color :

ß-Mercaptoethanol	Colorless.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Section 9. Physical and chemical properties and safety characteristics

Odor :

ß-Mercaptoethanol	Characteristic.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Odor threshold :

ß-Mercaptoethanol	Not available.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

pH :

ß-Mercaptoethanol	Not available.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	6.4
5x Low-Salt Wash Buffer	7
Elution Buffer	7.5
DNase Reconstitution Buffer	7.5
DNase Digestion Buffer	7

Melting point/freezing point :

ß-Mercaptoethanol	-100°C (-148°F)
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	0°C (32°F)
Elution Buffer	0°C (32°F)
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Boiling point, initial boiling point, and boiling range :

ß-Mercaptoethanol	157°C (314.6°F)
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	100°C (212°F)
Elution Buffer	100°C (212°F)
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Flash point :

ß-Mercaptoethanol	Closed cup: 74°C (165.2°F) Open cup: 74°C (165.2°F)
RNase-Free DNase I (Lyophilized)	Not applicable.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Closed cup: 23 to 37.8°C (73.4 to 100°F)

	Closed cup			Open cup		
Ingredient name	**°C**	**°F**	**Method**	**°C**	**°F**	**Method**

Section 9. Physical and chemical properties and safety characteristics

RNA Lysis Buffer						
octamethylcyclotetrasiloxane	56	132.8		87.78	190	
Citric acid, trisodium salt, dihydrate	>100	>212				
1.67X High Salt Wash Buffer						
Citric acid, trisodium salt, dihydrate	>100	>212				
DNase Reconstitution Buffer						
Glycerol			Pensky-Martens	177	350.6	

Evaporation rate :

ß-Mercaptoethanol	Not available.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Flammability :

ß-Mercaptoethanol	Not applicable.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not applicable.
1.67X High Salt Wash Buffer	Not applicable.
5x Low-Salt Wash Buffer	Not applicable.
Elution Buffer	Not applicable.
DNase Reconstitution Buffer	Not applicable.
DNase Digestion Buffer	Not applicable.

Lower and upper explosion limit/flammability limit :

ß-Mercaptoethanol	Lower: 2.3% Upper: 18%
RNase-Free DNase I (Lyophilized)	Not applicable.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Vapor pressure :

ß-Mercaptoethanol	0.13 kPa (0.98 mm Hg)
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Ingredient name	Vapor Pressure at 20˚C			Vapor pressure at 50˚C		
	mm Hg	kPa	Method	mm Hg	kPa	Method

Section 9. Physical and chemical properties and safety characteristics

RNA Lysis Buffer						
Water	23.8	3.2		92.258	12.3	
octamethylcyclotetrasiloxane	0.99	0.13				
1.67X High Salt Wash Buffer						
Water	23.8	3.2		92.258	12.3	
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0	0		0.000007501	0.000001	
5x Low-Salt Wash Buffer						
Water	23.8	3.2		92.258	12.3	
Trometamol	<0.00075006	<0.0001				
Elution Buffer						
Water	23.8	3.2		92.258	12.3	
Trometamol	<0.00075006	<0.0001				
DNase Reconstitution Buffer						
Water	23.8	3.2		92.258	12.3	
Trometamol	<0.00075006	<0.0001				
DNase Digestion Buffer						
Ethanol	42.95	5.7				
Water	23.8	3.2		92.258	12.3	

Relative vapor density :

ß-Mercaptoethanol	2.7 [Air = 1]
RNase-Free DNase I (Lyophilized)	Not applicable.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Relative density :

ß-Mercaptoethanol	1.1
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not available.
1.67X High Salt Wash Buffer	Not available.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Not available.
DNase Digestion Buffer	Not available.

Solubility :

ß-Mercaptoethanol	Easily soluble in the following materials: cold water and hot water.
RNase-Free DNase I (Lyophilized)	Easily soluble in the following materials: cold water and hot water.
RNA Lysis Buffer	Easily soluble in the following materials: cold water and hot water.
1.67X High Salt Wash Buffer	Soluble in the following materials: cold water and hot water.
5x Low-Salt Wash Buffer	Easily soluble in the following materials: cold water

Section 9. Physical and chemical properties and safety characteristics

		and hot water.
	Elution Buffer	Easily soluble in the following materials: cold water and hot water.
	DNase Reconstitution Buffer	Soluble in the following materials: cold water and hot water.
	DNase Digestion Buffer	Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water :	ß-Mercaptoethanol	-0.056
	RNase-Free DNase I (Lyophilized)	Not applicable.
	RNA Lysis Buffer	Not applicable.
	1.67X High Salt Wash Buffer	Not applicable.
	5x Low-Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	Not applicable.
	DNase Digestion Buffer	Not applicable.
Auto-ignition temperature :	ß-Mercaptoethanol	295°C (563°F)
	RNase-Free DNase I (Lyophilized)	Not applicable.
	RNA Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low-Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.

Ingredient name	°C	°F	Method
RNA Lysis Buffer			
octamethylcyclotetrasiloxane	384 to 387	723.2 to 728.6	ASTM E 659
DNase Reconstitution Buffer			
Glycerol	370	698	
DNase Digestion Buffer			
Ethanol	455	851	DIN 51794

Decomposition temperature :	ß-Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	RNA Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low-Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.
Viscosity :	ß-Mercaptoethanol	Dynamic: 3.43 mPa·s (3.43 cP)
	RNase-Free DNase I (Lyophilized)	Not applicable.
	RNA Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low-Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.

Particle characteristics

Section 9. Physical and chemical properties and safety characteristics

Median particle size :

ß-Mercaptoethanol	Not applicable.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Not applicable.
1.67X High Salt Wash Buffer	Not applicable.
5x Low-Salt Wash Buffer	Not applicable.
Elution Buffer	Not applicable.
DNase Reconstitution Buffer	Not applicable.
DNase Digestion Buffer	Not applicable.

Section 10. Stability and reactivity

10.1 Reactivity :

ß-Mercaptoethanol	No specific test data related to reactivity available for this product or its ingredients.
RNase-Free DNase I (Lyophilized)	No specific test data related to reactivity available for this product or its ingredients.
RNA Lysis Buffer	No specific test data related to reactivity available for this product or its ingredients.
1.67X High Salt Wash Buffer	No specific test data related to reactivity available for this product or its ingredients.
5x Low-Salt Wash Buffer	No specific test data related to reactivity available for this product or its ingredients.
Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
DNase Reconstitution Buffer	No specific test data related to reactivity available for this product or its ingredients.
DNase Digestion Buffer	No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability :

ß-Mercaptoethanol	The product is stable.
RNase-Free DNase I (Lyophilized)	The product is stable.
RNA Lysis Buffer	The product is stable.
1.67X High Salt Wash Buffer	The product is stable.
5x Low-Salt Wash Buffer	The product is stable.
Elution Buffer	The product is stable.
DNase Reconstitution Buffer	The product is stable.
DNase Digestion Buffer	The product is stable.

10.3 Possibility of hazardous reactions :

ß-Mercaptoethanol	Under normal conditions of storage and use, hazardous reactions will not occur.
RNase-Free DNase I (Lyophilized)	Under normal conditions of storage and use, hazardous reactions will not occur.
RNA Lysis Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
1.67X High Salt Wash Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
5x Low-Salt Wash Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
Elution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
DNase Reconstitution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
DNase Digestion Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.

Section 10. Stability and reactivity

10.4 Conditions to avoid	:	ß-Mercaptoethanol	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
		RNase-Free DNase I (Lyophilized)	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
		RNA Lysis Buffer	No specific data.
		1.67X High Salt Wash Buffer	No specific data.
		5x Low-Salt Wash Buffer	No specific data.
		Elution Buffer	No specific data.
		DNase Reconstitution Buffer	No specific data.
		DNase Digestion Buffer	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
10.5 Incompatible materials	:	ß-Mercaptoethanol	Reactive or incompatible with the following materials: oxidizing materials
		RNase-Free DNase I (Lyophilized)	Reactive or incompatible with the following materials: oxidizing materials
		RNA Lysis Buffer	May react or be incompatible with oxidizing materials.
		1.67X High Salt Wash Buffer	May react or be incompatible with oxidizing materials.
		5x Low-Salt Wash Buffer	May react or be incompatible with oxidizing materials.
		Elution Buffer	May react or be incompatible with oxidizing materials.
		DNase Reconstitution Buffer	May react or be incompatible with oxidizing materials.
		DNase Digestion Buffer	Reactive or incompatible with the following materials: oxidizing materials
10.6 Hazardous decomposition products	:	ß-Mercaptoethanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		RNase-Free DNase I (Lyophilized)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		RNA Lysis Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		1.67X High Salt Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		5x Low-Salt Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be

Section 10. Stability and reactivity

	produced.
DNase Reconstitution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
DNase Digestion Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ß-Mercaptoethanol				
ß-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
DNase Reconstitution Buffer				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
DNase Digestion Buffer				
Ethanol	LC50 Inhalation Vapor	Rat	124700 mg/m³	4 hours
	LD50 Oral	Rat	7 g/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
ß-Mercaptoethanol					
ß-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 mg	-
DNase Reconstitution Buffer					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
DNase Digestion Buffer					
Ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	100 uL	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Classification

Section 11. Toxicological information

Product/ingredient name	OSHA	IARC	NTP
DNase Digestion Buffer Ethanol	-	1	-

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
ß-Mercaptoethanol ß-Mercaptoethanol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
ß-Mercaptoethanol ß-Mercaptoethanol	Category 2	oral	heart, liver

Aspiration hazard

Not available.

Information on the likely routes of exposure :

ß-Mercaptoethanol	Routes of entry anticipated: Oral, Dermal, Inhalation.
RNase-Free DNase I (Lyophilized)	Not available.
RNA Lysis Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
1.67X High Salt Wash Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
5x Low-Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
DNase Digestion Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact :

ß-Mercaptoethanol	Causes serious eye damage.
RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
RNA Lysis Buffer	Causes serious eye damage.
1.67X High Salt Wash Buffer	Causes serious eye damage.
5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
Elution Buffer	No known significant effects or critical hazards.
DNase Reconstitution Buffer	Causes eye irritation.
DNase Digestion Buffer	Causes serious eye irritation.

Inhalation :

ß-Mercaptoethanol	Toxic if inhaled. May cause respiratory irritation.
RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
RNA Lysis Buffer	Harmful if inhaled. Corrosive to the respiratory system.
1.67X High Salt Wash Buffer	Harmful if inhaled. Corrosive to the respiratory system.

Section 11. Toxicological information

	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.
Skin contact :	ß-Mercaptoethanol	Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	RNA Lysis Buffer	Causes severe burns.
	1.67X High Salt Wash Buffer	Causes severe burns.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	Defatting to the skin. May cause skin dryness and irritation.
Ingestion :	ß-Mercaptoethanol	Toxic if swallowed.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	RNA Lysis Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	1.67X High Salt Wash Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact :	ß-Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: irritation redness
	RNA Lysis Buffer	Adverse symptoms may include the following: pain watering redness
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain watering redness
	5x Low-Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	Adverse symptoms may include the following: irritation watering redness
	DNase Digestion Buffer	Adverse symptoms may include the following: pain or irritation watering redness

Section 11. Toxicological information

Inhalation	: ß-Mercaptoethanol	Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: respiratory tract irritation coughing
	RNA Lysis Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing
	5x Low-Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	No specific data.
Skin contact	: ß-Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	No specific data.
	RNA Lysis Buffer	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	5x Low-Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: ß-Mercaptoethanol	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	No specific data.
	RNA Lysis Buffer	Adverse symptoms may include the following: stomach pains
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: stomach pains
	5x Low-Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Section 11. Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General :	ß-Mercaptoethanol	May cause damage to organs through prolonged or repeated exposure if swallowed. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
	RNase-Free DNase I (Lyophilized)	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	RNA Lysis Buffer	No known significant effects or critical hazards.
	1.67X High Salt Wash Buffer	No known significant effects or critical hazards.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Carcinogenicity :	ß-Mercaptoethanol	No known significant effects or critical hazards.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	RNA Lysis Buffer	No known significant effects or critical hazards.
	1.67X High Salt Wash Buffer	No known significant effects or critical hazards.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.
Mutagenicity :	ß-Mercaptoethanol	No known significant effects or critical hazards.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	RNA Lysis Buffer	No known significant effects or critical hazards.
	1.67X High Salt Wash Buffer	No known significant effects or critical hazards.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.
Reproductive toxicity :	ß-Mercaptoethanol	Suspected of damaging fertility or the unborn child.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	RNA Lysis Buffer	No known significant effects or critical hazards.
	1.67X High Salt Wash Buffer	No known significant effects or critical hazards.
	5x Low-Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
ß-Mercaptoethanol					
ß-Mercaptoethanol	244	200	N/A	3	N/A
RNA Lysis Buffer					
RNA Lysis Buffer	1057.1	2325.6	N/A	N/A	3.2
Guanidinium thiocyanate	500	1100	N/A	N/A	1.5
1.67X High Salt Wash Buffer					
1.67X High Salt Wash Buffer	1282.1	2820.5	N/A	N/A	3.8
Guanidinium thiocyanate	500	1100	N/A	N/A	1.5
DNase Reconstitution Buffer					
Glycerol	12600	N/A	N/A	N/A	N/A
DNase Digestion Buffer					
DNase Digestion Buffer	258620.7	N/A	N/A	N/A	N/A
Ethanol	7000	N/A	N/A	124.7	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
DNase Reconstitution Buffer			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
DNase Digestion Buffer			
Ethanol	Acute EC50 3306 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 1074 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute LC50 5680 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 11000000 µg/l Marine water	Fish - Alburnus alburnus	96 hours
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

12.2 Persistence and degradability

Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
ß-Mercaptoethanol				
ß-Mercaptoethanol	OECD 310 Ready Biodegradability - CO_2 in Sealed Vessels (Headspace Test)	69 % - Not readily - 60 days	20 mg/l	-
DNase Reconstitution Buffer				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
ß-Mercaptoethanol			
ß-Mercaptoethanol	-	-	Not readily
RNA Lysis Buffer			
Guanidinium thiocyanate	-	-	Inherent
1.67X High Salt Wash Buffer			
Guanidinium thiocyanate	-	-	Inherent
DNase Digestion Buffer			
Ethanol	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	$LogP_{ow}$	BCF	Potential
ß-Mercaptoethanol			
ß-Mercaptoethanol	-0.056	-	low
DNase Reconstitution Buffer			
Glycerol	-1.76	-	low
DNase Digestion Buffer			
Ethanol	-0.35	0.5	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{OC}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	UN3316	UN3316	UN3316	UN3316	UN3316
UN proper shipping name	CHEMICAL KIT	CHEMICAL KIT	EQUIPO QUIMICO	CHEMICAL KIT	Chemical kit
Transport hazard class(es)	9 	9 	9 	9 	9 
Packing group		II			
Environmental hazards	No.	No.	No.	No.	No.

Additional information

TDG Classification : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9).
Passenger Carrying Road or Rail Index 10
Special provisions 65, 141

Mexico Classification : **Special provisions** 251, 340

IMDG : **Emergency schedules** F-A, _S-P_
Special provisions 251, 340

Section 14. Transport information

IATA : The environmentally hazardous substance mark may appear if required by other transportation regulations.
Quantity limitation Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960. Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960.
Special provisions A44, A163

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 4(a) final test rules**: octamethylcyclotetrasiloxane
TSCA 8(a) PAIR: octamethylcyclotetrasiloxane
TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification :

β-Mercaptoethanol	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
RNase-Free DNase I (Lyophilized)	COMBUSTIBLE DUSTS
RNA Lysis Buffer	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract
1.67X High Salt Wash Buffer	ACUTE TOXICITY (oral) - Category 4

Section 15. Regulatory information

	ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract
5x Low-Salt Wash Buffer	Not applicable.
Elution Buffer	Not applicable.
DNase Reconstitution Buffer	EYE IRRITATION - Category 2B
DNase Digestion Buffer	FLAMMABLE LIQUIDS - Category 3 EYE IRRITATION - Category 2A HNOC - Defatting irritant

Composition/information on ingredients

Name	%	Classification
ß-Mercaptoethanol		
ß-Mercaptoethanol	100	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
RNase-Free DNase I (Lyophilized)		
Enzyme.	100	COMBUSTIBLE DUSTS
RNA Lysis Buffer		
Guanidinium thiocyanate	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract
1.67X High Salt Wash Buffer		
Guanidinium thiocyanate	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract
DNase Reconstitution Buffer		
Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
DNase Digestion Buffer		
Ethanol	≥25 - ≤50	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A HNOC - Defatting irritant
Sodium chloride	≤3	EYE IRRITATION - Category 2A

State regulations

Massachusetts : The following components are listed: 2-MERCAPTOETHANOL; GLYCERINE MIST; ETHYL ALCOHOL; ETHANOL; DENATURED ALCOHOL

New York : None of the components are listed.

New Jersey : The following components are listed: THIOGLYCOL; ETHANOL, 2-MERCAPTO-; 2-MERCAPTOETHANOL; GLYCERIN; 1,2,3-PROPANETRIOL; ETHYL ALCOHOL; METHYLCARBINOL; ETHANOL; ALCOHOL

Section 15. Regulatory information

Pennsylvania : The following components are listed: ETHANOL, 2-MERCAPTO-; 1,2,3-PROPANETRIOL; ETHANOL; DENATURED ALCOHOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

Canada : Not determined.

China : All components are listed or exempted.

Europe : All components are listed or exempted.

Japan : **Japan inventory (CSCL)**: Not determined.
Japan inventory (ISHL): All components are listed or exempted.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.

Viet Nam : Not determined.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
ß-Mercaptoethanol	
FLAMMABLE LIQUIDS - Category 4	On basis of test data
ACUTE TOXICITY (oral) - Category 3	On basis of test data
ACUTE TOXICITY (dermal) - Category 2	On basis of test data
ACUTE TOXICITY (inhalation) - Category 3	On basis of test data
SKIN IRRITATION - Category 2	Expert judgment
SERIOUS EYE DAMAGE - Category 1	Expert judgment
SKIN SENSITIZATION - Category 1A	Expert judgment
TOXIC TO REPRODUCTION - Category 2	Expert judgment
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	Expert judgment
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	Expert judgment
AQUATIC HAZARD (ACUTE) - Category 1	Expert judgment

Section 16. Other information

AQUATIC HAZARD (LONG-TERM) - Category 2	Expert judgment
RNase-Free DNase I (Lyophilized)	
COMBUSTIBLE DUSTS	On basis of test data
RNA Lysis Buffer	
ACUTE TOXICITY (oral) - Category 4	Calculation method
ACUTE TOXICITY (inhalation) - Category 4	Calculation method
SKIN CORROSION - Category 1C	Calculation method
SERIOUS EYE DAMAGE - Category 1	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method
1.67X High Salt Wash Buffer	
ACUTE TOXICITY (oral) - Category 4	Calculation method
ACUTE TOXICITY (inhalation) - Category 4	Calculation method
SKIN CORROSION - Category 1C	Calculation method
SERIOUS EYE DAMAGE - Category 1	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method
DNase Reconstitution Buffer	
EYE IRRITATION - Category 2B	Calculation method
DNase Digestion Buffer	
FLAMMABLE LIQUIDS - Category 3	On basis of test data
EYE IRRITATION - Category 2A	Calculation method

History

Date of issue : 01/07/2022

Date of previous issue : 11/30/2020

Version : 10

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.