

Tel: 800-227-9770



# Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2019 Reviewed on 04/17/2019

## 1 Identification

- · Product identifier
- · Product name: Niobium Standard: 10000 μg/mL Nb in 2% HF [100ml bottle]
- · Part number: 5190-8424
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051,

USA

- · Information department: e-mail: pdl-msds\_author@agilent.com
- · Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05

GHS06

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrofluoric acid niobium pentachloride

· Hazard statements

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

(Contd. on page 2)



Printing date 04/17/2019 Reviewed on 04/17/2019

## Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 1)

H314 Causes severe skin burns and eye damage.

#### · Precautionary statements

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients


- · Chemical characterization: Mixtures
- · Description: Aqueous solution.

· Dangerous components:		
CAS: 7664-39-3	hydrofluoric acid	<2%
RTECS: MW 7875000	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Skin Corr. 1A, H314	
CAS: 10026-12-7	niobium pentachloride	<2%
RTECS: QU0350000	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; STOT SE 3, H335	

#### · Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

US



Page 3/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2019 Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 2)

### 4 First-aid measures

· Description of first aid measures

**Agilent Technologies** 

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse mouth. Do not induce vomiting.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



Printing date 04/17/2019 Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

· Protective Action Criteria for Chemicals		
· PAC-1:	·	
CAS: 7664-39-3	hydrofluoric acid	1.0 ppm
CAS: 10026-12-7	niobium pentachloride	$4.2 mg/m^3$
· PAC-2:		
CAS: 7664-39-3	hydrofluoric acid	24 ppm
CAS: 10026-12-7	niobium pentachloride	46 mg/m³
· PAC-3:		
CAS: 7664-39-3	hydrofluoric acid	44 ppm
CAS: 10026-12-7	niobium pentachloride	$280 \text{ mg/m}^3$

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Store in cool, dry place in tightly closed receptacles.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Please refer to the manufacturers certificate for specific storage and transport temperature conditions.

Store only in the original receptacle unless other advice is given on the CoA.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  *Specific end use*(s) *No further relevant information available.*

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components	with limit	values th	hat roauiro	monitoring	at the workplace:

### CAS: 7664-39-3 hydrofluoric acid

PEL Long-term value: 3 ppm

as F

REL Long-term value: 2.5 mg/m³, 3 ppm

Ceiling limit value: 5 mg/m³, 6 ppm

15-min, as F

TLV Long-term value: 0.41 mg/m³, 0.5 ppm

Ceiling limit value: 1.64 mg/m³, 2 ppm

as F; Skin, BEI

(Contd. on page 5)



Printing date 04/17/2019 Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 4)

### · Ingredients with biological limit values:

### CAS: 7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

**Agilent Technologies** 

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

#### · Material of gloves

PVC gloves

Neoprene gloves

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

US





Printing date 04/17/2019 Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 5)

Information on basic physical and c	chemical properties	
General Information		
· Appearance: Form:	Liquid	
Color:	Liquid Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	< 2	
Change in condition		
Melting point/Melting range:	Not determined.	
<del>-</del>	Not determined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not determined	
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.98002 g/cm³ (8.17827 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

Not determined.

Not determined.

No further relevant information available.

## 10 Stability and reactivity

· Reactivity

· Viscosity:

Dynamic: Kinematic:

· Other information

Stable under normal conditions.

No further relevant information available.

- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 7)





Printing date 04/17/2019 Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 6)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 8)



acc. to OSHA HCS

Page 8/11 **Safety Data Sheet** 

Printing date 04/17/2019

**Agilent Technologies** 

Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 7)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Dispose in accordance with national regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN2922

 $\cdot DOT$ Corrosive liquids, toxic, n.o.s. (Hydrofluoric acid)

2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC

ACID)

· IMDG, IATA CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC

ACID)

- · Transport hazard class(es)
- $\cdot DOT$

 $\cdot ADR$ 





· Class 8 Corrosive substances

· Label 8, 6.1

 $\cdot ADR$ 





· Class 8 Corrosive substances

· Label 8+6.1

· IMDG





· Class 8 Corrosive substances

(Contd. on page 9)





Printing date 04/17/2019 Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

	(Contd. of page
· Label	8/6.1
· IATA	
· Class	8 Corrosive substances
· Label	8 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	86
· EMS Number:	F- $A$ , $S$ - $B$
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 2922 CORROSIVE LIQUID, TOXIC, N.O. (HYDROFLUORIC ACID), 8 (6.1), II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

CAS: 7664-39-3 hydrofluoric acid

· Section 313 (Specific toxic chemical listings):

CAS: 7664-39-3 hydrofluoric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Hazardous Air Pollutants

CAS: 7664-39-3 hydrofluoric acid

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 10)





Printing date 04/17/2019 Reviewed on 04/17/2019

Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 9)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Hazard pictograms





GHS05 GHS06

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrofluoric acid

niobium pentachloride

· Hazard statements

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Date of preparation / last revision 04/17/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)





Printing date 04/17/2019 Reviewed on 04/17/2019

## Product name: Niobium Standard: 10000 µg/mL Nb in 2% HF [100ml bottle]

(Contd. of page 10)

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 1: Acute toxicity – Category 1

Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corresion/irritation – Category 1B

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

#### Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· <u>Data compared to the previous version altered</u>. All sections have been updated.

US