

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 5190-8495

Product Name Osmium Standard: 1000 μg/mL Os in 20% HCl [100ml bottle]

Form Not applicable

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

Agilent Technologies LDA UK Ltd. 5500 Lakeside Cheadle Royal Business Park, Cheadle, Cheshire, SK8 3GR United Kindgom

+44 (0) 345 712 5292

For further information, please contact

E-mail address pdl-msds_author@agilent.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC®: +44 20 3807 3798

Emergency Telephone -	Emergency Telephone - §45 - (EC)1272/2008				
Europe	112				
Austria	No information available				
Bulgaria					
Croatia					
Cyprus Czech Republic					
Czech Republic					
Denmark					

EGHS / EN Page 1 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals Category 1 - (H290)

2.2. Label elements



Signal word Warning

Hazard statements

H290 - May be corrosive to metals

Precautionary Statements - EU (§28, 1272/2008)

P390 - Absorb spillage to prevent material damage

P201 - Obtain special instructions before use

P234 - Keep only in original container

P406 - Store in corrosive resistant stainless steel container with a resistant inner liner

EGHS / EN Page 2 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

2.3. Other hazards

Causes mild skin irritation.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.Chemical nameEU - REACH (1907/2006) - Article 59(1)
- Candidate List of Substances of Very
High Concern (SVHC) for AuthorisationEU - REACH (1907/2006) - Endocrine
Disruptor Assessment List of
SubstancesHydrochloric acid--

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature

aqueous solution.

Chemical name	Weight-%	REACH registration number		Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Hydrochloric acid 7647-01-0	5 - <10	-	231-595-7 (017-002-00 -2)	, ,	Eye Irrit. 2 :: 10%<=C<25% Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 10%<=C<25% STOT SE 3 :: C>=10%		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

EGHS / EN Page 3 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Hydrochloric acid 7647-01-0	238	5010	No data available	No data available	563.3022

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

EGHS / EN Page 4 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

EGHS / EN Page 5 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature

conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Hydrochloric acid	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm
7647-01-0	TWA: 8 mg/m ³	TWA: 8 mg/m ³	TWA: 8 mg/m ³	TWA: 8.0 mg/m ³	TWA: 8 mg/m ³
	STEL: 10 ppm	STEL 10 ppm	STEL: 10 ppm	STEL: 10 ppm	STEL: 10 ppm
	STEL: 15 mg/m ³	STEL 15 mg/m ³	STEL: 15 mg/m ³	STEL: 15.0 mg/m ³	STEL: 15 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Hydrochloric acid	TWA: 5 ppm	TWA: 8 mg/m ³	STEL: 5 ppm	TWA: 5 ppm	STEL: 5 ppm
7647-01-0	TWA: 8 mg/m ³	Ceiling: 15 mg/m ³	STEL: 8 mg/m ³	TWA: 8 mg/m ³	STEL: 7.6 mg/m ³
	STEL: 10 ppm			STEL: 10 ppm	-
	STEL: 15 mg/m ³			STEL: 15 mg/m ³	
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary

EGHS / EN Page 6 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1.01 Revision date 24-Jul-2024

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

Hydrochloric acid	CT.	EL: 5 ppm	TWA: 2 ppm	TWA: 2 ppm	Τ\Λ/Λ	: 5 ppm	TWA: 8 mg/m ³	
7647-01-0		• •					9	
7647-01-0	SIEI	L: 7.6 mg/m ³	TWA: 3 mg/m ³	TWA: 3.0 mg/m ³		7 mg/m ³	TWA: 5 ppm	
				Peak: 4 ppm		.: 5 ppm	STEL: 165 mg/m ³	
				Peak: 6 mg/m ³		7 mg/m ³	STEL: 10 ppm	
Chemical name		Ireland	Italy MDLPS	Italy AIDII	Li	atvia	Lithuania	
Hydrochloric acid	TW	A: 8 mg/m ³	TWA: 5 ppm	Ceiling: 2 ppm	TWA	: 5 ppm	TWA: 5 ppm	
7647-01-0	TV	VA: 5 ppm	TWA: 8 mg/m ³	Ceiling: 2.9 mg/m ³	TWA:	8 mg/m ³	TWA: 8 mg/m ³	
	STE	EL: 10 ppm	STEL: 10 ppm		STEL	: 10 ppm	STEL: 10 ppm	
		L: 15 mg/m ³	STEL: 15 mg/m ³			15 mg/m ³	STEL: 15 mg/m ³	
Chemical name	Lu	xembourg	Malta	Netherlands		rway	Poland	
Hydrochloric acid	TV	VA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	Ceilin	g: 5 ppm	TWA: 5 mg/m ³	
7647-01-0		A: 8 mg/m ³	TWA: 8 mg/m ³	TWA: 8 mg/m ³		: 7 mg/m ³	STEL: 10 mg/m ³	
	STE	EL: 10 ppm	STEL: 10 ppm	STEL: 10 ppm		J	Ŭ	
		L: 15 mg/m ³	STEL: 15 mg/m ³	STEL: 15 mg/m ³				
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain	
Hydrochloric acid	TV	VA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA	: 5 ppm	TWA: 5 ppm	
7647-01-0	TW	A: 8 mg/m ³	TWA: 8 mg/m ³	TWA: 8.0 mg/m ³	TWA:	8 mg/m ³	TWA: 7.6 mg/m ³	
		EL: 10 ppm	STEL: 10 ppm	Ceiling: 15 mg/m ³		: 10 ppm	STEL: 10 ppm	
		L: 15 mg/m ³	STEL: 15 mg/m ³			15 mg/m ³	STEL: 15 mg/m ³	
		ling: 2 ppm	3			J.	3	
Chemical name			weden	Switzerland		Uni	ted Kingdom	
Hydrochloric acid			/: 2 ppm	TWA: 2 ppm			WA: 1 ppm	
7647-01-0			: 3 mg/m³	TWA: 3 mg/m ³	i		/A: 2 mg/m³	
			KGV: 4 ppm	STEL: 4 ppm			ΓEL: 5 ppm	
			KGV: 6 mg/m ³	STEL: 6 mg/m ³	3		STEL: 8 mg/m ³	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Eye/face protection

Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the Hand protection

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

EGHS / EN Page 7 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

gloves.

Skin and body protectionWear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourcolourlessOdourOdourless.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNone known

pH
 pH (as aqueous solution)
 No data available
 No data available
 No information available

Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known

EGHS / EN Page 8 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

None known

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

Relative density No data available

Bulk density
Liquid Density

No data available
No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent.

Hazardous decomposition products None known based on information supplied.

EGHS / EN Page 9/17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00
 mg/kg

 ATEmix (dermal)
 99,999.00
 mg/kg

 ATEmix (inhalation-gas)
 99,999.00
 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00
 mg/l

 ATEmix (inhalation-vapour)
 99,999.00
 mg/l

Component Information

Chemical name Oral LD	50 Dermal LD50	Inhalation LC50
Hydrochloric acid 238 - 277 mg/l	g (Rat) > 5010 mg/kg (Rab	bit) = 1.68 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

EGHS / EN Page 10 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

EGHS / EN Page 11 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentNo information available.

Chemical name	PBT and vPvB assessment	
Hydrochloric acid	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

<u>IATA</u>

14.1 UN number or ID number UN1789

14.2 UN proper shipping name Hydrochloric acid mixture

14.3 Transport hazard class(es) 8

EGHS / EN Page 12 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 **Revision Number** 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

14.4 Packing group Description UN1789, Hydrochloric acid mixture, 8, II Not applicable

14.5 Environmental hazards

14.6 Special precautions for user **Special Provisions ERG Code**

A3, A803 8L

IMDG

14.1 UN number or ID number UN1789

14.2 UN proper shipping name Hydrochloric acid mixture

14.3 Transport hazard class(es) 14.4 Packing group Ш

Description UN1789, Hydrochloric acid mixture, 8, II

14.5 Marine pollutant

14.6 Special precautions for user

Special Provisions

EmS-No.

14.7 Maritime transport in bulk according to IMO instruments

None

F-A. S-B No information available

No information available

14.1 UN number or ID number UN1789

14.2 UN proper shipping name Hydrochloric acid mixture

14.3 Transport hazard class(es) 14.4 Packing group

UN1789, Hydrochloric acid mixture, 8, II Description

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 520 Classification code C1

ADR

14.1 UN number or ID number UN1789

14.2 UN proper shipping name Hydrochloric acid mixture

14.3 Transport hazard class(es) 14.4 Packing group Ш

UN1789, Hydrochloric acid mixture, 8, II, (E) Description

Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 520 Classification code C1 **Tunnel restriction code** (E)

SECTION 15: Regulatory information

EGHS / EN Page 13 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

EGHS / EN Page 14 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Hydrochloric acid - 7647-01-0	Use restricted. See entry 75.	

Persistent Organic Pollutants

Not applicable

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrochloric acid - 7647-01-0	25	250

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

	biocidal Products Regulation (EO) No 320/2012 (BPK)	
Chemical name		Biocidal Products Regulation (EU) No 528/2012 (BPR)
	Hydrochloric acid - 7647-01-0	Product-type 2: Disinfectants and algaecides not intended
		for direct application to humans or animals

International Inventories

TSCA LGC, to the best of its ability, has confirmed that the chemical substances in this product are

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021."

DSL/NDSL
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
ENCS
Contact supplier for inventory compliance status
IECSC
Contact supplier for inventory compliance status
KECI
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
Contact supplier for inventory compliance status
AIIC
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

EGHS / EN Page 15 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 µg/mL Os in 20% HCI [100ml bottle]

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method

EGHS / EN Page 16 / 17



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 24-Jul-2024 Revision Number 1.01

5190-8495 - Osmium Standard: 1000 μg/mL Os in 20% HCI [100ml bottle]

Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 24-Jul-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet

EGHS / EN Page 17 / 17