

This safety data sheet was created pursuant to the requirements of: WHS Regulations

Revision date 24-Jul-2024 Revision Number 1.01

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name Chromium Standard: 10 µg/mL Cr in 2% HNO3 [100ml bottle]

Product Code(s) 5190-8568

Other means of identification

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Chemical name

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use.

Uses advised against No information available.

Chemicals of Security Concern This product contains one or more substance(s) listed on the voluntary National Code of

Practice for Chemicals of Security Concern.

Details of manufacturer or importer

Supplier

Agilent Technologies Australia Pty Ltd 679 Springvale Road Mulgrave Victoria 3170, Australia

1800 802 402

For further information, please contact

Contact Point Product Safety Department

E-mail address pdl-msds_author@agilent.com

Emergency telephone number

Emergency telephone number CHEMTREC®: +(61)-290372994

Section 2: Hazard(s) identification

UGHS / EN Page 1 / 13



5190-8568 - Chromium Standard: 10 μg/mL Cr in 2% HNO3 [100ml bottle]

Revision date 24-Jul-2024

GHS Classification

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Label elements

Corrosion



Signal word WARNING

Hazard statements

May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Keep only in original packaging.

Wear protective gloves/clothing and eye/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store in corrosion resistant container with a resistant inner liner.

Other hazards which do not result in classification

No information available.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Nitric Acid	7697-37-2	0 - 10%
Non-hazardous ingredients	Proprietary	Balance

Additional information

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

UGHS / EN Page 2 / 13



5190-8568 - Chromium Standard: 10 μg/mL Cr in 2% HNO3

[100ml bottle]

Revision date 24-Jul-2024

Section 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Centre, Australia: 13 11 26

Poisons Information Centre, New Zealand: 0800 764 766

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

No information available.

chemical

Special protective actions for firefighters

UGHS / EN Page 3 / 13



5190-8568 - Chromium Standard: 10 μg/mL Cr in 2% HNO3

[100ml bottle]

Revision date 24-Jul-2024

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Hazchem code 2X

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before re-use.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature

conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Incompatible materials Oxidising agent. Strong acids. Strong bases.

UGHS / EN Page 4 / 13



5190-8568 - Chromium Standard: 10 µg/mL Cr in 2% HNO3

[100ml bottle]

Revision date 24-Jul-2024

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia	New Zealand	ACGIH TLV
Nitric Acid	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm
7697-37-2	TWA: 5.2 mg/m ³	TWA: 5.2 mg/m ³	STEL: 4 ppm
	STEL: 4 ppm	STEL: 4 ppm	
	STEL: 10 mg/m ³	STEL: 10 mg/m ³	

Chemical name	European Union	United Kingdom	Germany DFG
Nitric Acid	-	STEL: 1 ppm	-
7697-37-2		STEL: 2.6 mg/m ³	

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are

likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

UGHS / EN Page 5 / 13



5190-8568 - Chromium Standard: 10 µg/mL Cr in 2% HNO3 [100ml bottle]

Revision date 24-Jul-2024

Physical stateLiquidAppearanceLiquidColourcolourlessOdourOdourless.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known Melting point / freezing point 0 °C None known Initial boiling point and boiling range100 °C None known No data available Flash point None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

@ 20°C 23 hPa Vapour pressure Relative vapour density No data available None known Relative density 0.99821 g/cm3 at 20 °C None known No data available Water solubility None known No data available None known Solubility(ies) No data available None known **Partition coefficient Auto-ignition temperature** No data available None known 100 °C **Decomposition temperature** None known No data available Kinematic viscosity None known **Dynamic viscosity** No data available None known

Other information

VOC content
Particle characteristics
No information available
No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

UGHS / EN Page 6/13



5190-8568 - Chromium Standard: 10 µg/mL Cr in 2% HNO3

[100ml bottle]

Revision date 24-Jul-2024

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity .

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00
 mg/kg

 ATEmix (dermal)
 99,999.00
 mg/kg

 ATEmix (inhalation-gas)
 99,999.00
 ppm

 ATEmix (inhalation-vapour)
 157.90
 mg/l

 ATEmix (inhalation-dust/mist)
 99,999.00
 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	-	-	= 2500 ppm (Rat) 1 h

UGHS / EN Page 7/13



5190-8568 - Chromium Standard: 10 µg/mL Cr in 2% HNO3 [100ml bottle]

Revision date 24-Jul-2024

ATE (vapours) = 2.65 mg/L

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

UGHS / EN Page 8 / 13



5190-8568 - Chromium Standard: 10 μg/mL Cr in 2% HNO3

[100ml bottle]

Revision date 24-Jul-2024

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3

Mobility

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Nitric Acid	-	- .

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not re-use empty containers.

See section 8 for more information

Section 14: Transport information

<u>ADG</u>

UN number or ID number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group III
Special Provisions 223, 274

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

Limited quantity (LQ) 5 L Hazchem code 2X

<u>IATA</u>

UGHS / EN Page 9/13



5190-8568 - Chromium Standard: 10 µg/mL Cr in 2% HNO3

Revision date 24-Jul-2024 [100ml bottle]

UN number or ID number

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Ш Packing group **ERG Code** 8L

A3, A803 **Special Provisions**

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III Description

IMDG Not regulated **UN** number or ID number UN3264

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) **UN** proper shipping name

Transport hazard class(es) Packing group F-A, S-B EmS-No. **Special Provisions** 223, 274 NΡ Marine pollutant

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s.(Nitric Acid), 8, III

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Contact supplier for inventory compliance status Present	-

Illicit Drug Precursors/Reagents

UGHS / EN Page 10 / 13



5190-8568 - Chromium Standard: 10 µg/mL Cr in 2% HNO3 [100ml bottle]

Revision date 24-Jul-2024

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Chemical name	Chemicals of Security Concern	Additional information
Nitric Acid - 7697-37-2	Present	Precursors to homemade explosives
	High risk	

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory	
Nitric Acid - 7697-37-2	10 tonne/yr Threshold category 1	

International Inventories

AIIC Contact supplier for inventory compliance status.

NZIOC Contact supplier for inventory compliance status.

TSCA LGC, to the best of its ability, has confirmed that the chemical substances in this product are

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021.".

DSL/NDSL
EINECS/ELINCS
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
IECSC
Contact supplier for inventory compliance status.
KECI
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.

Legend:

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

UGHS / EN Page 11 / 13



5190-8568 - Chromium Standard: 10 µg/mL Cr in 2% HNO3 [100ml bottle]

Revision date 24-Jul-2024

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Revision date 24-Jul-2024

Revision Note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Program

Organisation for Economic Co-operation and Development Screening Information Data Set

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

UGHS / EN Page 12 / 13



5190-8568 - Chromium Standard: 10 $\mu\text{g/mL}$ Cr in 2% HNO3 [100ml bottle]

Revision date 24-Jul-2024

Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet

UGHS / EN Page 13 / 13