

Product name: AdvanceBio Amino Acid reagent kit

**Part no.:** 5190-9426

This product is composed of the following:

### Kit Components, Reagents

Box/Module Part number	Box/Module Name	Kit Component Part Number	Kit Component Name	Qty Units	CLP
	-	5061-3330	td 1nmol 10/PK	1	Yes
-	-	5061-3331	AA, standard 250PMOL 10/PK	1	Yes
-	-	5061-3332	AA, standard 100PMOL 10/PK	1	Yes
-	-	5061-3333	AA, std 25pmol 10/PK	1	Yes
-	-	5061-3334	AA, std 10pmol 10/PK	1	Yes
-	-	5061-3335	OPA reagent, 10 mg/ml, 6 ampoules	1	Yes
-	-	5061-3337	FMOC reagent 10 ampoules 1ml ea for AAA	1	Yes
-	-	5061-3339	Buffer, Borate 100ml/BT	1	Yes
_	-	5062-2478*	L-4-Hydroxyproline	1	No
_	-	5062-2478*	L-Asparagine	1	No
_	-	5062-2478*	L-Glutamine	1	No
-	-	5062-2478*	L-Norvaline	1	No
-	-	5062-2478*	L-Trytophan	1	No
-	-	5062-2478*	Sarcosine	1	No
-	-	5062-2479	3,3'-Dithiodipropionic Acid	1	No

Article SDSs, if maintained, are available on www.agilent.com. We recommend using the article product code when searching. SDSs are only available for a limited set of countries.

# **Transport Information for the Kit:**

Dangerous Goods classification for: 5190-9426

ADR/RID	IMDG	IATA
₩3316, CHEMICAL KIT, 9, II	₩3316, CHEMICAL KIT, 9, II	₩3316, Chemical kit, 9, II

pe minimis quantities

#### **Table of contents**

Kit Component Name Page

 Validation date :
 25/07/2025

 SDS Country:
 Ireland

Sarcosine	3
L-Trytophan	
L-Norvaline	
L-Glutamine	41
L-Asparagine	53
L-4-Hydroxyproline	
3.3'-Dithiodipropionic Acid	77
td 1nmol 10/PK	90
AA, standard 250PMOL 10/PK	102
AA, standard 100PMOL 10/PK	114
AA, std 25pmol 10/PK	
AA, std 10pmol 10/PK	
OPA reagent, 10 mg/ml, 6 ampoules	
FMOC reagent 10 ampoules 1ml ea for AAA	
Buffer, Borate 100ml/BT	

SDSs for each individual Kit component follow this cover sheet.

# **SAFETY DATA SHEET**



#### Sarcosine

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

 Product name
 : Sarcosine

 EC number
 : 203-538-6

 CAS number
 : 107-97-1

 Part no.
 : 5062-2478\*

 Chemical formula
 : C<sub>3</sub>H<sub>7</sub>NO<sub>2</sub>

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

1 x 1 g

5062-2478 AA supplement, 1g ea N 6 x 1 g

A kit containing: Sarcosine; L-Trytophan; L-Norvaline; L-Glutamine; L-Asparagine; L-

4-Hydroxyproline

**Uses advised against**: Not for use in diagnostic procedures (RUO).

#### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person

: pdl-msds\_author@agilent.com

responsible for this SDS

### 1.4 Emergency telephone number

Emergency telephone

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label : Not applicable.

elements

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version :1 3/197

Sarcosine

# SECTION 2: Hazards identification

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

**Tactile warning of** 

: Not applicable.

danger

#### 2.3 Other hazards

classification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, **Annex XIII** 

PBT	Р	В	Т	vPvB	νP	vB	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Other hazards which do not result in

: May form explosible dust-air mixture if dispersed.

# **SECTION 3: Composition/information on ingredients**

: Mono-constituent substance 3.1 Substances

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
sarcosine	EC: 203-538-6 CAS: 107-97-1	100	Not classified.	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in

a fire, symptoms may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

: Wash out mouth with water. If material has been swallowed and the exposed person is Ingestion

> conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed Over-exposure signs/symptoms

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 4/197

Sarcosine

### **SECTION 4: First aid measures**

**Eye contact** Adverse symptoms may include the following:

> irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data. Ingestion No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. Notes to physician

The exposed person may need to be kept under medical surveillance for 48 hours.

: No specific treatment. **Specific treatments** 

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

: Use dry chemical powder.

**Unsuitable extinguishing** 

media

: Avoid high pressure media which could cause the formation of a potentially explosible

dust-air mixture.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : May form explosible dust-air mixture if dispersed.

**Hazardous combustion** 

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical

incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 5/197

Sarcosine

### **SECTION 6: Accidental release measures**

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

### Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 6/197 Sarcosine

# **SECTION 8: Exposure controls/personal protection**

#### **DNELs/DMELs**

Not available.

#### **PNECs**

Not available.

#### 8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### Individual protection measures

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state : Solid. [Powder. Deliquescent solid.]

Colour : Not available.

Odour : Not available.

Odour threshold : Not available.

Melting point/freezing : 208 to 212°C

point

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 7/197

Sarcosine

# SECTION 9: Physical and chemical properties

**Boiling point or initial** boiling point and boiling

: Not available.

range

**Flammability** : Not available. : Not applicable. Lower and upper

explosion limit/ flammability limit

Flash point : Not applicable. **Auto-ignition** : Not applicable.

temperature

**Decomposition** temperature

: 212°C

pН

: Not available.

: 1480 g/l

**Viscosity** 

Dynamic (room temperature): Not available. Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

**Solubility** 

Media Result water Soluble

Solubility in water

Partition coefficient: n-

octanol/water

: -2.78 [Calculated]

: Not available. Vapour pressure **Relative density** : Not available.

Relative vapour density

: Not applicable.

**Particle characteristics** 

Median particle size Not available.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

**Explosive properties**  Not available. **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

**Evaporation rate** : Not available. : Not available. Physical/chemical

properties comments

# SECTION 10: Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Avoid the creation of dust when handling and avoid all possible sources of ignition

(spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible

materials

: Reactive or incompatible with the following materials:

oxidising materials

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 8/197

Sarcosine

# **SECTION 10: Stability and reactivity**

Reactive or incompatible with the following materials: moisture.

Hygroscopic. Keep container tightly closed.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

**Conclusion/Summary** 

[Product]

: To the best of our knowledge, the toxicological properties of this substance have not

been thoroughly investigated.

#### **Acute toxicity estimates**

N/A

#### Skin corrosion/irritation

**Conclusion/Summary** 

[Product]

: Not available.

#### Serious eye damage/eye irritation

**Conclusion/Summary** 

[Product]

: Not available.

#### **Respiratory corrosion/irritation**

**Conclusion/Summary** 

[Product]

: Not available.

#### Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

#### **Germ cell mutagenicity**

**Conclusion/Summary** 

[Product]

: Not available.

#### **Carcinogenicity**

**Conclusion/Summary** 

[Product]

: Not available.

#### Reproductive toxicity

**Conclusion/Summary** 

: Not available.

[Product]

#### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

 Date of issue/Date of revision
 : 25/07/2025
 Date of previous issue
 : No previous validation
 Version
 : 1
 9/197

Sarcosine

# SECTION 11: Toxicological information

#### **Aspiration hazard**

Not available.

Information on likely

routes of exposure

Not available.

#### Potential acute health effects

Eye contact : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

> irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data. Ingestion : No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

effects

Potential delayed

effects

: Not available.

: Not available.

Long term exposure

Potential immediate

effects

Not available.

**Potential delayed** 

Not available.

effects

#### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

**General** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity Reproductive toxicity : No known significant effects or critical hazards.

### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Conclusion/Summary** 

[Product]

Not available.

#### 12.2 Persistence and degradability

Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 10/197

Sarcosine

# **SECTION 12: Ecological information**

Conclusion/Summary

: Not available.

[Product]

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
sarcosine	-2.78	-	Low

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
sarcosine	0.98	9.51049

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	Т	vPvM	vP	vM
sarcosine	N/A	N/A	Yes	N/A	N/A	N/A	Yes

: Not available. **Mobility** 

: The product does not meet the criteria to be considered as a PMT or vPvM. Conclusion/Summary

#### 12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

According to the results of its assessment, this substance is not a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Product/ingredient name	PBT	P	В	T	vPvB	vP	vB
sarcosine	N/A	N/A	N/A	N/A	N/A	N/A	N/A

**Conclusion/Summary** Regulation (EC) No. 1272/2008 [CLP]

: The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 11/197 Sarcosine

# **SECTION 13: Disposal considerations**

**Special precautions** 

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

#### Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**International regulations** 

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

Sarcosine

# SECTION 15: Regulatory information

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

Australia : This material is listed or exempted.

Canada : This material is listed or exempted.

China : This material is listed or exempted.

**Eurasian Economic** 

Union Japan : Russian Federation inventory: This material is listed or exempted.

: Japan inventory (CSCL): This material is listed or exempted.

Japan inventory (ISHL): This material is listed or exempted.

New Zealand : This material is listed or exempted.
 Philippines : This material is listed or exempted.
 Republic of Korea : This material is listed or exempted.
 Taiwan : This material is listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : This material is active or exempted.Viet Nam : This material is listed or exempted.

#### 15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic
PNEC = Predicted No Effect Concentration

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 13/197

Sarcosine

### **SECTION 16: Other information**

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

#### Full text of abbreviated H statements

Not applicable.

#### Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of

: 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 14/197

# **SAFETY DATA SHEET**



#### L-Trytophan

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

 Product name
 : L-Trytophan

 EC number
 : 200-795-6

 CAS number
 : 73-22-3

 Part no.
 : 5062-2478\*

 Chemical formula
 : C<sub>11</sub>H<sub>12</sub>N<sub>2</sub>O<sub>2</sub>

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

1 x 1 g

5062-2478 AA supplement, 1g ea N 6 x 1 g

A kit containing: Sarcosine; L-Trytophan; L-Norvaline; L-Glutamine; L-Asparagine; L-

4-Hydroxyproline

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person :

: pdl-msds\_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H319 SERIOUS EYE DAMAGE/EYE IRRITATION Category 2

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Warning

**Hazard statements** : H319 - Causes serious eye irritation.

**Precautionary statements** 

Prevention : P280 - Wear eye or face protection.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 15/197

L-Trytophan

### **SECTION 2: Hazards identification**

Response : P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label

elements

: Not applicable.

Annex XVII - Restrictions

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

#### **Special packaging requirements**

**Tactile warning of** 

danger

: Not applicable.

PBT

No

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Other because which d

: May form explosible dust-air mixture if dispersed.

В

N/A

T

Nο

vPvB

N/A

vΡ

N/A

νB

N/A

Р

N/A

Other hazards which do not result in classification

# **SECTION 3: Composition/information on ingredients**

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
L-tryptophan	EC: 200-795-6 CAS: 73-22-3	100	Eye Irrit. 2, H319	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

### **Type**

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 16/197

L-Trytophan

# **SECTION 4: First aid measures**

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments**: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

**Suitable extinguishing**: Use dry chemical powder.

media

Unsuitable extinguishing : Avoid high pressure media which could cause the formation of a potentially explosible

media

dust-air mixture.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: May form explosible dust-air mixture if dispersed.

**Hazardous combustion** 

products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides

#### 5.3 Advice for firefighters

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

L-Trytophan

# **SECTION 5: Firefighting measures**

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 18/197

L-Trytophan

# **SECTION 7: Handling and storage**

#### **Storage**

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

**Recommendations**: Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

# Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

#### **Product/ingredient name**

L-tryptophan

#### Result

DNEL - General population - Long term - Oral 47 mg/kg bw/day DNEL - General population - Long term - Inhalation 164 mg/m³

DNEL - General population - Long term - Dermal 471 mg/kg bw/day DNEL - Workers - Long term - Inhalation 664 mg/m³

DNEL - Workers - Long term - Dermal 941 mg/kg bw/day

#### **PNECs**

Not available.

#### 8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 19/197

L-Trytophan

# **SECTION 8: Exposure controls/personal protection**

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Skin protection** 

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Solid. [Crystalline powder.]

Colour : White to yellowish.

Odour : Odourless.
Odour threshold : Not available.

Melting point/freezing

point

: 278.3 to 279.3°C [EU A.1]

Boiling point or initial boiling point and boiling

range

: Not available.

Flammability : Not available.

Lower and upper : Not applicable.

explosion limit/ flammability limit

Flash point : Not applicable.

Auto-ignition : >400°C [VDI 2263]

temperature **Decomposition** 

: 289°C

temperature

pН

: 5.5 to 7 [Conc. (% w/w): 1%]

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 20/197

L-Trytophan

# **SECTION 9: Physical and chemical properties**

Solubility : Media Result

water Soluble Insoluble

**Solubility in water** : 11.4 g/l

Partition coefficient: n-

octanol/water

: -1.06 [Calculated]

Vapour pressure : 0 kPa (0 mm Hg)
Relative density : 1.34 [EU A.3]
Relative vapour density : Not applicable.

**Particle characteristics** 

Median particle size : Not available.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible

materials

: Reactive or incompatible with the following materials:

oxidising materials

Reactive or incompatible with the following materials: acids.

10.6 Hazardous

decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Product/ingredient name Result

L-tryptophan Rat - Oral - LD50 >16 g/kg

**Conclusion/Summary** 

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 21/197

L-Trytophan

# **SECTION 11: Toxicological information**

**Skin corrosion/irritation** 

**Conclusion/Summary** 

: Not available.

[Product]

Serious eye damage/eye irritation

Product/ingredient name Result

L-tryptophan Rabbit - Eyes - Severe irritant Amount/concentration

applied: 100 mg

Conclusion/Summary

[Product]

: Not available.

Respiratory corrosion/irritation

**Conclusion/Summary** 

: Not available.

[Product]

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

: Not available.

[Product]

Respiratory

Conclusion/Summary

[Product]

: Not available.

**Germ cell mutagenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Reproductive toxicity

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 22/197

L-Trytophan

# **SECTION 11: Toxicological information**

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed

: Not available.

effects

Long term exposure

**Potential immediate** 

: Not available.

effects

**Potential delayed** 

effects

: Not available.

#### Potential chronic health effects

Conclusion/Summary

[Product]

: Not available.

**General** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Conclusion/Summary

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Conclusion/Summary**: Not available.

[Product]

#### 12.2 Persistence and degradability

Product/ingredient name Result

L-tryptophan Aerobic 77% [28 days] Aerobic

**Conclusion/Summary**: Not available.

[Product]

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
L-tryptophan	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
L-tryptophan	-1.06	-	Low

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version :1 23/197

L-Trytophan

# **SECTION 12: Ecological information**

#### 12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
L-tryptophan	1.9	83.031

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	Т	vPvM	vP	vM
L-tryptophan	No	N/A	Yes	No	N/A	N/A	Yes

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

According to the results of its assessment, this substance is not a PBT or a vPvB.

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
L-tryptophan	No	N/A	N/A	No	N/A	N/A	N/A

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

<u>Packaging</u>

**Methods of disposal** 

: The classification of the product may meet the criteria for a hazardous waste.

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

L-Trytophan

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

**Substances of very high concern** 

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

**Other EU regulations** 

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

International regulations

**Chemical Weapon Convention List Schedules I, II & III Chemicals** 

Not listed.

**Montreal Protocol** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 25/197

L-Trytophan

# SECTION 15: Regulatory information

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia : This material is listed or exempted.
Canada : This material is listed or exempted.
China : This material is listed or exempted.

**Eurasian Economic** 

Union Japan

**New Zealand** 

**Philippines** 

: Russian Federation inventory: This material is listed or exempted.

: **Japan inventory (CSCL)**: This material is listed or exempted. **Japan inventory (ISHL)**: This material is listed or exempted.

This material is listed or exempted.This material is listed or exempted.

Republic of Korea : This material is listed or exempted.

Taiwan : This material is listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : This material is active or exempted.Viet Nam : This material is listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/20081

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 26/197

L-Trytophan

# **SECTION 16: Other information**

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Eye Irrit. 2, H319	On basis of test data

#### Full text of abbreviated H statements

H319 Causes serious eye irritation.

#### Full text of classifications [CLP/GHS]

Eye Irrit. 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Date of issue/ Date of

revision

: 25/07/2025

Date of previous issue

: No previous validation

Version

1

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 27/197

# **SAFETY DATA SHEET**



#### L-Norvaline

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

 Product name
 : L-Norvaline

 EC number
 : 229-543-3

 CAS number
 : 6600-40-4

 Part no.
 : 5062-2478\*

 Chemical formula
 : C₅H₁₁NO₂

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

1 x 1 g

5062-2478 AA supplement, 1g ea N 6 x 1 g

A kit containing: Sarcosine; L-Trytophan; L-Norvaline; L-Glutamine; L-Asparagine; L-

4-Hydroxyproline

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person

: pdl-msds\_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone : CHEMTREC®: +353 1 901 4670

number (with hours of

operation)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H315 SKIN CORROSION/IRRITATION Category 2
H319 SERIOUS EYE DAMAGE/EYE IRRITATION Category 2
H335 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE Category 3

(Respiratory tract irritation)

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word : Warning

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 28/197

L-Norvaline

# **SECTION 2: Hazards identification**

**Hazard statements**: H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

**Precautionary statements** 

Prevention : P280 - Wear protective gloves. Wear eye or face protection.

P261 - Avoid breathing dust or mist. P264 - Wash thoroughly after handling.

Response : P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

**Storage** : P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Supplemental label

elements

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

: Not applicable.

Special packaging requirements

**Tactile warning of** 

danger

: Not applicable.

**PBT** 

No

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Other hazards which do

: May form explosible dust-air mixture if dispersed.

В

N/A

т

No

vPvB

N/A

νP

N/A

νB

N/A

P

N/A

not result in classification

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
norvaline	EC: 229-543-3 CAS: 6600-40-4	100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 See Section 16 for the full text of the H statements declared above.	-	[1]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 29/197

L-Norvaline

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it

is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

person may need to be kept under medical surveillance for 48 hours.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

**Ingestion**: Wash out mouth with water. Remove dentures if any. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact**: Adverse symptoms may include the following:

irritation redness

**Ingestion**: No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments**: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media

: Use dry chemical powder.

**Unsuitable extinguishing** 

media

: Avoid high pressure media which could cause the formation of a potentially explosible

dust-air mixture.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version :1 30/197

L-Norvaline

# **SECTION 5: Firefighting measures**

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: May form explosible dust-air mixture if dispersed.

Hazardous combustion products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 31/197

L-Norvaline

# SECTION 7: Handling and storage

reuse container.

#### Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage**

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

#### Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Not available.

#### **PNECs**

Not available.

#### 8.2 Exposure controls

#### Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### **Individual protection measures**

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 32/197 L-Norvaline

# **SECTION 8: Exposure controls/personal protection**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Skin protection** 

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

**Physical state** : Solid. [Crystalline powder.]

Colour Not available. Odour Not available. **Odour threshold** Not available.

Melting point/freezing

point

: 300°C

: Not available.

**Boiling point or initial** 

boiling point and boiling

range

**Flammability**  Not available. Not applicable. Lower and upper

explosion limit/ flammability limit

Flash point Not applicable. **Auto-ignition**  Not applicable. temperature

**Decomposition** 

Not available.

temperature

Not available.

33/197 Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version

L-Norvaline

# **SECTION 9: Physical and chemical properties**

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Solubility : Media Result

water Soluble

Solubility in water : 105 g/l

Partition coefficient: n-

octanol/water

: -2.11 [Calculated]

Vapour pressure : Not available.

Relative density : Not available.

Relative vapour density : Not applicable.

Particle characteristics

Median particle size : Not available.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

**Explosive properties** : Not available. **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

# SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : Avoid the creation of dust when handling and avoid all possible sources of ignition

(spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible

materials

Reactive or incompatible with the following materials:

oxidising materials

10.6 Hazardous

decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 34/197

L-Norvaline

# **SECTION 11: Toxicological information**

**Skin corrosion/irritation** 

**Conclusion/Summary** 

[Product]

: Not available.

Serious eye damage/eye irritation

**Conclusion/Summary** 

V

: Not available.

[Product]

**Respiratory corrosion/irritation** 

**Conclusion/Summary** 

: Not available.

[Product]

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

: Not available.

[Product]

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

Germ cell mutagenicity

**Conclusion/Summary** 

[Product]

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Reproductive toxicity

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name Result

norvaline STOT SE 3, H335 (Respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contactInhalationMay cause respiratory irritation.

**Skin contact**: Causes skin irritation.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 35/197

L-Norvaline

# **SECTION 11: Toxicological information**

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact**: Adverse symptoms may include the following:

irritation redness

**Ingestion**: No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

**Potential immediate** 

effects

: Not available.

**Potential delayed** 

effects

: Not available.

**Long term exposure** 

**Potential immediate** 

effects

: Not available.

Potential delayed

effects

: Not available.

#### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

**General**: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

Conclusion/Summary

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Conclusion/Summary

: Not available.

[Product]

### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

: Not available.

[Product]

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
norvaline	-2.11	-	Low

#### 12.4 Mobility in soil

Soil/water partition coefficient

Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 36/197

L-Norvaline

### **SECTION 12: Ecological information**

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
norvaline	No	N/A	N/A	No	N/A	N/A	N/A

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

### 12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

According to the results of its assessment, this substance is not a PBT or a vPvB.

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
norvaline	No	N/A	N/A	No	N/A	N/A	N/A

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

# Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Methods of disposal : Disposal of this product, solutions and any by-products should at all times comply with

the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer upless fully compliant with the requirements of all authorities with jurisdiction

unless fully compliant with the requirements of all authorities with jurisdiction.

The classification of the product may meet the criteria for a hazardous waste.

Hazardous waste Packaging

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when

recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 37/197

L-Norvaline

### **SECTION 14: Transport information**

14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

### **Other EU regulations**

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 38/197

L-Norvaline

### SECTION 15: Regulatory information

Not listed.

**Inventory list** 

Australia : Not determined.
Canada : Not determined.
China : Not determined.

**Eurasian Economic** 

Union Japan

: Russian Federation inventory: This material is listed or exempted.

: **Japan inventory (CSCL)**: This material is listed or exempted. **Japan inventory (ISHL)**: This material is listed or exempted.

New Zealand : Not determined.

**Philippines**: This material is listed or exempted.

Republic of Korea : Not determined.

Taiwan : This material is listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : Not determined.

Viet Nam : This material is listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 39/197

#### L-Norvaline

### **SECTION 16: Other information**

Classification	Justification
Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	Expert judgment Expert judgment Expert judgment

### Full text of abbreviated H statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

### Full text of classifications [CLP/GHS]

Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE -
	Category 3

Date of issue/ Date of

revision

: 25/07/2025

Date of previous issue : No previous validation

Version : 1

### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 40/197

# **SAFETY DATA SHEET**



### L-Glutamine

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: L-GlutamineEC number: 200-292-1CAS number: 56-85-9Part no.:  $5062-2478^*$ Chemical formula:  $C_5H_{10}N_2O_3$ 

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

1 x 1 g

5062-2478 AA supplement, 1g ea N 6 x 1 g

A kit containing: Sarcosine; L-Trytophan; L-Norvaline; L-Glutamine; L-Asparagine; L-

4-Hydroxyproline

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany

Germany 0800 603 1000

e-mail address of person : pdl-msds\_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone : CHEMTREC®: +353 1 901 4670

number (with hours of

operation)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label : Not applicable.

elements

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 41/197

L-Glutamine

### SECTION 2: Hazards identification

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market

and use of certain dangerous substances,

mixtures and articles

Special packaging requirements

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

classification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

PBT	Р	В	Т	vPvB	νP	vB
No	N/A	N/A	No	N/A	N/A	N/A

Other hazards which do not result in

: May form explosible dust-air mixture if dispersed.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
levoglutamide	EC: 200-292-1 CAS: 56-85-9	100	Not classified.	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

<u>Type</u>

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

Eye contact : Imme

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in

a fire, symptoms may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Skin contact: Wash contaminated skin with soap and water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

# 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 42/197

L-Glutamine

### **SECTION 4: First aid measures**

**Eye contact** Adverse symptoms may include the following:

> irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data. : No specific data. Ingestion

#### 4.3 Indication of any immediate medical attention and special treatment needed

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. Notes to physician

The exposed person may need to be kept under medical surveillance for 48 hours.

: No specific treatment. **Specific treatments** 

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

: Use dry chemical powder.

**Unsuitable extinguishing** 

media

: Avoid high pressure media which could cause the formation of a potentially explosible

dust-air mixture.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : May form explosible dust-air mixture if dispersed.

**Hazardous combustion** 

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical

incidents.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 43/197

L-Glutamine

### **SECTION 6: Accidental release measures**

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

**Recommendations**: Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational exposure limits**

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

# Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 44/197

L-Glutamine

### **SECTION 8: Exposure controls/personal protection**

### **DNELs/DMELs**

Product/ingredient name Result

levoglutamide DNEL - General population - Long term - Oral 9.8 mg/kg bw/day DNEL - General population - Long term - Inhalation 34.2 mg/m³

DNEL - General population - Long term - Dermal

DNEL - Workers - Long term - Inhalation

98.3 mg/kg bw/day

138.6 mg/m³

DNEL - Workers - Long term - Dermal 196.6 mg/kg bw/day

#### **PNECs**

Not available.

### 8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

### **Appearance**

Physical state : Solid. [Needles.]
Colour : Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 45/197

: Not available.

L-Glutamine

### **SECTION 9: Physical and chemical properties**

Odour : Not available.

Odour threshold : Not available.

Melting point/freezing : Decomposes

point

Boiling point or initial

boiling point and boiling

range

Flammability : Not available.

Lower and upper : Not applicable.

explosion limit/ flammability limit

Flash point : Not applicable.

Auto-ignition : Not applicable.

temperature

Decomposition temperature

: 185°C

pH : Not available.

**Viscosity** : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Solubility : Media Result

water Soluble

Solubility in water : 0.0255 g/l

Partition coefficient: n-

octanol/water

: -3.64 [Calculated]

Vapour pressure : 0.0000000025 kPa (0.000000019 mm Hg)

Relative density : 1.469 [OECD 109]

**Density** : 1.469 g/cm³ [OECD 109]

Relative vapour density : Not applicable.

Particle characteristics

Median particle size : Not available.

### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

**Explosive properties** : Not available. **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

### **SECTION 10: Stability and reactivity**

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 46/197

L-Glutamine

### **SECTION 10: Stability and reactivity**

10.4 Conditions to avoid

Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible

materials

: Reactive or incompatible with the following materials:

oxidising materials

10.6 Hazardous

decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Product/ingredient name

Result

levoglutamide Rat - Oral - LD50 7500 mg/kg

**Conclusion/Summary** 

[Product]

: Not available.

### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
levoglutamide	7500	N/A	N/A	N/A	N/A

### Skin corrosion/irritation

**Conclusion/Summary** 

[Product]

: Not available.

#### Serious eye damage/eye irritation

**Conclusion/Summary** 

[Product]

: Not available.

### Respiratory corrosion/irritation

**Conclusion/Summary** 

[Product]

: Not available.

### Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory

Conclusion/Summary

[Product]

: Not available.

#### Germ cell mutagenicity

Conclusion/Summary

: Not available.

[Product]

### **Carcinogenicity**

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 47/197

L-Glutamine

### **SECTION 11: Toxicological information**

**Conclusion/Summary** 

[Product]

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

#### Potential acute health effects

**Eye contact**: Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

irritation redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate** 

: Not available.

effects

**Potential delayed** 

effects

: Not available.

Long term exposure

**Potential immediate** 

: Not available.

effects

**Potential delayed** 

: Not available.

effects

#### Potential chronic health effects

**Conclusion/Summary**: Not available.

[Product]

**General**: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 48/197

L-Glutamine

### **SECTION 11: Toxicological information**

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name

levoglutamide Acute - EC50 - Fresh water
Acute - NOEC - Fresh water

Result

Acute - NOEC - Fresh water 100 mg/l [72 hours]
Acute - EC50 - Fresh water >100 mg/l [72 hours]
Acute - NOEC - Fresh water 100 mg/l [48 hours]

>100 mg/l [48 hours]

Conclusion/Summary

[Product]

: Not available.

#### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

: Not available.

[Product]

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
levoglutamide	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
levoglutamide	-3.64	-	Low

### 12.4 Mobility in soil

### Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
levoglutamide	1.8	59.6249

### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
levoglutamide	No	N/A	Yes	No	N/A	N/A	Yes

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

### Regulation (EC) No. 1907/2006 [REACH]

According to the results of its assessment, this substance is not a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Product/ingredient name	PBT	P	В	Т	vPvB	vP	vB
levoglutamide	No	N/A	N/A	No	N/A	N/A	N/A

Conclusion/Summary Regulation (EC) No.

: The product does not meet the criteria to be considered as a PBT or vPvB.

1272/2008 [CLP]

### 12.6 Endocrine disrupting properties

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 149/197

L-Glutamine

### **SECTION 12: Ecological information**

Conclusion/Summary [Product]

The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 50/197

L-Glutamine

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

### **Other EU regulations**

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

### **Persistent Organic Pollutants**

Not listed.

#### **Seveso Directive**

This product is not controlled under the Seveso Directive.

### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### **Montreal Protocol**

Not listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### **Inventory list**

Australia : This material is listed or exempted.

Canada : This material is listed or exempted.

China : This material is listed or exempted.

**Eurasian Economic** 

Union

: Russian Federation inventory: This material is listed or exempted.

Japan : Japan inventory (CSCL): This material is listed or exempted.

Japan inventory (ISHL): This material is listed or exempted.

New Zealand : This material is listed or exempted.
 Philippines : This material is listed or exempted.
 Republic of Korea : This material is listed or exempted.
 Taiwan : This material is listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : This material is active or exempted.Viet Nam : This material is listed or exempted.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 51/197

L-Glutamine

### **SECTION 15: Regulatory information**

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments might still be required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/20081

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

### Full text of abbreviated H statements

Not applicable.

#### Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of

: 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

**Notice to reader** 

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 52/197

# **SAFETY DATA SHEET**



53/197

### L-Asparagine

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

 Product name
 : L-Asparagine

 EC number
 : 200-735-9

 CAS number
 : 70-47-3

 Part no.
 : 5062-2478\*

 Chemical formula
 : C<sub>4</sub>H<sub>8</sub>N<sub>2</sub>O<sub>3</sub>

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

1 x 1 g

5062-2478 AA supplement, 1g ea N 6 x 1 g

A kit containing: Sarcosine; L-Trytophan; L-Norvaline; L-Glutamine; L-Asparagine; L-

4-Hydroxyproline

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person

: pdl-msds\_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** 

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

**Hazard statements**: No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label : Not applicable.

elements

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version

### L-Asparagine

### **SECTION 2: Hazards identification**

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

Tactile warning of

danger

: Not applicable.

#### 2.3 Other hazards

classification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

PBT	Р	В	Т	vPvB	vP	vB
No	N/A	N/A	No	N/A	N/A	N/A

Other hazards which do not result in

: May form explosible dust-air mixture if dispersed.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
asparagine	EC: 200-735-9 CAS: 70-47-3	100	Not classified.	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

### <u>Type</u>

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in

a fire, symptoms may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

# 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 54/197

L-Asparagine

### **SECTION 4: First aid measures**

**Eye contact** Adverse symptoms may include the following:

> irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data. Ingestion No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. Notes to physician

The exposed person may need to be kept under medical surveillance for 48 hours.

: No specific treatment. **Specific treatments** 

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

: Use dry chemical powder.

**Unsuitable extinguishing** 

media

: Avoid high pressure media which could cause the formation of a potentially explosible

dust-air mixture.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : May form explosible dust-air mixture if dispersed.

**Hazardous combustion** 

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical

incidents.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 55/197

L-Asparagine

### **SECTION 6: Accidental release measures**

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

### Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 56/197 L-Asparagine

### **SECTION 8: Exposure controls/personal protection**

### **DNELs/DMELs**

Product/ingredient name Result

asparagine DNEL - General population - Long term - Oral 8.25 mg/kg bw/day
DNEL - General population - Long term - Dermal 8.25 mg/kg bw/day

DNEL - General population - Long term - Inhalation 12.2 mg/m<sup>3</sup>

DNEL - Workers - Long term - Dermal 80.61 mg/kg bw/day

DNEL - Workers - Long term - Inhalation 81.4 mg/m<sup>3</sup>

#### **PNECs**

Not available.

#### 8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state : Solid. [Crystals.]
Colour : Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 57/197

L-Asparagine

### **SECTION 9: Physical and chemical properties**

**Odour** Not available. **Odour threshold** : Not available. Melting point/freezing : 234 to 235°C

point

**Boiling point or initial** 

boiling point and boiling

range

**Flammability** : Not available. : Not applicable. Lower and upper

explosion limit/ flammability limit

Flash point : Not applicable. **Auto-ignition** : Not applicable. temperature

**Decomposition** temperature

Not available.

: Not available.

pH Not available.

Dynamic (room temperature): Not available. **Viscosity** 

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

**Solubility** Media **Result** 

> Soluble water methanol Insoluble diethyl ether Insoluble

Solubility in water : 29.4 g/l

Partition coefficient: n-

octanol/water

: -3.82 [Calculated]

Vapour pressure : 0.0000000064 kPa (0.000000048 mm Hg)

Relative density : 1.54 [OECD 109] : 1.543 g/cm<sup>3</sup> [20°C] **Density** Relative vapour density : Not applicable.

**Particle characteristics** 

Median particle size : Not available.

### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

**Explosive properties** : Not available. Not available. **Oxidising properties** 

9.2.2 Other safety characteristics

: Not available. **Evaporation rate** : Not available. Physical/chemical

properties comments

### **SECTION 10: Stability and reactivity**

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 58/197

### L-Asparagine

### **SECTION 10: Stability and reactivity**

10.4 Conditions to avoid

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible

materials

: Reactive or incompatible with the following materials:

oxidising materials

10.6 Hazardous

decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### **Acute toxicity**

Conclusion/Summary

[Product]

: Not available.

### **Acute toxicity estimates**

N/A

### **Skin corrosion/irritation**

**Conclusion/Summary** 

[Product]

: Not available.

#### Serious eye damage/eye irritation

**Conclusion/Summary** 

[Product]

: Not available.

### Respiratory corrosion/irritation

**Conclusion/Summary** 

[Product]

: Not available.

#### Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Carcinogenicity

**Conclusion/Summary** 

[Product]

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

[Product]

### Specific target organ toxicity (single exposure)

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 159/197

L-Asparagine

### **SECTION 11: Toxicological information**

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

#### Potential acute health effects

**Eye contact**: Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

irritation redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

Potential immediate

е

: Not available.

effects Potential

Potential delayed

: Not available.

effects

Long term exposure

**Potential immediate** 

: Not available.

effects

Potential delayed

: Not available.

effects

### Potential chronic health effects

**Conclusion/Summary**: Not available.

[Product]

**General** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

#### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 60/197

L-Asparagine

### **SECTION 12: Ecological information**

12.1 Toxicity

Product/ingredient name Result

asparagine Acute - EC50 - Fresh water >100 mg/l [72 hours]
Acute - NOEC - Fresh water 100 mg/l [72 hours]

Conclusion/Summary : No

[Product]

: Not available.

### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

[Product]

: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
asparagine	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
asparagine	-3.82	-	Low

#### 12.4 Mobility in soil

### Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
asparagine	1.5	29.2948

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
asparagine	No	N/A	Yes	No	N/A	N/A	Yes

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

According to the results of its assessment, this substance is not a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
asparagine	No	N/A	N/A	No	N/A	N/A	N/A

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 61/197

L-Asparagine

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

**Substances of very high concern** 

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 62/197

### L-Asparagine

### **SECTION 15: Regulatory information**

Labelling : Not applicable.

### Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia : This material is listed or exempted.

Canada : This material is listed or exempted.

China : This material is listed or exempted.

**Eurasian Economic** 

Union Japan : Russian Federation inventory: This material is listed or exempted.

: Japan inventory (CSCL): This material is listed or exempted.

Japan inventory (ISHL): This material is listed or exempted.

New Zealand : This material is listed or exempted.
Philippines : This material is listed or exempted.
Republic of Korea : This material is listed or exempted.
Taiwan : This material is listed or exempted.

Thailand : Not determined.
Turkey : Not determined.

United States : This material is active or exempted.Viet Nam : This material is listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

L-Asparagine

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic
PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Not classified.		

### Full text of abbreviated H statements

Not applicable.

### Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of

: 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

**Notice to reader** 

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 64/197

# SAFETY DATA SHEET



### L-4-Hydroxyproline

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

: L-4-Hydroxyproline **Product name** 

**EC** number : 200-091-9 **CAS** number : 51-35-4 : 5062-2478\* Part no. **Chemical formula** : C<sub>5</sub>H<sub>9</sub>NO<sub>3</sub>

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

1 x 1 g

5062-2478 AA supplement, 1g ea N

A kit containing: Sarcosine; L-Trytophan; L-Norvaline; L-Glutamine; L-Asparagine; L-

4-Hydroxyproline

**Uses advised against** : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person

: pdl-msds\_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** : CHEMTREC®: +353 1 901 4670

number (with hours of

operation)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition** : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

**Prevention** : Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal**  Not applicable. Supplemental label : Not applicable.

elements

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 65/197

### L-4-Hydroxyproline

### **SECTION 2: Hazards identification**

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

**Special packaging requirements** 

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

classification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

PBT	Р	В	Т	vPvB	νP	vB
No	N/A	N/A	No	N/A	N/A	N/A

Other hazards which do not result in

: May form explosible dust-air mixture if dispersed.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
L-4-hydroxyproline	EC: 200-091-9 CAS: 51-35-4	100	Not classified.	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

### Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in

a fire, symptoms may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

## 4.2 Most important symptoms and effects, both acute and delayed

**Over-exposure signs/symptoms** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 66/197

### L-4-Hydroxyproline

### **SECTION 4: First aid measures**

**Eye contact** Adverse symptoms may include the following:

> irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data. Ingestion No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

: No specific treatment. **Specific treatments** 

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical powder.

**Unsuitable extinguishing** 

media

: Avoid high pressure media which could cause the formation of a potentially explosible

dust-air mixture.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : May form explosible dust-air mixture if dispersed.

**Hazardous combustion** 

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical

incidents.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 67/197

L-4-Hydroxyproline

### **SECTION 6: Accidental release measures**

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

**Recommendations**: Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational exposure limits**

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

# Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 68/197

L-4-Hydroxyproline

### **SECTION 8: Exposure controls/personal protection**

### **DNELs/DMELs**

Not available.

#### **PNECs**

Not available.

#### 8.2 Exposure controls

**Appropriate engineering** controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

### Individual protection measures

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection; safety glasses with sideshields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

#### **Appearance**

**Physical state** : Solid. [Crystals.]

Colour : White. **Odour** : Odourless. **Odour threshold** : Not available. : 274°C

Melting point/freezing

point

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 69/197

### L-4-Hydroxyproline

### **SECTION 9: Physical and chemical properties**

**Boiling point or initial** boiling point and boiling

Decomposes

range

**Flammability** : Not available. : Not applicable. Lower and upper

explosion limit/ flammability limit

: Not applicable. Flash point **Auto-ignition** : Not applicable.

temperature

**Decomposition** temperature

: 275°C

pН : Not available.

**Viscosity** Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

**Solubility** Media Result

> water Soluble

Solubility in water : 361.1 g/l

Partition coefficient: n-

octanol/water

: -3.17 [Calculated]

: Not available. Vapour pressure **Relative density** : 1.479 [OECD 109]

Relative vapour density : 4.5 [Air = 1]

**Particle characteristics** 

Median particle size Not available.

### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

**Explosive properties**  Not available. **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

**Evaporation rate** : Not available. : Not available. Physical/chemical

properties comments

### SECTION 10: Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Avoid the creation of dust when handling and avoid all possible sources of ignition

> (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible

materials

: Reactive or incompatible with the following materials:

oxidising materials

Reactive or incompatible with the following materials: alkalis.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 70/197

L-4-Hydroxyproline

### **SECTION 10: Stability and reactivity**

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

### not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

**Skin corrosion/irritation** 

**Conclusion/Summary** 

[Product]

: Not available.

Serious eye damage/eye irritation

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory corrosion/irritation

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Reproductive toxicity

**Conclusion/Summary** 

: Not available.

[Product]

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 71/197

### L-4-Hydroxyproline

### **SECTION 11: Toxicological information**

Not available

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

#### Potential acute health effects

**Eye contact**: Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

irritation redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

**Potential immediate** 

effects

: Not available.

**Potential delayed** 

effects

: Not available.

**Long term exposure** 

**Potential immediate** 

effects

Not available.

**Potential delayed** 

effects

: Not available.

### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

**General**: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

25 mg/l [72 hours]

Regulation (EC) No 1272/2008.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name Result

Acute - NOEC - Fresh water

Conclusion/Summary

[Product]

: Not available.

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 172/197

### L-4-Hydroxyproline

# **SECTION 12: Ecological information**

### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

: Not available.

[Product]

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
L-4-hydroxyproline	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
L-4-hydroxyproline	-3.17	-	Low

### 12.4 Mobility in soil

### Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
L-4-hydroxyproline	1.4	24.1659

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	νM
L-4-hydroxyproline	No	N/A	Yes	No	N/A	N/A	Yes

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

According to the results of its assessment, this substance is not a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
L-4-hydroxyproline	No	N/A	N/A	No	N/A	N/A	N/A

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]

: The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

**Methods of disposal** 

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 73/197

L-4-Hydroxyproline

# **SECTION 13: Disposal considerations**

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 74/197

### L-4-Hydroxyproline

# **SECTION 15: Regulatory information**

### **Persistent Organic Pollutants**

Not listed.

#### **Seveso Directive**

This product is not controlled under the Seveso Directive.

#### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

Australia : This material is listed or exempted.

Canada : This material is listed or exempted.

China : This material is listed or exempted.

**Eurasian Economic** 

Union Japan : Russian Federation inventory: This material is listed or exempted.

: Japan inventory (CSCL): This material is listed or exempted.

Japan inventory (ISHL): This material is listed or exempted.

New Zealand : This material is listed or exempted.

Philippines : This material is listed or exempted.

Republic of Korea : Not determined.

**Taiwan** : This material is listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : This material is active or exempted.Viet Nam : This material is listed or exempted.

#### 15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods

by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 75/197

### L-4-Hydroxyproline

# **SECTION 16: Other information**

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

#### Full text of abbreviated H statements

Not applicable.

### Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of

revision

: 25/07/2025

Date of previous issue : No previous validation

Version : 1

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 76/197

# **SAFETY DATA SHEET**



3,3'-Dithiodipropionic Acid

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Product name** : 3,3'-Dithiodipropionic Acid

**EC** number : 214-284-0 **CAS** number : 1119-62-6 Part no. : 5062-2479 **Chemical formula** : C<sub>6</sub>H<sub>10</sub>O<sub>4</sub>S<sub>2</sub>

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

**Uses advised against** : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn

Germany 0800 603 1000

e-mail address of person : pdl-msds\_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** 

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition** : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H315 SKIN CORROSION/IRRITATION Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION Category 2 H319 H335 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE Category 3

(Respiratory tract irritation)

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

**Hazard pictograms** 



Signal word Warning

**Hazard statements** H315 - Causes skin irritation.

> H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

**Precautionary statements** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 77/197

### 3,3'-Dithiodipropionic Acid

### **SECTION 2: Hazards identification**

: P280 - Wear protective gloves. Wear eye or face protection. **Prevention** 

> P261 - Avoid breathing dust or mist. P264 - Wash thoroughly after handling.

: P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell. Response

: P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. **Storage** 

: P501 - Dispose of contents and container in accordance with all local, regional, national **Disposal** 

and international regulations.

Supplemental label

elements

: Not applicable.

Annex XVII - Restrictions : Not applicable. on the manufacture,

placing on the market and use of certain dangerous substances, mixtures and articles

#### **Special packaging requirements**

**Tactile warning of** 

danger

: Not applicable.

### 2.3 Other hazards

**Product meets the** criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, **Annex XIII** 

**PBT** Р В vPvB vΡ νB Т No N/A N/A No N/A N/A N/A

Other hazards which do not result in

classification

: May form explosible dust-air mixture if dispersed.

# **SECTION 3: Composition/information on ingredients**

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
3,3'-dithiobispropionic acid	EC: 214-284-0 CAS: 1119-62-6		Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 See Section 16 for the full text of the H statements declared above.	-	[1]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

### Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 78/197

3,3'-Dithiodipropionic Acid

Inhalation

### **SECTION 4: First aid measures**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

**Ingestion**: Wash out mouth with water. Remove dentures if any. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waisthand.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or

self-contained breathing apparatus. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact** : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical powder.

**Unsuitable extinguishing** 

media

: Avoid high pressure media which could cause the formation of a potentially explosible

dust-air mixture.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: May form explosible dust-air mixture if dispersed.

**Hazardous combustion** 

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 79/197

3,3'-Dithiodipropionic Acid

# **SECTION 5: Firefighting measures**

### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 80/197

3,3'-Dithiodipropionic Acid

# **SECTION 7: Handling and storage**

### 7.2 Conditions for safe storage, including any incompatibilities

### **Storage**

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational exposure limits

No exposure limit value known.

### **Biological exposure indices**

No exposure indices known.

### Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Not available.

#### **PNECs**

Not available.

### 8.2 Exposure controls

**Appropriate engineering** controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

### Individual protection measures

### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 81/197 3,3'-Dithiodipropionic Acid

# **SECTION 8: Exposure controls/personal protection**

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Skin protection** 

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Solid. [Powder.]

Colour : White.

Odour : Unpleasant. [Strong]

Odour threshold
Melting point/freezing

point

Not available.155 to 158°C

Boiling point or initial boiling point and boiling

range

Not available.

Flammability
Lower and upper explosion limit/
flammability limit

Not available.Not applicable.

Flash point : Not applicable.

Auto-ignition : Not applicable.

temperature

**Decomposition** temperature

: Not available.

pH : Not available.

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 82/197

3,3'-Dithiodipropionic Acid

# **SECTION 9: Physical and chemical properties**

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: Not available.

Vapour pressure : Not available.Relative density : Not available.Relative vapour density : Not applicable.

**Particle characteristics** 

Median particle size : Not available.

#### 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

**Explosive properties** : Not available. **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

# SECTION 10: Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

10.5 Incompatible materials

: Reactive or incompatible with the following materials:

oxidising materials

Reactive or incompatible with the following materials: alkalis.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Skin corrosion/irritation

Conclusion/Summary [Product]

: Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 83/197

3,3'-Dithiodipropionic Acid

# **SECTION 11: Toxicological information**

Serious eye damage/eye irritation

Conclusion/Summary

: Not available.

[Product]

**Respiratory corrosion/irritation** 

Conclusion/Summary

: Not available.

[Product]

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory

**Conclusion/Summary** 

: Not available.

[Product]

**Germ cell mutagenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Reproductive toxicity

**Conclusion/Summary** 

onclusion/Summary

[Product]

: Not available.

Specific target organ toxicity (single exposure)

**Product/ingredient name** 

Result

3,3'-dithiobispropionic acid

STOT SE 3, H335 (Respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contactInhalationMay cause respiratory irritation.

**Skin contact**: Causes skin irritation.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain or irritation watering redness

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 84/197

3,3'-Dithiodipropionic Acid

# **SECTION 11: Toxicological information**

: Adverse symptoms may include the following: Inhalation

respiratory tract irritation

coughing

Skin contact : Adverse symptoms may include the following:

> irritation redness

Ingestion : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

effects

Not available.

**Potential delayed** 

effects

: Not available.

Long term exposure

**Potential immediate** 

effects

: Not available.

**Potential delayed** 

effects

: Not available.

### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. General

: No known significant effects or critical hazards. Carcinogenicity Mutagenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Reproductive toxicity

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Conclusion/Summary** 

: Not available.

[Product]

### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

: Not available.

[Product]

### 12.3 Bioaccumulative potential

Not available.

#### 12.4 Mobility in soil

### Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
3,3'-dithiobispropionic acid	1.1	13.1943

#### Results of PMT and vPvM assessment

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 85/197

### 3,3'-Dithiodipropionic Acid

# **SECTION 12: Ecological information**

Product/ingredient name	PMT	P	M	Т	vPvM	vP	vM
3,3'-dithiobispropionic acid	No	N/A	Yes	No	N/A	N/A	Yes

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

According to the results of its assessment, this substance is not a PBT or a vPvB.

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	В	T	vPvB	vP	vB
3,3'-dithiobispropionic acid	No	N/A	N/A	No	N/A	N/A	N/A

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Methods of disposal : Dispo

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: The classification of the product may meet the criteria for a hazardous waste.

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 86/197

3,3'-Dithiodipropionic Acid

# **SECTION 14: Transport information**

14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

### **Other EU regulations**

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 87/197

3,3'-Dithiodipropionic Acid

# **SECTION 15: Regulatory information**

Not listed.

**Inventory list** 

Australia : This material is listed or exempted.

Canada : This material is listed or exempted.

China : Not determined.

**Eurasian Economic** 

Union Japan : Russian Federation inventory: This material is listed or exempted.

: Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): This material is listed or exempted.

New Zealand : This material is listed or exempted.

Philippines : This material is listed or exempted.

Republic of Korea : This material is listed or exempted.

Taiwan : This material is listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : This material is active or exempted.Viet Nam : This material is listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 88/197

### 3,3'-Dithiodipropionic Acid

# **SECTION 16: Other information**

Classification	Justification
Skin Irrit. 2, H315	Expert judgment
Eye Irrit. 2, H319	Expert judgment
STOT SE 3, H335	Expert judgment

### Full text of abbreviated H statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

### Full text of classifications [CLP/GHS]

Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE -
	Category 3

Date of issue/ Date of

revision

: 25/07/2025

Date of previous issue : No previous validation

Version : 1

### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 89/197

# SAFETY DATA SHEET



### td 1nmol 10/PK

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Product name** td 1nmol 10/PK Part no. : 5061-3330

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

10 x 1 ml

**Uses advised against** : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** 

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

**Product definition** : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H290 **CORROSIVE TO METALS** Category 1

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

**Hazard pictograms** 



Signal word : Warning

**Hazard statements** : H290 - May be corrosive to metals.

**Precautionary statements** 

**Prevention** : P234 - Keep only in original packaging.

: P390 - Absorb spillage to prevent material damage. Response

: Not applicable. **Storage** : Not applicable. **Disposal** 

Supplemental label

elements

: Not applicable.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 90/197

td 1nmol 10/PK

### **SECTION 2: Hazards identification**

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

#### Special packaging requirements

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Annex XIII** 

Other hazards which do

not result in classification

: None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless

directed to do so by medical personnel.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Over-exposure signs/symptoms**

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 91/197

td 1nmol 10/PK

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

: No specific data.

# 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Keep away from alkalis. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Absorb spillage to prevent material damage.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 92/197

td 1nmol 10/PK

# **SECTION 7: Handling and storage**

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

Industrial sector specific

: Not available.

solutions

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Not available.

### **PNECs**

Not available.

### 8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 93/197

td 1nmol 10/PK

# **SECTION 8: Exposure controls/personal protection**

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid.
Colour : Colourless.
Odour : Not available.
Odour threshold : Not available.

Melting point/freezing

point

: 0°C

Boiling point or initial boiling point and boiling

range

: 100°C

Flammability
Lower and upper explosion limit/

Not applicable.Not available.

flammability limit
Flash point
Auto-ignition

Not available.Not available.

**Decomposition** temperature

temperature

: Not available.

**pH** : 1.5

Viscosity : Dynamic (room temperature): Not available.
Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 94/197

td 1nmol 10/PK

# **SECTION 9: Physical and chemical properties**

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Vapour pressure

	Vapour	Pressure	e at 20°C Vapour pressure at 50°			sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3	-	92.258	12.3	-

Relative density : Not available.

Relative vapour density : Not available.

Particle characteristics

Median particle size : Not applicable.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : Yes.

Evaporation rate : Not available.

Physical/chemical properties comments

: Not available.

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials

: Attacks many metals producing extremely flammable hydrogen gas which can form

explosive mixtures with air.

Reactive or incompatible with the following materials:

alkalis metals

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Conclusion/Summary

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 95/197

td 1nmol 10/PK

# **SECTION 11: Toxicological information**

**Skin corrosion/irritation** 

**Conclusion/Summary** 

: Not available.

[Product]

Serious eye damage/eye irritation

Conclusion/Summary : Not available.

[Product]

**Respiratory corrosion/irritation** 

**Conclusion/Summary**: Not available.

[Product]

Respiratory or skin sensitization

Skin

Conclusion/Summary

: Not available.

[Product]

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

Conclusion/Summary

[Product]

: Not available.

Carcinogenicity

**Conclusion/Summary** 

[Product]

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely

: Not available.

routes of exposure

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 96/197

td 1nmol 10/PK

# **SECTION 11: Toxicological information**

Skin contact : No specific data.

Ingestion : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

**Potential immediate** 

: Not available.

effects

**Potential delayed** 

: Not available.

effects

Long term exposure

**Potential immediate** 

: Not available.

effects

Potential delayed

Not available.

effects

#### Potential chronic health effects

**Conclusion/Summary** 

: Not available.

[Product]

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Described according to the criteria set out in cliner regulation (EO)

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Conclusion/Summary :

[Product]

: Not available.

#### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

: Not available.

[Product]

#### 12.3 Bioaccumulative potential

Not available.

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Not available.

#### Results of PMT and vPvM assessment

This mixture does not contain any substances that are assessed to be a PMT or a vPvM.

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

#### Regulation (EC) No. 1907/2006 [REACH]

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Regulation (EC) No. 1272/2008 [CLP]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 97/197

td 1nmol 10/PK

# **SECTION 12: Ecological information**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

# Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

The products of degradation are more toxic than the product itself.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

Packaging
Methods of disposal

: The classification of the product may meet the criteria for a hazardous waste.

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when

recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	UN1789	UN1789	UN1789
14.2 UN proper shipping name	HYDROCHLORIC ACID	HYDROCHLORIC ACID	Hydrochloric acid
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	III	III	III
14.5 Environmental hazards	No.	No.	No.

### **Additional information**

Remarks: De minimis quantities

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 98/197

td 1nmol 10/PK

### **SECTION 14: Transport information**

ADR/RID : <u>Hazard identification number</u> 80

<u>Limited quantity</u> 5 L <u>Special provisions</u> 520

Tunnel code (E)

IMDG : <u>Emergency schedules</u> F-A, S-B

**Special provisions** 223

IATA : Quantity limitation Passenger and Cargo Aircraft: 5 L. Packaging instructions: 852.

Cargo Aircraft Only: 60 L. Packaging instructions: 856. Limited Quantities - Passenger

Aircraft: 1 L. Packaging instructions: Y841.

Special provisions A3, A803

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

#### Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 99/197

td 1nmol 10/PK

# **SECTION 15: Regulatory information**

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

**Eurasian Economic** 

Union Japan

: Russian Federation inventory: All components are listed or exempted.

: Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic
PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 100/197

td 1nmol 10/PK

# **SECTION 16: Other information**

Classification	Justification
Met. Corr. 1, H290	Expert judgment

### Full text of abbreviated H statements

May be corrosive to metals.	H290	May be corrosive to metals.
-----------------------------	------	-----------------------------

### Full text of classifications [CLP/GHS]

Met. Corr. 1	CORROSIVE TO METALS - Category 1

Date of issue/ Date of : 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 101/197

# **SAFETY DATA SHEET**



AA, standard 250PMOL 10/PK

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : AA, standard 250PMOL 10/PK

**Part no.** : 5061-3331

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For research use only.

10 x 1 ml

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H290 CORROSIVE TO METALS Category 1

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Warning

**Hazard statements**: H290 - May be corrosive to metals.

**Precautionary statements** 

**Prevention**: P234 - Keep only in original packaging.

**Response**: P390 - Absorb spillage to prevent material damage.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label

elements

: Not applicable.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 102/197

AA, standard 250PMOL 10/PK

### SECTION 2: Hazards identification

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Annex XIII** 

Other hazards which do

not result in classification

: None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless

directed to do so by medical personnel.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Over-exposure signs/symptoms**

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 103/197

AA, standard 250PMOL 10/PK

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous combustion** 

products

: No specific data.

### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Keep away from alkalis. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Absorb spillage to prevent material damage.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 104/197

AA, standard 250PMOL 10/PK

# **SECTION 7: Handling and storage**

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

Industrial sector specific

solutions

: Not available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Not available.

### **PNECs**

Not available.

### 8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 105/197

AA, standard 250PMOL 10/PK

# **SECTION 8: Exposure controls/personal protection**

### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

### **Appearance**

Physical state : Liquid.
Colour : Colourless.
Odour : Not available.
Odour threshold : Not available.

Melting point/freezing

point

: 0°C

: 100°C

Boiling point or initial

boiling point and boiling

range

: Not applicable.

Lower and upper explosion limit/ flammability limit

: Not available. : Not available.

Auto-ignition temperature Decomposition

Flash point

**Flammability** 

: Not available.

temperature

**pH** : 1.5

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 106/197

AA, standard 250PMOL 10/PK

# **SECTION 9: Physical and chemical properties**

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Vapour pressure

	Vapour	Pressure	e at 20°C Vapour pressure at 50		sure at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3	-	92.258	12.3	-

Relative density : Not available.

Relative vapour density : Not available.

Particle characteristics

Median particle size : Not applicable.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : Yes.

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials

: Attacks many metals producing extremely flammable hydrogen gas which can form

explosive mixtures with air.

Reactive or incompatible with the following materials:

alkalis metals

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 107/197

AA, standard 250PMOL 10/PK

# **SECTION 11: Toxicological information**

**Skin corrosion/irritation** 

**Conclusion/Summary** 

: Not available.

[Product]

Serious eye damage/eye irritation

Conclusion/Summary : Not available.

[Product]

**Respiratory corrosion/irritation** 

**Conclusion/Summary**: Not available.

[Product]

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

: Not available.

[Product]

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

Conclusion/Summary

[Product]

: Not available.

Carcinogenicity

**Conclusion/Summary** 

[Product]

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely

: Not available.

routes of exposure

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 108/197

AA, standard 250PMOL 10/PK

## **SECTION 11: Toxicological information**

: No specific data. Skin contact Ingestion : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

effects

**Potential delayed** 

: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed

Not available.

effects

### Potential chronic health effects

**Conclusion/Summary** 

: Not available.

[Product]

: No known significant effects or critical hazards. **General** Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Reproductive toxicity

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

**Conclusion/Summary** 

[Product]

: Not available.

### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

: Not available.

[Product]

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

### Soil/water partition coefficient

Not available.

### Results of PMT and vPvM assessment

This mixture does not contain any substances that are assessed to be a PMT or a vPvM.

Mobility

Conclusion/Summary : The product does not meet the criteria to be considered as a PMT or vPvM.

### 12.5 Results of PBT and vPvB assessment

### Regulation (EC) No. 1907/2006 [REACH]

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 109/197

AA, standard 250PMOL 10/PK

# **SECTION 12: Ecological information**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

# Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

**Packaging** 

**Methods of disposal** 

: The classification of the product may meet the criteria for a hazardous waste.

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when

recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	UN1789	UN1789	UN1789
14.2 UN proper shipping name			Hydrochloric acid
14.3 Transport hazard class(es)		8	8
14.4 Packing group	III	III	III
14.5 Environmental hazards	No.	No.	No.

**Additional information** 

Remarks: De minimis quantities

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 110/197

AA, standard 250PMOL 10/PK

### **SECTION 14: Transport information**

ADR/RID : Hazard identification number 80

**Limited quantity** 5 L **Special provisions** 520

Tunnel code (E)

IMDG : <u>Emergency schedules</u> F-A, S-B

Special provisions 223

**IATA** : **Quantity limitation** Passenger and Cargo Aircraft: 5 L. Packaging instructions: 852.

Cargo Aircraft Only: 60 L. Packaging instructions: 856. Limited Quantities - Passenger

Aircraft: 1 L. Packaging instructions: Y841.

Special provisions A3, A803

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

### Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version :1 111/197

AA, standard 250PMOL 10/PK

# **SECTION 15: Regulatory information**

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

**Eurasian Economic** 

Union Japan

: Russian Federation inventory: All components are listed or exempted.

: Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : Not determined.

**Taiwan** : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic
PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 112/197

AA, standard 250PMOL 10/PK

### **SECTION 16: Other information**

Classification	Justification
Met. Corr. 1, H290	Expert judgment

### Full text of abbreviated H statements

H290	May be corrosive to metals.

### Full text of classifications [CLP/GHS]

Met. Corr. 1	CORROSIVE TO METALS - Category 1

Date of issue/ Date of : 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 113/197

# SAFETY DATA SHEET



AA, standard 100PMOL 10/PK

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Product name** : AA, standard 100PMOL 10/PK

Part no. : 5061-3332

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

10 x 1 ml

**Uses advised against** : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** : CHEMTREC®: +353 1 901 4670

number (with hours of

operation)

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H290 **CORROSIVE TO METALS** Category 1

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

**Hazard pictograms** 



Signal word : Warning

**Hazard statements** : H290 - May be corrosive to metals.

**Precautionary statements** 

**Prevention** : P234 - Keep only in original packaging.

: P390 - Absorb spillage to prevent material damage. Response

: Not applicable. **Storage** : Not applicable. **Disposal** 

Supplemental label

elements

: Not applicable.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 114/197

AA, standard 100PMOL 10/PK

### **SECTION 2: Hazards identification**

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Annex XIII** 

Other hazards which do

not result in classification

: None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless

directed to do so by medical personnel.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

### **Over-exposure signs/symptoms**

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 115/197

AA, standard 100PMOL 10/PK

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous combustion** 

: No specific data.

products

### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Keep away from alkalis. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Absorb spillage to prevent material damage.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 116/197

AA, standard 100PMOL 10/PK

# **SECTION 7: Handling and storage**

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

Industrial sector specific

solutions

: Not available.

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Occupational exposure limits

No exposure limit value known.

### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Not available.

### **PNECs**

Not available.

### 8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 117/197

AA, standard 100PMOL 10/PK

# **SECTION 8: Exposure controls/personal protection**

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

**Skin protection** 

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid.
Colour : Colourless.
Odour : Not available.
Odour threshold : Not available.

**Melting point/freezing** 

point

: 0°C

: 100°C

Boiling point or initial

boiling point and boiling

range

Lower and upper explosion limit/flammability limit

**Flammability** 

: Not applicable.: Not available.

Flash point : Not available.

Auto-ignition : Not available.

temperature

Decomposition temperature

: Not available.

**pH** : 1.5

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 118/197

AA, standard 100PMOL 10/PK

# **SECTION 9: Physical and chemical properties**

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Vapour pressure

	Vapour Pressure at 20°C			Vapour pressure at 50		sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3	-	92.258	12.3	-

Relative density : Not available.

Relative vapour density : Not available.

**Particle characteristics** 

Median particle size : Not applicable.

### 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : Yes.

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials

: Attacks many metals producing extremely flammable hydrogen gas which can form

explosive mixtures with air.

Reactive or incompatible with the following materials:

alkalis metals

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Conclusion/Summary

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 119/197

AA, standard 100PMOL 10/PK

# **SECTION 11: Toxicological information**

**Skin corrosion/irritation** 

**Conclusion/Summary** 

: Not available.

[Product]

Serious eye damage/eye irritation

Conclusion/Summary

: Not available.

[Product]

**Respiratory corrosion/irritation** 

Conclusion/Summary

: Not available.

[Product]

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

: Not available.

[Product]

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

Conclusion/Summary

[Product]

: Not available.

Carcinogenicity

**Conclusion/Summary** 

[Product]

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely

: Not available.

routes of exposure

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 120/197

AA, standard 100PMOL 10/PK

## **SECTION 11: Toxicological information**

: No specific data. Skin contact Ingestion : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

**Potential delayed** 

: Not available.

effects

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed Not available.

effects

### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

: No known significant effects or critical hazards. **General** Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Reproductive toxicity

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

12.1 Toxicity

**Conclusion/Summary** 

[Product]

: Not available.

### 12.2 Persistence and degradability

Not available.

Conclusion/Summary

: Not available.

[Product]

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

### Soil/water partition coefficient

Not available.

### Results of PMT and vPvM assessment

This mixture does not contain any substances that are assessed to be a PMT or a vPvM.

Mobility

Conclusion/Summary : The product does not meet the criteria to be considered as a PMT or vPvM.

### 12.5 Results of PBT and vPvB assessment

### Regulation (EC) No. 1907/2006 [REACH]

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 121/197

AA, standard 100PMOL 10/PK

# **SECTION 12: Ecological information**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

# Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

The products of degradation are more toxic than the product itself.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: The classification of the product may meet the criteria for a hazardous waste.

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number UN1789 UN1789		UN1789	UN1789
14.2 UN proper shipping name HYDROCHLORIC ACID		HYDROCHLORIC ACID	Hydrochloric acid
14.3 Transport hazard class(es)		8	8
14.4 Packing group	III	III	III
14.5 Environmental hazards	No.	No.	No.

**Additional information** 

Remarks: De minimis quantities

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 122/197

AA, standard 100PMOL 10/PK

## **SECTION 14: Transport information**

ADR/RID : Hazard identification number 80

**Limited quantity** 5 L **Special provisions** 520

Tunnel code (E)

IMDG : <u>Emergency schedules</u> F-A, S-B

**Special provisions** 223

**IATA** : **Quantity limitation** Passenger and Cargo Aircraft: 5 L. Packaging instructions: 852.

Cargo Aircraft Only: 60 L. Packaging instructions: 856. Limited Quantities - Passenger

Aircraft: 1 L. Packaging instructions: Y841.

Special provisions A3, A803

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

### Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 123/197

AA, standard 100PMOL 10/PK

# **SECTION 15: Regulatory information**

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

**Eurasian Economic** 

Union Japan : Russian Federation inventory: All components are listed or exempted.

: Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : Not determined.

**Taiwan** : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic
PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 124/197

AA, standard 100PMOL 10/PK

### **SECTION 16: Other information**

Classification	Justification
Met. Corr. 1, H290	Expert judgment

### Full text of abbreviated H statements

H290 May be corrosive to metals.

### Full text of classifications [CLP/GHS]

Met. Corr. 1 CORROSIVE TO METALS - Category 1

Date of issue/ Date of : 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 125/197

# SAFETY DATA SHEET



AA, std 25pmol 10/PK

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Product name** AA, std 25pmol 10/PK

Part no. : 5061-3333

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

10 x 1 ml

**Uses advised against** : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany

0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** 

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

**Product definition** : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H290 **CORROSIVE TO METALS** Category 1

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

**Hazard pictograms** 



Signal word : Warning

**Hazard statements** : H290 - May be corrosive to metals.

**Precautionary statements** 

**Prevention** : P234 - Keep only in original packaging.

: P390 - Absorb spillage to prevent material damage. Response

: Not applicable. **Storage** : Not applicable. **Disposal** Supplemental label

elements

: Not applicable.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 126/197

AA, std 25pmol 10/PK

### **SECTION 2: Hazards identification**

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

**Tactile warning of** 

danger

: Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Annex XIII** 

Other hazards which do

not result in classification

None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless

directed to do so by medical personnel.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

### **Over-exposure signs/symptoms**

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 127/197

AA, std 25pmol 10/PK

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

: No specific data.

### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

# 6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Keep away from alkalis. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Absorb spillage to prevent material damage.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 128/197

AA, std 25pmol 10/PK

# **SECTION 7: Handling and storage**

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

Industrial sector specific

solutions

: Not available.

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Occupational exposure limits

No exposure limit value known.

### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Not available.

### **PNECs**

Not available.

### 8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 129/197

AA, std 25pmol 10/PK

# **SECTION 8: Exposure controls/personal protection**

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

### **Appearance**

Physical state : Liquid.
Colour : Colourless.
Odour : Not available.
Odour threshold : Not available.

Melting point/freezing

point

: 0°C

: 100°C

Boiling point or initial

boiling point and boiling

range

Flammability : Not applicable.

Lower and upper : Not available.

explosion limit/ flammability limit

Flash point : Not available.

Auto-ignition : Not available.

temperature
Decomposition
temperature

: Not available.

**pH** : 1.5

Viscosity : Dynamic (room temperature): Not available.
Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 130/197

AA, std 25pmol 10/PK

# **SECTION 9: Physical and chemical properties**

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Vapour pressure

	Vapour	Pressure	Pressure at 20°C		Vapour pressure at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3	-	92.258	12.3	-

Relative density : Not available.

Relative vapour density : Not available.

**Particle characteristics** 

Median particle size : Not applicable.

### 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : Yes.

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials

: Attacks many metals producing extremely flammable hydrogen gas which can form

explosive mixtures with air.

Reactive or incompatible with the following materials:

alkalis metals

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 131/197

AA, std 25pmol 10/PK

# **SECTION 11: Toxicological information**

**Skin corrosion/irritation** 

**Conclusion/Summary** 

: Not available.

[Product]

Serious eye damage/eye irritation

Conclusion/Summary : Not available.

[Product]

**Respiratory corrosion/irritation** 

**Conclusion/Summary**: Not available.

[Product]

Respiratory or skin sensitization

Skin

Conclusion/Summary

: Not available.

[Product]

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

Conclusion/Summary

[Product]

: Not available.

Carcinogenicity

**Conclusion/Summary** 

[Product]

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely : Not

: Not available.

routes of exposure

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 132/197

AA, std 25pmol 10/PK

## **SECTION 11: Toxicological information**

: No specific data. **Skin contact** Ingestion : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

effects

**Potential delayed** 

: Not available.

Long term exposure

Potential immediate

effects

effects

: Not available.

Potential delayed

Not available.

Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

: No known significant effects or critical hazards. **General** Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Reproductive toxicity

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Conclusion/Summary

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

# **SECTION 12: Ecological information**

12.1 Toxicity

**Conclusion/Summary** 

[Product]

: Not available.

### 12.2 Persistence and degradability

Not available.

Conclusion/Summary

: Not available.

[Product]

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

### Soil/water partition coefficient

Not available.

### Results of PMT and vPvM assessment

This mixture does not contain any substances that are assessed to be a PMT or a vPvM.

Mobility

Conclusion/Summary : The product does not meet the criteria to be considered as a PMT or vPvM.

### 12.5 Results of PBT and vPvB assessment

### Regulation (EC) No. 1907/2006 [REACH]

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 133/197

AA, std 25pmol 10/PK

# **SECTION 12: Ecological information**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

# Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### 12.7 Other adverse effects

The products of degradation are more toxic than the product itself.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

**Packaging** 

**Methods of disposal** 

: The classification of the product may meet the criteria for a hazardous waste.

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number UN1789 UN1789		UN1789	UN1789
14.2 UN proper shipping name HYDROCHLORIC ACID		HYDROCHLORIC ACID	Hydrochloric acid
14.3 Transport hazard class(es)		8	8
14.4 Packing group	III	III	III
14.5 Environmental hazards	No.	No.	No.

### **Additional information**

Remarks: De minimis quantities

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 134/197

AA, std 25pmol 10/PK

## **SECTION 14: Transport information**

ADR/RID : Hazard identification number 80

Limited quantity 5 L Special provisions 520

Tunnel code (E)

IMDG : <u>Emergency schedules</u> F-A, S-B

**Special provisions** 223

IATA : Quantity limitation Passenger and Cargo Aircraft: 5 L. Packaging instructions: 852.

Cargo Aircraft Only: 60 L. Packaging instructions: 856. Limited Quantities - Passenger

Aircraft: 1 L. Packaging instructions: Y841.

Special provisions A3, A803

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

### Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 135/197

AA, std 25pmol 10/PK

# **SECTION 15: Regulatory information**

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

**Eurasian Economic** 

Union

: Russian Federation inventory: All components are listed or exempted.

Japan : Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : Not determined.

**Taiwan** : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

15.2 Chemical safety assessment

be required.

: This product contains substances for which Chemical Safety Assessments might still

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 136/197

AA, std 25pmol 10/PK

# **SECTION 16: Other information**

Classification	Justification
Met. Corr. 1, H290	Expert judgment

### Full text of abbreviated H statements

ŀ	H290	May be corrosive to metals.
- 1		

### Full text of classifications [CLP/GHS]

Met. Corr. 1	CORROSIVE TO METALS - Category 1

Date of issue/ Date of : 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 137/197

# **SAFETY DATA SHEET**



AA, std 10pmol 10/PK

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

Product name : AA, std 10pmol 10/PK

**Part no.** : 5061-3334

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

10 x 1 ml

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

e-mail address of person . pul-msus\_addition@aglient.com

1.4 Emergency telephone number

Emergency telephone

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H290 CORROSIVE TO METALS Category 1

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Warning

**Hazard statements** : H290 - May be corrosive to metals.

**Precautionary statements** 

**Prevention**: P234 - Keep only in original packaging.

**Response**: P390 - Absorb spillage to prevent material damage.

Storage : Not applicable.

Disposal : Not applicable.

Not applicable.

Supplemental label

elements

: Not applicable.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 138/197

AA, std 10pmol 10/PK

### **SECTION 2: Hazards identification**

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

### Special packaging requirements

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Annex XIII** 

Other hazards which do

not result in classification

None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless

directed to do so by medical personnel.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

### **Over-exposure signs/symptoms**

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 139/197

AA, std 10pmol 10/PK

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous combustion** 

products

: No specific data.

### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Keep away from alkalis. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Absorb spillage to prevent material damage.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 140/197

AA, std 10pmol 10/PK

# **SECTION 7: Handling and storage**

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

Industrial sector specific

solutions

: Not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

No exposure limit value known.

### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Not available.

### **PNECs**

Not available.

### 8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 141/197

AA, std 10pmol 10/PK

# **SECTION 8: Exposure controls/personal protection**

### Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

### **Appearance**

**Physical state** : Liquid. Colour Colourless. Odour Not available. **Odour threshold** : Not available.

Melting point/freezing

point

: 0°C

: 100°C

**Boiling point or initial** 

boiling point and boiling

range

: Not applicable. Not available.

Lower and upper explosion limit/ flammability limit

**Flammability** 

Flash point

**Auto-ignition** 

: Not available. : Not available.

temperature **Decomposition** temperature

: Not available.

1.5 pН

**Viscosity** Dynamic (room temperature): Not available. Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 142/197

AA, std 10pmol 10/PK

# **SECTION 9: Physical and chemical properties**

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Vapour pressure

	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3	-	92.258	12.3	-

Relative density : Not available.

Relative vapour density : Not available.

**Particle characteristics** 

Median particle size : Not applicable.

### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : Yes.

**Evaporation rate** : Not available. **Physical/chemical** : Not available.

properties comments

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials

: Attacks many metals producing extremely flammable hydrogen gas which can form

explosive mixtures with air.

Reactive or incompatible with the following materials:

alkalis metals

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Conclusion/Summary

[Product]

: Not available.

**Acute toxicity estimates** 

N/A

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1143/197

AA, std 10pmol 10/PK

# **SECTION 11: Toxicological information**

**Skin corrosion/irritation** 

**Conclusion/Summary** 

: Not available.

[Product]

Serious eye damage/eye irritation

Conclusion/Summary : Not available.

[Product]

**Respiratory corrosion/irritation** 

**Conclusion/Summary**: Not available.

[Product]

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

: Not available.

[Product]

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

Conclusion/Summary

[Product]

: Not available.

Carcinogenicity

**Conclusion/Summary** 

[Product]

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely

: Not available.

routes of exposure

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 144/197

AA, std 10pmol 10/PK

## **SECTION 11: Toxicological information**

: No specific data. **Skin contact** Ingestion : No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

effects

**Potential delayed** 

: Not available.

**Long term exposure** 

Potential immediate

: Not available.

effects

Potential delayed

effects

Not available.

#### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

**General** Carcinogenicity

Mutagenicity

: No known significant effects or critical hazards. : No known significant effects or critical hazards. : No known significant effects or critical hazards. : No known significant effects or critical hazards.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

Reproductive toxicity

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

## **SECTION 12: Ecological information**

12.1 Toxicity

**Conclusion/Summary** 

[Product]

: Not available.

#### 12.2 Persistence and degradability

Not available.

Conclusion/Summary

: Not available.

[Product]

#### 12.3 Bioaccumulative potential

Not available.

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Not available.

#### Results of PMT and vPvM assessment

This mixture does not contain any substances that are assessed to be a PMT or a vPvM.

Mobility

Conclusion/Summary : The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

#### Regulation (EC) No. 1907/2006 [REACH]

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Regulation (EC) No. 1272/2008 [CLP]** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 145/197

AA, std 10pmol 10/PK

## **SECTION 12: Ecological information**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

# Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

The products of degradation are more toxic than the product itself.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

Packaging
Methods of disposal

: The classification of the product may meet the criteria for a hazardous waste.

al

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	UN1789	UN1789	UN1789
14.2 UN proper shipping name	HYDROCHLORIC ACID	HYDROCHLORIC ACID	Hydrochloric acid
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	III	III	III
14.5 Environmental hazards	No.	No.	No.

**Additional information** 

Remarks: De minimis quantities

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 146/197

AA, std 10pmol 10/PK

## **SECTION 14: Transport information**

ADR/RID : Hazard identification number 80

Limited quantity 5 L Special provisions 520

Tunnel code (E)

IMDG : <u>Emergency schedules</u> F-A, S-B

**Special provisions** 223

**IATA** : **Quantity limitation** Passenger and Cargo Aircraft: 5 L. Packaging instructions: 852.

Cargo Aircraft Only: 60 L. Packaging instructions: 856. Limited Quantities - Passenger

Aircraft: 1 L. Packaging instructions: Y841.

Special provisions A3, A803

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

#### Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 147/197

AA, std 10pmol 10/PK

## **SECTION 15: Regulatory information**

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**Inventory list** 

**Australia** : All components are listed or exempted. Canada : All components are listed or exempted. China : All components are listed or exempted.

**Eurasian Economic** 

Union

: Russian Federation inventory: All components are listed or exempted.

: Japan inventory (CSCL): All components are listed or exempted. **Japan** 

> Japan inventory (ISHL): Not determined. : All components are listed or exempted.

**New Zealand Philippines** : All components are listed or exempted.

Republic of Korea : Not determined.

**Taiwan** : All components are listed or exempted.

**Thailand** : Not determined. : Not determined. **Turkey** 

**United States** : All components are active or exempted. : All components are listed or exempted. **Viet Nam** 

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and** acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 148/197

AA, std 10pmol 10/PK

## **SECTION 16: Other information**

Classification	Justification
Met. Corr. 1, H290	Expert judgment

#### Full text of abbreviated H statements

May be corrosive to metals.	H290	May be corrosive to metals.
-----------------------------	------	-----------------------------

#### Full text of classifications [CLP/GHS]

Met. Corr. 1	CORROSIVE TO METALS - Category 1

Date of issue/ Date of : 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 149/197

## SAFETY DATA SHEET



OPA reagent, 10 mg/ml, 6 ampoules

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Product name** : OPA reagent, 10 mg/ml, 6 ampoules

Part no. : 5061-3335

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

6 x 1 ml

**Uses advised against** : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** 

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H290 **CORROSIVE TO METALS** Category 1 H302 **ACUTE TOXICITY (oral)** Category 4 SKIN CORROSION/IRRITATION H314 Category 1A H317 SKIN SENSITISATION Category 1 REPRODUCTIVE TOXICITY H360FD Category 1B H411 LONG-TERM (CHRONIC) AQUATIC HAZARD Category 2

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown : Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity:

toxicity

Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation

toxicity: 1 - 10%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

**Hazard pictograms** 









Signal word : Danger

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 150/197

OPA reagent, 10 mg/ml, 6 ampoules

### **SECTION 2: Hazards identification**

Hazard statements : H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H360FD - May damage fertility. May damage the unborn child.

H411 - Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

**Prevention**: P201 - Obtain special instructions before use.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P273 - Avoid release to the environment.

Response : P391 - Collect spillage.

P308 + P313 - IF exposed or concerned: Get medical advice or attention.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Hazardous ingredients : potassium hydroxide; boric acid; 3-mercaptopropionic acid; methanol and

phthalaldehyde

Supplemental label

elements

: Contains isocyanates. May produce an allergic reaction.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

: Restricted to professional users.

#### **Special packaging requirements**

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do

not result in classification

: Causes severe digestive tract burns.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
potassium hydroxide	EC: 215-181-3 CAS: 1310-58-3 Index: 019-002-00-8	≤10	Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318	ATE [Oral] = 500 mg/kg Skin Corr. 1A, H314: C ≥ 5% Skin Corr. 1B, H314: 2% ≤ C < 5% Skin Irrit. 2, H315: 0.5% ≤ C < 2% Eye Dam. 1, H318: C ≥ 2% Eye Irrit. 2, H319: 0.5% ≤ C < 2%	[1] [2]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 151/197

## **SECTION 3: Composition/information on ingredients**

boric acid	EC: 233-139-2	<u>≤</u> 5	Repr. 1B, H360FD	1_	[1] [2]
bonc acid	CAS: 10043-35-3 Index: 005-007-00-2	20	Керг. 16, 11300г	-	[3]
3-mercaptopropionic acid	EC: 203-537-0 CAS: 107-96-0	≤3	Met. Corr. 1, H290 Acute Tox. 3, H301 Acute Tox. 4, H332 Skin Corr. 1B, H314 Eye Dam. 1, H318	ATE [Oral] = 96 mg/ kg ATE [Inhalation (dusts and mists)] = 1.818 mg/l	[1]
methanol	EC: 200-659-6 CAS: 67-56-1 Index: 603-001-00-X	<3	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (vapours)] = 3 mg/l STOT SE 1, H370: C ≥ 10% STOT SE 2, H371: 3% ≤ C < 10%	[1] [2]
phthalaldehyde	EC: 211-402-2 CAS: 643-79-8	≤2.4	Acute Tox. 3, H301 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 238.12 mg/kg M [Acute] = 10 M [Chronic] = 10	[1]
potassium thiocyanate	EC: 206-370-1 CAS: 333-20-0	≤3	Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Dam. 1, H318 Aquatic Chronic 3, H412 EUH032	ATE [Dermal] = 1100 mg/kg ATE [Inhalation (dusts and mists)] = 1.5 mg/l	[1] [2]
Dodecan-1-ol, ethoxylated	EC: 500-002-6 CAS: 9002-92-0	≤0.8	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 1000 mg/kg M [Acute] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### <u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance with carcinogenic, mutagenic or reproductive toxicity properties

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 152/197

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** 

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** 

: Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Over-exposure signs/symptoms**

**Eye contact**: Adverse symptoms may include the following:

pain watering redness

**Inhalation** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur reduced foetal weight increase in foetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

stomach pains reduced foetal weight increase in foetal deaths skeletal malformations

#### 4.3 Indication of any immediate medical attention and special treatment needed

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

OPA reagent, 10 mg/ml, 6 ampoules

#### **SECTION 4: First aid measures**

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** 

: No specific treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

: None known.

## media

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides Formaldehyde.

#### 5.3 Advice for firefighters

**Special precautions for fire-fighters** 

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

# 6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 154/197

OPA reagent, 10 mg/ml, 6 ampoules

#### **SECTION 6: Accidental release measures**

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Avoid breathing vapour or mist. Avoid release to the environment. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Do not breathe vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid exposure during pregnancy. Absorb spillage to prevent material damage. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Store locked up. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### **Seveso Directive - Reporting thresholds**

**Danger criteria** 

	Notification and MAPP threshold	Safety report threshold
E2	200 tonnes	500 tonnes

#### 7.3 Specific end use(s)

**Recommendations**: Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limits

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 155/197

## **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Exposure limit values		
potassium hydroxide	NAOSH (Ireland, 4/2024) Notes: Advisory Occupational Exposure Limit Values (OELVs)		
	OELV 15 minutes: 2 mg/m³.		
boric acid	NAOSH (Ireland, 4/2024) [borate compounds inorganic] Repr 1B.		
	Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV 8 hours: 2 mg/m³.		
methanol	NAOSH (Ireland, 4/2024) Absorbed through skin. Notes: EU derived		
	Occupational Exposure Limit Values		
	OELV 8 hours: 200 ppm.		
	OELV 8 hours: 260 mg/m³.		
	EU OEL (Europe, 1/2022) Absorbed through skin.		
	TWA 8 hours: 200 ppm.		
	TWA 8 hours: 260 mg/m³.		
potassium thiocyanate	NAOSH (Ireland, 4/2024) [cyanides] Absorbed through skin. Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV 8 hours: 5 mg/m³ (as CN).		

#### **Biological exposure indices**

Product/ingredient name	Exposure indices
	NAOSH BGVs (Ireland, 1/2011)  BMGV: 15 mg/l, methanol [in urine]. Sampling time: end of shift - As soon as possible after exposure ceases.

# Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

DITELO	DIVICES		
Produ	ct/ingredient name	Result	
potass	ium hydroxide	DNEL - General population - Long term - Inhalation DNEL - Workers - Long term - Inhalation	1 mg/m³ 1 mg/m³
boric a	icid	DNEL - General population - Short term - Oral	0.98 mg/kg bw/day
		DNEL - General population - Long term - Oral	0.98 mg/kg bw/day
		DNEL - General population - Long term - Inhalation	4.15 mg/m³
		DNEL - Workers - Long term - Inhalation	8.3 mg/m³
		DNEL - General population - Long term - Dermal	196 mg/kg bw/day
0		DNEL - Workers - Long term - Dermal	392 mg/kg bw/day
3-merc	captopropionic acid	DNEL - Workers - Long term - Dermal	0.412 mg/kg bw/day
th		DNEL - Workers - Long term - Inhalation	1.45 mg/m³
metha	noi	DNEL - General population - Short term - Oral	4 mg/kg bw/day
		DNEL - General population - Long term - Oral	4 mg/kg bw/day
		DNEL - General population - Short term - Dermal	4 mg/kg bw/day
		DNEL - General population - Long term - Dermal DNEL - Workers - Short term - Dermal	4 mg/kg bw/day
			20 mg/kg bw/day
		DNEL - Workers - Long term - Dermal DNEL - General population - Short term - Inhalation	20 mg/kg bw/day 26 mg/m³
		DNEL - General population - Long term - Inhalation	26 mg/m³
		DNEL - General population - Short term - Inhalation	
		DNEL - General population - Snort term - Inhalation  DNEL - General population - Long term - Inhalation	26 mg/m <sup>3</sup>
		DNEL - Workers - Short term - Inhalation	130 mg/m³
		DNEL - Workers - Long term - Inhalation	130 mg/m³
		DNEL - Workers - Short term - Inhalation	130 mg/m³
		DNEL - Workers - Long term - Inhalation	130 mg/m³
phthala	aldehyde	DNEL - General population - Long term - Oral	0.82 mg/kg bw/day
J	,	DNEL - General population - Long term - Dermal	0.82 mg/kg bw/day
		DNEL - Workers - Long term - Dermal	2.3 mg/kg bw/day
		<u> </u>	0 0 ,

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 156/197

## **SECTION 8: Exposure controls/personal protection**

DNEL - General population - Long term - Inhalation 2.86 mg/m<sup>3</sup> DNEL - Workers - Long term - Inhalation 16.1 mg/m<sup>3</sup> 0.3 mg/kg bw/day DNEL - General population - Long term - Oral potassium thiocyanate DNEL - General population - Long term - Inhalation 0.9 mg/m<sup>3</sup> 2.6 mg/kg bw/day DNEL - General population - Long term - Dermal DNEL - Workers - Long term - Inhalation 3.6 mg/m<sup>3</sup> DNEL - Workers - Long term - Dermal 5.1 mg/kg bw/day Dodecan-1-ol, ethoxylated DNEL - General population - Long term - Oral 0.167 mg/kg bw/day DNEL - General population - Long term - Dermal 0.167 mg/kg bw/day

DNEL - General population - Long term - Inhalation 0.29 mg/m³
DNEL - Workers - Long term - Dermal 0.467 mg/kg bw/day

DNEL - Workers - Long term - Inhalation 1.64 mg/m<sup>3</sup>

#### **PNECs**

Not available.

#### 8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 157/197

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid.

Colour : Yellow. [Light]

Odour : Slight

Odour threshold : Not available.

Melting point/freezing : Not available.

point

**Flammability** 

Boiling point or initial boiling point and boiling

range

: Not applicable.

: Not available.

Lower and upper explosion limit/ flammability limit

: Not available.

Flash point :

	Closed cup		Open cup	
Ingredient name	°C	Method	°C	Method
methanol	9.7	Abel-Pensky	-	-
phthalaldehyde	>110	Setaflash	-	-

Auto-ignition temperature

Ingredient name	°C	Method
methanol	455	DIN 51794

Decomposition temperature

: Not available.

ŧ

**pH** : 10.4

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

wate

Media	Result
water	Soluble

Partition coefficient: n-

octanol/water

**Solubility** 

: Not applicable.

Vapour pressure

	Vapour	Vapour Pressure at 20°C		Vapour pressure at 50°C			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
methanol	126.96329	16.9	-	-	-	-	
water	17.5	2.3	-	92.258	12.3	-	

Relative density : 1.045

**Density** : 1.045 g/cm³ **Relative vapour density** : Not available.

Particle characteristics

Median particle size : Not applicable.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1158/197

OPA reagent, 10 mg/ml, 6 ampoules

## **SECTION 9: Physical and chemical properties**

#### 9.2.2 Other safety characteristics

Miscible with water : Yes.

**Evaporation rate** : <1 (butyl acetate = 1)

Physical/chemical : Not available.

properties comments

## SECTION 10: Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials

: Reactive or incompatible with the following materials:

metals

Reactive or incompatible with the following materials: reducing materials.

10.6 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product	/ingred	ient	name	Result
---------	---------	------	------	--------

potassium hydroxide Rat - Oral - LD50 273 mg/kg >2000 mg/kg boric acid Rabbit - Male, Female - Dermal - LD50

>2.12 mg/l [4 hours] Rat - Male, Female - Inhalation - LC50 Dusts and

mists

Rat - Oral - LD50 3-mercaptopropionic acid 96 mg/kg

> 1818 mg/m<sup>3</sup> [4 hours] Rat - Male, Female - Inhalation - LC50 Dusts and

mists

methanol Rabbit - Dermal - LD50 15800 mg/kg

Rat - Oral - LD50 5600 mg/kg

Rat - Inhalation - LC50 Vapour 145000 ppm [1 hours] Rat - Inhalation - LC50 Vapour 64000 ppm [4 hours] Rat - Inhalation - LC50 Vapour 83.84 mg/l [4 hours] 189.95 mg/l [1 hours]

Rat - Inhalation - LC50 Vapour 238.12 mg/kg phthalaldehyde Rat - Oral - LD50

Rat - Dermal - LD50 >2000 mg/kg potassium thiocyanate Rat - Oral - LD50 854 mg/kg Dodecan-1-ol, ethoxylated Rat - Male, Female - Dermal - LD50 >2000 mg/kg

Rat - Oral - LD50 1 g/kg

Conclusion/Summary

[Product]

Not available.

**Acute toxicity estimates** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 159/197

## **SECTION 11: Toxicological information**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
OPA reagent, 10 mg/ml, 6 ampoules potassium hydroxide boric acid 3-mercaptopropionic acid methanol phthalaldehyde potassium thiocyanate	1750.3	13200.0	N/A	150.0	56.6
	500	N/A	N/A	N/A	N/A
	5100	N/A	N/A	N/A	N/A
	96	N/A	N/A	N/A	1.818
	100	300	N/A	3	N/A
	238.12	N/A	N/A	N/A	N/A
	N/A	1100	N/A	N/A	1.5

**Skin corrosion/irritation** 

Product/ingredient name Result

potassium hydroxide Guinea pig - Skin - Severe irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 50 mg

Rabbit - Skin - Severe irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 50 mg
Duration of treatment/

exposure: 24 hours
Amount/concentration

applied: 20 mg

Dodecan-1-ol, ethoxylated Rabbit - Skin - Mild irritant Duration of treatment/ exposure: 24 hours

Rabbit - Skin - Moderate irritant

Amount/concentration applied: 500 mg

Rabbit - Skin - Mild irritant Duration of treatment/

exposure: 24 hours Amount/concentration

Rabbit - Skin - Moderate irritant applied: 75 mg

Duration of treatment/

exposure: 24 hours Amount/concentration applied: 500 mg

**Conclusion/Summary** 

[Product]

methanol

: Repeated exposure may cause skin dryness or cracking.

Ingredient name Conclusion/Summary

methanol Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Product/ingredient name Result

potassium hydroxide Rabbit - Eyes - Moderate irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 1 mg

methanol Rabbit - Eyes - Moderate irritant Duration of treatment/

exposure: 24 hours Amount/concentration applied: 100 mg

Rabbit - Eyes - Moderate irritant Amount/concentration

applied: 40 mg

Rabbit - Eyes - Severe irritant Amount/concentration

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 160/197

OPA reagent, 10 mg/ml, 6 ampoules

## **SECTION 11: Toxicological information**

applied: 0.1 MI

Dodecan-1-ol, ethoxylated Rabbit - Eyes - Severe irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 750 ug

**Conclusion/Summary**: May cause eye irritation.

[Product]

Ingredient nameConclusion/Summaryboric acidSlightly irritating to the eyes.methanolMay cause eye irritation.

**Respiratory corrosion/irritation** 

**Conclusion/Summary**: Not available.

[Product]

Respiratory or skin sensitization

Skin

**Conclusion/Summary** 

[Product]

: Not available.

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

**Conclusion/Summary** 

[Product]

Not available.

Carcinogenicity

**Conclusion/Summary** 

[Product]

Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Repeated or prolonged exposure to the substance can produce reproductive system

damage.

Ingredient name

Conclusion/Summary

methanol

Repeated or prolonged exposure to the substance can produce

reproductive system damage.

Specific target organ toxicity (single exposure)

Product/ingredient name Result

methanol STOT SE 1, H370

phthalaldehyde STOT SE 3, H335 (Respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

routes of exposure

Potential acute health effects

**Eye contact** : Causes serious eye damage.

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

OPA reagent, 10 mg/ml, 6 ampoules

## **SECTION 11: Toxicological information**

Inhalation : No known significant effects or critical hazards.

**Skin contact**: Causes severe burns. May cause an allergic skin reaction.

**Ingestion**: Severely corrosive to the digestive tract. Causes severe burns. Harmful if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain watering redness

**Inhalation** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur reduced foetal weight increase in foetal deaths skeletal malformations

**Ingestion**: Adverse symptoms may include the following:

stomach pains reduced foetal weight increase in foetal deaths skeletal malformations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate** 

effects

: Not available.

**Potential delayed** 

effects

: Not available.

Long term exposure

**Potential immediate** 

effects

: Not available.

Potential delayed

effects

: Not available.

#### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Reproductive toxicity: May damage fertility. May damage the unborn child.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

Other information : Adverse symptoms may include the following: blurred or double vision, Eye contact can

result in corneal damage or blindness. Repeated or prolonged exposure to the substance can produce liver damage. May cause eye irritation. Repeated or prolonged exposure to the substance can produce reproductive system damage. Narcotic effect.

May cause nervous system disturbances.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 162/197

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	
potassium hydroxide	Acute - LC50 - Fresh water	80 ppm [96 hours]
boric acid	Chronic - NOEC - Fresh water	2100 μg/l [87 days]
	Chronic - NOEC - Fresh water	6000 µg/l [21 days]
	Acute - LC50 - Fresh water	45.5 mg/l [48 hours]
	Acute - LC50 - Marine water	75 mg/l [96 hours]
3-mercaptopropionic acid	Acute - LC50 - Fresh water	98 mg/l [96 hours]
	Acute - EC50 - Fresh water	9 mg/l [48 hours]
	Acute - EC50 - Fresh water	26 mg/l [72 hours]
	Acute - NOEC - Fresh water	4.1 mg/l [72 hours]
methanol	Acute - LC50 - Marine water	2500 mg/l [48 hours]
	Acute - LC50 - Fresh water	290 mg/l [96 hours]
	Chronic - NOEC - Marine water	9.96 mg/l [96 hours]
	Acute - EC50 - Marine water	2736 mg/l [96 hours]
phthalaldehyde	Acute - EC50 - Fresh water	90 ppb [48 hours]
	Acute - LC50 - Fresh water	20 ppb [96 hours]
	Acute - EC50 - Fresh water	184 ppb [96 hours]
potassium thiocyanate	Chronic - NOEC - Fresh water	1100 μg/l [124 days]
	Acute - LC50 - Fresh water	20.8 mg/l [96 hours]
	Acute - LC50 - Fresh water	11 mg/l [48 hours]
Dodecan-1-ol, ethoxylated	Acute - LC50 - Fresh water	1500 µg/l [96 hours]
	Acute - LC50 - Fresh water	6460 µg/l [48 hours]
0 1 1 10	9. 1.1	

**Conclusion/Summary** 

[Product]

: Not available.

#### 12.2 Persistence and degradability

**Product/ingredient name** 

3-mercaptopropionic acid Aerobic phthalaldehyde Aerobic

96% [28 days] - Readily Aerobic Aerobic 7% [28 days] - Not

readily

**Conclusion/Summary** 

[Product]

: Not available.

**Result** 

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
boric acid	-	-	Not readily
3-mercaptopropionic acid	-	-	Readily
methanol	-	-	Readily
phthalaldehyde	-	-	Not readily
potassium thiocyanate	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
boric acid	-1.09	-	Low
3-mercaptopropionic acid	-2.32	-  <10	Low
methanol phthalaldehyde	-0.77 0.99		Low
potassium thiocyanate	-2.52	-	Low
Dodecan-1-ol, ethoxylated	5.4	-	High

#### 12.4 Mobility in soil

Soil/water partition coefficient

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 163/197

OPA reagent, 10 mg/ml, 6 ampoules

## **SECTION 12: Ecological information**

Product/ingredient name	logKoc	Koc
3-mercaptopropionic acid	1.2	14.4949
methanol	0.44	2.75443
phthalaldehyde	1.7	45.1696
potassium thiocyanate	1.4	26.8532

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
potassium hydroxide	No	No	No	No	No	No	No
boric acid	No	No	No	No	No	No	No
3-mercaptopropionic acid	No	N/A	Yes	No	N/A	N/A	Yes
methanol	No	No	Yes	No	No	No	Yes
phthalaldehyde	No	N/A	Yes	No	N/A	N/A	Yes
potassium thiocyanate	No	No	No	No	No	No	No
Dodecan-1-ol, ethoxylated	No	N/A	N/A	No	N/A	N/A	N/A

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

# 12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB	
potassium hydroxide	No	No	No	No	No	No	No	
boric acid	No	No	No	No	No	No	No	
3-mercaptopropionic acid	No	N/A	N/A	No	N/A	N/A	N/A	
methanol	No	No	No	No	No	No	No	
phthalaldehyde	No	N/A	N/A	No	N/A	N/A	N/A	
potassium thiocyanate	No	No	No	No	No	No	No	
Dodecan-1-ol, ethoxylated	No	N/A	N/A	No	N/A	N/A	N/A	

### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	В	T	vPvB	νP	vB	
potassium hydroxide	No	No	No	No	No	No	No	
boric acid	No	No	No	No	No	No	No	
3-mercaptopropionic acid	No	N/A	N/A	No	N/A	N/A	N/A	
methanol	No	No	No	No	No	No	No	
phthalaldehyde	No	N/A	N/A	No	N/A	N/A	N/A	
potassium thiocyanate	No	No	No	No	No	No	No	
Dodecan-1-ol, ethoxylated	No	N/A	N/A	No	N/A	N/A	N/A	

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 164/197

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: The classification of the product may meet the criteria for a hazardous waste.

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	UN1814	UN1814	UN1814
14.2 UN proper shipping name	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	II	II	II
14.5 Environmental hazards	Yes.	Yes.	Yes. The environmentally hazardous substance mark is not required.

#### **Additional information**

Remarks: De minimis quantities

ADR/RID

: The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.

**Hazard identification number** 80

<u>Limited quantity</u> 1 L Tunnel code (E)

**IMDG** 

: The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg. <u>Emergency schedules</u> F-A, S-B

**IATA** 

: The environmentally hazardous substance mark may appear if required by other transportation regulations.

**Quantity limitation** Passenger and Cargo Aircraft: 1 L. Packaging instructions: 851. Cargo Aircraft Only: 30 L. Packaging instructions: 855. Limited Quantities - Passenger Aircraft: 0.5 L. Packaging instructions: Y840.

Special provisions A3, A803

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 165/197

OPA reagent, 10 mg/ml, 6 ampoules

## **SECTION 14: Transport information**

14.7 Transport in bulk according to IMO instruments

: Not available.

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

Substances of very high concern

Ingredient name	Intrinsic property		Date of revision
boric acid	Toxic to reproduction	6th recommendation	7/1/2015

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

**Labelling**: Restricted to professional users.

**Other EU regulations** 

Industrial emissions : Listed

(integrated pollution prevention and control)

- Air

Industrial emissions : Listed

(integrated pollution prevention and control)

- Water

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is controlled under the Seveso Directive.

**Danger criteria** 

**Category** 

E2

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 166/197

OPA reagent, 10 mg/ml, 6 ampoules

## SECTION 15: Regulatory information

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**Inventory list** 

**Australia** : All components are listed or exempted.

Canada : At least one component is not listed in DSL but all such components are listed in

NDSL.

China All components are listed or exempted.

**Eurasian Economic** 

Union

**Philippines** 

: Russian Federation inventory: All components are listed or exempted.

**Japan** : Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

**New Zealand** : All components are listed or exempted. : All components are listed or exempted.

Republic of Korea : Not determined.

**Taiwan** : All components are listed or exempted. **Thailand** : All components are listed or exempted.

**Turkey** : Not determined.

**United States** : All components are active or exempted. **Viet Nam** : All components are listed or exempted.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

#### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and** acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent. Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 167/197

OPA reagent, 10 mg/ml, 6 ampoules

#### **SECTION 16: Other information**

Classification	Justification
Met. Corr. 1, H290	Expert judgment
Acute Tox. 4, H302	Calculation method
Skin Corr. 1A, H314	Calculation method
Skin Sens. 1, H317	Calculation method
Repr. 1B, H360FD	Calculation method
Aquatic Chronic 2, H411	Calculation method

#### Full text of abbreviated H statements

Highly flammable liquid and vapour.
May be corrosive to metals.
Toxic if swallowed.
Harmful if swallowed.
Toxic in contact with skin.
Harmful in contact with skin.
Causes severe skin burns and eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Causes serious eye irritation.
Toxic if inhaled.
Harmful if inhaled.
May cause respiratory irritation.
May damage fertility. May damage the unborn child.
Causes damage to organs.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.
Contact with acids liberates very toxic gas.

### Full text of classifications [CLP/GHS]

Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2
Met. Corr. 1	CORROSIVE TO METALS - Category 1
Repr. 1B	REPRODUCTIVE TOXICITY - Category 1B
Skin Corr. 1	SKIN CORROSION/IRRITATION - Category 1
Skin Corr. 1A	SKIN CORROSION/IRRITATION - Category 1A
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE -
	Category 1
STOT SE 3	SPEČIFÍC TARGET ORGAN TOXICITY - SINGLE EXPOSURE -
	Category 3
L	

Date of issue/ Date of : 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 168/197

## SAFETY DATA SHEET



### FMOC reagent 10 ampoules 1ml ea for AAA

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Product name** : FMOC reagent 10 ampoules 1ml ea for AAA

Part no. : 5061-3337

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : For research use only.

10 x 1 ml

**Uses advised against** : Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

**Emergency telephone** 

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H225	FLAMMABLE LIQUIDS	Category 2
H302	ACUTE TOXICITY (oral)	Category 4
H312	ACUTE TOXICITY (dermal)	Category 4
H332	ACUTE TOXICITY (inhalation)	Category 4
H319	SERIOUS EYE DAMAGE/EYÉ IRRITATION	Category 2

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

**Hazard pictograms** 





Signal word Danger

**Hazard statements** : H225 - Highly flammable liquid and vapour.

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled.

H319 - Causes serious eye irritation.

**Precautionary statements** 

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version 169/197

FMOC reagent 10 ampoules 1ml ea for AAA

#### **SECTION 2: Hazards identification**

**Prevention**: P280 - Wear protective gloves and protective clothing. Wear eye or face protection.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 - Avoid breathing vapour.

P270 - Do not eat, drink or smoke when using this product.

Response : P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

**Hazardous ingredients** 

Supplemental label

: acetonitrile

elements

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain

dangerous substances, mixtures and articles

: Not applicable.

**Special packaging requirements** 

**Tactile warning of** 

danger

: Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Annex XIII

Other hazards which do

not result in classification

: None known.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
acetonitrile	EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3	≥90	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319	ATE [Oral] = 500 mg/kg ATE [Dermal] = 1100 mg/kg ATE [Inhalation (vapours)] = 11 mg/l	[1] [2]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 170/197

FMOC reagent 10 ampoules 1ml ea for AAA

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** 

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### **Over-exposure signs/symptoms**

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments**: No specific treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

Unsuitable extinguishing

media

: Do not use water jet.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 171/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 5: Firefighting measures**

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides cyanides

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 172/197

FMOC reagent 10 ampoules 1ml ea for AAA

## SECTION 7: Handling and storage

Advice on general occupational hygiene

(ventilating, lighting and material handling) equipment.

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### **Seveso Directive - Reporting thresholds**

#### **Danger criteria**

	Notification and MAPP threshold	Safety report threshold
P5c	5000 tonnes	50000 tonnes

#### 7.3 Specific end use(s)

Recommendations

: Industrial applications, Professional applications.

Industrial sector specific

solutions

: Not available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

Product/ingredient name	Exposure limit values
acetonitrile	NAOSH (Ireland, 4/2024) Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values OELV 8 hours: 40 ppm. OELV 8 hours: 70 mg/m³. OELV 15 minutes: 4 mg/m³. OELV 15 minutes: 1.8 ppm. EU OEL (Europe, 1/2022) Absorbed through skin. TWA 8 hours: 40 ppm. TWA 8 hours: 70 mg/m³.

#### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

**Product/ingredient name** 

Result

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 173/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 8: Exposure controls/personal protection**

acetonitrile DNEL - General population - Long term - Oral 0.4 mg/kg bw/day

DNEL - General population - Short term - Oral

DNEL - General population - Long term - Dermal

1.2 mg/kg bw/day

DNEL - General population - Long term - Inhalation 2.4 mg/m<sup>3</sup>

#### **PNECs**

Not available.

#### 8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### Individual protection measures

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 174/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid. [Clear.]
Colour : Colourless.
Odour : Ethereal. [Slight]

Odour threshold : 70 ppm Melting point/freezing : -45°C

point

**Boiling point or initial** : 81.6°C

boiling point and boiling

range

Flammability : Not applicable.

Lower and upper : Lower: 4.4%

explosion limit/ Upper: 16%

flammability limit

Flash point : Closed cup: 2°C

**Auto-ignition** : 524°C

temperature

**Decomposition** temperature

Not available.

pH : Not available.

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: <1

Vapour pressure : Vapour Pressure at 20°C Vapour pressure at 50°C

	· upou.		u		ou. p. 000	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
acetonitrile	70.88853	9.5	-	-	-	-

Relative density : 0.78

Density : 0.78 g/cm³ [20°C]
Relative vapour density : Not available.

Particle characteristics

Median particle size : Not applicable.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : Yes.

**Evaporation rate** : 5.79 (butyl acetate = 1)

: Not available.

Physical/chemical

properties comments

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 175/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld,

braze, solder, drill, grind or expose containers to heat or sources of ignition. Store away

from direct sunlight.

10.5 Incompatible

materials

: Reactive or incompatible with the following materials:

oxidising materials

Reactive or incompatible with the following materials: reducing materials, acids, alkalis

and moisture.

10.6 Hazardous

decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Product/ingredient name Result

acetonitrile Rat - Oral - LD50 2460 mg/kg

Rat - Inhalation - LC50 Vapour 17100 ppm [4 hours]

Conclusion/Summary

[Product]

: Not available.

#### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapours)	Inhalation (dusts and mists) (mg/l)
FMOC reagent 10 ampoules 1ml ea for AAA acetonitrile	502.5	1105.5	N/A	11.1	N/A
	500	1100	N/A	11	N/A

**Skin corrosion/irritation** 

**Conclusion/Summary** 

[Product]

: Not available.

Serious eye damage/eye irritation

Product/ingredient name Result

acetonitrile Rabbit - Eyes - Moderate irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 100 uL

Conclusion/Summary

[Product]

: Not available.

Respiratory corrosion/irritation

**Conclusion/Summary**: Not available.

[Product]

Ingredient name Conclusion/Summary

acetonitrile May cause respiratory irritation.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 176/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 11: Toxicological information**

#### Respiratory or skin sensitization

Skin

Conclusion/Summary

[Product]

: Not available.

Respiratory

**Conclusion/Summary** 

[Product]

: Not available.

**Germ cell mutagenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

.

[Product]

: Not available.

Reproductive toxicity

**Conclusion/Summary** 

[Product]

: Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on likely

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

routes of exposure

#### Potential acute health effects

**Eye contact**: Causes serious eye irritation.

Inhalation : Harmful if inhaled.

**Skin contact** : Harmful in contact with skin.

**Ingestion** : Harmful if swallowed.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

Potential immediate

: Not available.

effects

**Potential delayed** 

effects

: Not available.

Long term exposure

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 11: Toxicological information**

**Potential immediate** 

effects

: Not available.

**Potential delayed** 

effects

: Not available.

#### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

**General** : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

Reproductive toxicity

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

Other information Adverse symptoms may include the following: May cause headache, weakness,

: No known significant effects or critical hazards.

dizziness, shortness of breath, cyanosis, rapid heart beat, unconsciousness and

possible death.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name Result

acetonitrile Acute - LC50 - Fresh water 3600 mg/l [48 hours] 3685 mg/l [96 hours] Acute - IC50 - Fresh water Chronic - NOEC - Fresh water 160 mg/l [21 days]

1000 mg/l [96 hours] Chronic - NOEC - Fresh water 1000 mg/l [96 hours] Acute - LC50 - Fresh water

**Conclusion/Summary** 

[Product]

: Not available.

#### 12.2 Persistence and degradability

Product/ingredient name Result

acetonitrile 70% [21 days] - Readily

**Conclusion/Summary** 

[Product]

: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
acetonitrile	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
FMOC reagent 10 ampoules 1ml ea for AAA	<1	-	Low
acetonitrile	-0.34	3	Low

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
acetonitrile	0.42	2.62657

#### Results of PMT and vPvM assessment

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 178/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 12: Ecological information**

Product/ingredient name	PMT	P	M	Т	vPvM	vP	vM
acetonitrile	No	N/A	Yes	No	N/A	N/A	Yes

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	P	В	T	vPvB	vP	vB
acetonitrile	No	N/A	No	No	No	N/A	No

#### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	В	Т	vPvB	vP	vB
acetonitrile	No	N/A	No	No	No	N/A	No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

# Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: The classification of the product may meet the criteria for a hazardous waste.

<u>Packaging</u>

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 179/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	UN1648	UN1648	UN1648
14.2 UN proper shipping name	ACETONITRILE	ACETONITRILE	Acetonitrile
14.3 Transport hazard class(es)	3	3	3
14.4 Packing group	II	II	II
14.5 Environmental hazards	No.	No.	No.

#### **Additional information**

Remarks: De minimis quantities

ADR/RID : <u>Hazard identification number</u> 33

Limited quantity 1 L Tunnel code (D/E)

IMDG : Emergency schedules F-E, S-D

**IATA** : **Quantity limitation** Passenger and Cargo Aircraft: 5 L. Packaging instructions: 353.

Cargo Aircraft Only: 60 L. Packaging instructions: 364. Limited Quantities - Passenger

Aircraft: 1 L. Packaging instructions: Y341.

14.6 Special precautions

for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7 Transport in bulk according to IMO

instruments

: Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

**Substances of very high concern** 

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

**Other EU regulations** 

Industrial emissions : Listed

(integrated pollution prevention and control)

- Air

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 180/197

FMOC reagent 10 ampoules 1ml ea for AAA

## **SECTION 15: Regulatory information**

Industrial emissions : Listed

(integrated pollution prevention and control)

- Water

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is controlled under the Seveso Directive.

**Danger criteria** 

**Category** 

P<sub>5</sub>c

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

**Eurasian Economic** 

Union

: Russian Federation inventory: All components are listed or exempted.

Japan : Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.
 Philippines : All components are listed or exempted.
 Republic of Korea : All components are listed or exempted.
 Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : Not determined.

Viet Nam : All components are listed or exempted.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1

FMOC reagent 10 ampoules 1ml ea for AAA

#### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic
PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Flam. Liq. 2, H225	On basis of test data
Acute Tox. 4, H302	Calculation method
Acute Tox. 4, H312	Calculation method
Acute Tox. 4, H332	Calculation method
Eye Irrit. 2, H319	Calculation method

#### Full text of abbreviated H statements

H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H319	Causes serious eye irritation.	

#### Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2

Date of issue/ Date of

revision

: 25/07/2025

Date of previous issue : No previous validation

Version : '

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 182/197

## **SAFETY DATA SHEET**



Buffer, Borate 100ml/BT

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

Product name : Buffer, Borate 100ml/BT

**Part no.** : 5061-3339

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For research use only.

1 x 100 ml

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany

0800 603 1000

e-mail address of person : pdl-msds author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone

: CHEMTREC®: +353 1 901 4670

number (with hours of

operation)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H315SKIN CORROSION/IRRITATIONCategory 2H319SERIOUS EYE DAMAGE/EYE IRRITATIONCategory 2H360FDREPRODUCTIVE TOXICITYCategory 1B

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms :





Signal word : Danger

**Hazard statements** : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H360FD - May damage fertility. May damage the unborn child.

**Precautionary statements** 

**Prevention**: P201 - Obtain special instructions before use.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P264 - Wash thoroughly after handling.

**Response** : P308 + P313 - IF exposed or concerned: Get medical advice or attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 183/197

Buffer, Borate 100ml/BT

## **SECTION 2: Hazards identification**

: Not applicable. **Storage** 

: P501 - Dispose of contents and container in accordance with all local, regional, national **Disposal** 

and international regulations.

**Hazardous ingredients** 

Supplemental label

elements

: boric acid : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

**Annex XVII - Restrictions**: Restricted to professional users.

#### Special packaging requirements

Tactile warning of

danger

: Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Annex XIII** 

Other hazards which do

not result in classification : None known.

## **SECTION 3: Composition/information on ingredients**

: Mixture 3.2 Mixtures

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
boric acid	EC: 233-139-2 CAS: 10043-35-3 Index: 005-007-00-2	≤1	Repr. 1B, H360FD	-	[1] [2] [3]
sodium hydroxide	EC: 215-185-5 CAS: 1310-73-2 Index: 011-002-00-6	≤1	Skin Corr. 1A, H314 Eye Dam. 1, H318	Skin Corr. 1A, H314: $C \ge 5\%$ Skin Corr. 1B, H314: $2\% \le C < 5\%$ Skin Irrit. 2, H315: $0.5\% \le C < 2\%$ Eye Dam. 1, H318: $C \ge 2\%$ Eye Irrit. 2, H319: $0.5\% \le C < 2\%$	[1] [2]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance with carcinogenic, mutagenic or reproductive toxicity properties

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 184/197 Buffer, Borate 100ml/BT

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

**Inhalation**: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

**Ingestion**: Wash out mouth with water. Remove dentures if any. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

irritation redness

reduced foetal weight increase in foetal deaths skeletal malformations

**Ingestion**: Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 185/197

Buffer, Borate 100ml/BT

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous combustion** products

: No specific data.

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for firefighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version: 1 186/197

Buffer, Borate 100ml/BT

## **SECTION 7: Handling and storage**

#### **Protective measures**

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Avoid breathing vapour or mist. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid exposure during pregnancy.

## Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage**

: Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

**Recommendations**: Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
boric acid	NAOSH (Ireland, 4/2024) [borate compounds inorganic] Repr 1B.
	Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV 8 hours: 2 mg/m³.
sodium hydroxide	NAOSH (Ireland, 4/2024) Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV 15 minutes: 2 mg/m³.

#### **Biological exposure indices**

No exposure indices known.

## Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name Result

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 187/197

Buffer, Borate 100ml/BT

## **SECTION 8: Exposure controls/personal protection**

boric acid DNEL - General population - Short term - Oral 0.98 mg/kg bw/day DNEL - General population - Long term - Oral 0.98 mg/kg bw/day DNEL - General population - Long term - Inhalation 4.15 mg/m<sup>3</sup> DNEL - Workers - Long term - Inhalation 8.3 mg/m<sup>3</sup> DNEL - General population - Long term - Dermal 196 mg/kg bw/day DNEL - Workers - Long term - Dermal 392 mg/kg bw/day DNEL - General population - Long term - Inhalation sodium hydroxide 1 mg/m<sup>3</sup> DNEL - Workers - Long term - Inhalation 1 mg/m<sup>3</sup>

#### **PNECs**

Not available.

#### 8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### **Skin protection**

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state : Liquid. [Clear.]
Colour : Colourless.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 188/197

Buffer, Borate 100ml/BT

## **SECTION 9: Physical and chemical properties**

Odour : Slight

Odour threshold : Not available.

Melting point/freezing : Not available.

point

Boiling point or initial

boiling point and boiling

range

Flammability : Not applicable.

Lower and upper : Not available.

explosion limit/ flammability limit

Flash point : Not available.

Auto-ignition : Not available.

temperature

**Decomposition temperature**  : Not available.

: Not available.

**pH** : 10.4

Viscosity : Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Solubility : Media Result

water Soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Vapour pressure : Vapour Pressure at 20°C Vapour pressure at 50°C

	rapoai i roccaro at 20 c			rapour procours at so s			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3	-	92.258	12.3	-	

Relative density : 1.009

Density : 1.009 g/cm³
Relative vapour density : Not available.

Particle characteristics

Median particle size : Not applicable.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : Yes.

**Evaporation rate** : <1 (butyl acetate = 1)

Physical/chemical : Not available.

properties comments

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 189/197

Buffer, Borate 100ml/BT

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid: No specific data.

10.5 Incompatible

materials

: May react or be incompatible with oxidising materials.

Reactive or incompatible with the following materials: reducing materials.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Product/ingredient name Result

boric acid Rabbit - Male, Female - Dermal - LD50 >2000 mg/kg

Rat - Male, Female - Inhalation - LC50 Dusts and >2.12 mg/l [4 hours]

mists

**Conclusion/Summary** 

[Product]

: Not available.

#### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
boric acid	5100	N/A	N/A	N/A	N/A

**Skin corrosion/irritation** 

Product/ingredient name Result

sodium hydroxide Rabbit - Skin - Severe irritant Duration of treatment/

exposure: 24 hours Amount/concentration applied: 500 mg

Human - Skin - Severe irritant

Duration of treatment/ exposure: 24 hours Amount/concentration

applied: 10 pph

**Conclusion/Summary** 

[Product]

: Not available.

Serious eye damage/eye irritation

Product/ingredient name Result

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 190/197

Buffer, Borate 100ml/BT

## **SECTION 11: Toxicological information**

sodium hydroxide Rabbit - Eyes - Severe irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 50 ug

Rabbit - Eyes - Severe irritant Amount/concentration

applied: 1 %

Rabbit - Eyes - Severe irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 1 mg

Rabbit - Eyes - Severe irritant Duration of treatment/

exposure: 0.5 minutes Amount/concentration

applied: 1 mg

Conclusion/Summary

[Product]

: Not available.

Ingredient nameConclusion/Summaryboric acidSlightly irritating to the eyes.

**Respiratory corrosion/irritation** 

**Conclusion/Summary**: Not available.

[Product]

Respiratory or skin sensitization

Skin

Conclusion/Summary: Not available.

[Product]

Respiratory

Conclusion/Summary : N

[Product]

: Not available.

**Germ cell mutagenicity** 

Conclusion/Summary

[Product]

: Not available.

**Carcinogenicity** 

**Conclusion/Summary** 

[Product]

: Not available.

**Reproductive toxicity** 

**Conclusion/Summary** 

[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Date of issue/Date of revision: 25/07/2025Date of previous issue: No previous validationVersion: 1191/197

Buffer, Borate 100ml/BT

## **SECTION 11: Toxicological information**

Information on likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact**: Causes skin irritation.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering

redness

**Inhalation** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

irritation redness

reduced foetal weight increase in foetal deaths skeletal malformations

**Ingestion** : Adverse symptoms may include the following:

reduced foetal weight increase in foetal deaths skeletal malformations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Short term exposure**

Potential immediate

effects

: Not available.

**Potential delayed** 

effects

: Not available.

Long term exposure

**Potential immediate** 

effects

: Not available.

**Potential delayed** 

effects

: Not available.

#### Potential chronic health effects

**Conclusion/Summary**: Not available.

[Product]

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : May damage fertility. May damage the unborn child.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

**Conclusion/Summary** 

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 192/197

Buffer, Borate 100ml/BT

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name Result

boric acid Chronic - NOEC - Fresh water 2100 µg/l [87 days]

Chronic - NOEC - Fresh water6000 μg/l [21 days]Acute - LC50 - Fresh water45.5 mg/l [48 hours]Acute - LC50 - Marine water75 mg/l [96 hours]Acute - LC50 - Fresh water125 ppm [96 hours]

sodium hydroxide Acute - LC50 - Fresh water 125 ppm [96 hours]
Acute - EC50 - Fresh water 40.38 mg/l [48 hours]

Conclusion/Summary

[Product]

: Not available.

#### 12.2 Persistence and degradability

Not available.

**Conclusion/Summary** 

[Product]

: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
boric acid	-	-	Not readily
sodium hydroxide	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
boric acid	-1.09	-	Low

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Not available.

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
boric acid	No	No	No	No	No	No	No
sodium hydroxide	No	No	No	No	No	No	No

Mobility : Not available.

**Conclusion/Summary**: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment

#### Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	P	В	T	vPvB	vP	vB
boric acid	No	No	No	No	No	No	No
sodium hydroxide	No	No	No	No	No	No	No

#### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	В	Т	vPvB	vP	vB
boric acid sodium hydroxide	No	No	No	No	No	No	No
	No	No	No	No	No	No	No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

#### 12.6 Endocrine disrupting properties

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 193/197

Buffer, Borate 100ml/BT

## **SECTION 12: Ecological information**

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

**Packaging** 

The classification of the product may meet the criteria for a hazardous waste.

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 194/197

Buffer, Borate 100ml/BT

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

Substances of very high concern

Ingredient name	Intrinsic property		Date of revision
boric acid	Toxic to reproduction	 6th recommendation	7/1/2015

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

**Labelling**: Restricted to professional users.

Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

**Eurasian Economic** 

Union Japan : Russian Federation inventory: All components are listed or exempted.

: Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.

New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Taiwan : All components are listed or exempted.

Thailand : All components are listed or exempted.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 195/197

Buffer, Borate 100ml/BT

## **SECTION 15: Regulatory information**

Turkey : All components are listed or exempted.
United States : All components are active or exempted.
Viet Nam : All components are listed or exempted.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

#### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315 Eye Irrit. 2, H319	Calculation method Calculation method
Repr. 1B, H360FD	Calculation method

#### Full text of abbreviated H statements

H314 H315	Causes severe skin burns and eye damage. Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.

#### Full text of classifications [CLP/GHS]

	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 REPRODUCTIVE TOXICITY - Category 18
Skin Corr. 1A	SKIN CORROSION/IRRITATION - Category 1A
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 196/197

Buffer, Borate 100ml/BT

### **SECTION 16: Other information**

Date of issue/ Date of : 25/07/2025

revision

Date of previous issue : No previous validation

Version : 1

**Notice to reader** 

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 25/07/2025 Date of previous issue : No previous validation Version : 1 197/197