SAFETY DATA SHEET





Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Vapillary Inlet Evaluation Sample (Split Mode) Kit

Part no. : 8500-4789

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagents and Standards for Analytical Chemistry Laboratory Use

8500-4790 Capillary Inlet Evaluation Sample 3 x 0.5 ml

Uses advised against : None known.

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn Germany 0800 603 1000

e-mail address of person

: pdl-msds_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone

number (with hours of

operation)

: CHEMTREC®: +353 1 901 4670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown: Contains 98% of components with unknown hazards to the aquatic environment

ecotoxicity

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 - May be fatal if swallowed and enters airways.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention: P273 - Avoid release to the environment.

Response : P301 + P310, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Do NOT induce vomiting.

Storage : Not applicable.

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 1/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 2: Hazards identification

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Supplemental label

elements

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Not applicable.

Special packaging requirements

Tactile warning of

mixtures and articles

danger

: Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006,

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Annex XIII

Other hazards which do

not result in classification

: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
tetradecane	EC: 211-096-0 CAS: 629-59-4	≥90	Asp. Tox. 1, H304 EUH066	-	[1]
nonane	EC: 203-913-4 CAS: 111-84-2	<2.5	Flam. Liq. 3, H226 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Inhalation (vapours)] = 17 mg/l M [Acute] = 1 M [Chronic] = 1	[1] [2]
hexadecane	EC: 208-878-9 CAS: 544-76-3	≤3	Asp. Tox. 1, H304 EUH066 See Section 16 for the full text of the H statements declared above.	-	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 2/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

tie, belt or waistband.

Skin contact: Fush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Ingestion : Get medical attention immediately. Call a poison center or physician. Wash out mouth

with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

tie, belt or waistband.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : Adverse symptoms may include the following:

nausea or vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing :

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway,

sewer or drain.

Hazardous combustion

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 3/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 5: Firefighting measures

5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Additional information

: Combustible when exposed to heat or flame.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapour or mist. Avoid release to the environment. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Do not swallow.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 4/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 7: Handling and storage

7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific : Not available.

solutions

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
nonane	NAOSH (Ireland, 4/2024) [nonane] Notes: Advisory Occupational Exposure Limit Values (OELVs)
	OELV 8 hours: 200 ppm. OELV 8 hours: 1050 mg/m³.

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name

nonane

Result

DNEL - General population - Long term - Inhalation 608 mg/m³

DNEL - General population - Long term - Oral 699 mg/kg bw/day DNEL - General population - Long term - Dermal 699 mg/kg bw/day DNEL - Workers - Long term - Dermal 773 mg/kg bw/day DNEL - Workers - Long term - Inhalation 2035 mg/m³

PNECs

Not available.

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 5/14 Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 8: Exposure controls/personal protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

: 5.5°C

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. Colour Colourless. **Odour** Not available. **Odour threshold** : Not available.

Melting point/freezing

point

: 254°C **Boiling point or initial**

boiling point and boiling

range

Flammability : Not applicable. Lower and upper Not available.

explosion limit/ flammability limit

: Open cup: 99°C Flash point

Auto-ignition temperature

200°C

Decomposition temperature

: Not available.

 Not available. pH

: Dynamic (room temperature): Not available. **Viscosity**

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Solubility Media Result

Insoluble water

Partition coefficient: noctanol/water

: Not applicable.

Vapour pressure : 0.13 kPa (1 mm Hg)

Relative density 0.7628

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version 6/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 9: Physical and chemical properties

Density : 0.7628 g/cm³ [20°C]

Relative vapour density : 6.83 [Air = 1]

Particle characteristics

Median particle size : Not applicable.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available. **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

Miscible with water : No.

Evaporation rate : Not available. **Physical/chemical** : Not available.

properties comments

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible

materials

: May react or be incompatible with oxidising materials.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name Result

Rat - Male, Female - Oral - LD50 >5000 mg/kg
Rat - Inhalation - LC50 Dusts and mists 9.3 mg/l [4 hours]
nonane Rat - Male, Female - Oral - LD50 >5000 mg/kg

Rat - Inhalation - LC50 Vapour 3200 ppm [4 hours]
Rat - Inhalation - LC50 Vapour 17000 mg/m³ [4 hours]

hexadecane Rat - Oral - LD50 >5000 mg/kg

Rat - Inhalation - LC50 Dusts and mists >5266 mg/m³ [4 hours]

Conclusion/Summary

[Product]

: Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapours)	Inhalation (dusts and mists) (mg/l)
Zapillary Inlet Evaluation Sample (Split Mode) Kit tetradecane nonane	N/A	N/A	N/A	1700.0	N/A
	N/A	N/A	N/A	N/A	9.3
	N/A	N/A	N/A	17	N/A

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 7/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 11: Toxicological information

Skin corrosion/irritation

Product/ingredient name Result

Rat - Skin - Moderate irritant Duration of treatment/

exposure: 96 hours Amount/concentration

applied: 300 uL

hexadecane Rat - Skin - Severe irritant Duration of treatment/

exposure: 24 hours Amount/concentration

applied: 100 mg

Conclusion/Summary

[Product]

: Repeated exposure may cause skin dryness or cracking.

Ingredient name Conclusion/Summary
Etradecane Causes mild skin irritation.

nonane Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Conclusion/Summary : Not available.

[Product]

Ingredient name

Conclusion/Summary

May cause eye irritation.

Respiratory corrosion/irritation

Conclusion/Summary

[Product]

: Not available.

Respiratory or skin sensitization

Skin

Conclusion/Summary

[Product]

: Not available.

Respiratory

Conclusion/Summary

[Product]

: Not available.

Germ cell mutagenicity

Conclusion/Summary

[Product]

: Not available.

Carcinogenicity

Conclusion/Summary

[Product]

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

[Product]

Specific target organ toxicity (single exposure)

Product/ingredient name Result

nonane STOT SE 3, H336 (Narcotic effects)

Specific target organ toxicity (repeated exposure)

Not available.

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 8/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 11: Toxicological information

Aspiration hazard

Product/ingredient name Result

☑apillary Inlet Evaluation Sample (Split ASPIRATION HAZARD - Category 1

Mode) Kit

tetradecane ASPIRATION HAZARD - Category 1 nonane ASPIRATION HAZARD - Category 1 hexadecane ASPIRATION HAZARD - Category 1

Information on likely : Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

routes of exposure

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 Ingestion
 May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion: Adverse symptoms may include the following:

nausea or vomiting

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed : Not available.

effects

Long term exposure

Potential immediate : Not available.

effects

Potential delayed : Not available.

effects

Potential chronic health effects

Conclusion/Summary: Not available.

[Product]

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Conclusion/Summary

[Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or

Regulation (EC) No 1272/2008.

Other information : Adverse symptoms may include the following: Repeated or prolonged contact with

irritants may cause dermatitis. Adverse health effects could include the following:

chemical pneumonitis

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 9/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary: Not available.

[Product]

12.2 Persistence and degradability

Product/ingredient name Result

Aerobic 28% [74 days] - Readily Aerobic

Conclusion/Summary

[Product]

: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
t etradecane	-	-	Readily
nonane	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
tetradecane	8.11	-	High
nonane	5.65	105	Low
hexadecane	8.2	5011.87	High

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
t etradecane	3.5	3056.69
nonane	2.5	295.059
hexadecane	3.5	2928.85

Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
tetradecane	No	N/A	No	No	No	N/A	No
nonane	No	N/A	Yes	No	No	N/A	No
hexadecane	No	No	No	No	No	No	No

Mobility : Not available.

Conclusion/Summary: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	P	В	T	vPvB	vP	vB
tetradecane	No	N/A	N/A	No	N/A	N/A	N/A
nonane	No	N/A	No	No	No	N/A	No
hexadecane	No	N/A	Yes	No	N/A	N/A	Yes

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	В	T	vPvB	vP	vB
tetradecane	No	N/A	N/A		N/A	N/A	N/A
nonane hexadecane	No No	N/A No	No No	No No	No No	N/A No	No No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

12.6 Endocrine disrupting properties

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 10/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 12: Ecological information

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. The generation of waste should be avoided or minimised wherever possible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

Packaging

: The classification of the product may meet the criteria for a hazardous waste.

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

Date of issue/Date of revision: 18/12/2025Date of previous issue: 18/04/2023Version: 211/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Mone of the components are listed / The components are not impacted by a restriction

Labelling : Not applicable.

Other EU regulations

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Eurasian Economic

Union

: Russian Federation inventory: All components are listed or exempted.

Japan : Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): All components are listed or exempted.

New Zealand : All components are listed or exempted.
 Philippines : All components are listed or exempted.
 Republic of Korea : All components are listed or exempted.
 Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 12/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 15: Regulatory information

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization

M = Mobile

N/A = Not available P = Persistent

PBT = Persistent, Bioaccumulative and Toxic

PMT = Persistent, Mobile and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

RRN = REACH Registration Number

SGG = Segregation Group

T = Toxic

vB = Very Bioaccumulative

vM = Very Mobile vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
1 '	Expert judgment Calculation method

Full text of abbreviated H statements

⊬ 226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Full text of classifications [CLP/GHS]

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 13/14

Capillary Inlet Evaluation Sample (Split Mode) Kit

SECTION 16: Other information

Acute Tox. 4
Aquatic Acute 1
Aquatic Chronic 1
Aquatic Chronic 3
Asp. Tox. 1

Eye Irrit. 2 Flam. Liq. 3 Skin Irrit. 2 STOT SE 3 ACUTE TOXICITY - Category 4

SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

ASPIRATION HAZARD - Category 1

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

FLAMMABLE LIQUIDS - Category 3

SKIN CORROSION/IRRITATION - Category 2

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE -

Category 3

Date of issue/ Date of

revision

: 18/12/2025

Date of previous issue : 18/04/2023

Version : 2

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 18/12/2025 Date of previous issue : 18/04/2023 Version : 2 14/14