


Certificate of Analysis

Product Name: Amino acids supplement, (6 amino acids)
-
Product Number: 5062-2478
Batch Number: BCCC1575
Brand: Sigma-Aldrich
CAS Number:
Formula:
Formula Weight:
Expiration Date: EXPIRY DATE PRINTED ON LABEL
Quality Release Date: 02 SEP 2019

TEST	RESULT
KIT-COMPOSITION PART 1	99979 LOT BCCB1937
PART 2	99980 LOT BCCB3767
PART 3	99981 LOT BCCC0661
PART 4	99982 LOT BCCB1441
PART 5	99983 LOT BCBZ6240
PART 6	99984 LOT BCCB4904



Dr. Reinhold Schwenninger
Quality Assurance
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.


Certificate of Analysis

Product Name: L-ASPARAGINE
BioUltra
Product Number: 99979
Batch Number: BCCB1937
Brand: Sigma-Aldrich
CAS Number: 70-47-3
Formula: $\text{H}_2\text{NCOCH}_2\text{CH}(\text{NH}_2)\text{CO}_2\text{H}$
Formula Weight: 132.12
Quality Release Date: 14 MAR 2019
Recommended Retest Date: JAN 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	CRYSTALS
TITRATION (NT) HClO ₄ 0.1M	99.5 - 100.5 %	99.8 %
PURITY (TLC AREA %)	≥ 99.0 %	100.0 %
SPECIFIC ROTATION (20/D)	35.0 ± 0.5 DEGREES	34.7 DEGREES
CONCENTRATION	C=5 IN HYDROCHLORIC ACID 5M	C=5 IN HYDROCHLORIC ACID 5M
LOSS ON DRYING	≤ 0.1 %	< 0.05 %
RESIDUE ON IGNITION	≤ 0.05 %	< 0.05 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG

Certificate of Analysis

MOLYBDENUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
NICKEL (ICP)	≤ 5 MG/KG	< 5 MG/KG
LEAD (ICP)	≤ 5 MG/KG	< 5 MG/KG
STRONTIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
ZINC (ICP)	≤ 5 MG/KG	< 5 MG/KG
ARSENIC TRACES (MHS-AAS)	≤ 0.1 MG/KG	< 0.1 MG/KG
TOTAL SULFUR AS SO4 (ICP)	≤ 100 MG/KG	< 100 MG/KG
CHLORIDE (CL)	≤ 50 MG/KG	< 50 MG/KG
SOLUBILITY (METHOD)	--	0.396 G IN 30 ML H2O (0.1 M)
APPEARANCE (SOLUTION)	CLEAR COLORLESS	CLEAR COLORLESS
PH (SOLUTION)	4.0 - 5.5	5.2
RESIDUE (FILTER TEST)	NO RESIDUE	NO RESIDUE
UV - ABS. AT 260 NM	≤ 0.07	0.012
UV - ABS. AT 280 NM	≤ 0.06	0.008



Dr. Reinhold Schwenninger
 Quality Assurance
 Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.


Certificate of Analysis

Product Name: L-GLUTAMINE
BioUltra
Product Number: 99980
Batch Number: BCCB3767
Brand: Sigma-Aldrich
CAS Number: 56-85-9
Formula: $\text{H}_2\text{NCOCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{CO}_2\text{H}$
Formula Weight: 146.14
Quality Release Date: 29 MAR 2019
Recommended Retest Date: MAR 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER	POWDER
TITRATION (NT) HClO ₄ 0.1M	99.5 - 100.5 %	100.3 %
THIN LAYER CHROMATOGR.	FOREIGN AMINO ACIDS ≤0.5%	CORRESPONDS
SPECIFIC ROTATION (20/D)	33.0 ± 1.0 DEGREES	34.0 DEGREES
CONCENTRATION	C=5 IN HYDROCHLORIC ACID 5M	C=5 IN HYDROCHLORIC ACID 5M
MELTING POINT (DEC.)	187 - 197 C	188 C
LOSS ON DRYING	≤ 0.1 %	< 0.05%
SULFATED ASH	≤ 0.1 %	< 0.05%
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG

Certificate of Analysis

MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG
MOLYBDENUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
NICKEL (ICP)	≤ 5 MG/KG	< 5 MG/KG
LEAD (ICP)	≤ 5 MG/KG	< 5 MG/KG
STRONTIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
ZINC (ICP)	≤ 5 MG/KG	< 5 MG/KG
ARSENIC TRACES (MHS-AAS)	≤ 0.1 MG/KG	< 0.1MG/KG
CHLORIDE (CL)	≤ 50 MG/KG	< 50MG/KG
SULFATE (SO4)	≤ 50 MG/KG	< 50MG/KG
SOLUBILITY (METHOD)	--	0.438 G IN 30 ML H2O (0.1 M)
APPEARANCE (SOLUTION)	CLEAR COLORLESS	CLEAR COLORLESS
PH (SOLUTION)	5.0 - 6.0	5.3
RESIDUE (FILTER TEST)	NO RESIDUE	NO RESIDUE
UV - ABS. AT 260 NM	≤ 0.01	0.003
UV - ABS. AT 280 NM	≤ 0.01	0.002



Dr. Reinhold Schwenninger
 Quality Assurance
 Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.


Certificate of Analysis

Product Name: L-Tryptophan
BioUltra
Product Number: 99981
Batch Number: BCCC0661
Brand: Sigma-Aldrich
CAS Number: 73-22-3
Formula: C₁₁H₁₂N₂O₂
Formula Weight: 204.23
Quality Release Date: 19 AUG 2019
Recommended Retest Date: JUL 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (NT) HClO ₄ 0.1M	99.5 - 100.5 %	100.3 %
SPECIFIC ROTATION (20/D)	-33 - -31 DEGREES	-31 DEGREES
CONCENTRATION	C=1 IN WATER	C=1 IN WATER
MELTING POINT (DEC.)	280 - 290 C	282 C
LOSS ON DRYING	≤ 0.1 %	< 0.05 %
SULFATED ASH	≤ 0.10 %	0.07 %
CARBON CONTENT	64.69 % (THEORY)	64.54 %
HYDROGEN CONTENT	5.92 % (THEORY)	5.92 %
NITROGEN CONTENT	13.72 % (THEORY)	13.63 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG

Certificate of Analysis

MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG
MOLYBDENUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
NICKEL (ICP)	≤ 5 MG/KG	< 5 MG/KG
LEAD (ICP)	≤ 5 MG/KG	< 5 MG/KG
STRONTIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
ZINC (ICP)	≤ 5 MG/KG	< 5 MG/KG
ARSENIC TRACES (MHS-AAS)	≤ 0.10 MG/KG	< 0.1 MG/KG
TOTAL SULFUR AS SO₄ (ICP)	≤ 50 MG/KG	< 50 MG/KG
CHLORIDE (CL)	≤ 50 MG/KG	< 50 MG/KG
SOLUBILITY (METHOD)	3.065 G IN 30 ML 0.5M HCL (0.5 M)	3.065 G IN 30 ML 0.5M HCL (0.5 M)
APPEARANCE (SOLUTION)	CLEAR, COLORLESS TO FAINTLY YELLOW	CLEAR COLORLESS
RESIDUE (FILTER TEST)	NO RESIDUE	NO RESIDUE
CUT-OFF	≤326 NM	317.7 NM



Dr. Reinhold Schwenninger
 Quality Assurance
 Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Certificate of Analysis

Product Name: L-4-HYDROXYPROLINE
BioChemika

Product Number: 99982

Batch Number: BCCB1441

Brand: Sigma-Aldrich

CAS Number: 51-35-4

Formula:

Formula Weight:


Quality Release Date: 08 FEB 2019

Recommended Retest Date: JAN 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	CRYSTALS
TITRATION (NT) HClO ₄ 0.1M	99.0 - 101.0 %	100.0 %
PURITY (TLC AREA %)	≥ 99.7 %	100.0 %
SPECIFIC ROTATION (20/D)	-76.0 ± 1.5 DEGREES	-75.5 DEGREES
CONCENTRATION	C=5 IN WATER	C=5 IN WATER
SOLUBILITY (COLOR)	COLORLESS	COLORLESS
SOLUBILITY (TURBIDITY)	CLEAR	CLEAR
SOLUBILITY (METHOD)	1G IN 10ML WATER	1G IN 10ML WATER
LOSS ON DRYING	≤ 0.1 %	< 0.05%
SULFATED ASH	≤ 0.1 %	< 0.05%
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG

Certificate of Analysis

NICKEL (ICP)	≤ 5 MG/KG	< 5 MG/KG
LEAD (ICP)	≤ 5 MG/KG	< 5 MG/KG
ZINC (ICP)	≤ 5 MG/KG	< 5 MG/KG
TOTAL SULFUR AS SO₄ (ICP)	≤ 100 MG/KG	< 100 MG/KG
CHLORIDE (CL)	≤ 100 MG/KG	< 100MG/KG
ION CHROMATOGRAPHY (NH₄⁺)	≤ 100 MG/KG	< 100MG/KG




Dr. Reinhold Schwenninger
Quality Assurance
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Certificate of Analysis

Product Name: L-NORVALINE
BioChemika
Product Number: 99983
Batch Number: BCBZ6240
Brand: Sigma-Aldrich
CAS Number: 6600-40-4
Formula: CH₃CH₂CH₂CH(NH₂)CO₂H
Formula Weight: 117.15
Quality Release Date: 26 NOV 2018
Recommended Retest Date: OCT 2022

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	CRYSTALS
TITRATION (NT) HClO ₄ 0.1M	99.0 - 101.0 %	100.0 %
THIN LAYER CHROMATOGR.	CORRESPONDS TO STANDARD	CORRESPONDS TO STANDARD
SPECIFIC ROTATION (20/D)	24.5 ± 1.5 DEGREES	24.7 DEGREES
CONCENTRATION	C=10 IN HYDROCHLORIC ACID 20%	C=10 IN HYDROCHLORIC ACID 20%
SOLUBILITY (COLOR)	COLORLESS	COLORLESS
SOLUBILITY (TURBIDITY)	CLEAR	CLEAR
SOLUBILITY (METHOD)	1G IN 10ML 5M HYDROCHLORIC ACID	1G IN 10ML 5M HYDROCHLORIC ACID
RESIDUE ON IGNITION	≤ 0.05 %	< 0.05 %
CARBON CONTENT	51.26 % (THEORY)	50.95 %
HYDROGEN CONTENT	9.46 % (THEORY)	9.35 %
NITROGEN CONTENT	11.96 % (THEORY)	12.26 %



Dr. Reinhold Schwenninger
 Quality Assurance
 Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Certificate of Analysis

Product Name: SARCOSINE
BioUltra

Product Number: 99984

Batch Number: BCCB4904

Brand: Sigma-Aldrich

CAS Number: 107-97-1

Formula: CH₃NHCH₂COOH

Formula Weight: 89.09


Quality Release Date: 18 APR 2019

Recommended Retest Date: MAR 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (NT) HClO ₄ 0.1M	99.0 - 101.0 %	99.7 %
LOSS ON DRYING	≤ 0.4 %	0.06 %
RESIDUE ON IGNITION	≤ 0.05 %	< 0.05 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG
MOLYBDENUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
NICKEL (ICP)	≤ 5 MG/KG	< 5 MG/KG

Certificate of Analysis

LEAD (ICP)	≤ 5 MG/KG	< 5 MG/KG
STRONTIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
ZINC (ICP)	≤ 5 MG/KG	< 5 MG/KG
ARSENIC TRACES (MHS-AAS)	≤ 0.1 MG/KG	< 0.1MG/KG
TOTAL SULFUR AS SO₄ (ICP)	≤ 50 MG/KG	< 50 MG/KG
CHLORIDE (CL)	≤ 600 MG/KG	< 600MG/KG
SOLUBILITY (METHOD)	--	2.673 G IN 30 ML H ₂ O (1 M)
APPEARANCE (SOLUTION)	CLEAR COLORLESS	CLEAR COLORLESS
PH (SOLUTION)	4.5 - 7.0	6.2
RESIDUE (FILTER TEST)	NO RESIDUE	CORRESPONDS
UV - ABS. AT 260 NM	≤ 0.200	0.064
UV - ABS. AT 280 NM	≤ 0.100	0.053



Dr. Reinhold Schwenninger
Quality Assurance
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.