


## Certificate of Analysis

**Product Name:** Amino acids supplement, (6 amino acids)  
**Product Number:** 5062-2478  
**Batch Number:** BCCD7914  
**Brand:** Sigma-Aldrich  
**CAS Number:**  
**Formula:**  
**Formula Weight:**  
**Expiration Date:** MAR 2023  
**Quality Release Date:** 01 SEP 2020

<b>TEST</b>	<b>RESULT</b>
<b>KIT-COMPOSITION PART 1</b>	99979 LOT BCCC4585
<b>PART 2</b>	99980 LOT BCCC7653
<b>PART 3</b>	99981 LOT BCCD2299
<b>PART 4</b>	99982 LOT BCCD2301
<b>PART 5</b>	99983 LOT BCCC8885
<b>PART 6</b>	99984 LOT BCCB4904



Dr. Reinhold Schwenninger  
Quality Assurance  
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.


## Certificate of Analysis

**Product Name:** L-Asparagine  
*BioUltra*  
**Product Number:** 99979  
**Batch Number:** BCCC4585  
**Brand:** Sigma-Aldrich  
**CAS Number:** 70-47-3  
**Formula:**  $\text{H}_2\text{NCOCH}_2\text{CH}(\text{NH}_2)\text{CO}_2\text{H}$   
**Formula Weight:** 132.12  
**Quality Release Date:** 28 NOV 2019  
**Recommended Retest Date:** OCT 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (NT) HClO <sub>4</sub> 0.1M	99.5 - 100.5 %	99.9 %
PURITY (TLC AREA %)	≥ 99.0 %	100.0 %
SPECIFIC ROTATION (20/D)	34.5 - 35.5 DEGREES	34.8 DEGREES
CONCENTRATION	C=5 IN HYDROCHLORIC ACID 5M	C=5 IN HYDROCHLORIC ACID 5M
LOSS ON DRYING	≤ 0.1 %	< 0.05 %
RESIDUE ON IGNITION	≤ 0.05 %	< 0.05 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG
MOLYBDENUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG

## Certificate of Analysis

<b>NICKEL (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>LEAD (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>STRONTIUM (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ZINC (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ARSENIC TRACES (MHS-AAS)</b>	≤ 0.1 MG/KG	< 0.1 MG/KG
<b>TOTAL SULFUR AS SO<sub>4</sub> (ICP)</b>	≤ 100 MG/KG	< 100 MG/KG
<b>CHLORIDE (CL)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>SOLUBILITY (METHOD)</b>	0.396 G IN 30 ML H <sub>2</sub> O (0.1 M)	0.396 G IN 30 ML H <sub>2</sub> O (0.1 M)
<b>APPEARANCE (SOLUTION)</b>	CLEAR COLORLESS	CLEAR COLORLESS
<b>PH (SOLUTION)</b>	4.0 - 5.5	5.4
<b>RESIDUE (FILTER TEST)</b>	NO RESIDUE	NO RESIDUE
<b>UV - ABS. AT 260 NM</b>	≤ 0.07	0.003
<b>UV - ABS. AT 280 NM</b>	≤ 0.06	0.001



Dr. Reinhold Schwenninger  
Quality Assurance  
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.


## Certificate of Analysis

**Product Name:** L-Glutamine  
*BioUltra*  
**Product Number:** 99980  
**Batch Number:** BCCC7653  
**Brand:** Sigma-Aldrich  
**CAS Number:** 56-85-9  
**Formula:**  $\text{H}_2\text{NCOCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{CO}_2\text{H}$   
**Formula Weight:** 146.14  
**Quality Release Date:** 22 JAN 2020  
**Recommended Retest Date:** DEC 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER	POWDER
TITRATION (NT) HClO <sub>4</sub> 0.1M	99.5 - 100.5 %	100.0 %
THIN LAYER CHROMATOGR.	FOREIGN AMINO ACIDS ≤0.5%	CORRESPONDS
SPECIFIC ROTATION (20/D)	32.0 - 34.0 DEGREES	33.9 DEGREES
CONCENTRATION	C=5 IN HYDROCHLORIC ACID 5M	C=5 IN HYDROCHLORIC ACID 5M
MELTING POINT (DEC.)	187 - 197 C	189 C
LOSS ON DRYING	≤ 0.1 %	<0.05 %
SULFATED ASH	≤ 0.1 %	<0.05 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG

# Certificate of Analysis

<b>MANGANESE (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>MOLYBDENUM (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>SODIUM (ICP)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>NICKEL (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>LEAD (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>STRONTIUM (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ZINC (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ARSENIC TRACES (MHS-AAS)</b>	≤ 0.1 MG/KG	<0.1 MG/KG
<b>TOTAL SULFUR AS SO<sub>4</sub> (ICP)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>CHLORIDE (CL)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>SOLUBILITY (METHOD)</b>	0.438 G IN 30 ML H <sub>2</sub> O (0.1 M)	0.438 G IN 30 ML H <sub>2</sub> O (0.1 M)
<b>APPEARANCE (SOLUTION)</b>	CLEAR COLORLESS	CLEAR COLORLESS
<b>PH (SOLUTION)</b>	5.0 - 6.0	5.4
<b>RESIDUE (FILTER TEST)</b>	NO RESIDUE	NO RESIDUE
<b>UV - ABS. AT 260 NM</b>	≤ 0.01	0.005
<b>UV - ABS. AT 280 NM</b>	≤ 0.01	0.004



Dr. Reinhold Schwenninger  
 Quality Assurance  
 Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.


## Certificate of Analysis

**Product Name:** L-Tryptophan  
*BioUltra*  
**Product Number:** 99981  
**Batch Number:** BCCD2299  
**Brand:** Sigma-Aldrich  
**CAS Number:** 73-22-3  
**Formula:** C<sub>11</sub>H<sub>12</sub>N<sub>2</sub>O<sub>2</sub>  
**Formula Weight:** 204.23  
**Quality Release Date:** 24 APR 2020  
**Recommended Retest Date:** APR 2024

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (NT) HClO <sub>4</sub> 0.1M	99.5 - 100.5 %	100.4 %
SPECIFIC ROTATION (20/D)	-33 - -31 DEGREES	-32 DEGREES
CONCENTRATION	C=1 IN WATER	C=1 IN WATER
MELTING POINT (DEC.)	280 - 290 C	282 C
LOSS ON DRYING	≤ 0.1 %	<0.05 %
SULFATED ASH	≤ 0.1 %	<0.05 %
CARBON CONTENT	64.69 % (THEORY)	64.78 %
HYDROGEN CONTENT	5.92 % (THEORY)	5.88 %
NITROGEN CONTENT	13.72 % (THEORY)	13.79 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG

# Certificate of Analysis

<b>MANGANESE (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>MOLYBDENUM (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>SODIUM (ICP)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>NICKEL (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>LEAD (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>STRONTIUM (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ZINC (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ARSENIC TRACES (MHS-AAS)</b>	≤ 0.1 MG/KG	< 0.1 MG/KG
<b>TOTAL SULFUR AS SO<sub>4</sub> (ICP)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>CHLORIDE (CL)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>SOLUBILITY (METHOD)</b>	3.065 G IN 30 ML 0.5M HCL (0.5 M)	3.065 G IN 30 ML 0.5M HCL (0.5 M)
<b>APPEARANCE (SOLUTION)</b>	CLEAR, COLORLESS TO FAINTLY YELLOW	CLEAR COLORLESS
<b>RESIDUE (FILTER TEST)</b>	NO RESIDUE	NO RESIDUE
<b>CUT-OFF</b>	≤326 NM	317.3 NM



Dr. Reinhold Schwenninger  
 Quality Assurance  
 Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

# Certificate of Analysis

**Product Name:** L-4-Hydroxyproline  
*BioChemika*

**Product Number:** 99982

**Batch Number:** BCCD2301

**Brand:** Sigma-Aldrich

**CAS Number:** 51-35-4

**Formula:**

**Formula Weight:**


**Quality Release Date:** 07 MAY 2020

**Recommended Retest Date:** APR 2024

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	COLORLESS
APPEARANCE (FORM)	POWDER OR CRYSTALS	CRYSTALS
TITRATION (NT) HClO <sub>4</sub> 0.1M	99.0 - 101.0 %	99.9 %
PURITY (TLC AREA %)	≥ 99.7 %	100.0 %
SPECIFIC ROTATION (20/D)	-77.5 - -74.5 DEGREES	-74.5 DEGREES
CONCENTRATION	C=5 IN WATER	C=5 IN WATER
SOLUBILITY (COLOR)	COLORLESS	COLORLESS
SOLUBILITY (TURBIDITY)	CLEAR	CLEAR
SOLUBILITY (METHOD)	1G IN 10ML WATER	1G IN 10ML WATER
LOSS ON DRYING	≤ 0.1 %	< 0.05 %
SULFATED ASH	≤ 0.1 %	< 0.05 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
NICKEL (ICP)	≤ 5 MG/KG	< 5 MG/KG
LEAD (ICP)	≤ 5 MG/KG	< 5 MG/KG

## Certificate of Analysis

<b>ZINC (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>TOTAL SULFUR AS SO<sub>4</sub> (ICP)</b>	≤ 100 MG/KG	< 100 MG/KG
<b>CHLORIDE (CL)</b>	≤ 100 MG/KG	< 100 MG/KG
<b>ION CHROMATOGRAPHY (NH<sub>4</sub><sup>+</sup>)</b>	≤ 100 MG/KG	< 100 MG/KG



Dr. Reinhold Schwenninger  
Quality Assurance  
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

## Certificate of Analysis

**Product Name:** L-Norvaline  
*BioChemika*

**Product Number:** 99983

**Batch Number:** BCCC8885

**Brand:** Sigma-Aldrich

**CAS Number:** 6600-40-4


**Formula:** CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH(NH<sub>2</sub>)CO<sub>2</sub>H

**Formula Weight:** 117.15

**Quality Release Date:** 10 MAR 2020

**Recommended Retest Date:** JAN 2024

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (NT) HClO <sub>4</sub> 0.1M	99.0 - 101.0 %	100.1 %
THIN LAYER CHROMATOGR.	CORRESPONDS TO STANDARD	CORRESPONDS
SPECIFIC ROTATION (20/D)	23.0 - 26.0 DEGREES	25.0 DEGREES
CONCENTRATION	C=10 IN HYDROCHLORIC ACID 20%	C=10 IN HYDROCHLORIC ACID 20%
SOLUBILITY (COLOR)	COLORLESS	COLORLESS
SOLUBILITY (TURBIDITY)	CLEAR	CLEAR
SOLUBILITY (METHOD)	1G IN 10ML 5M HYDROCHLORIC ACID	1G IN 10ML 5M HYDROCHLORIC ACID
RESIDUE ON IGNITION	≤ 0.05 %	<0.05 %
CARBON CONTENT	51.26 % (THEORY)	51.05 %
HYDROGEN CONTENT	9.46 % (THEORY)	9.42 %
NITROGEN CONTENT	11.96 % (THEORY)	11.77 %



Dr. Reinhold Schwenninger  
Quality Assurance  
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

## Certificate of Analysis

**Product Name:** SARCOSINE  
*BioUltra*

**Product Number:** 99984

**Batch Number:** BCCB4904

**Brand:** Sigma-Aldrich

**CAS Number:** 107-97-1

**Formula:** CH<sub>3</sub>NHCH<sub>2</sub>COOH

**Formula Weight:** 89.09


**Quality Release Date:** 18 APR 2019

**Recommended Retest Date:** MAR 2023

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (NT) HClO <sub>4</sub> 0.1M	99.0 - 101.0 %	99.7 %
LOSS ON DRYING	≤ 0.4 %	0.06 %
RESIDUE ON IGNITION	≤ 0.05 %	< 0.05 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS
METAL TRACE ANALYSIS (ICP)	CORRESPONDS TO REQUIREMENTS	PASSED
ALUMINIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BARIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
BISMUTH (ICP)	≤ 5 MG/KG	< 5 MG/KG
CALCIUM (ICP)	≤ 10 MG/KG	< 10 MG/KG
CADMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COBALT (ICP)	≤ 5 MG/KG	< 5 MG/KG
CHROMIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
COPPER (ICP)	≤ 5 MG/KG	< 5 MG/KG
IRON (ICP)	≤ 5 MG/KG	< 5 MG/KG
POTASSIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
LITHIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MAGNESIUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
MANGANESE (ICP)	≤ 5 MG/KG	< 5 MG/KG
MOLYBDENUM (ICP)	≤ 5 MG/KG	< 5 MG/KG
SODIUM (ICP)	≤ 50 MG/KG	< 50 MG/KG
NICKEL (ICP)	≤ 5 MG/KG	< 5 MG/KG

## Certificate of Analysis

<b>LEAD (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>STRONTIUM (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ZINC (ICP)</b>	≤ 5 MG/KG	< 5 MG/KG
<b>ARSENIC TRACES (MHS-AAS)</b>	≤ 0.1 MG/KG	< 0.1MG/KG
<b>TOTAL SULFUR AS SO<sub>4</sub> (ICP)</b>	≤ 50 MG/KG	< 50 MG/KG
<b>CHLORIDE (CL)</b>	≤ 600 MG/KG	< 600MG/KG
<b>SOLUBILITY (METHOD)</b>	--	2.673 G IN 30 ML H <sub>2</sub> O (1 M)
<b>APPEARANCE (SOLUTION)</b>	CLEAR COLORLESS	CLEAR COLORLESS
<b>PH (SOLUTION)</b>	4.5 - 7.0	6.2
<b>RESIDUE (FILTER TEST)</b>	NO RESIDUE	CORRESPONDS
<b>UV - ABS. AT 260 NM</b>	≤ 0.200	0.064
<b>UV - ABS. AT 280 NM</b>	≤ 0.100	0.053



Dr. Reinhold Schwenninger  
Quality Assurance  
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.