

Carbamate Pesticides Mixture

Product Number PPM-530

Page: 1 of 1

Lot Number: CL-2236

Lot Issue Date: 10-Jun-2014

Expiration Date: 31-Jul-2015

This certified Reference Material (RM) was manufactured and verified in accordance with ULTRA's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
aldicarb	000116-06-3	RM06803	100.2 ± 0.5 µg/mL
aldicarb sulfone	001646-88-4	RM04161	100.2 ± 0.5 µg/mL
aldicarb sulfoxide	001646-87-3	RM04922	100.2 ± 0.5 µg/mL
carbaryl	000063-25-2	RM06201	99.9 ± 0.5 µg/mL
carbofuran	001563-66-2	RM02695	99.8 ± 0.5 µg/mL
3-hydroxycarbofuran	016655-82-6	RM03122	100.4 ± 0.5 µg/mL
methiocarb	002032-65-7	RM00219	100.1 ± 0.5 µg/mL
methomyl	016752-77-5	RM03153	99.9 ± 0.5 µg/mL
oxamyl	023135-22-0	RM03172	99.8 ± 0.5 µg/mL
propoxur	000114-26-1	RM00229	99.9 ± 0.5 µg/mL


Matrix: methanol (methyl alcohol)**Storage:** Store at < 4°C.

ULTRA uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCCL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.



ISO 17025
Accredited
A2LA
Cert. No. 0851-01

ISO 9001
Registered
TUV USA, Inc.
Cert. No. 09-1009


William J. Leary
Quality Assurance Manager