

Certificate of Analysis

Organochlorine Pesticides Mixture

Product Number PPM-608B

Page: 1 of 1

Lot Number: CM-0635

Lot Issue Date: 12-Feb-2015

Expiration Date: 30-Sep-2015

This certified Reference Material (RM) was manufactured and verified in accordance with ULTRA's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
endosulfan II	033213-65-9	RM02904	20.1 ± 0.1 µg/mL
endosulfan sulfate	001031-07-8	RM06741	20.0 ± 0.1 µg/mL
endrin	000072-20-8	RM00557	20.0 ± 0.1 µg/mL
endrin aldehyde	007421-93-4	RM04131	20.0 ± 0.1 µg/mL
heptachlor	000076-44-8	RM03111	20.0 ± 0.1 µg/mL
aldrin	000309-00-2	RM00635	20.1 ± 0.1 µg/mL
alpha-BHC	000319-84-6	NT01781	20.1 ± 0.1 µg/mL
beta-BHC	000319-85-7	NT01501	20.1 ± 0.1 µg/mL
delta-BHC	000319-86-8	NT01167	20.0 ± 0.1 µg/mL
gamma-BHC	000058-89-9	RM02694	20.0 ± 0.1 µg/mL
4,4'-DDD	000072-54-8	NT00691	20.1 ± 0.1 µg/mL
4,4'-DDE	000072-55-9	NT01806	20.1 ± 0.1 µg/mL
4,4'-DDT	000050-29-3	NT01175	20.0 ± 0.1 µg/mL
dieldrin	000060-57-1	RM03956	20.1 ± 0.1 µg/mL
endosulfan I	000959-98-8	RM00834	20.0 ± 0.1 µg/mL
heptachlor epoxide - isomer B	001024-57-3	RM00308	20.0 ± 0.1 µg/mL

Matrix: methanol (methyl alcohol)

Storage: Store at < 4°C, Do Not Freeze.

ULTRA uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCCL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.