



Certificate of Analysis

Organochlorine Pesticides Mixture

Product Number: PPM-828

Page: 1 of 1

Lot Number: CL-4542Z

Lot Issue Date: 06-Dec-2017

Expiration Date: 31-Dec-2020

This ISO Guide 34 Reference Material (RM) was manufactured and verified in accordance with ULTRA's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
2,4'-DDD	000053-19-0	RM02888	250.5 ± 1.3 µg/mL
2,4'-DDE	003424-82-6	NT00692	250.7 ± 1.3 µg/mL
2,4'-DDT	000789-02-6	RM02766	251.2 ± 1.3 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)


Storage: Store at Room Temperature (15° to 30°C).

ULTRA uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.



ISO 9001
Registered
TUV USA, Inc.


John Russo
President


Monica Bourgeois
Director of QA/RA