



Certificate of Analysis

LC/GC Pesticide Solution #1

Product Number: PSM-105-L

Page: 1 of 1

Lot Number: CR-4544

Lot Issue Date: 05-Oct-2017

Expiration Date: 30-Nov-2019

This ISO Guide 34 Reference Material (RM) was manufactured and verified in accordance with ULTRA's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
cyflufenamid	180409-60-3	RM09513	50.2 ± 0.3 µg/mL
cyprodinil	121552-61-2	RM03665	50.1 ± 0.3 µg/mL
fenamidone	161326-34-7	RM11814	50.0 ± 0.3 µg/mL
fenothiocarb	062850-32-2	RM10430	50.2 ± 0.3 µg/mL
ferimzone	089269-64-7	RM09848	50.0 ± 0.3 µg/mL
fluopyram	658066-35-4	RM10451	50.2 ± 0.3 µg/mL
methidathion	000950-37-8	RM03745	50.0 ± 0.3 µg/mL
metolachlor	051218-45-2	RM10830	50.2 ± 0.3 µg/mL
metribuzin	021087-64-9	RM12942	50.0 ± 0.3 µg/mL
novaluron	116714-46-6	RM10976	50.1 ± 0.3 µg/mL
penthiopyrad	183675-82-3	RM11848	50.0 ± 0.3 µg/mL
picoxystrobin	117428-22-5	RM07493	50.1 ± 0.3 µg/mL
pyridaphenthion	000119-12-0	RM01715	50.0 ± 0.3 µg/mL
quinoclamine	002797-51-5	RM11054	50.0 ± 0.3 µg/mL
simeconazole	149508-90-7	RM09887	50.2 ± 0.3 µg/mL
spiromesifen	283594-90-1	RM11938	50.1 ± 0.3 µg/mL
thiazopyr	117718-60-2	RM10974	50.2 ± 0.3 µg/mL

Matrix: acetonitrile


Storage: Store Refrigerated (2° - 8°C).

ULTRA uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCCL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.



ISO 9001
Registered
TUV USA, Inc.


John Russo
President


Monica Bourgeois
Director of QA/RA