

Agilent 700 MHz NMR Magnet

Data Sheet



Introduction

The Agilent 700 MHz NMR magnet, with its Premium Shielded design, is the result of continuous refinement of the SUPERSCREENED technology and delivers valuable benefits for high resolution NMR Systems.

Key Benefits

- Significant reduction in fringe field over standard magnets minimizes space requirement and impact on surrounding areas
- · Minimized ceiling height requirements allow easier siting



Agilent 700 MHz NMR Magnet

The Agilent 700 MHz NMR system consists of a highly homogeneous superconducting magnet (700 MHz ¹H, 16.4 Tesla), housed within an ultra low-loss helium cryostat with a nominal room-temperature bore of 54 mm.

The magnet features excellent fringe field characteristics, improved magnet shielding from external perturbations, and minimized ceiling height. These facilitate ease of system siting and improve operational safety.

System Includes

- Main magnet housed within a low-loss cryostat
- · Set of anti-vibration legs
- Liquid helium and nitrogen cryogen level probes and readout unit
- Liquid helium transfer siphon and extension tube
- · Braided liquid nitrogen transfer line
- · Room temperature shim set
- Helium and nitrogen gas flow meter

Technical Specifications

NMR frequency 700 MHz Drift 10 Hz/hr Superconducting shim coils Z1, Z2, Z3, X, Y, ZX, ZY, XY, X2-Y2 Radial 5 G stray field from magnet center 150 cm/59.1 in Axial 5 G stray field from magnet center 230 cm/90.6 in 51 cm/20.1 in Magnet radius (including flanges) Axial 5 G height above floor 355 cm/139.8 in Axial 5 G depth below floor 105 cm/41.3 in System weight, operational 2,000 kg/4,400 lb Vibration isolation using pneumatic legs Included as standard 355 cm/139.8 in Minimum ceiling height 330 cm/130.0 in Minimum ceiling height (optional transfer) 135 L Liquid helium refill volume 150 days Liquid helium hold time 160 L Liquid nitrogen refill volume

Ordering Information, Separate Sale

Liquid nitrogen hold time

Description	Part number
Agilent NMR Magnet System, 700 MHz, 54 mm bore	0191756900

21 days

www.agilent.com

Product specifications and descriptions in this document are subject to change without notice.

© Agilent Technologies, Inc., 2011 Published in USA, March 28, 2011 Publication Number SI-1104-B

