

SAFETY DATA SHEET

Seahorse XF Glycolytic Rate Assay Kit, Part Number 103344-100

Section 1. Identification

1.1 Product identifier

Product name : Seahorse XF Glycolytic Rate Assay Kit, Part Number 103344-100
Part no. (chemical kit) : 103344-100
Part no. : 2-deoxyglucose Not available.
 Antimycin A/ Rotenone Not available.
Validation date : 4/21/2022

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : For research use only. Not for use in diagnostic procedures (RUO).
 2-deoxyglucose 6 x 246.24 mg
 Antimycin A/ Rotenone 6 x 5.725 mg

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
 5301 Stevens Creek Blvd
 Santa Clara, CA 95051, USA
 800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : 2-deoxyglucose
 Antimycin A/ Rotenone

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

Antimycin A/ Rotenone
 H400 AQUATIC HAZARD (ACUTE) - Category 1
 H410 AQUATIC HAZARD (LONG-TERM) - Category 1

2.2 GHS label elements

Hazard pictograms : Antimycin A/ Rotenone



Signal word : 2-deoxyglucose
 Antimycin A/ Rotenone
 No signal word.
 Warning

Hazard statements : 2-deoxyglucose
 Antimycin A/ Rotenone
 No known significant effects or critical hazards.
 H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements

Section 2. Hazards identification

Prevention	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. P273 - Avoid release to the environment.
Response	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. P391 - Collect spillage.
Storage	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. Not applicable.
Disposal	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: 2-deoxyglucose Antimycin A/ Rotenone	None known. None known.

2.3 Other hazards

Hazards not otherwise classified	: 2-deoxyglucose Antimycin A/ Rotenone	None known. None known.
---	---	----------------------------

Section 3. Composition/information on ingredients

Substance/mixture	: 2-deoxyglucose Antimycin A/ Rotenone	Substance Mixture
--------------------------	---	----------------------

Ingredient name	%	CAS number
2-deoxyglucose 2-deoxy-D-glucose	100	154-17-6
Antimycin A/ Rotenone Sodium chloride Antimycin A (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one	≤3 ≤0.3 ≤0.3	7647-14-5 1397-94-0 83-79-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: 2-deoxyglucose Antimycin A/ Rotenone	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: 2-deoxyglucose Antimycin A/ Rotenone	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give

Section 4. First aid measures

Skin contact	: 2-deoxyglucose Antimycin A/ Rotenone	mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: 2-deoxyglucose Antimycin A/ Rotenone	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: 2-deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.
Inhalation	: 2-deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: 2-deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: 2-deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: 2-deoxyglucose Antimycin A/ Rotenone	No specific data. No specific data.
Inhalation	: 2-deoxyglucose Antimycin A/ Rotenone	No specific data. No specific data.
Skin contact	: 2-deoxyglucose Antimycin A/ Rotenone	No specific data. No specific data.
Ingestion	: 2-deoxyglucose Antimycin A/ Rotenone	No specific data. No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Section 4. First aid measures

Notes to physician	: 2-deoxyglucose Antimycin A/ Rotenone	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: 2-deoxyglucose Antimycin A/ Rotenone	No specific treatment. No specific treatment.
Protection of first-aiders	: 2-deoxyglucose Antimycin A/ Rotenone	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: 2-deoxyglucose Antimycin A/ Rotenone	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: 2-deoxyglucose Antimycin A/ Rotenone	None known. None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: 2-deoxyglucose Antimycin A/ Rotenone	No specific fire or explosion hazard. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: 2-deoxyglucose Antimycin A/ Rotenone	Decomposition products may include the following materials: carbon dioxide carbon monoxide Decomposition products may include the following materials: halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters	: 2-deoxyglucose Antimycin A/ Rotenone	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
---	---	--

Section 5. Fire-fighting measures

Special protective equipment for fire-fighters : 2-deoxyglucose

Antimycin A/ Rotenone

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : 2-deoxyglucose

Antimycin A/ Rotenone

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : 2-deoxyglucose

Antimycin A/ Rotenone

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : 2-deoxyglucose

Antimycin A/ Rotenone

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : 2-deoxyglucose

Antimycin A/ Rotenone

Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	:  -deoxyglucose Antimycin A/ Rotenone	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:  -deoxyglucose Antimycin A/ Rotenone	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	:  -deoxyglucose Antimycin A/ Rotenone	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: room temperature. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7.3 Specific end use(s)		
Recommendations	:  -deoxyglucose Antimycin A/ Rotenone	Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	:  -deoxyglucose Antimycin A/ Rotenone	Not available. Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
2-deoxyglucose 2-deoxy-D-glucose	None.
Antimycin A/ Rotenone Sodium chloride Antimycin A (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one	None. None. ACGIH TLV (United States, 1/2021). TWA: 5 mg/m ³ 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. NIOSH REL (United States, 10/2020). TWA: 5 mg/m ³ 10 hours. OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours.

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.







Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	: 2-deoxyglucose Antimycin A/ Rotenone	Solid. Solid.
Color	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. White.
Odor	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Odorless.
Odor threshold	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
pH	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
Melting point/freezing point	: 2-deoxyglucose Antimycin A/ Rotenone	146 to 147°C (294.8 to 296.6°F) Not available.
Boiling point, initial boiling point, and boiling range	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
Flash point	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. Not applicable.
Evaporation rate	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
Flammability	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
Lower and upper explosion limit/flammability limit	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. Not applicable.
Vapor pressure	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
Relative vapor density	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. Not applicable.
Relative density	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
Solubility	: 2-deoxyglucose Antimycin A/ Rotenone	Soluble in the following materials: cold water and hot water. Not available.
Partition coefficient: n-octanol/water	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. Not applicable.
Auto-ignition temperature	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. Not applicable.
Decomposition temperature	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.
Viscosity	: 2-deoxyglucose Antimycin A/ Rotenone	Not applicable. Not applicable.
Particle characteristics		
Median particle size	: 2-deoxyglucose Antimycin A/ Rotenone	Not available. Not available.

Section 10. Stability and reactivity

10.1 Reactivity	:  Z-deoxyglucose Antimycin A/ Rotenone	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:  Z-deoxyglucose Antimycin A/ Rotenone	The product is stable. The product is stable.
10.3 Possibility of hazardous reactions	:  Z-deoxyglucose Antimycin A/ Rotenone	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:  Z-deoxyglucose Antimycin A/ Rotenone	No specific data. No specific data.
10.5 Incompatible materials	:  Z-deoxyglucose Antimycin A/ Rotenone	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	:  Z-deoxyglucose Antimycin A/ Rotenone	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.


Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Antimycin A/ Rotenone				
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Antimycin A	LD50 Oral	Rat	28 mg/kg	-
(2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one	LD50 Oral	Rat	25 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
 Antimycin A/ Rotenone					
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
(2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-	Eyes - Mild irritant	Rabbit	-	1 %	-

Section 11. Toxicological information

6-one

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Antimycin A/ Rotenone (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one	Category 3 Category 3	-	Respiratory tract irritation Narcotic effects

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : deoxyglucose Antimycin A/ Rotenone Not available.
Not available.

Potential acute health effects

Eye contact : deoxyglucose Antimycin A/ Rotenone No known significant effects or critical hazards.
No known significant effects or critical hazards.

Inhalation : deoxyglucose Antimycin A/ Rotenone No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact : deoxyglucose Antimycin A/ Rotenone No known significant effects or critical hazards.
No known significant effects or critical hazards.

Ingestion : deoxyglucose Antimycin A/ Rotenone No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : deoxyglucose Antimycin A/ Rotenone No specific data.
No specific data.

Inhalation : deoxyglucose Antimycin A/ Rotenone No specific data.
No specific data.

Skin contact : deoxyglucose Antimycin A/ Rotenone No specific data.
No specific data.

Ingestion : deoxyglucose Antimycin A/ Rotenone No specific data.
No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Section 11. Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: <input checked="" type="checkbox"/> -deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: <input checked="" type="checkbox"/> -deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: <input checked="" type="checkbox"/> -deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: <input checked="" type="checkbox"/> -deoxyglucose Antimycin A/ Rotenone	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
<input checked="" type="checkbox"/> Antimycin A/ Rotenone Antimycin A/ Rotenone	110285.4	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
Antimycin A	28	N/A	N/A	N/A	N/A
(2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one	25	N/A	N/A	N/A	N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<input checked="" type="checkbox"/> Antimycin A/ Rotenone Sodium chloride	Acute EC50 2430000 µg/l Fresh water Acute EC50 519.6 mg/l Fresh water Acute EC50 402.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Algae - Navicula seminulum Crustaceans - Cypris subglobosa Daphnia - Daphnia magna Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 48 hours 48 hours 96 hours 96 hours 3 weeks
Antimycin A (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water Acute EC50 0.024 ppm Marine water Acute LC50 0.000019 mg/l Fresh water Acute EC50 190 µg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult Crustaceans - Penaeus duorarum Fish - Oncorhynchus mykiss Crustaceans - Simocephalus serrulatus - Larvae	96 hours 21 days 8 weeks 48 hours 96 hours 48 hours

Section 12. Ecological information

8,9-dimethoxychromeno [3,4-b]furo[2,3-h]chromen- 6-one	Acute EC50 3.7 µg/l Fresh water Acute LC50 1.9 ppb Fresh water Chronic NOEC 0.3 ppb Fresh water Chronic NOEC 1.01 ppb	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss Daphnia - Daphnia magna Fish - Oncorhynchus mykiss	48 hours 96 hours 21 days 32 days
--	--	--	--

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Antimycin A/ Rotenone (2R,6aS,12aS)-1,2,6,6a, 12,12a-hexahydro- 2-isopropenyl- 8,9-dimethoxychromeno [3,4-b]furo[2,3-h]chromen- 6-one	4.1	25.7	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated.

IATA

Additional information

Remarks: De minimis quantities

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 4(a) proposed test rules:** Glycine
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 311: Nitric acid, iron(3+) salt, nonahydrate

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed


SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
Antimycin A/ Rotenone Antimycin A	≤0.3	Yes.	1000 / 10000	-	1000	-

SARA 304 RQ : 772200.8 lbs / 350579.2 kg

SARA 311/312

Classification :  deoxyglucose
Antimycin A/ Rotenone
Not applicable.
Not applicable.

Composition/information on ingredients

Name	%	Classification
Antimycin A/ Rotenone Sodium chloride	≤3	EYE IRRITATION - Category 2A

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

Section 15. Regulatory information

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

Canada : Not determined.

China : Not determined.

Europe : Not determined.

Japan : **Japan inventory (CSCL)**: Not determined.
Japan inventory (ISHL): Not determined.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : Not determined.

Thailand : Not determined.

Turkey : Not determined.

United States : Not determined.

Viet Nam : Not determined.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
<input checked="" type="checkbox"/> Antimycin A/ Rotenone AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1	Calculation method Calculation method

History

Date of issue : 04/21/2022

Date of previous issue : 05/24/2018

Version : 4

Section 16. Other information

Key to abbreviations

- : ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- N/A = Not available
- UN = United Nations

✔ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.