

SAFETY DATA SHEET



Sample Kit - UHF, Part Number 191132400

SECTION 1: Identification of the substance/mixture and of the company/undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name : Sample Kit - UHF, Part Number 191132400
Part No. (Kit) : 191132400
Part No. : Sucrose NMR Tested 190185512
Autotest 250mM NaCl 190185508

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical chemistry.	
Sucrose NMR Tested	860 µl
Autotest 250mM NaCl	860 µl

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

Product definition : Sucrose NMR Tested Mixture (encapsulated in article)
Autotest 250mM NaCl Mixture (encapsulated in article)

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : Sucrose NMR Tested No signal word.
Autotest 250mM NaCl No signal word.
Hazard statements : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Date of issue/Date of revision : 25/08/2016

SECTION 2: Hazards identification**Precautionary statements**

Prevention	: Sucrose NMR Tested	Not applicable.
	Autotest 250mM NaCl	Not applicable.
Response	: Sucrose NMR Tested	Not applicable.
	Autotest 250mM NaCl	Not applicable.
Storage	: Sucrose NMR Tested	Not applicable.
	Autotest 250mM NaCl	Not applicable.
Disposal	: Sucrose NMR Tested	Not applicable.
	Autotest 250mM NaCl	Not applicable.
Supplemental label elements	: Sucrose NMR Tested	Not applicable.
	Autotest 250mM NaCl	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Sucrose NMR Tested	Not applicable.
	Autotest 250mM NaCl	Not applicable.

Special packaging requirements

Tactile warning of danger	: Sucrose NMR Tested	Not applicable.
	Autotest 250mM NaCl	Not applicable.

2.3 Other hazards

Other hazards which do not result in classification	: Sucrose NMR Tested	None known.
	Autotest 250mM NaCl	None known.

SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

3.2 Mixtures	: Sucrose NMR Tested	Mixture (encapsulated in article)
	Autotest 250mM NaCl	Mixture (encapsulated in article)

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
 [2] Substance with a workplace exposure limit
 [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
 [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Eye contact	: Sucrose NMR Tested	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Autotest 250mM NaCl	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SECTION 4: First aid measures

Inhalation	: Sucrose NMR Tested	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Autotest 250mM NaCl	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Sucrose NMR Tested	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Autotest 250mM NaCl	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Sucrose NMR Tested	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Autotest 250mM NaCl	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: Sucrose NMR Tested	No action shall be taken involving any personal risk or without suitable training.
	Autotest 250mM NaCl	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: Sucrose NMR Tested	No known significant effects or critical hazards.
	Autotest 250mM NaCl	No known significant effects or critical hazards.
Inhalation	: Sucrose NMR Tested	No known significant effects or critical hazards.
	Autotest 250mM NaCl	No known significant effects or critical hazards.
Skin contact	: Sucrose NMR Tested	No known significant effects or critical hazards.
	Autotest 250mM NaCl	No known significant effects or critical hazards.
Ingestion	: Sucrose NMR Tested	No known significant effects or critical hazards.
	Autotest 250mM NaCl	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Sucrose NMR Tested	No specific data.
	Autotest 250mM NaCl	No specific data.
Inhalation	: Sucrose NMR Tested	No specific data.
	Autotest 250mM NaCl	No specific data.
Skin contact	: Sucrose NMR Tested	No specific data.
	Autotest 250mM NaCl	No specific data.
Ingestion	: Sucrose NMR Tested	No specific data.
	Autotest 250mM NaCl	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Sucrose NMR Tested	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Autotest 250mM NaCl	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Sucrose NMR Tested	No specific treatment.
	Autotest 250mM NaCl	No specific treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media	: Sucrose NMR Tested Autotest 250mM NaCl	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Sucrose NMR Tested Autotest 250mM NaCl	None known. None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: Sucrose NMR Tested Autotest 250mM NaCl	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Sucrose NMR Tested Autotest 250mM NaCl	No specific data. No specific data.

5.3 Advice for firefighters

Special precautions for fire-fighters	: Sucrose NMR Tested Autotest 250mM NaCl	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Sucrose NMR Tested Autotest 250mM NaCl	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel	: Sucrose NMR Tested Autotest 250mM NaCl	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: Sucrose NMR Tested Autotest 250mM NaCl	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SECTION 6: Accidental release measures

6.2 Environmental precautions	: Sucrose NMR Tested	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Autotest 250mM NaCl	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for containment and cleaning up		
Methods for cleaning up	: Sucrose NMR Tested	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Autotest 250mM NaCl	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Protective measures	: Sucrose NMR Tested	Put on appropriate personal protective equipment (see Section 8).
	Autotest 250mM NaCl	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Sucrose NMR Tested	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Autotest 250mM NaCl	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage	: Sucrose NMR Tested	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
	Autotest 250mM NaCl	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use

SECTION 7: Handling and storage

appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations	: Sucrose NMR Tested Autotest 250mM NaCl	Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: Sucrose NMR Tested Autotest 250mM NaCl	Not applicable. Not applicable.

SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

SECTION 8: Exposure controls/personal protection

- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**Appearance

Physical state	: Sucrose NMR Tested Autotest 250mM NaCl	Liquid. [Clear.] Liquid.
Colour	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Colourless.
Odour	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Odour threshold	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
pH	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Melting point/freezing point	: Sucrose NMR Tested Autotest 250mM NaCl	0°C 3.81°C
Initial boiling point and boiling range	: Sucrose NMR Tested Autotest 250mM NaCl	100°C 101.42°C
Flash point	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Evaporation rate	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Flammability (solid, gas)	: Sucrose NMR Tested Autotest 250mM NaCl	Not applicable. Not applicable.
Upper/lower flammability or explosive limits	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Vapour pressure	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Vapour density	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Relative density	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. 1.1
Solubility(ies)	: Sucrose NMR Tested Autotest 250mM NaCl	Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Auto-ignition temperature	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Decomposition temperature	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.
Viscosity	: Sucrose NMR Tested Autotest 250mM NaCl	Not available. Not available.

SECTION 9: Physical and chemical properties

Explosive properties	: Sucrose NMR Tested	Not available.
	Autotest 250mM NaCl	Not available.
Oxidising properties	: Sucrose NMR Tested	Not available.
	Autotest 250mM NaCl	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: Sucrose NMR Tested	No specific test data related to reactivity available for this product or its ingredients.
	Autotest 250mM NaCl	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Sucrose NMR Tested	The product is stable.
	Autotest 250mM NaCl	The product is stable.
10.3 Possibility of hazardous reactions	: Sucrose NMR Tested	Under normal conditions of storage and use, hazardous reactions will not occur.
	Autotest 250mM NaCl	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Sucrose NMR Tested	No specific data.
	Autotest 250mM NaCl	No specific data.
10.5 Incompatible materials	: Sucrose NMR Tested	May react or be incompatible with oxidising materials.
	Autotest 250mM NaCl	May react or be incompatible with oxidising materials.
10.6 Hazardous decomposition products	: Sucrose NMR Tested	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Autotest 250mM NaCl	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not available.

Acute toxicity estimates

Route	ATE value
Autotest 250mM NaCl	
Oral	100000 mg/kg
Dermal	300000 mg/kg
Inhalation (vapours)	3000 mg/l

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

SECTION 11: Toxicological information

Information on likely routes of exposure : Sucrose NMR Tested Not available.
Autotest 250mM NaCl Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Inhalation : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Ingestion : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Skin contact : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Eye contact : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Sucrose NMR Tested No specific data.
Autotest 250mM NaCl No specific data.

Ingestion : Sucrose NMR Tested No specific data.
Autotest 250mM NaCl No specific data.

Skin contact : Sucrose NMR Tested No specific data.
Autotest 250mM NaCl No specific data.

Eye contact : Sucrose NMR Tested No specific data.
Autotest 250mM NaCl No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Carcinogenicity : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Mutagenicity : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Teratogenicity : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Developmental effects : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

Fertility effects : Sucrose NMR Tested No known significant effects or critical hazards.
Autotest 250mM NaCl No known significant effects or critical hazards.

SECTION 12: Ecological information**12.1 Toxicity**

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Sample Kit - UHF, Part Number 191132400

SECTION 12: Ecological information

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

Regulatory information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Sucrose NMR Tested Not applicable.
Autotest 250mM NaCl Not applicable.

Other EU regulations

Europe inventory : All components are listed or exempted.

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia : All components are listed or exempted.
Canada : Not determined.
China : All components are listed or exempted.
Japan : **Japan inventory (ENCS)**: All components are listed or exempted.
Japan inventory (ISHL): All components are listed or exempted.
Malaysia : All components are listed or exempted.
New Zealand : Not determined.
Philippines : Not determined.
Republic of Korea : Not determined.
Taiwan : All components are listed or exempted.
Turkey : Not determined.
United States : All components are listed or exempted.

Sample Kit - UHF, Part Number 191132400

SECTION 15: Regulatory information

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Not applicable.

Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of revision : 25/08/2016

Date of previous issue : No previous validation.

Version : 1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.