

SAFETY DATA SHEET

BJ5183-AD-1 Electroporation Competent Cells, Part Number 200157

Section 1. Identification

1.1 Product identifier

Product name	: BJ5183-AD-1 Electroporation Competent Cells, Part Number 200157	
Part No. (Chemical Kit)	: 200157	
Part No.	: BJ5183-AD-1 electroporation competent cells	200157-41
	Transformation Control	200157-42
Validation date	: 12/29/2017	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.	
	BJ5183-AD-1 electroporation competent cells	0.5 ml
	Transformation Control	0.01 ml (0.1 ng/µl 10 µl)

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
------------------------------	---

1.4 Emergency telephone number

In case of emergency	: CHEMTREC®: 1-800-424-9300
-----------------------------	-----------------------------

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status	: BJ5183-AD-1 electroporation competent cells	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Transformation Control	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

Not classified.

Ingredients of unknown toxicity	: BJ5183-AD-1 electroporation competent cells	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 10 - 30%
--	---	---

2.2 GHS label elements

Signal word	: BJ5183-AD-1 electroporation competent cells	No signal word.
	Transformation Control	No signal word.

Section 2. Hazards identification

Hazard statements	: BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
Precautionary statements		
Prevention	: BJ5183-AD-1 electroporation competent cells	Not applicable.
	Transformation Control	Not applicable.
Response	: BJ5183-AD-1 electroporation competent cells	Not applicable.
	Transformation Control	Not applicable.
Storage	: BJ5183-AD-1 electroporation competent cells	Not applicable.
	Transformation Control	Not applicable.
Disposal	: BJ5183-AD-1 electroporation competent cells	Not applicable.
	Transformation Control	Not applicable.
Supplemental label elements	: BJ5183-AD-1 electroporation competent cells	None known.
	Transformation Control	None known.
2.3 Other hazards		
Hazards not otherwise classified	: BJ5183-AD-1 electroporation competent cells	None known.
	Transformation Control	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: BJ5183-AD-1 electroporation competent cells	Mixture
	Transformation Control	Mixture

Ingredient name	%	CAS number
BJ5183-AD-1 electroporation competent cells		
Glycerol	<10	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: BJ5183-AD-1 electroporation competent cells	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Transformation Control	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Section 4. First aid measures

Inhalation	: BJ5183-AD-1 electroporation competent cells Transformation Control	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: BJ5183-AD-1 electroporation competent cells Transformation Control	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: BJ5183-AD-1 electroporation competent cells Transformation Control	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards.
Inhalation	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards.
Skin contact	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards.
Ingestion	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data.
Inhalation	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data.
Skin contact	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data.
Ingestion	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data.

Section 4. First aid measures

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: BJ5183-AD-1 electroporation competent cells Transformation Control	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific treatment. No specific treatment.
Protection of first-aiders	: BJ5183-AD-1 electroporation competent cells Transformation Control	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: BJ5183-AD-1 electroporation competent cells Transformation Control	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: BJ5183-AD-1 electroporation competent cells Transformation Control	None known. None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: BJ5183-AD-1 electroporation competent cells Transformation Control	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: BJ5183-AD-1 electroporation competent cells Transformation Control	Decomposition products may include the following materials: carbon dioxide carbon monoxide No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters	: BJ5183-AD-1 electroporation competent cells Transformation Control	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: BJ5183-AD-1 electroporation competent cells Transformation Control	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

Section 5. Fire-fighting measures

pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: BJ5183-AD-1 electroporation competent cells	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	Transformation Control	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: BJ5183-AD-1 electroporation competent cells	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Transformation Control	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: BJ5183-AD-1 electroporation competent cells	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Transformation Control	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: BJ5183-AD-1 electroporation competent cells	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Transformation Control	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	: BJ5183-AD-1 electroporation competent cells Transformation Control	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: BJ5183-AD-1 electroporation competent cells Transformation Control	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: BJ5183-AD-1 electroporation competent cells Transformation Control	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
---	--

7.3 Specific end use(s)

Recommendations	: BJ5183-AD-1 electroporation competent cells Transformation Control	Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: BJ5183-AD-1 electroporation competent cells Transformation Control	Not applicable. Not applicable.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
BJ5183-AD-1 electroporation competent cells Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust

8.2 Exposure controls

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: BJ5183-AD-1 electroporation competent cells	Liquid.
	Transformation Control	Liquid.
Color	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Odor	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Odor threshold	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
pH	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	7.5
Melting point	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	0°C (32°F)
Boiling point	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	100°C (212°F)
Flash point	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Evaporation rate	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Flammability (solid, gas)	: BJ5183-AD-1 electroporation competent cells	Not applicable.
	Transformation Control	Not applicable.
Lower and upper explosive (flammable) limits	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Vapor pressure	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Vapor density	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Relative density	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Solubility	: BJ5183-AD-1 electroporation competent cells	Soluble in the following materials: cold water and hot water.
	Transformation Control	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
Auto-ignition temperature	: BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.

Section 9. Physical and chemical properties

Decomposition temperature	: BJ5183-AD-1 electroporation competent cells Transformation Control	Not available. Not available.
Viscosity	: BJ5183-AD-1 electroporation competent cells Transformation Control	Not available. Not available.

Section 10. Stability and reactivity

10.1 Reactivity	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: BJ5183-AD-1 electroporation competent cells Transformation Control	The product is stable. The product is stable.
10.3 Possibility of hazardous reactions	: BJ5183-AD-1 electroporation competent cells Transformation Control	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data. No specific data.
10.5 Incompatible materials	: BJ5183-AD-1 electroporation competent cells Transformation Control	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	: BJ5183-AD-1 electroporation competent cells Transformation Control	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
BJ5183-AD-1 electroporation competent cells Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
BJ5183-AD-1 electroporation competent cells Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : BJ5183-AD-1 electroporation competent cells Transformation Control Not available.
Transformation Control Not available.

Potential acute health effects

Eye contact : BJ5183-AD-1 electroporation competent cells Transformation Control No known significant effects or critical hazards.
Transformation Control No known significant effects or critical hazards.

Inhalation : BJ5183-AD-1 electroporation competent cells Transformation Control No known significant effects or critical hazards.
Transformation Control No known significant effects or critical hazards.

Skin contact : BJ5183-AD-1 electroporation competent cells Transformation Control No known significant effects or critical hazards.
Transformation Control No known significant effects or critical hazards.

Ingestion : BJ5183-AD-1 electroporation competent cells Transformation Control No known significant effects or critical hazards.
Transformation Control No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : BJ5183-AD-1 electroporation competent cells Transformation Control No specific data.
Transformation Control No specific data.

Section 11. Toxicological information

Inhalation	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data. No specific data.
Skin contact	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data. No specific data.
Ingestion	: BJ5183-AD-1 electroporation competent cells Transformation Control	No specific data. No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Long term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

General	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: BJ5183-AD-1 electroporation competent cells Transformation Control	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
BJ5183-AD-1 electroporation competent cells Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
BJ5183-AD-1 electroporation competent cells Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
BJ5183-AD-1 electroporation competent cells Glycerol	-1.76	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Section 13. Disposal considerations

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : EJ5183-AD-1 electroporation competent cells Not applicable.
Transformation Control Not applicable.

Composition/information on ingredients

Name	%	Classification
EJ5183-AD-1 electroporation competent cells		
Glycerol	<10	EYE IRRITATION - Category 2A

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST

New York : None of the components are listed.

Section 15. Regulatory information

New Jersey : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL

Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe : All components are listed or exempted.

Japan : **Japan inventory (ENCS)**: All components are listed or exempted.
 Japan inventory (ISHL): All components are listed or exempted.

Malaysia : Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are listed or exempted.

Viet Nam : Not determined.

Section 16. Other information

History

Date of issue : 12/29/2017

Date of previous issue : 09/01/2015.

Version : 2

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.