

Section 2. Hazard(s) identification

Supplemental label elements

Additional warning phrases : StrataClone SoloPack Competent Cells Not applicable.
 pUC 18 DNA Control Plasmid Not applicable.

Other hazards which do not result in classification : StrataClone SoloPack Competent Cells None known.
 pUC 18 DNA Control Plasmid None known.

Section 3. Composition and ingredient information

Substance/mixture : StrataClone SoloPack Mixture
 Competent Cells
 pUC 18 DNA Control Plasmid Mixture

CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
<input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells Glycerol	≥10 - ≤30	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : StrataClone SoloPack Competent Cells Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
 pUC 18 DNA Control Plasmid Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : StrataClone SoloPack Competent Cells Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
 pUC 18 DNA Control Plasmid Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact : StrataClone SoloPack Competent Cells Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
 pUC 18 DNA Control Plasmid Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion : StrataClone SoloPack Competent Cells Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
 pUC 18 DNA Control Plasmid Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of

Section 4. First aid measures

water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Inhalation	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Skin contact	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Ingestion	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: StrataClone SoloPack Competent Cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
Inhalation	: StrataClone SoloPack Competent Cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
Skin contact	: StrataClone SoloPack Competent Cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
Ingestion	: StrataClone SoloPack Competent Cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: StrataClone SoloPack Competent Cells	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pUC 18 DNA Control Plasmid	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: StrataClone SoloPack Competent Cells	No specific treatment.
	pUC 18 DNA Control Plasmid	No specific treatment.
Protection of first-aiders	: StrataClone SoloPack Competent Cells	No action shall be taken involving any personal risk or without suitable training.
	pUC 18 DNA Control Plasmid	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: StrataClone SoloPack Competent Cells	Use an extinguishing agent suitable for the surrounding fire.
	pUC 18 DNA Control Plasmid	Use an extinguishing agent suitable for the surrounding fire.

Section 5. Firefighting measures

Unsuitable extinguishing media	: <input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells pUC 18 DNA Control Plasmid	None known. None known.
Specific hazards arising from the chemical	: <input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells pUC 18 DNA Control Plasmid	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: <input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells pUC 18 DNA Control Plasmid	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides No specific data.
Special protective actions for fire-fighters	: <input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells pUC 18 DNA Control Plasmid	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: <input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells pUC 18 DNA Control Plasmid	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: <input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells pUC 18 DNA Control Plasmid	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: <input checked="" type="checkbox"/> StrataClone SoloPack Competent Cells pUC 18 DNA Control Plasmid	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

Environmental precautions	: StrataClone SoloPack Competent Cells	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pUC 18 DNA Control Plasmid	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up	: StrataClone SoloPack Competent Cells	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	pUC 18 DNA Control Plasmid	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: StrataClone SoloPack Competent Cells	Put on appropriate personal protective equipment (see Section 8).
	pUC 18 DNA Control Plasmid	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: StrataClone SoloPack Competent Cells	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	pUC 18 DNA Control Plasmid	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: StrataClone SoloPack Competent Cells	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	pUC 18 DNA Control Plasmid	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from

Section 7. Handling and storage

incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
StrataClone SoloPack Competent Cells Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	StrataClone SoloPack Competent Cells	Liquid.
		pUC 18 DNA Control Plasmid	Liquid.
Colour	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Odour	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Odour threshold	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
pH	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	7.5
Melting point	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	0°C (32°F)
Boiling point	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	100°C (212°F)
Flash point	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Evaporation rate	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Flammability (solid, gas)	:	StrataClone SoloPack Competent Cells	Not applicable.
		pUC 18 DNA Control Plasmid	Not applicable.
Lower and upper explosive (flammable) limits	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Vapour pressure	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Vapour density	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Relative density	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Solubility	:	StrataClone SoloPack Competent Cells	Soluble in the following materials: cold water and hot water.
		pUC 18 DNA Control Plasmid	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Auto-ignition temperature	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.
Decomposition temperature	:	StrataClone SoloPack Competent Cells	Not available.
		pUC 18 DNA Control Plasmid	Not available.

Section 9. Physical and chemical properties

Viscosity : StrataClone SoloPack Not available.
Competent Cells
pUC 18 DNA Control Plasmid Not available.

Section 10. Stability and reactivity

Reactivity : StrataClone SoloPack No specific test data related to reactivity available for
Competent Cells this product or its ingredients.
pUC 18 DNA Control Plasmid No specific test data related to reactivity available for
this product or its ingredients.

Chemical stability : StrataClone SoloPack The product is stable.
Competent Cells
pUC 18 DNA Control Plasmid The product is stable.

Possibility of hazardous reactions : StrataClone SoloPack Under normal conditions of storage and use,
Competent Cells hazardous reactions will not occur.
pUC 18 DNA Control Plasmid Under normal conditions of storage and use,
hazardous reactions will not occur.

Conditions to avoid : StrataClone SoloPack No specific data.
Competent Cells
pUC 18 DNA Control Plasmid No specific data.

Incompatible materials : StrataClone SoloPack May react or be incompatible with oxidising materials.
Competent Cells
pUC 18 DNA Control Plasmid May react or be incompatible with oxidising materials.

Hazardous decomposition products : StrataClone SoloPack Under normal conditions of storage and use,
Competent Cells hazardous decomposition products should not be
produced.
pUC 18 DNA Control Plasmid Under normal conditions of storage and use,
hazardous decomposition products should not be
produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
StrataClone SoloPack Competent Cells Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
StrataClone SoloPack Competent Cells Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitisation

Not available.

Mutagenicity

Not available.

Section 11. Toxicological information

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : StrataClone SoloPack Competent Cells Routes of entry anticipated: Oral, Dermal, Inhalation.
pUC 18 DNA Control Plasmid Not available.

Potential acute health effects

Eye contact : StrataClone SoloPack Competent Cells No known significant effects or critical hazards.
pUC 18 DNA Control Plasmid No known significant effects or critical hazards.

Inhalation : StrataClone SoloPack Competent Cells No known significant effects or critical hazards.
pUC 18 DNA Control Plasmid No known significant effects or critical hazards.

Skin contact : StrataClone SoloPack Competent Cells No known significant effects or critical hazards.
pUC 18 DNA Control Plasmid No known significant effects or critical hazards.

Ingestion : StrataClone SoloPack Competent Cells No known significant effects or critical hazards.
pUC 18 DNA Control Plasmid No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : StrataClone SoloPack Competent Cells No specific data.
pUC 18 DNA Control Plasmid No specific data.

Inhalation : StrataClone SoloPack Competent Cells No specific data.
pUC 18 DNA Control Plasmid No specific data.

Skin contact : StrataClone SoloPack Competent Cells No specific data.
pUC 18 DNA Control Plasmid No specific data.

Ingestion : StrataClone SoloPack Competent Cells No specific data.
pUC 18 DNA Control Plasmid No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Section 11. Toxicological information

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Carcinogenicity	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Mutagenicity	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Teratogenicity	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Developmental effects	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Fertility effects	: StrataClone SoloPack Competent Cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
StrataClone SoloPack Competent Cells Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
StrataClone SoloPack Competent Cells Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
StrataClone SoloPack Competent Cells Glycerol	-1.76	-	low

Mobility in soil

Section 12. Ecological information

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

5

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.
Canada : All components are listed or exempted.
China : All components are listed or exempted.
Europe : All components are listed or exempted.

Section 15. Regulatory information

Japan	: <input checked="" type="checkbox"/> Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: <input checked="" type="checkbox"/> Not determined.
United States	: All components are listed or exempted.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of revision	: 28/12/2017
Date of previous issue	: 24/08/2015.
Version	: 5
Key to abbreviations	: ADG = Australian Dangerous Goods ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NOHSC = National Occupational Health and Safety Commission SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.