# SAFETY DATA SHEET



QuikChange II-E Site-Directed Mutagenesis Kit, Part Number 200555

### **Section 1. Identification**

1.1 Product identifier

: QuikChange II-E Site-Directed Mutagenesis Kit, Part Number 200555 **Product name** 

200555 Part no. (chemical kit)

Part no. : PfuUltra HF DNA Polymerase 200523-51

> 10X Reaction Buffer 200518-58 Dpn I 200519-53 Control Primer 1 (34-mer) 200518-53 Control Primer 2 (34-mer) 200518-54 pWS4.5 Control Template 200518-55 200519-52 dNTP Mix XL1-Blue electroporation competent cells 200228-41 pUC 18 DNA Control Plasmid 200231-42 StrataClean Resin 200480-52

: 11/29/2022 Validation date

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Analytical reagent.

> PfuUltra HF DNA Polymerase 0.01 ml (25 U 2.5 U/µl)

10X Reaction Buffer 0.5 ml

0.01 ml (100 U 10 U/µl) Dpn I Control Primer 1 (34-mer) 0.01 ml (750 ng 100 ng/µl) Control Primer 2 (34-mer) 0.01 ml (750 ng 100 ng/µl) pWS4.5 Control Template 0.01 ml (50 ng 5 ng/µl)

dNTP Mix 0.01 ml

XL1-Blue electroporation competent cells 0.5 ml (5 x 0.1 ml) pUC 18 DNA Control Plasmid 0.01 ml (0.1 ng/µl)

StrataClean Resin 0.1 ml

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

### Section 2. Hazards identification

2.1 Classification of the substance or mixture

**OSHA/HCS** status : PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I Control Primer 1 (34-mer) This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This material is considered hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

Date of issue: 11/29/2022 1/42

### Section 2. Hazards identification

Control Primer 2 (34-mer) While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

pWS4.5 Control Template While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

dNTP Mix While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

XL1-Blue electroporation

competent cells

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

pUC 18 DNA Control

Plasmid

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

StrataClean Resin While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

#### Classification of the substance or mixture

PfuUltra HF DNA Polymerase

H320 EYE IRRITATION - Category 2B

10X Reaction Buffer

H319 EYE IRRITATION - Category 2A

H412 AQUATIC HAZARD (LONG-TERM) - Category 3

Dpn I

H320 EYE IRRITATION - Category 2B

MTP Mix Percentage of the mixture consisting of ingredient

(s) of unknown hazards to the aquatic environment:

5.7%

XL1-Blue electroporation

competent cells

Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment:

2.3%

#### 2.2 GHS label elements

**Date of issue**: 11/29/2022 **2/42** 

### Section 2. Hazards identification

#### **Hazard pictograms**

: 10X Reaction Buffer



Signal word

: PfuUltra HF DNA Polymerase 10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

**Hazard statements** 

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

**Precautionary statements** 

Prevention

Response

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

: PfuUltra HF DNA Polymerase

Warning Warning Warning

No signal word. No signal word. No signal word.

No signal word. No signal word.

No signal word. No signal word.

H320 - Causes eye irritation.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting

effects.

H320 - Causes eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

Not applicable.

P280 - Wear eye or face protection.

P273 - Avoid release to the environment.

Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

Not applicable.

Not applicable.

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsina.

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

P305 + P351 + P338 - IF IN EYES: Rinse 10X Reaction Buffer

> cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337 + P313 - If eye irritation persists: Get medical

Date of issue: 11/29/2022 3/42

# Section 2. Hazards identification

	Control Primer 1 (34-mer) Control Primer 2 (34-mer)	advice or attention. Not applicable. Not applicable.
	pWS4.5 Control Template dNTP Mix XL1-Blue electroporation	Not applicable. Not applicable. Not applicable.
	competent cells pUC 18 DNA Control Plasmid StrataClean Resin	Not applicable. Not applicable.
Storage	: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells	Not applicable.
	pUC 18 DNA Control Plasmid StrataClean Resin	Not applicable. Not applicable.
Disposal	<ul> <li>         FfuUltra HF DNA Polymerase         10X Reaction Buffer     </li> </ul>	Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells	Not applicable.
	pUC 18 DNA Control Plasmid StrataClean Resin	Not applicable. Not applicable.
Supplemental label elements	: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin	None known.
2.3 Other hazards		
Hazards not otherwise classified	: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin	None known.

**Date of issue**: 11/29/2022 4/42

None known.

StrataClean Resin

# Section 3. Composition/information on ingredients

_					
Sul	nei	net	m	IVTII	ľ
Jul	uai	Lai		IALU	

: PfuUltra HF DNA Polymerase Mixture 10X Reaction Buffer Mixture Dpn I Mixture Control Primer 1 (34-mer) Mixture Control Primer 2 (34-mer) Mixture pWS4.5 Control Template Mixture dNTP Mix Mixture XL1-Blue electroporation competent Mixture pUC 18 DNA Control Plasmid Mixture StrataClean Resin Mixture

Ingredient name	%	CAS number
PfuUltra HF DNA Polymerase		
Glycerol	≥50 - ≤75	56-81-5
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	<0.25	9036-19-5
10X Reaction Buffer		
Ammonium sulphate	≤3	7783-20-2
Polyoxyethylene octyl phenyl ether	<2.5	9002-93-1
Dpn I		
Glycerol	≥50 - ≤75	56-81-5
XL1-Blue electroporation competent cells		
Glycerol	<10	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

10X Reaction Buffer

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

### 4.1 Description of necessary first aid measures

Eye contact : PfuUltra HF DNA Polymerase

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get

medical attention.

Dpn I Immediately flush

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Date of issue: 11/29/2022 5/42

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

XL1-Blue electroporation

pUC 18 DNA Control Plasmid

competent cells

StrataClean Resin

dNTP Mix

irritation persists, get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

Continue to rinse for at least 10 minutes. If

medical attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

Remove victim to fresh air and keep at rest in a

medical attention if irritation occurs.

: PfuUltra HF DNA Polymerase

position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not

Inhalation

10X Reaction Buffer

Dpn I

Date of issue: 11/29/2022 6/42

hours.

breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Control Primer 1 (34-mer)

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Control Primer 2 (34-mer)

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

pWS4.5 Control Template

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

dNTP Mix

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

XL1-Blue electroporation

competent cells

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

pUC 18 DNA Control Plasmid

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

StrataClean Resin

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

**Skin contact** 

: PfuUltra HF DNA Polymerase

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

10X Reaction Buffer Flush contaminated skin with plenty of water.

> Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Flush contaminated skin with plenty of water. Dpn I

Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Flush contaminated skin with plenty of water. Control Primer 1 (34-mer)

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Flush contaminated skin with plenty of water. pWS4.5 Control Template

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Flush contaminated skin with plenty of water.

Control Primer 2 (34-mer)

dNTP Mix

Date of issue: 11/29/2022 7/42

XL1-Blue electroporation competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

Ingestion : PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious. give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

Wash out mouth with water. If material has been

occur.

Date of issue: 11/29/2022 8/42

swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

pWS4.5 Control Template

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

dNTP Mix

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

XL1-Blue electroporation competent cells

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

pUC 18 DNA Control Plasmid

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

StrataClean Resin

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### 4.2 Most important symptoms/effects, acute and delayed Potential acute health effects

Eye contact

: PfuUltra HF DNA Polymerase 10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

Inhalation : PfuUltra HF DNA Polymerase 10X Reaction Buffer

D<sub>D</sub>n I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation competent cells

Causes eye irritation.

Causes serious eye irritation.

Causes eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

11/29/2022 Date of issue: 9/42

	ilicasarcs	
	pUC 18 DNA Control Plasmid StrataClean Resin	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact :	PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
	Control Primer 1 (34-mer)	No known significant effects or critical hazards.
	Control Primer 2 (34-mer)	No known significant effects or critical hazards.
	pWS4.5 Control Template	No known significant effects or critical hazards.
	dNTP Mix	No known significant effects or critical hazards.
	XL1-Blue electroporation competent cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	StrataClean Resin	No known significant effects or critical hazards.
Ingestion :	PfuUltra HF DNA Polymerase	No known significant effects or critical hazards.
	10X Reaction Buffer	No known significant effects or critical hazards.
	Dpn I	No known significant effects or critical hazards.
	Control Primer 1 (34-mer)	No known significant effects or critical hazards.
	Control Primer 2 (34-mer)	No known significant effects or critical hazards.
	pWS4.5 Control Template	No known significant effects or critical hazards.
	dNTP Mix	No known significant effects or critical hazards.
	XL1-Blue electroporation	No known significant effects or critical hazards.
	competent cells pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	StrataClean Resin	No known significant effects or critical hazards.
Over expecting signs/expenter		No known significant chects of childarnazards.
Over-exposure signs/symptor		
Eye contact :	PfuUltra HF DNA Polymerase	Adverse symptoms may include the following:
		irritation
		watering
	10X Reaction Buffer	redness
	10A Reaction Bullet	Adverse symptoms may include the following: pain or irritation
		watering
		redness
	Dpn I	Adverse symptoms may include the following:
	5p	irritation
		watering
		redness
	Control Primer 1 (34-mer)	No specific data.
	Control Primer 2 (34-mer)	No specific data.
	pWS4.5 Control Template	No specific data.
	dNTP Mix	No specific data.
	XL1-Blue electroporation	No specific data.
	competent cells	
	pUC 18 DNA Control Plasmid	No specific data.
	StrataClean Resin	No specific data.
Inhalation :	PfuUltra HF DNA Polymerase	No specific data.
	10X Reaction Buffer	No specific data.
	Dpn I	No specific data.
	Control Primer 1 (34-mer)	No specific data.
	Control Primer 2 (34-mer)	No specific data.
	pWS4.5 Control Template	No specific data.
	dNTP Mix	No specific data.
	XL1-Blue electroporation	No specific data.

**Date of issue**: 11/29/2022 10/42

No specific data.

No specific data.

competent cells

StrataClean Resin

pUC 18 DNA Control Plasmid

Skin contact : PfuUltra HF DNA Polymerase No specific data. 10X Reaction Buffer No specific data. Dpn I No specific data. Control Primer 1 (34-mer) No specific data. Control Primer 2 (34-mer) No specific data. pWS4.5 Control Template No specific data. dNTP Mix No specific data. XL1-Blue electroporation No specific data. competent cells pUC 18 DNA Control Plasmid No specific data. StrataClean Resin No specific data. PfuUltra HF DNA Polymerase Ingestion No specific data. No specific data. 10X Reaction Buffer Dpn I No specific data. No specific data. Control Primer 1 (34-mer) Control Primer 2 (34-mer) No specific data. pWS4.5 Control Template No specific data. No specific data. dNTP Mix No specific data. XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid No specific data. StrataClean Resin No specific data.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

: PfuUltra HF DNA Polymerase Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

In case of inhalation of decomposition products in a 10X Reaction Buffer fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Dpn I Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Control Primer 1 (34-mer) Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Control Primer 2 (34-mer) Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Treat symptomatically. Contact poison treatment pWS4.5 Control Template

specialist immediately if large quantities have been

ingested or inhaled.

dNTP Mix In case of inhalation of decomposition products in a

> fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

XL1-Blue electroporation Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been competent cells

ingested or inhaled.

pUC 18 DNA Control Plasmid Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

StrataClean Resin Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Date of issue: 11/29/2022 11/42

**Protection of first-aiders** 

**Specific treatments** : PfuUltra HF DNA Polymerase No specific treatment. 10X Reaction Buffer No specific treatment. D<sub>D</sub>n I No specific treatment. No specific treatment. Control Primer 1 (34-mer)

Control Primer 2 (34-mer) No specific treatment. pWS4.5 Control Template No specific treatment. dNTP Mix No specific treatment. No specific treatment.

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

PfuUltra HF DNA Polymerase No action shall be taken involving any personal risk

No specific treatment. No specific treatment.

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

No action shall be taken involving any personal risk 10X Reaction Buffer

> or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

No action shall be taken involving any personal risk Dpn I

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

Control Primer 1 (34-mer) No action shall be taken involving any personal risk

or without suitable training.

Control Primer 2 (34-mer) No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk pWS4.5 Control Template

or without suitable training.

dNTP Mix No action shall be taken involving any personal risk

or without suitable training.

XL1-Blue electroporation No action shall be taken involving any personal risk

or without suitable training.

competent cells pUC 18 DNA Control Plasmid No action shall be taken involving any personal risk

or without suitable training.

StrataClean Resin No action shall be taken involving any personal risk

or without suitable training.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

### 5.1 Extinguishing media Suitable extinguishing

media

: PfuUltra HF DNA Polymerase Use an extinguishing agent suitable for the

surrounding fire.

10X Reaction Buffer Use an extinguishing agent suitable for the

surrounding fire.

Dpn I Use an extinguishing agent suitable for the

surrounding fire.

Control Primer 1 (34-mer) Use an extinguishing agent suitable for the

surrounding fire.

Control Primer 2 (34-mer) Use an extinguishing agent suitable for the

surrounding fire.

pWS4.5 Control Template Use an extinguishing agent suitable for the

surrounding fire.

dNTP Mix Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the XL1-Blue electroporation competent cells

surrounding fire.

Date of issue: 11/29/2022 12/42

# Section 5. Fire-fighting measures

pUC 18 DNA Control Plasmid Use an extinguishing agent suitable for the

surrounding fire.

StrataClean Resin Use an extinguishing agent suitable for the

surrounding fire.

None known.

None known.

Unsuitable extinguishing media

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

D<sub>D</sub>n I

None known. Control Primer 1 (34-mer) None known. Control Primer 2 (34-mer) None known. pWS4.5 Control Template None known. None known.

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

None known. None known. None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur

and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to

any waterway, sewer or drain.

Dpn I In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur Control Primer 1 (34-mer)

and the container may burst.

Control Primer 2 (34-mer) In a fire or if heated, a pressure increase will occur

and the container may burst.

pWS4.5 Control Template In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur dNTP Mix

and the container may burst.

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur

and the container may burst.

StrataClean Resin In a fire or if heated, a pressure increase will occur

and the container may burst.

Hazardous thermal decomposition products : PfuUltra HF DNA Polymerase

Decomposition products may include the following

materials: carbon dioxide

carbon monoxide

10X Reaction Buffer Decomposition products may include the following

> materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds

Dpn I Decomposition products may include the following

> materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

No specific data. Control Primer 1 (34-mer)

11/29/2022 Date of issue: 13/42

# Section 5. Fire-fighting measures

Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

No specific data. No specific data.

Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides

XL1-Blue electroporation

competent cells

Decomposition products may include the following

materials:

carbon dioxide carbon monoxide No specific data.

pUC 18 DNA Control Plasmid

StrataClean Resin

Decomposition products may include the following

materials: carbon dioxide carbon monoxide metal oxide/oxides

**5.3 Advice for firefighters** 

Special protective actions for fire-fighters

: PfuUltra HF DNA Polymerase

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or

without suitable training.

10X Reaction Buffer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Dpn I Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Control Primer 1 (34-mer) Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Control Primer 2 (34-mer) Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

pWS4.5 Control Template Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

dNTP Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

XL1-Blue electroporation

competent cells

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or

without suitable training.

pUC 18 DNA Control Plasmid Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

StrataClean Resin Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

Date of issue: 11/29/2022 14/42

# Section 5. Fire-fighting measures

Special protective equipment for fire-fighters

: PfuUltra HF DNA Polymerase

without suitable training.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

10X Reaction Buffer Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Dpn I Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Control Primer 1 (34-mer) Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Control Primer 2 (34-mer) Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

pWS4.5 Control Template Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

dNTP Mix Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

XL1-Blue electroporation

competent cells

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

pUC 18 DNA Control Plasmid Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

StrataClean Resin Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

# Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: PfuUltra HF DNA Polymerase

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not

touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

10X Reaction Buffer No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate

Date of issue: 11/29/2022 15/42

Dpn I

unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate

ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and

personal protective equipment.

personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

Date of issue: 11/29/2022 16/42

For emergency responders : PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

**6.2 Environmental** 

precautions

Control Primer 1 (34-mer)

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in

large quantities.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Date of issue: 11/29/2022 17/42

Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Control Primer 2 (34-mer) Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and pWS4.5 Control Template

> contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

dNTP Mix Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air). Avoid dispersal of spilled material and runoff and XL1-Blue electroporation

competent cells

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

pUC 18 DNA Control Plasmid Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and StrataClean Resin

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : PfuUltra HF DNA Polymerase Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

10X Reaction Buffer Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Dpn I Stop leak if without risk. Move containers from spill

> area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Control Primer 1 (34-mer) Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

11/29/2022 Date of issue: 18/42

Control Primer 2 (34-mer) Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

pWS4.5 Control Template Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

dNTP Mix Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

XL1-Blue electroporation

competent cells

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

pUC 18 DNA Control Plasmid Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

StrataClean Resin Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

# Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures : PfuUltra HF DNA Polymerase

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

not reuse container.

10X Reaction Buffer Put on appropriate personal protective equipment

(see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not

reuse container.

Dpn I Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with

(see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or

Date of issue: 11/29/2022 19/42

Control Primer 1 (34-mer)

Put on appropriate personal protective equipment

mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

(see Section 8).

not reuse container.

Control Primer 2 (34-mer) Put on appropriate personal protective equipment

(see Section 8).

pWS4.5 Control Template Put on appropriate personal protective equipment

(see Section 8).

dNTP Mix Put on appropriate personal protective equipment

(see Section 8).

XL1-Blue electroporation Put on appropriate personal protective equipment

(see Section 8).

pUC 18 DNA Control Plasmid Put on appropriate personal protective equipment

(see Section 8).

StrataClean Resin Put on appropriate personal protective equipment

(see Section 8).

Advice on general occupational hygiene

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

competent cells

Dpn I

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited

in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

Date of issue: 11/29/2022 20/42

dNTP Mix

XL1-Blue electroporation competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

7.2 Conditions for safe storage, including any incompatibilities

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright

Date of issue: 11/29/2022 21/42

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation competent cells

to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in

pUC 18 DNA Control Plasmid

Date of issue: 11/29/2022 22/42

StrataClean Resin

original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations

 PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

Industrial sector specific solutions

: PfuUltra HF DNA Polymerase 10X Reaction Buffer

Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix

VIA DISSESSI

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid StrataClean Resin Industrial applications, Professional applications. Industrial applications, Professional applications.

Industrial applications, Professional applications. Industrial applications, Professional applications.

Not available. Not available.

Not available. Not available.

# Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Date of issue: 11/29/2022 23/42

# Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
PfuUltra HF DNA Polymerase	
Glycerol	OSHA PEL 1989 (United States, 3/1989).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl] omegahydroxy-	None.
10X Reaction Buffer	
Ammonium sulphate	None.
Polyoxyethylene octyl phenyl ether	None.
Dpn I	
Glycerol	OSHA PEL 1989 (United States, 3/1989).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 10 mg/m³ 8 hours. Form: Total dust  OSHA PEL (United States, 5/2018).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust
XL1-Blue electroporation competent cells	
Glycerol	OSHA PEL 1989 (United States, 3/1989).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust

#### **Biological exposure indices**

No exposure indices known.

#### **8.2 Exposure controls**

Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

: Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue: 11/29/2022 24/42

# Section 8. Exposure controls/personal protection

### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Respiratory protection**

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Physical state :	PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin	Liquid.
Color :	PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid	Not available.
Odor :	StrataClean Resin PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation	Not available.

Date of issue: 11/29/2022 25/42

		competent cells	
		pUC 18 DNA Control Plasmid	Not available.
		StrataClean Resin	Not available.
Odor threshold	:	PfuUltra HF DNA Polymerase	Not available.
		10X Reaction Buffer	Not available.
		Dpn I	Not available.
		Control Primer 1 (34-mer)	Not available.
		Control Primer 2 (34-mer)	Not available.
		pWS4.5 Control Template	Not available.
		dNTP Mix XL1-Blue electroporation	Not available. Not available.
		competent cells	NUL available.
		pUC 18 DNA Control Plasmid	Not available.
		StrataClean Resin	Not available.
рН	÷	PfuUltra HF DNA Polymerase	8.2
		10X Reaction Buffer	8.8
		Dpn I	Not available.
		Control Primer 1 (34-mer) Control Primer 2 (34-mer)	7.5 7.5
		pWS4.5 Control Template	7.5
		dNTP Mix	7.5
		XL1-Blue electroporation	Not available.
		competent cells	
		pUC 18 DNA Control Plasmid	7.5
		StrataClean Resin	7.5
Melting point/freezing point	:	PfuUltra HF DNA Polymerase	Not available.
		10X Reaction Buffer	Not available.
		Dpn I	Not available.
		Control Primer 1 (34-mer)	0°C (32°F)
		Control Primer 2 (34-mer)	0°C (32°F)
		pWS4.5 Control Template dNTP Mix	0°C (32°F) Not available.
		XL1-Blue electroporation	Not available.
		competent cells	Not available.
		pUC 18 DNA Control Plasmid	0°C (32°F)
		StrataClean Resin	Not available.
Boiling point, initial boiling		PfuUltra HF DNA Polymerase	Not available.
point, and boiling range		10X Reaction Buffer	Not available.
point, and homing things		Dpn I	Not available.
		Control Primer 1 (34-mer)	100°C (212°F)
		Control Primer 2 (34-mer)	100°C (212°F)
		pWS4.5 Control Template	100°C (212°F)
		dNTP Mix	Not available.
		XL1-Blue electroporation	Not available.
		competent cells	400°C (040°E)
		pUC 18 DNA Control Plasmid	100°C (212°F)
		StrataClean Resin	Not available.

Flash point

		Closed	cup	Open cup			
Ingredient name	°C °F		Method	°C	°F	Method	
PfuUltra HF DNA Polymerase							
Glycerol				177	350.6		
10X Reaction Buffer							

**Date of issue :** 11/29/2022 **26/42** 

	Polyoxyethylene octyl phenyl ether	251	483.8			
D	)pn l					
G	Slycerol			177	350.6	
е	(L1-Blue electroporation competent cells					
G	Glycerol			177	350.6	
С	)-Glucitol			282.85	541.1	

#### **Evaporation rate**

: PfuUltra HF DNA Polymerase Not available. 10X Reaction Buffer Not available. Dpn I Not available. Control Primer 1 (34-mer) Not available. Control Primer 2 (34-mer) Not available. pWS4.5 Control Template Not available. dNTP Mix Not available. XL1-Blue electroporation Not available. competent cells pUC 18 DNA Control Plasmid Not available.

**Flammability** 

StrataClean Resin Not available. PfuUltra HF DNA Polymerase Not applicable. Not applicable. 10X Reaction Buffer Dpn I Not applicable. Not applicable. Control Primer 1 (34-mer) Control Primer 2 (34-mer) Not applicable. pWS4.5 Control Template Not applicable. Not applicable. dNTP Mix Not applicable.

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid Not applicable. StrataClean Resin Not applicable.

Lower and upper explosion limit/flammability limit

Not available. PfuUltra HF DNA Polymerase Not available. 10X Reaction Buffer Dpn I Not available. Not available. Control Primer 1 (34-mer) Control Primer 2 (34-mer) Not available. pWS4.5 Control Template Not available. dNTP Mix Not available. XL1-Blue electroporation Not available. competent cells

pUC 18 DNA Control Plasmid StrataClean Resin

Not available. Not available.

### Vapor pressure

	Vapo	or Pressure at 20°C		Vapor pressure at 50°		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method

Date of issue: 11/29/2022 27/42

and Chemical	prope	, ucs	and Said	ty Cin	aracte	Houcs
PfuUltra HF DNA Polymerase						
water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
10X Reaction Buffer						
water	23.8	3.2		92.258	12.3	
Polyoxyethylene octyl phenyl ether	0.997581	0.13				
Dpn I						
water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
Control Primer 1 (34-mer)						
water	23.8	3.2		92.258	12.3	
Control Primer 2 (34-mer)						
water	23.8	3.2		92.258	12.3	
pWS4.5 Control Template						
water	23.8	3.2		92.258	12.3	
dNTP Mix						
water	23.8	3.2		92.258	12.3	
XL1-Blue electroporation competent cells						
water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
pUC 18 DNA Control Plasmid						
water	23.8	3.2		92.258	12.3	
1			1			

**Date of issue :** 11/29/2022 **28/42** 

	StrataClean Resin						
	water	23.8	3.2		92.258	12.3	
Relative vapor density :	PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin		Not available.				
Relative density :	PfuUltra HF DNA Poly 10X Reaction Buffer Dpn I Control Primer 1 (34-I Control Primer 2 (34-I pWS4.5 Control Tem dNTP Mix XL1-Blue electroporation	mer) mer) plate	Not a Not a Not a Not a Not a	vailable. vailable. vailable. vailable. vailable. vailable. vailable. vailable.			

competent cells

StrataClean Resin

pUC 18 DNA Control Plasmid

Solubility(ies)

Media	Result
PfuUltra HF DNA	
Polymerase	
water	Soluble
10X Reaction Buffer	
water	Soluble
Dpn I	
water	Soluble
Control Primer 1	
(34-mer)	
water	Soluble
Control Primer 2	
(34-mer)	
water	Soluble
pWS4.5 Control	
Template	0.1.11
water	Soluble
dNTP Mix	Calubla
water	Soluble
XL1-Blue	
electroporation competent cells	
water	Soluble
pUC 18 DNA Control	Soluble
Plasmid	
water	Soluble
StrataClean Resin	
water	Soluble

Not available.

Not available.

**Date of issue :** 11/29/2022 **29/42** 

Section 9. Physica	l and chemical prope	erties a	nd safet	y characteristics
Partition coefficient: n-octanol/water	: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin	Not ap Not ap Not ap Not ap Not ap Not ap Not ap	plicable.	
Auto-ignition temperature	: Ingredient name	°C	°F	Method
	PfuUltra HF DNA Polymerase			
	Glycerol	370	698	
	Dpn I			
	Glycerol	370	698	
	XL1-Blue electroporation competent cells			
	Glycerol	370	698	
Decomposition temperature	: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin	Not ava Not ava Not ava Not ava Not ava Not ava Not ava Not ava	ailable. ailable. ailable. ailable. ailable. ailable. ailable.	
Viscosity	: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin	Not ava Not ava Not ava Not ava Not ava Not ava Not ava Not ava	ailable. ailable. ailable. ailable. ailable. ailable. ailable.	
Particle characteristics				
Median particle size	: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer)	Not ap Not ap Not ap	plicable. plicable. plicable. plicable.	

Date of issue: 11/29/2022 30/42

Not applicable. Not applicable.
Not applicable.

Not applicable.

Not applicable.

Control Primer 2 (34-mer)

pWS4.5 Control Template

XL1-Blue electroporation

pUC 18 DNA Control Plasmid

dNTP Mix

competent cells

StrataClean Resin

Not applicable.

# Section 10. Stability and reactivity

10.1 Reactivity

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

10.2 Chemical stability

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

10.3 Possibility of hazardous reactions

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

The product is stable.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Date of issue: 11/29/2022 31/42

# Section 10 Stability and reactivity

Section 10. Stability and reactivity
--------------------------------------

10.4 Conditions to avoid

10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix

: PfuUltra HF DNA Polymerase

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

No specific data. StrataClean Resin No specific data.

10.5 Incompatible materials : PfuUltra HF DNA Polymerase May react or be incompatible with oxidizing

materials.

No specific data.

No specific data.

No specific data. No specific data.

No specific data.

No specific data.

No specific data.

No specific data.

10X Reaction Buffer May react or be incompatible with oxidizing

materials.

Dpn I May react or be incompatible with oxidizing

materials.

Control Primer 1 (34-mer) May react or be incompatible with oxidizing

materials.

May react or be incompatible with oxidizing Control Primer 2 (34-mer)

materials.

pWS4.5 Control Template May react or be incompatible with oxidizing

materials.

dNTP Mix May react or be incompatible with oxidizing

materials.

XL1-Blue electroporation May react or be incompatible with oxidizing

competent cells materials.

pUC 18 DNA Control Plasmid May react or be incompatible with oxidizing

materials.

StrataClean Resin May react or be incompatible with oxidizing

materials.

10.6 Hazardous decomposition products

: PfuUltra HF DNA Polymerase Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

10X Reaction Buffer Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Under normal conditions of storage and use, Dpn I

hazardous decomposition products should not be

produced.

Under normal conditions of storage and use, Control Primer 1 (34-mer)

hazardous decomposition products should not be

produced.

Control Primer 2 (34-mer) Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Under normal conditions of storage and use, pWS4.5 Control Template

hazardous decomposition products should not be

produced.

Under normal conditions of storage and use, dNTP Mix

hazardous decomposition products should not be

produced.

XL1-Blue electroporation

competent cells

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

pUC 18 DNA Control Plasmid Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Date of issue: 11/29/2022 32/42

# Section 10. Stability and reactivity

StrataClean Resin

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### 11.1 Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
PfuUltra HF DNA Polymerase Glycerol Poly(oxy-1,2-ethanediyl), . alpha[ (1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	LD50 Oral LD50 Oral	Rat Rat	12600 mg/kg 2800 mg/kg	-
10X Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	LD50 Oral LD50 Oral	Rat Rat	2840 mg/kg 1800 mg/kg	-
Dpn I Glycerol	LD50 Oral	Rat	12600 mg/kg	-
XL1-Blue electroporation competent cells Glycerol	LD50 Oral	Rat	12600 mg/kg	-

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
PfuUltra HF DNA Polymerase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Poly(oxy-1,2-ethanediyl), . alpha[ (1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	Eyes - Severe irritant	Rabbit	-	1 %	-
10X Reaction Buffer Polyoxyethylene octyl phenyl ether	Skin - Mild irritant	Rabbit	-	24 hours 500 uL	-
Dpn I	Even Mild imitent	Dahkit		24 haves 500	
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
XL1-Blue electroporation competent cells					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Skin - Mild irritant	Rabbit	-	mg 24 hours 500 mg	-

Date of issue: 11/29/2022 33/42

#### Sensitization

Not available.

#### **Mutagenicity**

**Conclusion/Summary**: Not available.

**Carcinogenicity** 

**Conclusion/Summary**: Not available.

Reproductive toxicity

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid StrataClean Resin

Potential acute health effects

Eye contact

Inhalation

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

Routes of entry anticipated: Oral, Dermal,

Inhalation, Eyes.

Routes of entry anticipated: Oral, Dermal,

Inhalation, Eyes.

Routes of entry anticipated: Oral, Dermal,

Inhalation, Eyes.

Not available. Not available. Not available. Not available.

Not available.

Not available.

Causes eye irritation.

Causes serious eye irritation.

Causes eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Date of issue: 11/29/2022 34/42

### **Skin contact**

Ingestion

StrataClean Resin PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template

dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** 

Inhalation

: PfuUltra HF DNA Polymerase

Adverse symptoms may include the following:

irritation

watering redness

10X Reaction Buffer Adverse symptoms may include the following:

pain or irritation

watering

redness

Dpn I Adverse symptoms may include the following:

irritation

watering

redness

Control Primer 1 (34-mer) No specific data. Control Primer 2 (34-mer) No specific data.

pWS4.5 Control Template No specific data.

dNTP Mix

No specific data. No specific data. XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

No specific data.

No specific data.

No specific data.

: PfuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

No specific data. No specific data.

Control Primer 1 (34-mer) Control Primer 2 (34-mer)

pWS4.5 Control Template dNTP Mix

XL1-Blue electroporation

competent cells

pUC 18 DNA Control Plasmid

StrataClean Resin

No specific data. No specific data. No specific data.

No specific data.

No specific data.

No specific data. No specific data.

11/29/2022 Date of issue: 35/42

Skin contact : PfuUltra HF DNA Polymerase No specific data.

10X Reaction Buffer No specific data.

Dpn I No specific data.

Control Primer 1 (34-mer) No specific data.

Control Primer 1 (34-mer)
Control Primer 2 (34-mer)
PWS4.5 Control Template
dNTP Mix
No specific data.
No specific data.
No specific data.

XL1-Blue electroporation No specific data.

competent cells

pUC 18 DNA Control Plasmid No specific data.

StrataClean Resin

Ingestion : PfuUltra HF DNA Polymerase No specific data.

10X Reaction Buffer No specific data.

Dpn I No specific data.

Control Primer 1 (34-mer) No specific data.

Control Primer 1 (34-mer)

Control Primer 2 (34-mer)

pWS4.5 Control Template

dNTP Mix

No specific data.

No specific data.

No specific data.

XL1-Blue electroporation No specific data.

competent cells

competent cells

pUC 18 DNA Control Plasmid No specific data. StrataClean Resin No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects: Not available.

#### Potential chronic health effects

General : PfuUltra HF DNA Polymerase No known significant effects or critical hazards.

10X Reaction Buffer No known significant effects or critical hazards.

No specific data.

Dpn I No known significant effects or critical hazards. Control Primer 1 (34-mer) No known significant effects or critical hazards.

Control Primer 2 (34-mer)
pWS4.5 Control Template
dNTP Mix

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

XL1-Blue electroporation

No known significant effects or critical hazards.

pUC 18 DNA Control Plasmid No known significant effects or critical hazards.

StrataClean Resin No known significant effects or critical hazards.

Carcinogenicity : PfuUltra HF DNA Polymerase No known significant effects or critical hazards.

10X Reaction Buffer No known significant effects or critical hazards.

Dpn I No known significant effects or critical hazards. Control Primer 1 (34-mer) No known significant effects or critical hazards.

Control Primer 2 (34-mer)

pWS4.5 Control Template

dNTP Mix

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

XL1-Blue electroporation

No known significant effects or critical hazards. competent cells

pUC 18 DNA Control Plasmid

No known significant effects or critical hazards.

StrataClean Resin

No known significant effects or critical hazards.

Date of issue: 11/29/2022 36/42

Mutagenici	ity	
------------	-----	--

: PfuUltra HF DNA Polymerase 10X Reaction Buffer Dpn I Control Primer 1 (34-mer) Control Primer 2 (34-mer) pWS4.5 Control Template dNTP Mix XL1-Blue electroporation competent cells pUC 18 DNA Control Plasmid StrataClean Resin

No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Reproductive toxicity

StrataClean Resin

FuUltra HF DNA Polymerase
10X Reaction Buffer
Dpn I
Control Primer 1 (34-mer)
Control Primer 2 (34-mer)
pWS4.5 Control Template
dNTP Mix
XL1-Blue electroporation
competent cells
pUC 18 DNA Control Plasmid
StrataClean Resin

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
PfuUltra HF DNA Polymerase					
Glycerol	12600	N/A	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), .alpha[	500	N/A	N/A	N/A	N/A
(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-					
10X Reaction Buffer					
10X Reaction Buffer	98687.3	N/A	N/A	N/A	N/A
Ammonium sulphate	2840	N/A	N/A	N/A	N/A
Polyoxyethylene octyl phenyl ether	1800	N/A	N/A	N/A	N/A
Dpn I					
Dpn I	130445.7	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
XL1-Blue electroporation competent cells					
Glycerol	12600	N/A	N/A	N/A	N/A

# Section 12. Ecological information

**12.1 Toxicity** 

Date of issue: 11/29/2022 37/42

Product/ingredient name	Result	Species	Exposure
PfuUltra HF DNA Polymerase			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Poly(oxy-1,2-ethanediyl), . alpha[ (1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	Acute EC50 210 μg/l Fresh water	Algae - Selenastrum sp.	96 hours
	Acute LC50 10800 μg/l Marine water	Crustaceans - Pandalus montagui - Adult	48 hours
	Acute LC50 8600 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 7200 μg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
10X Reaction Buffer			
Ammonium sulphate	Chronic NOEC 7.5 mg/l Marine water	Algae - Phaeodactylum tricornutum - Exponential growth phase	96 hours
Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - Ceriodaphnia rigaudi - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 4500 μg/l Fresh water	Fish - Pimephales promelas	96 hours
Dpn I			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
XL1-Blue electroporation competent cells			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
PfuUltra HF DNA Polymerase				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Dpn I				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
XL1-Blue electroporation				
competent cells				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

**Date of issue**: 11/29/2022 38/42

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
₹0X Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	-	-	Readily Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
PfuUltra HF DNA Polymerase Glycerol Poly(oxy-1,2-ethanediyl), . alpha[ (1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	-1.76 2.7	- 78.67	low low
10X Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	-5.1 4.86	-	low high
<b>Dpn I</b> Glycerol	-1.76	-	low
XL1-Blue electroporation competent cells Glycerol	-1.76	-	low

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

12.5 Other adverse effects

: No known significant effects or critical hazards.

# Section 13. Disposal considerations

#### 13.1 Waste treatment methods

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Date of issue: 11/29/2022 39/42

# Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

# Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated. **IATA** 

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

### **Section 15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : rSCA 8(a) PAIR: Polyoxyethylene octyl phenyl ether; Poly(oxy-1,2-ethanediyl), .alpha.-[

(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

**Class I Substances** 

: Not listed

Clean Air Act Section 602

**Class II Substances** 

: Not listed

**DEA List I Chemicals** 

: Not listed

(Precursor Chemicals) **DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

**SARA 302/304** 

Composition/information on ingredients

No products were found.

**SARA 304 RQ** 

: Not applicable.

**SARA 311/312** 

11/29/2022 Date of issue: 40/42

# **Section 15. Regulatory information**

Classification

PuUltra HF DNA Polymerase

10X Reaction Buffer

Dpn I

Control Primer 1 (34-mer)

EYE IRRITATION - Category 2B

EYE IRRITATION - Category 2B

Not applicable.

Control Primer 2 (34-mer)

pWS4.5 Control Template
dNTP Mix

XL1-Blue electroporation competent cells
pUC 18 DNA Control Plasmid

StrataClean Resin

Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not applicable.

#### **Composition/information on ingredients**

Name	%	Classification
PfuUltra HF DNA Polymerase Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
10X Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	≤3 <2.5	EYE IRRITATION - Category 2A ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1
Dpn I Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
XL1-Blue electroporation competent cells Glycerol	<10	EYE IRRITATION - Category 2B

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	10X Reaction Buffer Ammonium sulphate	7783-20-2	≤3
Supplier notification	10X Reaction Buffer Ammonium sulphate	7783-20-2	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### **State regulations**

Massachusetts : The following components are listed: GLYCERINE MIST

**New York**: None of the components are listed.

New Jersey : The following components are listed: GLYCERIN

Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

#### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**Date of issue:** 11/29/2022 **41/42** 

### Section 15. Regulatory information

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### **Inventory list**

Australia : Not determined.
Canada : Not determined.
China : Not determined.

Eurasian Economic Union : Russian Federation inventory: Not determined.

Japan : Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

**United States**: All components are active or exempted.

Viet Nam : Not determined.

### **Section 16. Other information**

### Procedure used to derive the classification

Classification	Justification
PfuUltra HF DNA Polymerase EYE IRRITATION - Category 2B	Calculation method
10X Reaction Buffer EYE IRRITATION - Category 2A AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method
Dpn I EYE IRRITATION - Category 2B	Calculation method

#### **History**

Date of issue : 11/29/2022 Date of previous issue : 06/01/2020

Version : 6

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

Indicates information that has changed from previously issued version.

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue: 11/29/2022 42/42