

SAFETY DATA SHEET

BL21-CodonPlus-RP Competent Cells, Part Number 230250

Section 1. Identification

Product identifier	: BL21-CodonPlus-RP Competent Cells, Part Number 230250		
Part no. (chemical kit)	: 230250		
Part no.	: BL21-CodonPlus-RP competent cells	230250-41	
	pUC 18 DNA Control Plasmid	200231-42	
	XL10-Gold 2-Mercaptoethanol	200314-43	
Material uses	: Analytical reagent.		
	BL21-CodonPlus-RP competent cells	1 ml (10 x 100 µl)	
	pUC 18 DNA Control Plasmid	0.01 ml (0.1 ng/µl)	
	XL10-Gold 2-Mercaptoethanol	0.05 ml	
Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770		
Emergency telephone number (with hours of operation)	: CHEMTREC®: 1-800-424-9300		

Section 2. Hazard identification

Classification of the substance or mixture

BL21-CodonPlus-RP competent cells

H320 EYE IRRITATION - Category 2B

XL10-Gold

2-Mercaptoethanol

H318 SERIOUS EYE DAMAGE - Category 1
 H317 SKIN SENSITIZATION - Category 1A
 H361 TOXIC TO REPRODUCTION - Category 2
 H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
 H412 AQUATIC HAZARD (LONG-TERM) - Category 3

GHS label elements

Hazard pictograms

: XL10-Gold
2-Mercaptoethanol

Signal word

: BL21-CodonPlus-RP competent cells	Warning
pUC 18 DNA Control Plasmid	No signal word.
XL10-Gold	Danger
2-Mercaptoethanol	

Section 2. Hazard identification

Hazard statements	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	H320 - Causes eye irritation. No known significant effects or critical hazards. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H361 - Suspected of damaging fertility or the unborn child. H373 - May cause damage to organs through prolonged or repeated exposure. (heart, liver) H412 - Harmful to aquatic life with long lasting effects.
<u>Precautionary statements</u>		
Prevention	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	Not applicable. Not applicable. P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing and eye or face protection. P273 - Avoid release to the environment. P260 - Do not breathe vapor.
Response	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. Not applicable. P308 + P313 - IF exposed or concerned: Get medical advice or attention. P362 + P364 - Take off contaminated clothing and wash it before reuse. P302 + P352 - IF ON SKIN: Wash with plenty of water. P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention. P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	Not applicable. Not applicable. Not applicable.
Disposal	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	Not applicable. Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol BL21-CodonPlus-RP competent cells	None known. None known. None known. Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5%

Section 2. Hazard identification

Other hazards which do not result in classification :

BL21-CodonPlus-RP competent cells	None known.
pUC 18 DNA Control Plasmid	None known.
XL10-Gold	None known.
2-Mercaptoethanol	

Section 3. Composition/information on ingredients

Substance/mixture :

BL21-CodonPlus-RP competent cells	Mixture
pUC 18 DNA Control Plasmid	Mixture
XL10-Gold	Mixture
2-Mercaptoethanol	

Ingredient name	% (w/w)	CAS number
BL21-CodonPlus-RP competent cells		
Glycerol	5 - 10	56-81-5
Dimethyl sulfoxide	3 - 7	67-68-5
Potassium chloride	1 - 5	7447-40-7
XL10-Gold 2-Mercaptoethanol		
Sodium chloride	7 - 13	7647-14-5
2-Mercaptoethanol	1 - 5	60-24-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact :

BL21-CodonPlus-RP competent cells	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
pUC 18 DNA Control Plasmid	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
XL10-Gold	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
2-Mercaptoethanol	

Inhalation :

BL21-CodonPlus-RP competent cells	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
pUC 18 DNA Control Plasmid	Remove victim to fresh air and keep at rest in a

Section 4. First-aid measures

		<p>position comfortable for breathing. Get medical attention if symptoms occur.</p> <p>Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
	<p>XL10-Gold 2-Mercaptoethanol</p>	
Skin contact	<p>: BL21-CodonPlus-RP competent cells</p> <p>pUC 18 DNA Control Plasmid</p> <p>XL10-Gold 2-Mercaptoethanol</p>	<p>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.</p> <p>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</p> <p>Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.</p>
Ingestion	<p>: BL21-CodonPlus-RP competent cells</p> <p>pUC 18 DNA Control Plasmid</p> <p>XL10-Gold 2-Mercaptoethanol</p>	<p>Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> <p>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p> <p>Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head</p>

Section 4. First-aid measures

should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: BL21-CodonPlus-RP competent cells	Causes eye irritation.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	XL10-Gold	Causes serious eye damage.
	2-Mercaptoethanol	
Inhalation	: BL21-CodonPlus-RP competent cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	XL10-Gold	No known significant effects or critical hazards.
	2-Mercaptoethanol	
Skin contact	: BL21-CodonPlus-RP competent cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	XL10-Gold	May cause an allergic skin reaction.
	2-Mercaptoethanol	
Ingestion	: BL21-CodonPlus-RP competent cells	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	XL10-Gold	No known significant effects or critical hazards.
	2-Mercaptoethanol	

Over-exposure signs/symptoms

Eye contact	: BL21-CodonPlus-RP competent cells	Adverse symptoms may include the following: irritation watering redness
	pUC 18 DNA Control Plasmid	No specific data.
	XL10-Gold	Adverse symptoms may include the following: pain watering redness
	2-Mercaptoethanol	
Inhalation	: BL21-CodonPlus-RP competent cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
	XL10-Gold	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	2-Mercaptoethanol	
Skin contact	: BL21-CodonPlus-RP competent cells	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
	XL10-Gold	Adverse symptoms may include the following: pain or irritation redness
	2-Mercaptoethanol	

Section 4. First-aid measures

		blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	No specific data. No specific data. Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	No specific treatment. No specific treatment. No specific treatment.
Protection of first-aiders	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
-------------------------------------	--	---

Section 5. Fire-fighting measures

Unsuitable extinguishing media	: BL21-CodonPlus-RP competent cells	None known.
	pUC 18 DNA Control Plasmid	None known.
	XL10-Gold 2-Mercaptoethanol	None known.
Specific hazards arising from the chemical	: BL21-CodonPlus-RP competent cells	In a fire or if heated, a pressure increase will occur and the container may burst.
	pUC 18 DNA Control Plasmid	In a fire or if heated, a pressure increase will occur and the container may burst.
	XL10-Gold 2-Mercaptoethanol	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: BL21-CodonPlus-RP competent cells	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
	pUC 18 DNA Control Plasmid	No specific data.
	XL10-Gold 2-Mercaptoethanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	: BL21-CodonPlus-RP competent cells	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	pUC 18 DNA Control Plasmid	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	XL10-Gold 2-Mercaptoethanol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: BL21-CodonPlus-RP competent cells	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	pUC 18 DNA Control Plasmid	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	XL10-Gold 2-Mercaptoethanol	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: BL21-CodonPlus-RP competent cells	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	pUC 18 DNA Control Plasmid	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	XL10-Gold 2-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: BL21-CodonPlus-RP competent cells	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pUC 18 DNA Control Plasmid	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	XL10-Gold 2-Mercaptoethanol	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: BL21-CodonPlus-RP competent cells	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pUC 18 DNA Control Plasmid	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	XL10-Gold 2-Mercaptoethanol	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Methods for cleaning up	: BL21-CodonPlus-RP competent cells	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	pUC 18 DNA Control Plasmid	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	XL10-Gold 2-Mercaptoethanol	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: BL21-CodonPlus-RP competent cells	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	pUC 18 DNA Control Plasmid	Put on appropriate personal protective equipment (see Section 8).
	XL10-Gold 2-Mercaptoethanol	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: BL21-CodonPlus-RP competent cells	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	pUC 18 DNA Control Plasmid	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

Section 7. Handling and storage

XL10-Gold
2-Mercaptoethanol

before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : BL21-CodonPlus-RP competent cells

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

pUC 18 DNA Control Plasmid

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

XL10-Gold
2-Mercaptoethanol

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

[Control parameters](#)

[Occupational exposure limits](#)

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
<p>BL21-CodonPlus-RP competent cells Glycerol</p> <p>Dimethyl sulfoxide</p> <p>XL10-Gold 2-Mercaptoethanol 2-Mercaptoethanol</p>	<p>CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist</p> <p>CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist</p> <p>CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist</p> <p>CA British Columbia Provincial (Canada, 1/2021). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist</p> <p>OARS WEEL (United States, 1/2021). TWA: 250 ppm 8 hours.</p> <p>OARS WEEL (United States, 1/2021). Absorbed through skin. TWA: 0.2 ppm 8 hours.</p>

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Section 8. Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : BL21-CodonPlus-RP competent cells Liquid.
pUC 18 DNA Control Plasmid Liquid.
XL10-Gold Liquid.
2-Mercaptoethanol
- Color** : BL21-CodonPlus-RP competent cells Not available.
pUC 18 DNA Control Plasmid Not available.
XL10-Gold Not available.
2-Mercaptoethanol
- Odor** : BL21-CodonPlus-RP competent cells Not available.
pUC 18 DNA Control Plasmid Not available.
XL10-Gold Not available.
2-Mercaptoethanol
- Odor threshold** : BL21-CodonPlus-RP competent cells Not available.
pUC 18 DNA Control Plasmid Not available.
XL10-Gold Not available.
2-Mercaptoethanol
- pH** : BL21-CodonPlus-RP competent cells 6.4
pUC 18 DNA Control Plasmid 7.5
XL10-Gold Not available.
2-Mercaptoethanol
- Melting point/freezing point** : BL21-CodonPlus-RP competent cells Not available.
pUC 18 DNA Control Plasmid 0°C (32°F)
XL10-Gold Not available.
2-Mercaptoethanol
- Boiling point, initial boiling point, and boiling range** : BL21-CodonPlus-RP competent cells Not available.
pUC 18 DNA Control Plasmid 100°C (212°F)
XL10-Gold Not available.
2-Mercaptoethanol
- Flash point** :

Section 9. Physical and chemical properties and safety characteristics

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
BL21-CodonPlus-RP competent cells						
Dimethyl sulfoxide	87	188.6	ASTM D 93	87	188.6	
Glycerol			Pensky-Martens	177	350.6	
pUC 18 DNA Control Plasmid						
Edetic acid	>100	>212	DIN 51758			
XL10-Gold 2-Mercaptoethanol						
2-Mercaptoethanol	74	165.2		74	165.2	

Evaporation rate : BL21-CodonPlus-RP competent cells Not available.
 pUC 18 DNA Control Plasmid Not available.
 XL10-Gold Not available.
 2-Mercaptoethanol

Flammability : BL21-CodonPlus-RP competent cells Not applicable.
 pUC 18 DNA Control Plasmid Not applicable.
 XL10-Gold Not applicable.
 2-Mercaptoethanol

Lower and upper explosion limit/flammability limit : BL21-CodonPlus-RP competent cells Not available.
 pUC 18 DNA Control Plasmid Not available.
 XL10-Gold Not available.
 2-Mercaptoethanol

Vapor pressure :

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
BL21-CodonPlus-RP competent cells						
Water	23.8	3.2		92.258	12.3	
Dimethyl sulfoxide	0.42	0.056	EU A.4			
pUC 18 DNA Control Plasmid						
Water	23.8	3.2		92.258	12.3	
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0	0		0.000007501	0.000001	
XL10-Gold 2-Mercaptoethanol						
Water	23.8	3.2		92.258	12.3	
2-Mercaptoethanol	0.98	0.13				

Section 9. Physical and chemical properties and safety characteristics

Relative vapor density	:	BL21-CodonPlus-RP competent cells	Not available.																																
		pUC 18 DNA Control Plasmid	Not available.																																
		XL10-Gold	Not available.																																
		2-Mercaptoethanol																																	
Relative density	:	BL21-CodonPlus-RP competent cells	Not available.																																
		pUC 18 DNA Control Plasmid	Not available.																																
		XL10-Gold	Not available.																																
		2-Mercaptoethanol																																	
Solubility	:	BL21-CodonPlus-RP competent cells	Soluble in the following materials: cold water and hot water.																																
		pUC 18 DNA Control Plasmid	Easily soluble in the following materials: cold water and hot water.																																
		XL10-Gold	Easily soluble in the following materials: cold water and hot water.																																
		2-Mercaptoethanol																																	
Partition coefficient: n-octanol/water	:	BL21-CodonPlus-RP competent cells	Not applicable.																																
		pUC 18 DNA Control Plasmid	Not applicable.																																
		XL10-Gold	Not applicable.																																
		2-Mercaptoethanol																																	
Auto-ignition temperature	:	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Ingredient name</th> <th style="text-align: center;">°C</th> <th style="text-align: center;">°F</th> <th style="text-align: left;">Method</th> </tr> </thead> <tbody> <tr> <td>BL21-CodonPlus-RP competent cells</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Dimethyl sulfoxide</td> <td style="text-align: center;">300 to 302</td> <td style="text-align: center;">572 to 575.6</td> <td></td> </tr> <tr> <td>Glycerol</td> <td style="text-align: center;">370</td> <td style="text-align: center;">698</td> <td></td> </tr> <tr> <td>pUC 18 DNA Control Plasmid</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Edetic acid</td> <td style="text-align: center;">>400</td> <td style="text-align: center;">>752</td> <td style="text-align: center;">VDI 2263</td> </tr> <tr> <td>XL10-Gold 2-Mercaptoethanol</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2-Mercaptoethanol</td> <td style="text-align: center;">295</td> <td style="text-align: center;">563</td> <td></td> </tr> </tbody> </table>		Ingredient name	°C	°F	Method	BL21-CodonPlus-RP competent cells				Dimethyl sulfoxide	300 to 302	572 to 575.6		Glycerol	370	698		pUC 18 DNA Control Plasmid				Edetic acid	>400	>752	VDI 2263	XL10-Gold 2-Mercaptoethanol				2-Mercaptoethanol	295	563	
Ingredient name	°C	°F	Method																																
BL21-CodonPlus-RP competent cells																																			
Dimethyl sulfoxide	300 to 302	572 to 575.6																																	
Glycerol	370	698																																	
pUC 18 DNA Control Plasmid																																			
Edetic acid	>400	>752	VDI 2263																																
XL10-Gold 2-Mercaptoethanol																																			
2-Mercaptoethanol	295	563																																	
Decomposition temperature	:	BL21-CodonPlus-RP competent cells	Not available.																																
		pUC 18 DNA Control Plasmid	Not available.																																
		XL10-Gold	Not available.																																
		2-Mercaptoethanol																																	
Viscosity	:	BL21-CodonPlus-RP competent cells	Not available.																																
		pUC 18 DNA Control Plasmid	Not available.																																
		XL10-Gold	Not available.																																
		2-Mercaptoethanol																																	
Particle characteristics																																			
Median particle size	:	BL21-CodonPlus-RP competent cells	Not applicable.																																
		pUC 18 DNA Control Plasmid	Not applicable.																																
		XL10-Gold	Not applicable.																																
		2-Mercaptoethanol																																	

Section 10. Stability and reactivity

Reactivity	<ul style="list-style-type: none"> : BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol 	<ul style="list-style-type: none"> No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	<ul style="list-style-type: none"> : BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol 	<ul style="list-style-type: none"> The product is stable. The product is stable. The product is stable.
Possibility of hazardous reactions	<ul style="list-style-type: none"> : BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol 	<ul style="list-style-type: none"> Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	<ul style="list-style-type: none"> : BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol 	<ul style="list-style-type: none"> No specific data. No specific data. No specific data.
Incompatible materials	<ul style="list-style-type: none"> : BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol 	<ul style="list-style-type: none"> May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
Hazardous decomposition products	<ul style="list-style-type: none"> : BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol 	<ul style="list-style-type: none"> Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
BL21-CodonPlus-RP competent cells				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Dimethyl sulfoxide	LD50 Dermal	Rat	40000 mg/kg	-
Potassium chloride	LD50 Oral	Rat	14500 mg/kg	-
	LD50 Oral	Rat	2600 mg/kg	-
XL10-Gold				

Section 11. Toxicological information

2-Mercaptoethanol				
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
2-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
BL21-CodonPlus-RP competent cells	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Mild irritant	Rabbit	-	100 mg	-
Dimethyl sulfoxide	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	100 mg	-
Potassium chloride	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
XL10-Gold 2-Mercaptoethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Sodium chloride	Eyes - Severe irritant	Rabbit	-	2 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
XL10-Gold 2-Mercaptoethanol 2-Mercaptoethanol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
XL10-Gold 2-Mercaptoethanol 2-Mercaptoethanol	Category 2	oral	heart, liver

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure : BL21-CodonPlus-RP competent cells Routes of entry anticipated: Oral, Dermal, Inhalation.
 pUC 18 DNA Control Plasmid Not available.
 XL10-Gold Routes of entry anticipated: Oral, Dermal, Inhalation.
 2-Mercaptoethanol

Potential acute health effects

Eye contact : BL21-CodonPlus-RP competent cells Causes eye irritation.
 pUC 18 DNA Control Plasmid No known significant effects or critical hazards.
 XL10-Gold Causes serious eye damage.
 2-Mercaptoethanol

Inhalation : BL21-CodonPlus-RP competent cells No known significant effects or critical hazards.
 pUC 18 DNA Control Plasmid No known significant effects or critical hazards.
 XL10-Gold No known significant effects or critical hazards.
 2-Mercaptoethanol

Skin contact : BL21-CodonPlus-RP competent cells No known significant effects or critical hazards.
 pUC 18 DNA Control Plasmid No known significant effects or critical hazards.
 XL10-Gold May cause an allergic skin reaction.
 2-Mercaptoethanol

Ingestion : BL21-CodonPlus-RP competent cells No known significant effects or critical hazards.
 pUC 18 DNA Control Plasmid No known significant effects or critical hazards.
 XL10-Gold No known significant effects or critical hazards.
 2-Mercaptoethanol

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : BL21-CodonPlus-RP competent cells Adverse symptoms may include the following:
 irritation
 watering
 redness
 pUC 18 DNA Control Plasmid No specific data.
 XL10-Gold Adverse symptoms may include the following:
 2-Mercaptoethanol

pain
 watering
 redness

Inhalation : BL21-CodonPlus-RP competent cells No specific data.
 pUC 18 DNA Control Plasmid No specific data.
 XL10-Gold Adverse symptoms may include the following:
 2-Mercaptoethanol

reduced fetal weight
 increase in fetal deaths
 skeletal malformations

Skin contact : BL21-CodonPlus-RP competent cells No specific data.
 pUC 18 DNA Control Plasmid No specific data.
 XL10-Gold Adverse symptoms may include the following:
 2-Mercaptoethanol

pain or irritation
 redness
 blistering may occur
 reduced fetal weight

Section 11. Toxicological information

Ingestion	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	increase in fetal deaths skeletal malformations No specific data. No specific data. Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
------------------	---	--

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: BL21-CodonPlus-RP competent cells pUC 18 DNA Control Plasmid XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards. No known significant effects or critical hazards. Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
BL21-CodonPlus-RP competent cells					
BL21-CodonPlus-RP competent cells	136842.1	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Dimethyl sulfoxide	14500	40000	N/A	N/A	N/A
Potassium chloride	2600	N/A	N/A	N/A	N/A
XL10-Gold 2-Mercaptoethanol					
XL10-Gold 2-Mercaptoethanol	4615.5	4545.5	N/A	60.7	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
2-Mercaptoethanol	244	200	N/A	3	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
BL21-CodonPlus-RP competent cells			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Dimethyl sulfoxide	Acute LC50 25000 ppm Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 34000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 100 µl/L Marine water	Algae - Ulva lactuca	72 hours
	Chronic NOEC 100 µl/L Fresh water	Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)	21 days
Potassium chloride	Acute EC50 1337000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 9.24 g/L Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 83000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - Pseudosida ramosa - Neonate	48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - Danio rerio	96 hours
XL10-Gold 2-Mercaptoethanol			
Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

Persistence and degradability

Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
BL21-CodonPlus-RP competent cells Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Dimethyl sulfoxide	OECD 301D Ready Biodegradability - Closed Bottle Test	31 % - Not readily - 28 days	-	-
XL10-Gold 2-Mercaptoethanol 2-Mercaptoethanol	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	69 % - Not readily - 60 days	20 mg/l	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
BL21-CodonPlus-RP competent cells Dimethyl sulfoxide	-	-	Not readily Readily
Potassium chloride	-	-	
XL10-Gold 2-Mercaptoethanol 2-Mercaptoethanol	-	-	Not readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
BL21-CodonPlus-RP competent cells Glycerol	-1.76	-	low
Dimethyl sulfoxide	-1.35	3.16	low
Potassium chloride	-0.46	-	low
XL10-Gold 2-Mercaptoethanol 2-Mercaptoethanol	-0.056	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed.

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : Not determined.

Europe : All components are listed or exempted.

Japan : **Japan inventory (CSCL):** Not determined.
Japan inventory (ISHL): All components are listed or exempted.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : All components are listed or exempted.

Section 15. Regulatory information

Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are active or exempted.
Viet Nam	: Not determined.

Section 16. Other information

History

Date of issue/Date of revision : 01/31/2022

Date of previous issue : 01/07/2021

Version : 9

Key to abbreviations : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 HPR = Hazardous Products Regulations
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 N/A = Not available
 UN = United Nations

Procedure used to derive the classification

Classification	Justification
BL21-CodonPlus-RP competent cells EYE IRRITATION - Category 2B	Calculation method
XL10-Gold 2-Mercaptoethanol SERIOUS EYE DAMAGE - Category 1	Calculation method
SKIN SENSITIZATION - Category 1A	Calculation method
TOXIC TO REPRODUCTION - Category 2	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method

References : Not available.

☑ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.