

SAFETY DATA SHEET



Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211
Part no. (chemical kit) : 234211
Part no. : Lambda gt11 Vector 234211-51
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert 210200-51
Y1088 E. coli Strain 200263-81
Y1089r- E. coli Strain 200260-81
Y1090r- E. coli Strain 200281-81

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical reagent.
Lambda gt11 Vector Digested With EcoR I 0.01 ml (10 µg 1 µg/µl)
And Dephosphorylated
pRheo/EcoR I Test Insert 0.005 ml (1.25 µg 0.25 µg/µl)
Y1088 E. coli Strain 0.5 ml
Y1089r- E. coli Strain 0.5 ml
Y1090r- E. coli Strain 0.5 ml

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Lambda gt11 Vector Mixture
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert Mixture
Y1088 E. coli Strain Mixture
Y1089r- E. coli Strain Mixture
Y1090r- E. coli Strain Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 2: Hazards identification

Ingredients of unknown toxicity	: Y1088 E. coli Strain	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 10 - 30%
	Y1089r- E. coli Strain	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 10 - 30%
	Y1090r- E. coli Strain	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 10 - 30%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No signal word. No signal word. No signal word. No signal word. No signal word.
Hazard statements	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Precautionary statements</u>		
Prevention	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
Response	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
Storage	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
Hazardous ingredients	: Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Not applicable. Not applicable. Not applicable.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 2: Hazards identification

Supplemental label elements : Lambda gt11 Vector Not applicable.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not applicable.
 Y1088 E. coli Strain Safety data sheet available on request.
 Y1089r- E. coli Strain Safety data sheet available on request.
 Y1090r- E. coli Strain Safety data sheet available on request.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Lambda gt11 Vector Not applicable.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not applicable.
 Y1088 E. coli Strain Not applicable.
 Y1089r- E. coli Strain Not applicable.
 Y1090r- E. coli Strain Not applicable.

Special packaging requirements

Tactile warning of danger : Lambda gt11 Vector Not applicable.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not applicable.
 Y1088 E. coli Strain Not applicable.
 Y1089r- E. coli Strain Not applicable.
 Y1090r- E. coli Strain Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : Lambda gt11 Vector This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
 Y1088 E. coli Strain This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
 Y1089r- E. coli Strain This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
 Y1090r- E. coli Strain This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification : Lambda gt11 Vector None known.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert None known.
 Y1088 E. coli Strain None known.
 Y1089r- E. coli Strain None known.
 Y1090r- E. coli Strain None known.

SECTION 3: Composition/information on ingredients

3.1 Substances : Lambda gt11 Vector Digested Mixture
 With EcoR I And
 Dephosphorylated
 pRheo/EcoR I Test Insert Mixture
 Y1088 E. coli Strain Mixture
 Y1089r- E. coli Strain Mixture
 Y1090r- E. coli Strain Mixture

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
Y1088 E. coli Strain Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
Y1089r- E. coli Strain Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
Y1090r- E. coli Strain Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Y1088 E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Y1089r- E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Y1090r- E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 4: First aid measures

Inhalation	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRho/EcoR I Test Insert	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Y1088 E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Y1089r- E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Y1090r- E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRho/EcoR I Test Insert	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Y1088 E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Y1089r- E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Y1090r- E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRho/EcoR I Test Insert	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Y1088 E. coli Strain	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Y1089r- E. coli Strain	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Y1090r- E. coli Strain	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRho/EcoR I Test Insert	No action shall be taken involving any personal risk or without suitable training.
	Y1088 E. coli Strain	No action shall be taken involving any personal risk or without suitable training.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 4: First aid measures

Y1089r- E. coli Strain	No action shall be taken involving any personal risk or without suitable training.
Y1090r- E. coli Strain	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Inhalation	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No specific data. No specific data. No specific data. No specific data. No specific data.
Inhalation	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No specific data. No specific data. No specific data. No specific data. No specific data.
Skin contact	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No specific data. No specific data. No specific data. No specific data. No specific data.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 4: First aid measures

Ingestion	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No specific data. No specific data. No specific data. No specific data.
------------------	--	--

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	No specific treatment. No specific treatment. No specific treatment. No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	None known. None known. None known. None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
--	--	---

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 5: Firefighting measures

Hazardous combustion products	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain	No specific data. No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
	Y1089r- E. coli Strain	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
	Y1090r- E. coli Strain	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

Special precautions for fire-fighters	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Y1088 E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Y1089r- E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Y1090r- E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	pRheo/EcoR I Test Insert	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Y1088 E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Y1089r- E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Y1090r- E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 5: Firefighting measures

face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	pRheo/EcoR I Test Insert	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Y1088 E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Y1089r- E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Y1090r- E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pRheo/EcoR I Test Insert	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Y1088 E. coli Strain	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Y1089r- E. coli Strain	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Y1090r- E. coli Strain	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pRheo/EcoR I Test Insert	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 6: Accidental release measures

Y1088 E. coli Strain	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Y1089r- E. coli Strain	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Y1090r- E. coli Strain	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	pRheo/EcoR I Test Insert	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Y1088 E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Y1089r- E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Y1090r- E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Put on appropriate personal protective equipment (see Section 8).
	pRheo/EcoR I Test Insert	Put on appropriate personal protective equipment (see Section 8).
	Y1088 E. coli Strain	Put on appropriate personal protective equipment (see Section 8).
	Y1089r- E. coli Strain	Put on appropriate personal protective equipment (see Section 8).
	Y1090r- E. coli Strain	Put on appropriate personal protective equipment (see Section 8).

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 7: Handling and storage

Advice on general occupational hygiene

: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
pRheo/EcoR I Test Insert	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Y1088 E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Y1089r- E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Y1090r- E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
pRheo/EcoR I Test Insert	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Y1088 E. coli Strain	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 7: Handling and storage

Y1089r- E. coli Strain	appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Y1090r- E. coli Strain	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Not available. Not available. Not available. Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Y1088 E. coli Strain Glycerol	NAOSH (Ireland, 1/2020). OELV-8hr: 10 mg/m ³ 8 hours. Form: mist
Y1089r- E. coli Strain Glycerol	NAOSH (Ireland, 1/2020). OELV-8hr: 10 mg/m ³ 8 hours. Form: mist
Y1090r- E. coli Strain Glycerol	NAOSH (Ireland, 1/2020). OELV-8hr: 10 mg/m ³ 8 hours. Form: mist

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
Y1088 E. coli Strain Sodium chloride	DNEL	Short term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	2068.62 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	2068.62 mg/m ³	Workers	Systemic
Y1089r- E. coli Strain Sodium chloride	DNEL	Short term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	2068.62 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	2068.62 mg/m ³	Workers	Systemic
Y1090r- E. coli Strain Sodium chloride	DNEL	Short term Oral	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	126.65 mg/kg bw/day	General population	Systemic

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 8: Exposure controls/personal protection

	DNEL	Short term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	126.65 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	295.52 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	443.28 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	2068.62 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	2068.62 mg/m ³	Workers	Systemic

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Liquid.
	pRheo/EcoR I Test Insert	Liquid.
	Y1088 E. coli Strain	Liquid.
	Y1089r- E. coli Strain	Liquid.
	Y1090r- E. coli Strain	Liquid.
Colour	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Not available.
	pRheo/EcoR I Test Insert	Not available.
	Y1088 E. coli Strain	Not available.
	Y1089r- E. coli Strain	Not available.
	Y1090r- E. coli Strain	Not available.
Odour	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Not available.
	pRheo/EcoR I Test Insert	Not available.
	Y1088 E. coli Strain	Not available.
	Y1089r- E. coli Strain	Not available.
	Y1090r- E. coli Strain	Not available.
Odour threshold	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Not available.
	pRheo/EcoR I Test Insert	Not available.
	Y1088 E. coli Strain	Not available.
	Y1089r- E. coli Strain	Not available.
	Y1090r- E. coli Strain	Not available.
Melting point/freezing point	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	0°C
	pRheo/EcoR I Test Insert	0°C
	Y1088 E. coli Strain	Not available.
	Y1089r- E. coli Strain	Not available.
	Y1090r- E. coli Strain	Not available.
Initial boiling point and boiling range	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	100°C (212°F)
	pRheo/EcoR I Test Insert	100°C (212°F)
	Y1088 E. coli Strain	Not available.
	Y1089r- E. coli Strain	Not available.
	Y1090r- E. coli Strain	Not available.
Flammability (solid, gas)	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Not applicable.
	pRheo/EcoR I Test Insert	Not applicable.
	Y1088 E. coli Strain	Not applicable.
	Y1089r- E. coli Strain	Not applicable.
	Y1090r- E. coli Strain	Not applicable.
Upper/lower flammability or explosive limits	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Not available.
	pRheo/EcoR I Test Insert	Not available.
	Y1088 E. coli Strain	Not available.
	Y1089r- E. coli Strain	Not available.
	Y1090r- E. coli Strain	Not available.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 9: Physical and chemical properties

Flash point

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
Lambda gt11 Vector Digested With EcoR I And Dephosphorylated						
Edetic acid	>100	>212	DIN 51758			
pRheo/EcoR I Test Insert						
Edetic acid	>100	>212	DIN 51758			
Y1088 E. coli Strain						
Glycerol				177	350.6	
Y1089r- E. coli Strain						
Glycerol				177	350.6	
Y1090r- E. coli Strain						
Glycerol				177	350.6	

Auto-ignition temperature

Ingredient name	°C	°F	Method
Lambda gt11 Vector Digested With EcoR I And Dephosphorylated			
Edetic acid	>400	>752	VDI 2263
pRheo/EcoR I Test Insert			
Edetic acid	>400	>752	VDI 2263
Y1088 E. coli Strain			
Glycerol	370	698	
Y1089r- E. coli Strain			
Glycerol	370	698	
Y1090r- E. coli Strain			
Glycerol	370	698	

Decomposition temperature

Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	Not available.
pRheo/EcoR I Test Insert	Not available.
Y1088 E. coli Strain	Not available.
Y1089r- E. coli Strain	Not available.
Y1090r- E. coli Strain	Not available.

pH

Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	7.5
pRheo/EcoR I Test Insert	7.5
Y1088 E. coli Strain	7
Y1089r- E. coli Strain	7
Y1090r- E. coli Strain	7

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 9: Physical and chemical properties

- Viscosity** : Lambda gt11 Vector Not available.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not available.
 Y1088 E. coli Strain Not available.
 Y1089r- E. coli Strain Not available.
 Y1090r- E. coli Strain Not available.
- Solubility(ies)** : Lambda gt11 Vector Easily soluble in the following materials: cold water and hot water.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Easily soluble in the following materials: cold water and hot water.
 Y1088 E. coli Strain Easily soluble in the following materials: cold water and hot water.
 Y1089r- E. coli Strain Easily soluble in the following materials: cold water and hot water.
 Y1090r- E. coli Strain Easily soluble in the following materials: cold water and hot water.
- Partition coefficient: n-octanol/water** : Lambda gt11 Vector Not applicable.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not applicable.
 Y1088 E. coli Strain Not applicable.
 Y1089r- E. coli Strain Not applicable.
 Y1090r- E. coli Strain Not applicable.
- Vapour pressure** :

Ingredient name	Vapour Pressure at 20°C			Vapour pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Lambda gt11 Vector Digested With EcoR I And Dephosphorylated						
water	23.8	3.2		92.258	12.3	
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001	
pRheo/EcoR I Test Insert						
water	23.8	3.2		92.258	12.3	
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001	
Y1088 E. coli Strain						
water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
Y1089r- E. coli Strain						
water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
Y1090r- E. coli Strain						
water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 9: Physical and chemical properties

Evaporation rate : Lambda gt11 Vector Not available.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not available.
 Y1088 E. coli Strain Not available.
 Y1089r- E. coli Strain Not available.
 Y1090r- E. coli Strain Not available.

Relative density : Lambda gt11 Vector Not available.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not available.
 Y1088 E. coli Strain Not available.
 Y1089r- E. coli Strain Not available.
 Y1090r- E. coli Strain Not available.

Vapour density : Lambda gt11 Vector Not available.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not available.
 Y1088 E. coli Strain Not available.
 Y1089r- E. coli Strain Not available.
 Y1090r- E. coli Strain Not available.

Oxidising properties : Lambda gt11 Vector Not available.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not available.
 Y1088 E. coli Strain Not available.
 Y1089r- E. coli Strain Not available.
 Y1090r- E. coli Strain Not available.

Particle characteristics

Median particle size : Lambda gt11 Vector Not applicable.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert Not applicable.
 Y1088 E. coli Strain Not applicable.
 Y1089r- E. coli Strain Not applicable.
 Y1090r- E. coli Strain Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : Lambda gt11 Vector No specific test data related to reactivity available for this product or its ingredients.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert No specific test data related to reactivity available for this product or its ingredients.
 Y1088 E. coli Strain No specific test data related to reactivity available for this product or its ingredients.
 Y1089r- E. coli Strain No specific test data related to reactivity available for this product or its ingredients.
 Y1090r- E. coli Strain No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : Lambda gt11 Vector The product is stable.
 Digested With EcoR I
 And Dephosphorylated
 pRheo/EcoR I Test Insert The product is stable.
 Y1088 E. coli Strain The product is stable.
 Y1089r- E. coli Strain The product is stable.
 Y1090r- E. coli Strain The product is stable.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 10: Stability and reactivity

10.3 Possibility of hazardous reactions	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert	Under normal conditions of storage and use, hazardous reactions will not occur.
	Y1088 E. coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur.
	Y1089r- E. coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur.
	Y1090r- E. coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert	No specific data.
	Y1088 E. coli Strain	No specific data.
	Y1089r- E. coli Strain	No specific data.
	Y1090r- E. coli Strain	No specific data.
10.5 Incompatible materials	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert	May react or be incompatible with oxidising materials.
	Y1088 E. coli Strain	May react or be incompatible with oxidising materials.
	Y1089r- E. coli Strain	May react or be incompatible with oxidising materials.
	Y1090r- E. coli Strain	May react or be incompatible with oxidising materials.
10.6 Hazardous decomposition products	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Y1088 E. coli Strain	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Y1089r- E. coli Strain	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Y1090r- E. coli Strain	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Y1088 E. coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Y1089r- E. coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Y1090r- E. coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

Acute toxicity estimates

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 11: Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Y1088 E. coli Strain Sodium chloride	3000	N/A	N/A	N/A	N/A
Y1089r- E. coli Strain Sodium chloride	3000	N/A	N/A	N/A	N/A
Y1090r- E. coli Strain Sodium chloride	3000	N/A	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Y1088 E. coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Y1089r- E. coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Y1090r- E. coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 11: Toxicological information

Information on likely routes of exposure : Lambda gt11 Vector Not available.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert Not available.
Y1088 E. coli Strain Routes of entry anticipated: Oral, Dermal, Inhalation.
Y1089- E. coli Strain Routes of entry anticipated: Oral, Dermal, Inhalation.
Y1090- E. coli Strain Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Inhalation : Lambda gt11 Vector No known significant effects or critical hazards.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert No known significant effects or critical hazards.
Y1088 E. coli Strain No known significant effects or critical hazards.
Y1089- E. coli Strain No known significant effects or critical hazards.
Y1090- E. coli Strain No known significant effects or critical hazards.

Ingestion : Lambda gt11 Vector No known significant effects or critical hazards.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert No known significant effects or critical hazards.
Y1088 E. coli Strain No known significant effects or critical hazards.
Y1089- E. coli Strain No known significant effects or critical hazards.
Y1090- E. coli Strain No known significant effects or critical hazards.

Skin contact : Lambda gt11 Vector No known significant effects or critical hazards.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert No known significant effects or critical hazards.
Y1088 E. coli Strain No known significant effects or critical hazards.
Y1089- E. coli Strain No known significant effects or critical hazards.
Y1090- E. coli Strain No known significant effects or critical hazards.

Eye contact : Lambda gt11 Vector No known significant effects or critical hazards.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert No known significant effects or critical hazards.
Y1088 E. coli Strain No known significant effects or critical hazards.
Y1089- E. coli Strain No known significant effects or critical hazards.
Y1090- E. coli Strain No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Lambda gt11 Vector No specific data.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert No specific data.
Y1088 E. coli Strain No specific data.
Y1089- E. coli Strain No specific data.
Y1090- E. coli Strain No specific data.

Ingestion : Lambda gt11 Vector No specific data.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert No specific data.
Y1088 E. coli Strain No specific data.
Y1089- E. coli Strain No specific data.
Y1090- E. coli Strain No specific data.

Skin contact : Lambda gt11 Vector No specific data.
Digested With EcoR I
And Dephosphorylated
pRheo/EcoR I Test Insert No specific data.
Y1088 E. coli Strain No specific data.
Y1089- E. coli Strain No specific data.
Y1090- E. coli Strain No specific data.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 11: Toxicological information

Eye contact	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	No specific data.
	pRheo/EcoR I Test Insert	No specific data.
	Y1088 E. coli Strain	No specific data.
	Y1089- E. coli Strain	No specific data.
	Y1090r- E. coli Strain	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	No known significant effects or critical hazards.
	pRheo/EcoR I Test Insert	No known significant effects or critical hazards.
	Y1088 E. coli Strain	No known significant effects or critical hazards.
	Y1089- E. coli Strain	No known significant effects or critical hazards.
	Y1090r- E. coli Strain	No known significant effects or critical hazards.
Carcinogenicity	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	No known significant effects or critical hazards.
	pRheo/EcoR I Test Insert	No known significant effects or critical hazards.
	Y1088 E. coli Strain	No known significant effects or critical hazards.
	Y1089- E. coli Strain	No known significant effects or critical hazards.
	Y1090r- E. coli Strain	No known significant effects or critical hazards.
Mutagenicity	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	No known significant effects or critical hazards.
	pRheo/EcoR I Test Insert	No known significant effects or critical hazards.
	Y1088 E. coli Strain	No known significant effects or critical hazards.
	Y1089- E. coli Strain	No known significant effects or critical hazards.
	Y1090r- E. coli Strain	No known significant effects or critical hazards.
Reproductive toxicity	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated	No known significant effects or critical hazards.
	pRheo/EcoR I Test Insert	No known significant effects or critical hazards.
	Y1088 E. coli Strain	No known significant effects or critical hazards.
	Y1089- E. coli Strain	No known significant effects or critical hazards.
	Y1090r- E. coli Strain	No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 12: Ecological information

Product/ingredient name	Result	Species	Exposure
Y1088 E. coli Strain Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
Y1089r- E. coli Strain Sodium chloride	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
Y1089r- E. coli Strain Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
Y1090r- E. coli Strain Sodium chloride	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
Y1090r- E. coli Strain Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
Y1090r- E. coli Strain Sodium chloride	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Label	: Lambda gt11 Vector Digested With EcoR I And Dephosphorylated pRheo/EcoR I Test Insert Y1088 E. coli Strain Y1089r- E. coli Strain Y1090r- E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
--------------	--	---

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (CSCL) : Not determined. Japan inventory (ISHL) : All components are listed or exempted.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.

Lambda gt11 - EcoR I - CIAP - Treated Vector Kit, Part Number 234211

SECTION 15: Regulatory information

Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are active or exempted.
Viet Nam	: Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Y1088 E. coli Strain H319	Causes serious eye irritation.
Y1089r- E. coli Strain H319	Causes serious eye irritation.
Y1090r- E. coli Strain H319	Causes serious eye irritation.

Full text of classifications [CLP/GHS]

Y1088 E. coli Strain Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Y1089r- E. coli Strain Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Y1090r- E. coli Strain Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Date of issue/ Date of revision : 01/04/2022

Date of previous issue : No previous validation

Version : 1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.