

# SAFETY DATA SHEET

ZAP Express Predigested Gigapack III Gold Cloning Kit, Part Number 239614

## Section 1. Identification

<b>Product identifier</b>	: ZAP Express Predigested Gigapack III Gold Cloning Kit, Part Number 239614
<b>Part no. (chemical kit)</b>	: 239614
<b>Part no.</b>	: Gigapack III packaging extract 200201-41 Wild-Type Lambda DNA c1857ind 1 Sam7 246203-51 VCS257 E. coli Strain 200256-51 ZAP Express vector 239211-51 R408 Interference-Resistant Helper Phage 200252-81 ExAssist Interference-Resistant Helper Phage 200253-81 XL1-Blue MRF' E.coli Strain 200301-81 XLOLR E. coli Strain 200304-81 pRheo/EcoR I Test Insert 210200-51
<b>Material uses</b>	: Analytical reagent. Gigapack III packaging extract 0.275 ml (11 x 0.025 ml ) Wild-Type Lambda DNA c1857ind 1 Sam7 0.005 ml (1.05 µg 0.21 µg/µl) VCS257 E. coli Strain 1 ml ZAP Express vector 0.01 ml R408 Interference-Resistant Helper Phage 1 ml ExAssist Interference-Resistant Helper Phage 1 ml ( >1 X E10 pfu/ml) XL1-Blue MRF' E.coli Strain 0.5 ml (500 µl) XLOLR E. coli Strain 0.5 ml (500 µl) pRheo/EcoR I Test Insert 1.25 µg (1.25 µg 0.25 µg/µl)
<b>Supplier/Manufacturer</b>	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
<b>Emergency telephone number (with hours of operation)</b>	: CHEMTREC®: 1-800-424-9300

## Section 2. Hazard identification

### Classification of the substance or mixture

<b>VCS257 E. coli Strain</b> H319	EYE IRRITATION - Category 2A
<b>XL1-Blue MRF' E.coli Strain</b> H319	EYE IRRITATION - Category 2A
<b>XLOLR E. coli Strain</b> H319	EYE IRRITATION - Category 2A

### GHS label elements

## Section 2. Hazard identification

**Hazard pictograms** : VCS257 E. coli Strain



XL1-Blue MRF' E.coli Strain



XLOLR E. coli Strain



**Signal word** :

Gigapack III packaging extract	No signal word.
Wild-Type Lambda DNA c1857ind 1 Sam7	No signal word.
VCS257 E. coli Strain	Warning
ZAP Express vector	No signal word.
R408 Interference-Resistant Helper Phage	No signal word.
ExAssist Interference-Resistant Helper Phage	No signal word.
XL1-Blue MRF' E.coli Strain	Warning
XLOLR E. coli Strain	Warning
pRho/EcoR I Test Insert	No signal word.

**Hazard statements** :

Gigapack III packaging extract	No known significant effects or critical hazards.
Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
VCS257 E. coli Strain	H319 - Causes serious eye irritation.
ZAP Express vector	No known significant effects or critical hazards.
R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
XL1-Blue MRF' E.coli Strain	H319 - Causes serious eye irritation.
XLOLR E. coli Strain	H319 - Causes serious eye irritation.
pRho/EcoR I Test Insert	No known significant effects or critical hazards.

### Precautionary statements

**Prevention** :

Gigapack III packaging extract	Not applicable.
Wild-Type Lambda DNA c1857ind 1 Sam7	Not applicable.
VCS257 E. coli Strain	P280 - Wear eye or face protection.
ZAP Express vector	Not applicable.
R408 Interference-Resistant Helper Phage	Not applicable.
ExAssist Interference-Resistant Helper Phage	Not applicable.
XL1-Blue MRF' E.coli Strain	P280 - Wear eye or face protection.
XLOLR E. coli Strain	P280 - Wear eye or face protection.
pRho/EcoR I Test Insert	Not applicable.

## Section 2. Hazard identification

<b>Response</b>	: Gigapack III packaging extract	Not applicable.
	Wild-Type Lambda DNA	Not applicable.
	c1857ind 1 Sam7	
	VCS257 E. coli Strain	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	ZAP Express vector	Not applicable.
	R408 Interference-Resistant Helper Phage	Not applicable.
	ExAssist Interference-Resistant Helper Phage	Not applicable.
	XL1-Blue MRF' E.coli Strain	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	XL0LR E. coli Strain	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	pRho/EcoR I Test Insert	Not applicable.
<b>Storage</b>	: Gigapack III packaging extract	Not applicable.
	Wild-Type Lambda DNA	Not applicable.
	c1857ind 1 Sam7	
	VCS257 E. coli Strain	Not applicable.
	ZAP Express vector	Not applicable.
	R408 Interference-Resistant Helper Phage	Not applicable.
	ExAssist Interference-Resistant Helper Phage	Not applicable.
	XL1-Blue MRF' E.coli Strain	Not applicable.
	XL0LR E. coli Strain	Not applicable.
	pRho/EcoR I Test Insert	Not applicable.
<b>Disposal</b>	: Gigapack III packaging extract	Not applicable.
	Wild-Type Lambda DNA	Not applicable.
	c1857ind 1 Sam7	
	VCS257 E. coli Strain	Not applicable.
	ZAP Express vector	Not applicable.
	R408 Interference-Resistant Helper Phage	Not applicable.
	ExAssist Interference-Resistant Helper Phage	Not applicable.
	XL1-Blue MRF' E.coli Strain	Not applicable.
	XL0LR E. coli Strain	Not applicable.
	pRho/EcoR I Test Insert	Not applicable.
<b>Supplemental label elements</b>	: Gigapack III packaging extract	None known.
	Wild-Type Lambda DNA	None known.
	c1857ind 1 Sam7	
	VCS257 E. coli Strain	None known.
	ZAP Express vector	None known.
R408 Interference-Resistant	None known.	

## Section 2. Hazard identification

	Helper Phage	
	ExAssist Interference-Resistant Helper Phage	None known.
	XL1-Blue MRF' E.coli Strain	None known.
	XL0LR E. coli Strain	None known.
	pRheo/EcoR I Test Insert	None known.
<b>Other hazards which do not result in classification</b>	: Gigapack III packaging extract	None known.
	Wild-Type Lambda DNA c1857ind 1 Sam7	None known.
	VCS257 E. coli Strain	None known.
	ZAP Express vector	None known.
	R408 Interference-Resistant Helper Phage	None known.
	ExAssist Interference-Resistant Helper Phage	None known.
	XL1-Blue MRF' E.coli Strain	None known.
	XL0LR E. coli Strain	None known.
	pRheo/EcoR I Test Insert	None known.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	: Gigapack III packaging extract	Mixture
	Wild-Type Lambda DNA c1857ind 1 Sam7	Mixture
	VCS257 E. coli Strain	Mixture
	ZAP Express vector	Mixture
	R408 Interference-Resistant Helper Phage	Mixture
	ExAssist Interference-Resistant Helper Phage	Mixture
	XL1-Blue MRF' E.coli Strain	Mixture
	XL0LR E. coli Strain	Mixture
	pRheo/EcoR I Test Insert	Mixture

Ingredient name	% (w/w)	CAS number
<b>VCS257 E. coli Strain</b>		
Glycerol	10 - 30	56-81-5
Sodium chloride	0.1 - 1	7647-14-5
<b>XL1-Blue MRF' E.coli Strain</b>		
Glycerol	10 - 30	56-81-5
Sodium chloride	0.1 - 1	7647-14-5
<b>XL0LR E. coli Strain</b>		
Glycerol	10 - 30	56-81-5
Sodium chloride	0.1 - 1	7647-14-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	: Gigapack III packaging extract	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	VCS257 E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	ZAP Express vector	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	R408 Interference-Resistant Helper Phage	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	ExAssist Interference-Resistant Helper Phage	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XL1-Blue MRF' E.coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	XLOLR E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	pRheo/EcoR I Test Insert	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	: Gigapack III packaging extract	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	VCS257 E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	ZAP Express vector	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	R408 Interference-Resistant	Remove victim to fresh air and keep at rest in a

## Section 4. First-aid measures

	Helper Phage	position comfortable for breathing. Get medical attention if symptoms occur.
	ExAssist Interference-Resistant Helper Phage	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	XL1-Blue MRF' E.coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	XL0LR E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	pRheo/EcoR I Test Insert	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin contact</b>	: Gigapack III packaging extract	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	VCS257 E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	ZAP Express vector	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	R408 Interference-Resistant Helper Phage	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	ExAssist Interference-Resistant Helper Phage	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XL1-Blue MRF' E.coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	XL0LR E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	pRheo/EcoR I Test Insert	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

## Section 4. First-aid measures

### Ingestion

: Gigapack III packaging extract	medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Wild-Type Lambda DNA c1857ind 1 Sam7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
VCS257 E. coli Strain	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
ZAP Express vector	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
R408 Interference-Resistant Helper Phage	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
ExAssist Interference-Resistant Helper Phage	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
XL1-Blue MRF' E.coli Strain	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless

## Section 4. First-aid measures

XL0LR E. coli Strain	<p>directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> <p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
pRho/EcoR I Test Insert	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA	No known significant effects or critical hazards.
	c1857ind 1 Sam7	
	VCS257 E. coli Strain	Causes serious eye irritation.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant	No known significant effects or critical hazards.
	Helper Phage	
	ExAssist Interference-Resistant	No known significant effects or critical hazards.
	Helper Phage	
	XL1-Blue MRF' E.coli Strain	Causes serious eye irritation.
	XL0LR E. coli Strain	Causes serious eye irritation.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
<b>Inhalation</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA	No known significant effects or critical hazards.
	c1857ind 1 Sam7	
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant	No known significant effects or critical hazards.
	Helper Phage	
	ExAssist Interference-Resistant	No known significant effects or critical hazards.
	Helper Phage	

## Section 4. First-aid measures

	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XLOLR E. coli Strain	No known significant effects or critical hazards.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
<b>Skin contact</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XLOLR E. coli Strain	No known significant effects or critical hazards.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
<b>Ingestion</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XLOLR E. coli Strain	No known significant effects or critical hazards.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
<b><u>Over-exposure signs/symptoms</u></b>		
<b>Eye contact</b>	: Gigapack III packaging extract	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
	VCS257 E. coli Strain	Adverse symptoms may include the following: pain or irritation watering redness
	ZAP Express vector	No specific data.
	R408 Interference-Resistant Helper Phage	No specific data.
	ExAssist Interference-Resistant Helper Phage	No specific data.
	XL1-Blue MRF' E.coli Strain	Adverse symptoms may include the following: pain or irritation watering redness
	XLOLR E. coli Strain	Adverse symptoms may include the following: pain or irritation watering redness
	pRho/EcoR I Test Insert	No specific data.

## Section 4. First-aid measures

<b>Inhalation</b>	: Gigapack III packaging extract	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
	VCS257 E. coli Strain	No specific data.
	ZAP Express vector	No specific data.
	R408 Interference-Resistant Helper Phage	No specific data.
	ExAssist Interference-Resistant Helper Phage	No specific data.
	XL1-Blue MRF' E.coli Strain	No specific data.
	XL0LR E. coli Strain	No specific data.
	pRheo/EcoR I Test Insert	No specific data.
	<b>Skin contact</b>	: Gigapack III packaging extract
Wild-Type Lambda DNA c1857ind 1 Sam7		No specific data.
VCS257 E. coli Strain		No specific data.
ZAP Express vector		No specific data.
R408 Interference-Resistant Helper Phage		No specific data.
ExAssist Interference-Resistant Helper Phage		No specific data.
XL1-Blue MRF' E.coli Strain		No specific data.
XL0LR E. coli Strain		No specific data.
pRheo/EcoR I Test Insert		No specific data.
<b>Ingestion</b>		: Gigapack III packaging extract
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
	VCS257 E. coli Strain	No specific data.
	ZAP Express vector	No specific data.
	R408 Interference-Resistant Helper Phage	No specific data.
	ExAssist Interference-Resistant Helper Phage	No specific data.
	XL1-Blue MRF' E.coli Strain	No specific data.
	XL0LR E. coli Strain	No specific data.
	pRheo/EcoR I Test Insert	No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: Gigapack III packaging extract	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	VCS257 E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	ZAP Express vector	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	R408 Interference-Resistant Helper Phage	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	ExAssist Interference-Resistant Helper Phage	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## Section 4. First-aid measures

	XL1-Blue MRF' E.coli Strain	ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XL0LR E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pRheo/EcoR I Test Insert	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	: Gigapack III packaging extract	No specific treatment.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific treatment.
	VCS257 E. coli Strain	No specific treatment.
	ZAP Express vector	No specific treatment.
	R408 Interference-Resistant Helper Phage	No specific treatment.
	ExAssist Interference-Resistant Helper Phage	No specific treatment.
	XL1-Blue MRF' E.coli Strain	No specific treatment.
	XL0LR E. coli Strain	No specific treatment.
	pRheo/EcoR I Test Insert	No specific treatment.
<b>Protection of first-aiders</b>	: Gigapack III packaging extract	No action shall be taken involving any personal risk or without suitable training.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No action shall be taken involving any personal risk or without suitable training.
	VCS257 E. coli Strain	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	ZAP Express vector	No action shall be taken involving any personal risk or without suitable training.
	R408 Interference-Resistant Helper Phage	No action shall be taken involving any personal risk or without suitable training.
	ExAssist Interference-Resistant Helper Phage	No action shall be taken involving any personal risk or without suitable training.
	XL1-Blue MRF' E.coli Strain	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	XL0LR E. coli Strain	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	pRheo/EcoR I Test Insert	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	<ul style="list-style-type: none"> <li>: Gigapack III packaging extract</li> <li>Wild-Type Lambda DNA</li> <li>c1857ind 1 Sam7</li> <li>VCS257 E. coli Strain</li>   <li>ZAP Express vector</li>   <li>R408 Interference-Resistant Helper Phage</li> <li>ExAssist Interference-Resistant Helper Phage</li> <li>XL1-Blue MRF' E.coli Strain</li>   <li>XLOLR E. coli Strain</li>   <li>pRheo/EcoR I Test Insert</li> </ul>	<ul style="list-style-type: none"> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> </ul>
<b>Unsuitable extinguishing media</b>	<ul style="list-style-type: none"> <li>: Gigapack III packaging extract</li> <li>Wild-Type Lambda DNA</li> <li>c1857ind 1 Sam7</li> <li>VCS257 E. coli Strain</li> <li>ZAP Express vector</li> <li>R408 Interference-Resistant Helper Phage</li> <li>ExAssist Interference-Resistant Helper Phage</li> <li>XL1-Blue MRF' E.coli Strain</li> <li>XLOLR E. coli Strain</li> <li>pRheo/EcoR I Test Insert</li> </ul>	<ul style="list-style-type: none"> <li>None known.</li> <li>None known.</li> <li>None known.</li> <li>None known.</li> <li>None known.</li> <li>None known.</li> <li>None known.</li> <li>None known.</li> <li>None known.</li> <li>None known.</li> </ul>
<b>Specific hazards arising from the chemical</b>	<ul style="list-style-type: none"> <li>: Gigapack III packaging extract</li> <li>Wild-Type Lambda DNA</li> <li>c1857ind 1 Sam7</li> <li>VCS257 E. coli Strain</li>   <li>ZAP Express vector</li>   <li>R408 Interference-Resistant Helper Phage</li> <li>ExAssist Interference-Resistant Helper Phage</li> <li>XL1-Blue MRF' E.coli Strain</li>   <li>XLOLR E. coli Strain</li>   <li>pRheo/EcoR I Test Insert</li> </ul>	<ul style="list-style-type: none"> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> <li>In a fire or if heated, a pressure increase will occur and the container may burst.</li> </ul>

## Section 5. Fire-fighting measures

<b>Hazardous thermal decomposition products</b>	: Gigapack III packaging extract	Decomposition products may include the following materials: carbon dioxide carbon monoxide No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7 VCS257 E. coli Strain	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides No specific data.
	ZAP Express vector R408 Interference-Resistant Helper Phage ExAssist Interference-Resistant Helper Phage	No specific data. No specific data. No specific data.
	XL1-Blue MRF' E.coli Strain	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
	XL0LR E. coli Strain	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
	pRheo/EcoR I Test Insert	No specific data.
<b>Special protective actions for fire-fighters</b>	: Gigapack III packaging extract	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	VCS257 E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	ZAP Express vector	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	R408 Interference-Resistant Helper Phage	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	ExAssist Interference-Resistant Helper Phage	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
XL1-Blue MRF' E.coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	

## Section 5. Fire-fighting measures

	XLOLR E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	pRho/EcoR I Test Insert	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: Gigapack III packaging extract	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	VCS257 E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	ZAP Express vector	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	R408 Interference-Resistant Helper Phage	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	ExAssist Interference-Resistant Helper Phage	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	XL1-Blue MRF' E.coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	XLOLR E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	pRho/EcoR I Test Insert	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### **For non-emergency personnel**

: Gigapack III packaging extract

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Wild-Type Lambda DNA c1857ind 1 Sam7

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

## Section 6. Accidental release measures

VCS257 E. coli Strain	protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
ZAP Express vector	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
R408 Interference-Resistant Helper Phage	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
ExAssist Interference-Resistant Helper Phage	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
XL1-Blue MRF' E.coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
XL0LR E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
pRho/EcoR I Test Insert	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
<b>For emergency responders</b> : Gigapack III packaging extract	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Wild-Type Lambda DNA c1857ind 1 Sam7	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
VCS257 E. coli Strain	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on

## Section 6. Accidental release measures

ZAP Express vector	suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
R408 Interference-Resistant Helper Phage	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
ExAssist Interference-Resistant Helper Phage	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
XL1-Blue MRF' E.coli Strain	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
XLOLR E. coli Strain	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
pRho/EcoR I Test Insert	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>Environmental precautions</b> : Gigapack III packaging extract	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Wild-Type Lambda DNA c1857ind 1 Sam7	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
VCS257 E. coli Strain	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
ZAP Express vector	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
R408 Interference-Resistant Helper Phage	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
ExAssist Interference-Resistant Helper Phage	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
XL1-Blue MRF' E.coli Strain	Avoid dispersal of spilled material and runoff and

## Section 6. Accidental release measures

	contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
XLOLR E. coli Strain	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
pRheo/EcoR I Test Insert	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

<b>Methods for cleaning up</b>	: Gigapack III packaging extract	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	VCS257 E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	ZAP Express vector	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	R408 Interference-Resistant Helper Phage	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	ExAssist Interference-Resistant Helper Phage	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	XL1-Blue MRF' E.coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

XL0LR E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
pRheo/EcoR I Test Insert	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

#### Protective measures

: Gigapack III packaging extract	Put on appropriate personal protective equipment (see Section 8).
Wild-Type Lambda DNA	Put on appropriate personal protective equipment (see Section 8).
c1857ind 1 Sam7	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
VCS257 E. coli Strain	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
ZAP Express vector	Put on appropriate personal protective equipment (see Section 8).
R408 Interference-Resistant Helper Phage	Put on appropriate personal protective equipment (see Section 8).
ExAssist Interference-Resistant Helper Phage	Put on appropriate personal protective equipment (see Section 8).
XL1-Blue MRF' E.coli Strain	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
XL0LR E. coli Strain	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
pRheo/EcoR I Test Insert	Put on appropriate personal protective equipment (see Section 8).

## Section 7. Handling and storage

### Advice on general occupational hygiene

: Gigapack III packaging extract	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Wild-Type Lambda DNA c1857ind 1 Sam7	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
VCS257 E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
ZAP Express vector	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
R408 Interference-Resistant Helper Phage	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
ExAssist Interference-Resistant Helper Phage	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
XL1-Blue MRF' E.coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
XL0LR E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

	pRheo/EcoR I Test Insert	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<p><b>Conditions for safe storage, including any incompatibilities</b></p>	: Gigapack III packaging extract	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	VCS257 E. coli Strain	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	ZAP Express vector	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	R408 Interference-Resistant Helper Phage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened

## Section 7. Handling and storage

ExAssist Interference-Resistant Helper Phage	<p>must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
XL1-Blue MRF <sup>+</sup> E.coli Strain	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
XL0LR E. coli Strain	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
pRheo/EcoR I Test Insert	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>

## Section 8. Exposure controls/personal protection

### [Control parameters](#)

### [Occupational exposure limits](#)

Ingredient name	Exposure limits
<p><b>CS257 E. coli Strain</b> Glycerol</p>	<p><b>CA Alberta Provincial (Canada, 6/2018).</b> 8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist  <b>CA Quebec Provincial (Canada, 7/2019).</b> TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Saskatchewan Provincial (Canada, 7/2013).</b> STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Ontario Provincial (Canada, 6/2019).</b> TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA British Columbia Provincial (Canada, 10/2019).</b> TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p>
<p><b>XL1-Blue MRF' E.coli Strain</b> Glycerol</p>	<p><b>CA Alberta Provincial (Canada, 6/2018).</b> 8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist  <b>CA Quebec Provincial (Canada, 7/2019).</b> TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Saskatchewan Provincial (Canada, 7/2013).</b> STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Ontario Provincial (Canada, 6/2019).</b> TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA British Columbia Provincial (Canada, 10/2019).</b> TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p>
<p><b>XLOLR E. coli Strain</b> Glycerol</p>	<p><b>CA Alberta Provincial (Canada, 6/2018).</b> 8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist  <b>CA Quebec Provincial (Canada, 7/2019).</b> TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Saskatchewan Provincial (Canada, 7/2013).</b> STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA Ontario Provincial (Canada, 6/2019).</b> TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  <b>CA British Columbia Provincial (Canada, 10/2019).</b> TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p>

## Section 8. Exposure controls/personal protection

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures**
- Hygiene measures** : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	: Gigapack III packaging extract	Liquid.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Liquid.
	VCS257 E. coli Strain	Liquid.
	ZAP Express vector	Liquid.
	R408 Interference-Resistant Helper Phage	Liquid.
	ExAssist Interference-Resistant Helper Phage	Liquid.
	XL1-Blue MRF' E.coli Strain	Liquid.
	XLOLR E. coli Strain	Liquid.
	pRheo/EcoR I Test Insert	Liquid.

## Section 9. Physical and chemical properties

<b>Color</b>	: Gigapack III packaging extract	Not available.	
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.	
	VCS257 E. coli Strain	Not available.	
	ZAP Express vector	Not available.	
	R408 Interference-Resistant Helper Phage	Not available.	
	ExAssist Interference-Resistant Helper Phage	Not available.	
	XL1-Blue MRF' E.coli Strain	Not available.	
	XLOLR E. coli Strain	Not available.	
	pRheo/EcoR I Test Insert	Not available.	
	<b>Odor</b>	: Gigapack III packaging extract	Not available.
		Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
		VCS257 E. coli Strain	Not available.
		ZAP Express vector	Not available.
R408 Interference-Resistant Helper Phage		Not available.	
ExAssist Interference-Resistant Helper Phage		Not available.	
XL1-Blue MRF' E.coli Strain		Not available.	
XLOLR E. coli Strain		Not available.	
pRheo/EcoR I Test Insert		Not available.	
<b>Odor threshold</b>		: Gigapack III packaging extract	Not available.
		Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
		VCS257 E. coli Strain	Not available.
		ZAP Express vector	Not available.
	R408 Interference-Resistant Helper Phage	Not available.	
	ExAssist Interference-Resistant Helper Phage	Not available.	
	XL1-Blue MRF' E.coli Strain	Not available.	
	XLOLR E. coli Strain	Not available.	
	pRheo/EcoR I Test Insert	Not available.	
	<b>pH</b>	: Gigapack III packaging extract	8
		Wild-Type Lambda DNA c1857ind 1 Sam7	7
		VCS257 E. coli Strain	7
		ZAP Express vector	7.5
R408 Interference-Resistant Helper Phage		7.5	
ExAssist Interference-Resistant Helper Phage		7.5	
XL1-Blue MRF' E.coli Strain		7	
XLOLR E. coli Strain		7	
pRheo/EcoR I Test Insert		7.5	

## Section 9. Physical and chemical properties

<b>Melting point</b>	: Gigapack III packaging extract	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	0°C (32°F)
	VCS257 E. coli Strain	Not available.
	ZAP Express vector	0°C (32°F)
	R408 Interference-Resistant Helper Phage	0°C (32°F)
	ExAssist Interference-Resistant Helper Phage	0°C (32°F)
	XL1-Blue MRF' E.coli Strain	Not available.
	XLOLR E. coli Strain	Not available.
	pRho/EcoR I Test Insert	0°C (32°F)
	<b>Boiling point</b>	: Gigapack III packaging extract
Wild-Type Lambda DNA c1857ind 1 Sam7		100°C (212°F)
VCS257 E. coli Strain		Not available.
ZAP Express vector		100°C (212°F)
R408 Interference-Resistant Helper Phage		100°C (212°F)
ExAssist Interference-Resistant Helper Phage		100°C (212°F)
XL1-Blue MRF' E.coli Strain		Not available.
XLOLR E. coli Strain		Not available.
pRho/EcoR I Test Insert		100°C (212°F)
<b>Flash point</b>		: Gigapack III packaging extract
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
	VCS257 E. coli Strain	Not available.
	ZAP Express vector	Not available.
	R408 Interference-Resistant Helper Phage	Not available.
	ExAssist Interference-Resistant Helper Phage	Not available.
	XL1-Blue MRF' E.coli Strain	Not available.
	XLOLR E. coli Strain	Not available.
	pRho/EcoR I Test Insert	Not available.
	<b>Evaporation rate</b>	: Gigapack III packaging extract
Wild-Type Lambda DNA c1857ind 1 Sam7		Not available.
VCS257 E. coli Strain		Not available.
ZAP Express vector		Not available.
R408 Interference-Resistant Helper Phage		Not available.
ExAssist Interference-Resistant Helper Phage		Not available.
XL1-Blue MRF' E.coli Strain		Not available.
XLOLR E. coli Strain		Not available.
pRho/EcoR I Test Insert		Not available.

## Section 9. Physical and chemical properties

<b>Flammability (solid, gas)</b>	:	Gigapack III packaging extract	Not applicable.
		Wild-Type Lambda DNA c1857ind 1 Sam7	Not applicable.
		VCS257 E. coli Strain	Not applicable.
		ZAP Express vector	Not applicable.
		R408 Interference-Resistant Helper Phage	Not applicable.
		ExAssist Interference-Resistant Helper Phage	Not applicable.
		XL1-Blue MRF' E.coli Strain	Not applicable.
		XLOLR E. coli Strain	Not applicable.
		pRheo/EcoR I Test Insert	Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	:	Gigapack III packaging extract	Not available.
		Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
		VCS257 E. coli Strain	Not available.
		ZAP Express vector	Not available.
		R408 Interference-Resistant Helper Phage	Not available.
		ExAssist Interference-Resistant Helper Phage	Not available.
		XL1-Blue MRF' E.coli Strain	Not available.
		XLOLR E. coli Strain	Not available.
		pRheo/EcoR I Test Insert	Not available.
<b>Vapor pressure</b>	:	Gigapack III packaging extract	Not available.
		Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
		VCS257 E. coli Strain	Not available.
		ZAP Express vector	Not available.
		R408 Interference-Resistant Helper Phage	Not available.
		ExAssist Interference-Resistant Helper Phage	Not available.
		XL1-Blue MRF' E.coli Strain	Not available.
		XLOLR E. coli Strain	Not available.
		pRheo/EcoR I Test Insert	Not available.
<b>Vapor density</b>	:	Gigapack III packaging extract	Not available.
		Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
		VCS257 E. coli Strain	Not available.
		ZAP Express vector	Not available.
		R408 Interference-Resistant Helper Phage	Not available.
		ExAssist Interference-Resistant Helper Phage	Not available.
		XL1-Blue MRF' E.coli Strain	Not available.
		XLOLR E. coli Strain	Not available.
		pRheo/EcoR I Test Insert	Not available.

## Section 9. Physical and chemical properties

<b>Relative density</b>	: Gigapack III packaging extract Wild-Type Lambda DNA c1857ind 1 Sam7 VCS257 E. coli Strain ZAP Express vector R408 Interference-Resistant Helper Phage ExAssist Interference-Resistant Helper Phage XL1-Blue MRF' E.coli Strain XL0LR E. coli Strain pRho/EcoR I Test Insert	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Solubility</b>	: Gigapack III packaging extract Wild-Type Lambda DNA c1857ind 1 Sam7 VCS257 E. coli Strain  ZAP Express vector  R408 Interference-Resistant Helper Phage ExAssist Interference-Resistant Helper Phage XL1-Blue MRF' E.coli Strain  XL0LR E. coli Strain  pRho/EcoR I Test Insert	Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.  Easily soluble in the following materials: cold water and hot water.  Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: Gigapack III packaging extract Wild-Type Lambda DNA c1857ind 1 Sam7 VCS257 E. coli Strain ZAP Express vector R408 Interference-Resistant Helper Phage ExAssist Interference-Resistant Helper Phage XL1-Blue MRF' E.coli Strain XL0LR E. coli Strain pRho/EcoR I Test Insert	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Auto-ignition temperature</b>	: Gigapack III packaging extract Wild-Type Lambda DNA c1857ind 1 Sam7 VCS257 E. coli Strain ZAP Express vector R408 Interference-Resistant Helper Phage ExAssist Interference-Resistant Helper Phage XL1-Blue MRF' E.coli Strain XL0LR E. coli Strain pRho/EcoR I Test Insert	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

## Section 9. Physical and chemical properties

<b>Decomposition temperature</b>	: Gigapack III packaging extract	Not available.	
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.	
	VCS257 E. coli Strain	Not available.	
	ZAP Express vector	Not available.	
	R408 Interference-Resistant Helper Phage	Not available.	
	ExAssist Interference-Resistant Helper Phage	Not available.	
	XL1-Blue MRF' E.coli Strain	Not available.	
	XLOLR E. coli Strain	Not available.	
	pRho/EcoR I Test Insert	Not available.	
	<b>Viscosity</b>	: Gigapack III packaging extract	Not available.
		Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
		VCS257 E. coli Strain	Not available.
		ZAP Express vector	Not available.
R408 Interference-Resistant Helper Phage		Not available.	
ExAssist Interference-Resistant Helper Phage		Not available.	
XL1-Blue MRF' E.coli Strain		Not available.	
XLOLR E. coli Strain		Not available.	
pRho/EcoR I Test Insert		Not available.	

## Section 10. Stability and reactivity

<b>Reactivity</b>	: Gigapack III packaging extract	No specific test data related to reactivity available for this product or its ingredients.	
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific test data related to reactivity available for this product or its ingredients.	
	VCS257 E. coli Strain	No specific test data related to reactivity available for this product or its ingredients.	
	ZAP Express vector	No specific test data related to reactivity available for this product or its ingredients.	
	R408 Interference-Resistant Helper Phage	No specific test data related to reactivity available for this product or its ingredients.	
	ExAssist Interference-Resistant Helper Phage	No specific test data related to reactivity available for this product or its ingredients.	
	XL1-Blue MRF' E.coli Strain	No specific test data related to reactivity available for this product or its ingredients.	
	XLOLR E. coli Strain	No specific test data related to reactivity available for this product or its ingredients.	
	pRho/EcoR I Test Insert	No specific test data related to reactivity available for this product or its ingredients.	
	<b>Chemical stability</b>	: Gigapack III packaging extract	The product is stable.
		Wild-Type Lambda DNA c1857ind 1 Sam7	The product is stable.
		VCS257 E. coli Strain	The product is stable.
		ZAP Express vector	The product is stable.
R408 Interference-Resistant Helper Phage		The product is stable.	
ExAssist Interference-Resistant Helper Phage		The product is stable.	
XL1-Blue MRF' E.coli Strain		The product is stable.	

## Section 10. Stability and reactivity

	XL0LR E. coli Strain	The product is stable.
	pRho/EcoR I Test Insert	The product is stable.
<b>Possibility of hazardous reactions</b>	: Gigapack III packaging extract	Under normal conditions of storage and use, hazardous reactions will not occur.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Under normal conditions of storage and use, hazardous reactions will not occur.
	VCS257 E. coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur.
	ZAP Express vector	Under normal conditions of storage and use, hazardous reactions will not occur.
	R408 Interference-Resistant Helper Phage	Under normal conditions of storage and use, hazardous reactions will not occur.
	ExAssist Interference-Resistant Helper Phage	Under normal conditions of storage and use, hazardous reactions will not occur.
	XL1-Blue MRF' E.coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur.
	XL0LR E. coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur.
	pRho/EcoR I Test Insert	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: Gigapack III packaging extract	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
	VCS257 E. coli Strain	No specific data.
	ZAP Express vector	No specific data.
	R408 Interference-Resistant Helper Phage	No specific data.
	ExAssist Interference-Resistant Helper Phage	No specific data.
	XL1-Blue MRF' E.coli Strain	No specific data.
	XL0LR E. coli Strain	No specific data.
	pRho/EcoR I Test Insert	No specific data.
<b>Incompatible materials</b>	: Gigapack III packaging extract	May react or be incompatible with oxidizing materials.
	Wild-Type Lambda DNA c1857ind 1 Sam7	May react or be incompatible with oxidizing materials.
	VCS257 E. coli Strain	May react or be incompatible with oxidizing materials.
	ZAP Express vector	May react or be incompatible with oxidizing materials.
	R408 Interference-Resistant Helper Phage	May react or be incompatible with oxidizing materials.
	ExAssist Interference-Resistant Helper Phage	May react or be incompatible with oxidizing materials.
	XL1-Blue MRF' E.coli Strain	May react or be incompatible with oxidizing materials.
	XL0LR E. coli Strain	May react or be incompatible with oxidizing materials.
	pRho/EcoR I Test Insert	May react or be incompatible with oxidizing materials.
<b>Hazardous decomposition products</b>	: Gigapack III packaging extract	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	VCS257 E. coli Strain	Under normal conditions of storage and use,

## Section 10. Stability and reactivity

ZAP Express vector	hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
R408 Interference-Resistant Helper Phage	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
ExAssist Interference-Resistant Helper Phage	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
XL1-Blue MRF' E.coli Strain	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
XLOLR E. coli Strain	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
pRheo/EcoR I Test Insert	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>VCS257 E. coli Strain</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
<b>XL1-Blue MRF' E.coli Strain</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
<b>XLOLR E. coli Strain</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>VCS257 E. coli Strain</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>XL1-Blue MRF' E.coli Strain</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

**Section 11. Toxicological information**

Sodium chloride	Eyes - Moderate irritant	Rabbit	-	mg	-
				24 hours 100	
XLOLR E. coli Strain	Eyes - Moderate irritant	Rabbit	-	mg	-
				10 mg	
Glycerol	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
Sodium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
Sodium chloride	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				mg	
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	10 mg	-
				24 hours 500	
Sodium chloride	Skin - Mild irritant	Rabbit	-	mg	-

**Sensitization**

Not available.

**Mutagenicity****Conclusion/Summary** : Not available.**Carcinogenicity****Conclusion/Summary** : Not available.**Reproductive toxicity****Conclusion/Summary** : Not available.**Teratogenicity****Conclusion/Summary** : Not available.**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

<b>Information on the likely routes of exposure</b>	: Gigapack III packaging extract	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
	VCS257 E. coli Strain	Routes of entry anticipated: Oral, Dermal, Inhalation.
	ZAP Express vector	Not available.
	R408 Interference-Resistant Helper Phage	Not available.
	ExAssist Interference-Resistant Helper Phage	Not available.
	XL1-Blue MRF' E.coli Strain	Routes of entry anticipated: Oral, Dermal, Inhalation.
	XLOLR E. coli Strain	Routes of entry anticipated: Oral, Dermal, Inhalation.
	pRho/EcoR I Test Insert	Not available.

**Potential acute health effects**

## Section 11. Toxicological information

<b>Eye contact</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	Causes serious eye irritation.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	Causes serious eye irritation.
	XL0LR E. coli Strain	Causes serious eye irritation.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
	<b>Inhalation</b>	: Gigapack III packaging extract
Wild-Type Lambda DNA c1857ind 1 Sam7		No known significant effects or critical hazards.
VCS257 E. coli Strain		No known significant effects or critical hazards.
ZAP Express vector		No known significant effects or critical hazards.
R408 Interference-Resistant Helper Phage		No known significant effects or critical hazards.
ExAssist Interference-Resistant Helper Phage		No known significant effects or critical hazards.
XL1-Blue MRF' E.coli Strain		No known significant effects or critical hazards.
XL0LR E. coli Strain		No known significant effects or critical hazards.
pRho/EcoR I Test Insert		No known significant effects or critical hazards.
<b>Skin contact</b>		: Gigapack III packaging extract
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XL0LR E. coli Strain	No known significant effects or critical hazards.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
	<b>Ingestion</b>	: Gigapack III packaging extract
Wild-Type Lambda DNA c1857ind 1 Sam7		No known significant effects or critical hazards.
VCS257 E. coli Strain		No known significant effects or critical hazards.
ZAP Express vector		No known significant effects or critical hazards.
R408 Interference-Resistant Helper Phage		No known significant effects or critical hazards.
ExAssist Interference-Resistant Helper Phage		No known significant effects or critical hazards.
XL1-Blue MRF' E.coli Strain		No known significant effects or critical hazards.
XL0LR E. coli Strain		No known significant effects or critical hazards.
pRho/EcoR I Test Insert		No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

## Section 11. Toxicological information

<b>Eye contact</b>	: Gigapack III packaging extract	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
	VCS257 E. coli Strain	Adverse symptoms may include the following: pain or irritation watering redness
	ZAP Express vector	No specific data.
	R408 Interference-Resistant Helper Phage	No specific data.
	ExAssist Interference-Resistant Helper Phage	No specific data.
	XL1-Blue MRF' E.coli Strain	Adverse symptoms may include the following: pain or irritation watering redness
	XLOLR E. coli Strain	Adverse symptoms may include the following: pain or irritation watering redness
	pRho/EcoR I Test Insert	No specific data.
	<b>Inhalation</b>	: Gigapack III packaging extract
Wild-Type Lambda DNA c1857ind 1 Sam7		No specific data.
VCS257 E. coli Strain		No specific data.
ZAP Express vector		No specific data.
R408 Interference-Resistant Helper Phage		No specific data.
ExAssist Interference-Resistant Helper Phage		No specific data.
XL1-Blue MRF' E.coli Strain		No specific data.
XLOLR E. coli Strain		No specific data.
pRho/EcoR I Test Insert		No specific data.
<b>Skin contact</b>		: Gigapack III packaging extract
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
	VCS257 E. coli Strain	No specific data.
	ZAP Express vector	No specific data.
	R408 Interference-Resistant Helper Phage	No specific data.
	ExAssist Interference-Resistant Helper Phage	No specific data.
	XL1-Blue MRF' E.coli Strain	No specific data.
	XLOLR E. coli Strain	No specific data.
	pRho/EcoR I Test Insert	No specific data.
	<b>Ingestion</b>	: Gigapack III packaging extract
Wild-Type Lambda DNA c1857ind 1 Sam7		No specific data.
VCS257 E. coli Strain		No specific data.
ZAP Express vector		No specific data.
R408 Interference-Resistant Helper Phage		No specific data.
ExAssist Interference-Resistant Helper Phage		No specific data.

## Section 11. Toxicological information

XL1-Blue MRF' E.coli Strain	No specific data.
XL0LR E. coli Strain	No specific data.
pRho/EcoR I Test Insert	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

<b>General</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XL0LR E. coli Strain	No known significant effects or critical hazards.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XL0LR E. coli Strain	No known significant effects or critical hazards.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XL0LR E. coli Strain	No known significant effects or critical hazards.
	pRho/EcoR I Test Insert	No known significant effects or critical hazards.

## Section 11. Toxicological information

<b>Reproductive toxicity</b>	: Gigapack III packaging extract	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	ZAP Express vector	No known significant effects or critical hazards.
	R408 Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	ExAssist Interference-Resistant Helper Phage	No known significant effects or critical hazards.
	XL1-Blue MRF' E.coli Strain	No known significant effects or critical hazards.
	XLOLR E. coli Strain	No known significant effects or critical hazards.
	pRheo/EcoR I Test Insert	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
<b>VCS257 E. coli Strain</b>					
VCS257 E. coli Strain	300000	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
<b>XL1-Blue MRF' E.coli Strain</b>					
XL1-Blue MRF' E.coli Strain	300000	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
<b>XLOLR E. coli Strain</b>					
XLOLR E. coli Strain	300000	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
<b>VCS257 E. coli Strain</b>			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki -	8 weeks

## Section 12. Ecological information

<b>XL1-Blue MRF' E.coli Strain</b> Glycerol Sodium chloride	Acute LC50 54000 mg/l Fresh water	Adult	
	Acute EC50 4.74 g/L Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute EC50 519.6 mg/l Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute IC50 6.87 g/L Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute LC50 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
<b>XL1-Blue MRF' E.coli Strain</b> Glycerol Sodium chloride	Chronic LC10 781 mg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic NOEC 6 g/L Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 0.314 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 100 mg/l Fresh water	Daphnia - Daphnia pulex	21 days
		Fish - Gambusia holbrooki - Adult	8 weeks
<b>XL1-Blue MRF' E.coli Strain</b> Glycerol Sodium chloride	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
<b>XL1-Blue MRF' E.coli Strain</b> Glycerol Sodium chloride	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>VCS257 E. coli Strain</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>XL1-Blue MRF' E.coli Strain</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>XL1-Blue MRF' E.coli Strain</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

## Section 12. Ecological information

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
VCS257 E. coli Strain Glycerol	-1.76	-	low
XL1-Blue MRF' E.coli Strain Glycerol	-1.76	-	low
XLOLR E. coli Strain Glycerol	-1.76	-	low

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

**TDG / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Canadian lists

**Canadian NPRI** : None of the components are listed.

**CEPA Toxic substances** : None of the components are listed.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

## Section 15. Regulatory information

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: Not determined.
<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (ENCS)</b> : Not determined. <b>Japan inventory (ISHL)</b> : Not determined.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: <input checked="" type="checkbox"/> All components are active or exempted.
<b>Viet Nam</b>	: Not determined.

## Section 16. Other information

### History

<b>Date of issue/Date of revision</b>	: 11/10/2020
<b>Date of previous issue</b>	: 08/27/2018
<b>Version</b>	: 6

<b>Key to abbreviations</b>	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations
-----------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Procedure used to derive the classification

## Section 16. Other information

Classification	Justification
<b>✓CS257 E. coli Strain</b> EYE IRRITATION - Category 2A	Calculation method
<b>XL1-Blue MRF' E.coli Strain</b> EYE IRRITATION - Category 2A	Calculation method
<b>XLOLR E. coli Strain</b> EYE IRRITATION - Category 2A	Calculation method

**References** : Not available.

**✓** Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.