

# SAFETY DATA SHEET



InterPlay Adenoviral TAP System, Part Number 240213

## Section 1. Identification

<b>Product identifier</b>	:	InterPlay Adenoviral TAP System, Part Number 240213																																										
<b>Part No. (Chemical Kit)</b>	:	240213																																										
<b>Part No.</b>	:	<table border="0"> <tr><td>β-Mercaptoethanol</td><td>240107-53</td></tr> <tr><td>pNTAP Shuttle vector-A</td><td>240214-51</td></tr> <tr><td>pNTAP Shuttle vector-B</td><td>240214-52</td></tr> <tr><td>pNTAP Shuttle vector-C</td><td>240214-53</td></tr> <tr><td>Adenoviral pTAP Shuttle-CAT Vector</td><td>240217-51</td></tr> <tr><td>pShuttle-CMV-lacZ Control Vector</td><td>240008-51</td></tr> <tr><td>AD-293 Cell Line &gt;1 x 10e6 Viable Cells</td><td>240085-41</td></tr> <tr><td>BJ5183-AD-1 electroporation competent cells</td><td>200157-41</td></tr> <tr><td>Transformation Control</td><td>200157-42</td></tr> <tr><td>XL10-Gold Ultracompetent cells</td><td>200315-41</td></tr> <tr><td>XL10-Gold 2-Mercaptoethanol</td><td>200314-43</td></tr> <tr><td>pUC 18 DNA Control Plasmid</td><td>200231-42</td></tr> <tr><td>Lysis Buffer</td><td>240107-51</td></tr> <tr><td>0.5 M EDTA</td><td>240107-52</td></tr> <tr><td>Streptavidin Resin</td><td>240105-51</td></tr> <tr><td>Streptavidin Binding Buffer</td><td>240107-54</td></tr> <tr><td>Streptavidin Elution Buffer</td><td>240107-56</td></tr> <tr><td>Streptavidin Supernatant Supplement</td><td>240107-57</td></tr> <tr><td>MS-Grade Calmodulin Resin</td><td>240106-51</td></tr> <tr><td>Calmodulin Binding Buffer</td><td>240107-58</td></tr> <tr><td>Calmodulin Elution Buffer</td><td>240107-59</td></tr> </table>	β-Mercaptoethanol	240107-53	pNTAP Shuttle vector-A	240214-51	pNTAP Shuttle vector-B	240214-52	pNTAP Shuttle vector-C	240214-53	Adenoviral pTAP Shuttle-CAT Vector	240217-51	pShuttle-CMV-lacZ Control Vector	240008-51	AD-293 Cell Line >1 x 10e6 Viable Cells	240085-41	BJ5183-AD-1 electroporation competent cells	200157-41	Transformation Control	200157-42	XL10-Gold Ultracompetent cells	200315-41	XL10-Gold 2-Mercaptoethanol	200314-43	pUC 18 DNA Control Plasmid	200231-42	Lysis Buffer	240107-51	0.5 M EDTA	240107-52	Streptavidin Resin	240105-51	Streptavidin Binding Buffer	240107-54	Streptavidin Elution Buffer	240107-56	Streptavidin Supernatant Supplement	240107-57	MS-Grade Calmodulin Resin	240106-51	Calmodulin Binding Buffer	240107-58	Calmodulin Elution Buffer	240107-59
β-Mercaptoethanol	240107-53																																											
pNTAP Shuttle vector-A	240214-51																																											
pNTAP Shuttle vector-B	240214-52																																											
pNTAP Shuttle vector-C	240214-53																																											
Adenoviral pTAP Shuttle-CAT Vector	240217-51																																											
pShuttle-CMV-lacZ Control Vector	240008-51																																											
AD-293 Cell Line >1 x 10e6 Viable Cells	240085-41																																											
BJ5183-AD-1 electroporation competent cells	200157-41																																											
Transformation Control	200157-42																																											
XL10-Gold Ultracompetent cells	200315-41																																											
XL10-Gold 2-Mercaptoethanol	200314-43																																											
pUC 18 DNA Control Plasmid	200231-42																																											
Lysis Buffer	240107-51																																											
0.5 M EDTA	240107-52																																											
Streptavidin Resin	240105-51																																											
Streptavidin Binding Buffer	240107-54																																											
Streptavidin Elution Buffer	240107-56																																											
Streptavidin Supernatant Supplement	240107-57																																											
MS-Grade Calmodulin Resin	240106-51																																											
Calmodulin Binding Buffer	240107-58																																											
Calmodulin Elution Buffer	240107-59																																											

### Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

β-Mercaptoethanol	0.75 ml (69 µl	14.4 M)
pNTAP Shuttle vector-A	0.02 ml	
pNTAP Shuttle vector-B	0.02 ml	
pNTAP Shuttle vector-C	0.02 ml	
Adenoviral pTAP Shuttle-CAT Vector	0.02 ml (20 µg	1 µg/µl)
pShuttle-CMV-lacZ Control Vector	0.01 ml (10 µg	1 µg/µl)
AD-293 Cell Line >1 x 10e6 Viable Cells	1 ml	
BJ5183-AD-1 electroporation competent cells	0.5 ml	
Transformation Control	0.01 ml (0.1 ng/µl	10 µl)
XL10-Gold Ultracompetent cells	0.5 ml	
XL10-Gold 2-Mercaptoethanol	0.05 ml	
pUC 18 DNA Control Plasmid	0.01 ml (0.1 ng/µl)	
Lysis Buffer	50 ml	
0.5 M EDTA	0.2 ml	
Streptavidin Resin	1.25 ml	
Streptavidin Binding Buffer	25 ml	
Streptavidin Elution Buffer	5 ml	
Streptavidin Supernatant Supplement	0.1 ml	
MS-Grade Calmodulin Resin	0.625 ml	
Calmodulin Binding Buffer	40 ml	
Calmodulin Elution Buffer	2.5 ml	

**Supplier/Manufacturer** : Agilent Technologies Australia Pty Ltd  
 679 Springvale Road  
 Mulgrave  
 Victoria 3170, Australia  
 1800 802 402

## Section 1. Identification

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(61)-290372994

## Section 2. Hazard(s) identification

### Classification of the substance or mixture

#### β-Mercaptoethanol

H227	FLAMMABLE LIQUIDS - Category 4
H301	ACUTE TOXICITY (oral) - Category 3
H310	ACUTE TOXICITY (dermal) - Category 2
H330	ACUTE TOXICITY (inhalation) - Category 2
H315	SKIN CORROSION/IRRITATION - Category 2
H318	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
H317	SKIN SENSITISATION - Category 1
H335	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3
H411	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2

#### XL10-Gold

##### 2-Mercaptoethanol

H318	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
H317	SKIN SENSITISATION - Category 1
H412	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

#### 0.5 M EDTA

H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A
------	---

#### Streptavidin Resin

H226	FLAMMABLE LIQUIDS - Category 3
H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A

#### Streptavidin Supernatant Supplement












H360	REPRODUCTIVE TOXICITY (Unborn child) - Category 1B
------	--

#### MS-Grade Calmodulin Resin

H226	FLAMMABLE LIQUIDS - Category 3																
H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A																
	<table> <tr> <td><input checked="" type="checkbox"/> J5183-AD-1 electroporation competent cells</td> <td>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%</td> </tr> <tr> <td>XL10-Gold Ultracompetent cells</td> <td>Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%</td> </tr> <tr> <td></td> <td>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%</td> </tr> <tr> <td>XL10-Gold</td> <td>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%</td> </tr> <tr> <td>2-Mercaptoethanol</td> <td>Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%</td> </tr> <tr> <td>Streptavidin Supernatant Supplement</td> <td>Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%</td> </tr> <tr> <td></td> <td>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%</td> </tr> <tr> <td>MS-Grade Calmodulin Resin</td> <td>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%</td> </tr> </table>	<input checked="" type="checkbox"/> J5183-AD-1 electroporation competent cells	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%	XL10-Gold Ultracompetent cells	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%		Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%	XL10-Gold	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%	2-Mercaptoethanol	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%	Streptavidin Supernatant Supplement	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%		Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%	MS-Grade Calmodulin Resin	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
<input checked="" type="checkbox"/> J5183-AD-1 electroporation competent cells	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%																
XL10-Gold Ultracompetent cells	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%																
	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%																
XL10-Gold	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%																
2-Mercaptoethanol	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%																
Streptavidin Supernatant Supplement	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%																
	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%																
MS-Grade Calmodulin Resin	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%																



### GHS label elements

## Section 2. Hazard(s) identification

<b>Hazard pictograms</b>	: <input checked="" type="checkbox"/> β-Mercaptoethanol	  
	XL10-Gold 2-Mercaptoethanol	 
	0.5 M EDTA	
	Streptavidin Resin	 
	Streptavidin Supernatant Supplement	
	MS-Grade Calmodulin Resin	 

<b>Signal word</b>	: <input checked="" type="checkbox"/> β-Mercaptoethanol	DANGER
	pNTAP Shuttle vector-A	No signal word.
	pNTAP Shuttle vector-B	No signal word.
	pNTAP Shuttle vector-C	No signal word.
	Adenoviral pTAP Shuttle-CAT Vector	No signal word.
	pShuttle-CMV-lacZ Control Vector	No signal word.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No signal word.
	BJ5183-AD-1 electroporation competent cells	No signal word.
	Transformation Control	No signal word.
	XL10-Gold Ultracompetent cells	No signal word.
	XL10-Gold 2-Mercaptoethanol	DANGER
	pUC 18 DNA Control Plasmid	No signal word.
	Lysis Buffer	No signal word.
	0.5 M EDTA	WARNING
	Streptavidin Resin	WARNING
	Streptavidin Binding Buffer	No signal word.
	Streptavidin Elution Buffer	No signal word.
	Streptavidin Supernatant Supplement	DANGER
	MS-Grade Calmodulin Resin	WARNING
	Calmodulin Binding Buffer	No signal word.
	Calmodulin Elution Buffer	No signal word.

## Section 2. Hazard(s) identification

<b>Hazard statements</b>	:  -Mercaptoethanol	<p>H227 - Combustible liquid.  H310 + H330 - Fatal in contact with skin or if inhaled.  H301 - Toxic if swallowed.  H318 - Causes serious eye damage.  H315 - Causes skin irritation.  H317 - May cause an allergic skin reaction.  H335 - May cause respiratory irritation.  H411 - Toxic to aquatic life with long lasting effects.</p>
	<p>pNTAP Shuttle vector-A  pNTAP Shuttle vector-B  pNTAP Shuttle vector-C  Adenoviral pTAP Shuttle-CAT Vector  pShuttle-CMV-lacZ Control Vector  AD-293 Cell Line &gt;1 x 10e6 Viable Cells  BJ5183-AD-1 electroporation competent cells  Transformation Control  XL10-Gold Ultracompetent cells  XL10-Gold  2-Mercaptoethanol</p>	<p>No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  H318 - Causes serious eye damage.  H317 - May cause an allergic skin reaction.  H412 - Harmful to aquatic life with long lasting effects.</p>
	<p>pUC 18 DNA Control Plasmid  Lysis Buffer  0.5 M EDTA  Streptavidin Resin</p> <p>Streptavidin Binding Buffer  Streptavidin Elution Buffer  Streptavidin Supernatant Supplement  MS-Grade Calmodulin Resin</p> <p>Calmodulin Binding Buffer  Calmodulin Elution Buffer</p>	<p>No known significant effects or critical hazards.  No known significant effects or critical hazards.  H319 - Causes serious eye irritation.  H226 - Flammable liquid and vapour.  H319 - Causes serious eye irritation.  No known significant effects or critical hazards.  No known significant effects or critical hazards.  H360 - May damage the unborn child.  H226 - Flammable liquid and vapour.  H319 - Causes serious eye irritation.  No known significant effects or critical hazards.  No known significant effects or critical hazards.</p>
<b>Precautionary statements</b>		
<b>Prevention</b>	:  -Mercaptoethanol	<p>P280 - Wear protective gloves. Wear eye or face protection.  P284 - Wear respiratory protection.  P210 - Keep away from flames and hot surfaces. - No smoking.  P271 - Use only outdoors or in a well-ventilated area.  P273 - Avoid release to the environment.  P262 - Do not get in eyes, on skin, or on clothing.  P260 - Do not breathe vapour.  P270 - Do not eat, drink or smoke when using this product.  P264 - Wash hands thoroughly after handling.  P272 - Contaminated work clothing should not be allowed out of the workplace.</p>
	<p>pNTAP Shuttle vector-A  pNTAP Shuttle vector-B  pNTAP Shuttle vector-C  Adenoviral pTAP Shuttle-CAT Vector  pShuttle-CMV-lacZ Control Vector</p>	<p>Not applicable.  Not applicable.  Not applicable.  Not applicable.  Not applicable.</p>

## Section 2. Hazard(s) identification

AD-293 Cell Line >1 x 10e6 Viable Cells	Not applicable.
BJ5183-AD-1 electroporation competent cells	Not applicable.
Transformation Control	Not applicable.
XL10-Gold Ultracompetent cells	Not applicable.
XL10-Gold 2-Mercaptoethanol	P280 - Wear protective gloves. Wear eye or face protection. P273 - Avoid release to the environment. P261 - Avoid breathing vapour. P272 - Contaminated work clothing should not be allowed out of the workplace.
pUC 18 DNA Control Plasmid	Not applicable.
Lysis Buffer	Not applicable.
0.5 M EDTA	P280 - Wear eye or face protection. P264 - Wash hands thoroughly after handling.
Streptavidin Resin	P280 - Wear protective gloves. Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P233 - Keep container tightly closed. P264 - Wash hands thoroughly after handling.
Streptavidin Binding Buffer	Not applicable.
Streptavidin Elution Buffer	Not applicable.
Streptavidin Supernatant Supplement	P201 - Obtain special instructions before use.
MS-Grade Calmodulin Resin	P202 - Do not handle until all safety precautions have been read and understood. P281 - Use personal protective equipment as required. P280 - Wear protective gloves. Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P233 - Keep container tightly closed. P264 - Wash hands thoroughly after handling.
Calmodulin Binding Buffer	Not applicable.
Calmodulin Elution Buffer	Not applicable.
: <input checked="" type="checkbox"/> -Mercaptoethanol	P391 - Collect spillage. P304 + P340 + P310 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. P301 + P310 + P330 - IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. P302 + P361 + P350 + P310 + P362 + P363 - IF ON SKIN: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or physician. Take off contaminated clothing. Wash contaminated

### Response

## Section 2. Hazard(s) identification

	clothing before reuse.
	P333 + P313 - If skin irritation or rash occurs: Get medical attention.
	P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
pNTAP Shuttle vector-A	Not applicable.
pNTAP Shuttle vector-B	Not applicable.
pNTAP Shuttle vector-C	Not applicable.
Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
pShuttle-CMV-lacZ Control Vector	Not applicable.
AD-293 Cell Line >1 x 10e6 Viable Cells	Not applicable.
BJ5183-AD-1 electroporation competent cells	Not applicable.
Transformation Control	Not applicable.
XL10-Gold Ultracompetent cells	Not applicable.
XL10-Gold	P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.
2-Mercaptoethanol	P333 + P313 - If skin irritation or rash occurs: Get medical attention. P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
pUC 18 DNA Control Plasmid	Not applicable.
Lysis Buffer	Not applicable.
0.5 M EDTA	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
Streptavidin Resin	P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
Streptavidin Binding Buffer	Not applicable.
Streptavidin Elution Buffer	Not applicable.
Streptavidin Supernatant Supplement	P308 + P313 - IF exposed or concerned: Get medical attention.
MS-Grade Calmodulin Resin	P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
Calmodulin Binding Buffer	Not applicable.
Calmodulin Elution Buffer	Not applicable.

## Section 2. Hazard(s) identification

<b>Storage</b>	:	<input checked="" type="checkbox"/> -Mercaptoethanol	P405 - Store locked up. P403 - Store in a well-ventilated place. P235 - Keep cool.
		pNTAP Shuttle vector-A	Not applicable.
		pNTAP Shuttle vector-B	Not applicable.
		pNTAP Shuttle vector-C	Not applicable.
		Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
		pShuttle-CMV-lacZ Control Vector	Not applicable.
		AD-293 Cell Line >1 x 10e6 Viable Cells	Not applicable.
		BJ5183-AD-1 electroporation competent cells	Not applicable.
		Transformation Control	Not applicable.
		XL10-Gold Ultracompetent cells	Not applicable.
		XL10-Gold	Not applicable.
		2-Mercaptoethanol	Not applicable.
		pUC 18 DNA Control Plasmid	Not applicable.
		Lysis Buffer	Not applicable.
		0.5 M EDTA	Not applicable.
		Streptavidin Resin	P403 - Store in a well-ventilated place. P235 - Keep cool.
		Streptavidin Binding Buffer	Not applicable.
		Streptavidin Elution Buffer	Not applicable.
		Streptavidin Supernatant Supplement	P405 - Store locked up.
		MS-Grade Calmodulin Resin	P403 - Store in a well-ventilated place. P235 - Keep cool.
		Calmodulin Binding Buffer	Not applicable.
		Calmodulin Elution Buffer	Not applicable.
		<b>Disposal</b>	:
pNTAP Shuttle vector-A	Not applicable.		
pNTAP Shuttle vector-B	Not applicable.		
pNTAP Shuttle vector-C	Not applicable.		
Adenoviral pTAP Shuttle-CAT Vector	Not applicable.		
pShuttle-CMV-lacZ Control Vector	Not applicable.		
AD-293 Cell Line >1 x 10e6 Viable Cells	Not applicable.		
BJ5183-AD-1 electroporation competent cells	Not applicable.		
Transformation Control	Not applicable.		
XL10-Gold Ultracompetent cells	Not applicable.		
XL10-Gold	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.		
2-Mercaptoethanol	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.		
pUC 18 DNA Control Plasmid	Not applicable.		
Lysis Buffer	Not applicable.		
0.5 M EDTA	Not applicable.		
Streptavidin Resin	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.		
Streptavidin Binding Buffer	Not applicable.		
Streptavidin Elution Buffer	Not applicable.		
Streptavidin Supernatant	P501 - Dispose of contents and container in		

## Section 2. Hazard(s) identification

Supplement	accordance with all local, regional, national and international regulations.
MS-Grade Calmodulin Resin	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Calmodulin Binding Buffer	Not applicable.
Calmodulin Elution Buffer	Not applicable.

### Supplemental label elements

#### Additional warning phrases

: $\beta$ -Mercaptoethanol	Not applicable.
pNTAP Shuttle vector-A	Not applicable.
pNTAP Shuttle vector-B	Not applicable.
pNTAP Shuttle vector-C	Not applicable.
Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
pShuttle-CMV-lacZ Control Vector	Not applicable.
AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	Not applicable.
BJ5183-AD-1 electroporation competent cells	Not applicable.
Transformation Control	Not applicable.
XL10-Gold Ultracompetent cells	Not applicable.
XL10-Gold 2-Mercaptoethanol	Not applicable.
pUC 18 DNA Control Plasmid	Not applicable.
Lysis Buffer	Not applicable.
0.5 M EDTA	Not applicable.
Streptavidin Resin	Not applicable.
Streptavidin Binding Buffer	Not applicable.
Streptavidin Elution Buffer	Not applicable.
Streptavidin Supernatant	Not applicable.
Supplement	Not applicable.
MS-Grade Calmodulin Resin	Not applicable.
Calmodulin Binding Buffer	Not applicable.
Calmodulin Elution Buffer	Not applicable.

#### Other hazards which do not result in classification

: $\beta$ -Mercaptoethanol	None known.
pNTAP Shuttle vector-A	None known.
pNTAP Shuttle vector-B	None known.
pNTAP Shuttle vector-C	None known.
Adenoviral pTAP Shuttle-CAT Vector	None known.
pShuttle-CMV-lacZ Control Vector	None known.
AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	None known.
BJ5183-AD-1 electroporation competent cells	None known.
Transformation Control	None known.
XL10-Gold Ultracompetent cells	None known.
XL10-Gold 2-Mercaptoethanol	None known.
pUC 18 DNA Control Plasmid	None known.
Lysis Buffer	None known.
0.5 M EDTA	None known.
Streptavidin Resin	None known.
Streptavidin Binding Buffer	None known.



**Section 2. Hazard(s) identification**

Streptavidin Elution Buffer	None known.
Streptavidin Supernatant Supplement	None known.
MS-Grade Calmodulin Resin	None known.
Calmodulin Binding Buffer	None known.
Calmodulin Elution Buffer	None known.

**Section 3. Composition and ingredient information**

<b>Substance/mixture</b>	:	$\beta$ -Mercaptoethanol	Substance
		pNTAP Shuttle vector-A	Mixture
		pNTAP Shuttle vector-B	Mixture
		pNTAP Shuttle vector-C	Mixture
		Adenoviral pTAP Shuttle-CAT Vector	Mixture
		pShuttle-CMV-lacZ Control Vector	Mixture
		AD-293 Cell Line >1 x 10e6 Viable Cells	Mixture
		BJ5183-AD-1 electroporation competent cells	Mixture
		Transformation Control	Mixture
		XL10-Gold Ultracompetent cells	Mixture
		XL10-Gold 2-Mercaptoethanol	Mixture
		pUC 18 DNA Control Plasmid	Mixture
		Lysis Buffer	Mixture
		0.5 M EDTA	Mixture
		Streptavidin Resin	Mixture
		Streptavidin Binding Buffer	Mixture
		Streptavidin Elution Buffer	Mixture
		Streptavidin Supernatant Supplement	Mixture
		MS-Grade Calmodulin Resin	Mixture
		Calmodulin Binding Buffer	Mixture
		Calmodulin Elution Buffer	Mixture

**CAS number/other identifiers**

Ingredient name	% (w/w)	CAS number
<b><math>\beta</math>-Mercaptoethanol</b> 2-Mercaptoethanol	100	60-24-2
<b>AD-293 Cell Line &gt;1 x 10e6 Viable Cells</b> Dimethyl sulfoxide	$\geq 10 - \leq 30$	67-68-5
<b>BJ5183-AD-1 electroporation competent cells</b> Glycerol	$\leq 10$	56-81-5
<b>XL10-Gold Ultracompetent cells</b> Glycerol Dimethyl sulfoxide Sucrose	$\geq 10 - \leq 30$ $\leq 10$ $\leq 10$	56-81-5 67-68-5 57-50-1
<b>XL10-Gold 2-Mercaptoethanol</b> 2-Mercaptoethanol	$\leq 5$	60-24-2
<b>0.5 M EDTA</b> Edetic acid	$\geq 10 - \leq 30$	60-00-4
<b>Streptavidin Resin</b>		

## Section 3. Composition and ingredient information

Ethanol	≥10 - ≤30	64-17-5
<b>Streptavidin Supernatant Supplement</b>		
Imidazole	<1	288-32-4
<b>MS-Grade Calmodulin Resin</b>		
Ethanol	≥10 - ≤30	64-17-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	: β-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
	pNTAP Shuttle vector-A	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	pNTAP Shuttle vector-B	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	pNTAP Shuttle vector-C	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Adenoviral pTAP Shuttle-CAT Vector	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	pShuttle-CMV-lacZ Control Vector	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BJ5183-AD-1 electroporation competent cells	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Transformation Control	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XL10-Gold Ultracompetent cells	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XL10-Gold 2-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact

## Section 4. First aid measures

lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

pUC 18 DNA Control Plasmid	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Lysis Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
0.5 M EDTA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Streptavidin Resin	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Streptavidin Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Streptavidin Elution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Streptavidin Supernatant Supplement	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
MS-Grade Calmodulin Resin	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Calmodulin Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Calmodulin Elution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

### Inhalation

: -Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

pNTAP Shuttle vector-A  
Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

pNTAP Shuttle vector-B  
Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

## Section 4. First aid measures

pNTAP Shuttle vector-C	attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Adenoviral pTAP Shuttle-CAT Vector	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
pShuttle-CMV-lacZ Control Vector	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
AD-293 Cell Line >1 x 10e6 Viable Cells	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BJ5183-AD-1 electroporation competent cells	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Transformation Control	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
XL10-Gold Ultracompetent cells	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
XL10-Gold 2-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
pUC 18 DNA Control Plasmid	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Lysis Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
0.5 M EDTA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Streptavidin Resin	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist

## Section 4. First aid measures

		or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Streptavidin Binding Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Streptavidin Elution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Streptavidin Supernatant Supplement	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	MS-Grade Calmodulin Resin	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Calmodulin Binding Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Calmodulin Elution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin contact</b>	:  -Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Gently wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	pNTAP Shuttle vector-A	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	pNTAP Shuttle vector-B	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	pNTAP Shuttle vector-C	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Adenoviral pTAP Shuttle-CAT Vector	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	pShuttle-CMV-lacZ Control Vector	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	AD-293 Cell Line >1 x 10e6	Flush contaminated skin with plenty of water.

## Section 4. First aid measures

Viable Cells	Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
BJ5183-AD-1 electroporation competent cells	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Transformation Control	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
XL10-Gold Ultracompetent cells	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
XL10-Gold 2-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
pUC 18 DNA Control Plasmid	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Lysis Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
0.5 M EDTA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Streptavidin Resin	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Streptavidin Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Streptavidin Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Streptavidin Supernatant Supplement	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
MS-Grade Calmodulin Resin	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Calmodulin Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Calmodulin Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

## Section 4. First aid measures

### Ingestion

:  Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

pNTAP Shuttle vector-A

pNTAP Shuttle vector-B

pNTAP Shuttle vector-C

Adenoviral pTAP Shuttle-CAT Vector

pShuttle-CMV-lacZ Control Vector

AD-293 Cell Line &gt;1 x 10e6 Viable Cells

BJ5183-AD-1 electroporation competent cells

## Section 4. First aid measures

	directed to do so by medical personnel. Get medical attention if symptoms occur.
Transformation Control	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
XL10-Gold Ultracompetent cells	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
XL10-Gold 2-Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
pUC 18 DNA Control Plasmid	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Lysis Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
0.5 M EDTA	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Streptavidin Resin	Wash out mouth with water. Remove dentures if any.



## Section 4. First aid measures

	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Streptavidin Binding Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Streptavidin Elution Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Streptavidin Supernatant Supplement	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
MS-Grade Calmodulin Resin	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Calmodulin Binding Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the

## Section 4. First aid measures

Calmodulin Elution Buffer

exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact

β-Mercaptoethanol	Causes serious eye damage.
pNTAP Shuttle vector-A	No known significant effects or critical hazards.
pNTAP Shuttle vector-B	No known significant effects or critical hazards.
pNTAP Shuttle vector-C	No known significant effects or critical hazards.
Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
Transformation Control	No known significant effects or critical hazards.
XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
XL10-Gold	Causes serious eye damage.
2-Mercaptoethanol	
pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Lysis Buffer	No known significant effects or critical hazards.
0.5 M EDTA	Causes serious eye irritation.
Streptavidin Resin	Causes serious eye irritation.
Streptavidin Binding Buffer	No known significant effects or critical hazards.
Streptavidin Elution Buffer	No known significant effects or critical hazards.
Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
MS-Grade Calmodulin Resin	Causes serious eye irritation.
Calmodulin Binding Buffer	No known significant effects or critical hazards.
Calmodulin Elution Buffer	No known significant effects or critical hazards.

##### Inhalation

β-Mercaptoethanol	Fatal if inhaled. May cause respiratory irritation.
pNTAP Shuttle vector-A	No known significant effects or critical hazards.
pNTAP Shuttle vector-B	No known significant effects or critical hazards.
pNTAP Shuttle vector-C	No known significant effects or critical hazards.
Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
Transformation Control	No known significant effects or critical hazards.
XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
XL10-Gold	No known significant effects or critical hazards.
2-Mercaptoethanol	
pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Lysis Buffer	No known significant effects or critical hazards.

## Section 4. First aid measures

	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Skin contact</b>	: β-Mercaptoethanol	Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold 2-Mercaptoethanol	May cause an allergic skin reaction.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Ingestion</b>	: β-Mercaptoethanol	Toxic if swallowed.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.

## Section 4. First aid measures

Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
Calmodulin Binding Buffer	No known significant effects or critical hazards.
Calmodulin Elution Buffer	No known significant effects or critical hazards.

### Over-exposure signs/symptoms

#### Eye contact

: <input checked="" type="checkbox"/> -Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
pNTAP Shuttle vector-A	No specific data.
pNTAP Shuttle vector-B	No specific data.
pNTAP Shuttle vector-C	No specific data.
Adenoviral pTAP Shuttle-CAT Vector	No specific data.
pShuttle-CMV-lacZ Control Vector	No specific data.
AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
BJ5183-AD-1 electroporation competent cells	No specific data.
Transformation Control	No specific data.
XL10-Gold Ultracompetent cells	No specific data.
XL10-Gold 2-Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
pUC 18 DNA Control Plasmid	No specific data.
Lysis Buffer	No specific data.
0.5 M EDTA	Adverse symptoms may include the following: pain or irritation watering redness
Streptavidin Resin	Adverse symptoms may include the following: pain or irritation watering redness
Streptavidin Binding Buffer	No specific data.
Streptavidin Elution Buffer	No specific data.
Streptavidin Supernatant Supplement	No specific data.
MS-Grade Calmodulin Resin	Adverse symptoms may include the following: pain or irritation watering redness
Calmodulin Binding Buffer	No specific data.
Calmodulin Elution Buffer	No specific data.
: <input checked="" type="checkbox"/> -Mercaptoethanol	Adverse symptoms may include the following: respiratory tract irritation coughing
pNTAP Shuttle vector-A	No specific data.
pNTAP Shuttle vector-B	No specific data.
pNTAP Shuttle vector-C	No specific data.
Adenoviral pTAP Shuttle-CAT Vector	No specific data.
pShuttle-CMV-lacZ Control Vector	No specific data.
AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
BJ5183-AD-1	No specific data.

#### Inhalation

## Section 4. First aid measures

	electroporation competent cells	
	Transformation Control	No specific data.
	XL10-Gold Ultracompetent cells	No specific data.
	XL10-Gold	No specific data.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	No specific data.
	Streptavidin Resin	No specific data.
	Streptavidin Binding Buffer	No specific data.
	Streptavidin Elution Buffer	No specific data.
	Streptavidin Supernatant Supplement	Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
	MS-Grade Calmodulin Resin	No specific data.
	Calmodulin Binding Buffer	No specific data.
	Calmodulin Elution Buffer	No specific data.
<b>Skin contact</b>	: 2-Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	pNTAP Shuttle vector-A	No specific data.
	pNTAP Shuttle vector-B	No specific data.
	pNTAP Shuttle vector-C	No specific data.
	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	pShuttle-CMV-lacZ Control Vector	No specific data.
	AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	No specific data.
	BJ5183-AD-1	No specific data.
	electroporation competent cells	
	Transformation Control	No specific data.
	XL10-Gold Ultracompetent cells	No specific data.
	XL10-Gold	Adverse symptoms may include the following:  pain or irritation redness blistering may occur
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	No specific data.
	Streptavidin Resin	No specific data.
	Streptavidin Binding Buffer	No specific data.
	Streptavidin Elution Buffer	No specific data.
	Streptavidin Supernatant Supplement	Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
	MS-Grade Calmodulin Resin	No specific data.
	Calmodulin Binding Buffer	No specific data.
	Calmodulin Elution Buffer	No specific data.

## Section 4. First aid measures

<b>Ingestion</b>	: $\beta$ -Mercaptoethanol	Adverse symptoms may include the following: stomach pains
	pNTAP Shuttle vector-A	No specific data.
	pNTAP Shuttle vector-B	No specific data.
	pNTAP Shuttle vector-C	No specific data.
	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	pShuttle-CMV-lacZ Control Vector	No specific data.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
	BJ5183-AD-1 electroporation competent cells	No specific data.
	Transformation Control	No specific data.
	XL10-Gold Ultracompetent cells	No specific data.
	XL10-Gold 2-Mercaptoethanol	Adverse symptoms may include the following: stomach pains
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	No specific data.
	Streptavidin Resin	No specific data.
	Streptavidin Binding Buffer	No specific data.
	Streptavidin Elution Buffer	No specific data.
	Streptavidin Supernatant Supplement	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	MS-Grade Calmodulin Resin	No specific data.
	Calmodulin Binding Buffer	No specific data.
	Calmodulin Elution Buffer	No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: $\beta$ -Mercaptoethanol	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pNTAP Shuttle vector-A	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pNTAP Shuttle vector-B	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pNTAP Shuttle vector-C	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Adenoviral pTAP Shuttle-CAT Vector	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pShuttle-CMV-lacZ Control Vector	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	BJ5183-AD-1 electroporation competent cells	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Transformation Control	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## Section 4. First aid measures

XL10-Gold Ultracompetent cells	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
XL10-Gold 2-Mercaptoethanol	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
pUC 18 DNA Control Plasmid	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Lysis Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
0.5 M EDTA	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Streptavidin Resin	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Streptavidin Binding Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Streptavidin Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Streptavidin Supernatant Supplement	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
MS-Grade Calmodulin Resin	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Calmodulin Binding Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Calmodulin Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	
: $\beta$ -Mercaptoethanol	No specific treatment.
pNTAP Shuttle vector-A	No specific treatment.
pNTAP Shuttle vector-B	No specific treatment.
pNTAP Shuttle vector-C	No specific treatment.
Adenoviral pTAP Shuttle-CAT Vector	No specific treatment.
pShuttle-CMV-lacZ Control Vector	No specific treatment.
AD-293 Cell Line >1 x 10e6 Viable Cells	No specific treatment.
BJ5183-AD-1 electroporation competent cells	No specific treatment.
Transformation Control	No specific treatment.
XL10-Gold Ultracompetent cells	No specific treatment.
XL10-Gold 2-Mercaptoethanol	No specific treatment.
pUC 18 DNA Control Plasmid	No specific treatment.
Lysis Buffer	No specific treatment.
0.5 M EDTA	No specific treatment.
Streptavidin Resin	No specific treatment.
Streptavidin Binding Buffer	No specific treatment.
Streptavidin Elution Buffer	No specific treatment.
Streptavidin Supernatant Supplement	No specific treatment.

## Section 4. First aid measures

	MS-Grade Calmodulin Resin	No specific treatment.
	Calmodulin Binding Buffer	No specific treatment.
	Calmodulin Elution Buffer	No specific treatment.
<b>Protection of first-aiders</b>	: <b>β</b> -Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	pNTAP Shuttle vector-A	No action shall be taken involving any personal risk or without suitable training.
	pNTAP Shuttle vector-B	No action shall be taken involving any personal risk or without suitable training.
	pNTAP Shuttle vector-C	No action shall be taken involving any personal risk or without suitable training.
	Adenoviral pTAP Shuttle-CAT Vector	No action shall be taken involving any personal risk or without suitable training.
	pShuttle-CMV-lacZ Control Vector	No action shall be taken involving any personal risk or without suitable training.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No action shall be taken involving any personal risk or without suitable training.
	BJ5183-AD-1 electroporation competent cells	No action shall be taken involving any personal risk or without suitable training.
	Transformation Control	No action shall be taken involving any personal risk or without suitable training.
	XL10-Gold Ultracompetent cells	No action shall be taken involving any personal risk or without suitable training.
	XL10-Gold	No action shall be taken involving any personal risk or without suitable training.
	2-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	pUC 18 DNA Control Plasmid	No action shall be taken involving any personal risk or without suitable training.
	Lysis Buffer	No action shall be taken involving any personal risk or without suitable training.
	0.5 M EDTA	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Streptavidin Resin	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Streptavidin Binding Buffer	No action shall be taken involving any personal risk or without suitable training.
	Streptavidin Elution Buffer	No action shall be taken involving any personal risk or without suitable training.
	Streptavidin Supernatant Supplement	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	MS-Grade Calmodulin Resin	No action shall be taken involving any personal risk





## Section 5. Firefighting measures

Viable Cells	
BJ5183-AD-1	None known.
electroporation competent cells	
Transformation Control	None known.
XL10-Gold Ultracompetent cells	None known.
XL10-Gold	None known.
2-Mercaptoethanol	
pUC 18 DNA Control Plasmid	None known.
Lysis Buffer	None known.
0.5 M EDTA	None known.
Streptavidin Resin	Do not use water jet.
Streptavidin Binding Buffer	None known.
Streptavidin Elution Buffer	None known.
Streptavidin Supernatant Supplement	None known.
MS-Grade Calmodulin Resin	Do not use water jet.
Calmodulin Binding Buffer	None known.
Calmodulin Elution Buffer	None known.

### Specific hazards arising from the chemical

β-Mercaptoethanol	Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapour/gas is heavier than air and will spread along the ground. Vapours may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
pNTAP Shuttle vector-A	In a fire or if heated, a pressure increase will occur and the container may burst.
pNTAP Shuttle vector-B	In a fire or if heated, a pressure increase will occur and the container may burst.
pNTAP Shuttle vector-C	In a fire or if heated, a pressure increase will occur and the container may burst.
Adenoviral pTAP Shuttle-CAT Vector	In a fire or if heated, a pressure increase will occur and the container may burst.
pShuttle-CMV-lacZ Control Vector	In a fire or if heated, a pressure increase will occur and the container may burst.
AD-293 Cell Line >1 x 10e6	In a fire or if heated, a pressure increase will occur and the container may burst.
Viable Cells	In a fire or if heated, a pressure increase will occur and the container may burst.
BJ5183-AD-1	In a fire or if heated, a pressure increase will occur and the container may burst.
electroporation competent cells	
Transformation Control	In a fire or if heated, a pressure increase will occur and the container may burst.
XL10-Gold Ultracompetent cells	In a fire or if heated, a pressure increase will occur and the container may burst.
XL10-Gold	In a fire or if heated, a pressure increase will occur and the container may burst.
2-Mercaptoethanol	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
pUC 18 DNA Control Plasmid	In a fire or if heated, a pressure increase will occur and the container may burst.
Lysis Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
0.5 M EDTA	In a fire or if heated, a pressure increase will occur

## Section 5. Firefighting measures

	Streptavidin Resin	and the container may burst. Flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
	Streptavidin Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Streptavidin Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Streptavidin Supernatant Supplement	In a fire or if heated, a pressure increase will occur and the container may burst.
	MS-Grade Calmodulin Resin	Flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
	Calmodulin Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Calmodulin Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal decomposition products</b>	: $\beta$ -Mercaptoethanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
	pNTAP Shuttle vector-A	No specific data.
	pNTAP Shuttle vector-B	No specific data.
	pNTAP Shuttle vector-C	No specific data.
	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	pShuttle-CMV-lacZ Control Vector	No specific data.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
	BJ5183-AD-1 electroporation competent cells	Decomposition products may include the following materials:  carbon dioxide carbon monoxide
	Transformation Control XL10-Gold Ultracompetent cells	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
	XL10-Gold 2-Mercaptoethanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides

## Section 5. Firefighting measures

Streptavidin Resin	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Streptavidin Binding Buffer	No specific data.
Streptavidin Elution Buffer	No specific data.
Streptavidin Supernatant Supplement	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
MS-Grade Calmodulin Resin	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Calmodulin Binding Buffer	No specific data.
Calmodulin Elution Buffer	No specific data.

### Special protective actions for fire-fighters

: $\beta$ -Mercaptoethanol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
pNTAP Shuttle vector-A	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
pNTAP Shuttle vector-B	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
pNTAP Shuttle vector-C	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Adenoviral pTAP Shuttle-CAT Vector	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
pShuttle-CMV-lacZ Control Vector	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
AD-293 Cell Line >1 x 10e6 Viable Cells	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
BJ5183-AD-1 electroporation competent cells	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Transformation Control	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
XL10-Gold Ultracompetent cells	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

## Section 5. Firefighting measures

XL10-Gold 2-Mercaptoethanol	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
pUC 18 DNA Control Plasmid	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Lysis Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
0.5 M EDTA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Streptavidin Resin	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Streptavidin Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Streptavidin Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Streptavidin Supernatant Supplement	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
MS-Grade Calmodulin Resin	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Calmodulin Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Calmodulin Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b> : $\beta$ -Mercaptoethanol	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
pNTAP Shuttle vector-A	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
pNTAP Shuttle vector-B	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
pNTAP Shuttle vector-C	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

## Section 5. Firefighting measures

Adenoviral pTAP Shuttle-CAT Vector	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
pShuttle-CMV-lacZ Control Vector	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
AD-293 Cell Line >1 x 10e6 Viable Cells	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BJ5183-AD-1 electroporation competent cells	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Transformation Control	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
XL10-Gold Ultracompetent cells	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
XL10-Gold 2-Mercaptoethanol	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
pUC 18 DNA Control Plasmid	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Lysis Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
0.5 M EDTA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Streptavidin Resin	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Streptavidin Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Streptavidin Elution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Streptavidin Supernatant Supplement	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
MS-Grade Calmodulin Resin	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Calmodulin Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

## Section 5. Firefighting measures

	Calmodulin Elution Buffer	(SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
<b>Hazchem code</b>	: $\beta$ -Mercaptoethanol	2X
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	•2Y
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant Supplement	Not available.
	MS-Grade Calmodulin Resin	•2Y
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: $\beta$ -Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	pNTAP Shuttle vector-A	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	pNTAP Shuttle vector-B	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	pNTAP Shuttle vector-C	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

## Section 6. Accidental release measures

	areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Adenoviral pTAP Shuttle-CAT Vector	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
pShuttle-CMV-lacZ Control Vector	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
AD-293 Cell Line >1 x 10e6 Viable Cells	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
BJ5183-AD-1 electroporation competent cells	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Transformation Control	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
XL10-Gold Ultracompetent cells	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
XL10-Gold 2-Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
pUC 18 DNA Control Plasmid	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Lysis Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
0.5 M EDTA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected



## Section 6. Accidental release measures

	personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Streptavidin Resin	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Streptavidin Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Streptavidin Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Streptavidin Supernatant Supplement	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
MS-Grade Calmodulin Resin	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Calmodulin Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Calmodulin Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

## Section 6. Accidental release measures

<b>For emergency responders</b> :	$\beta$ -Mercaptoethanol	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pNTAP Shuttle vector-A	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pNTAP Shuttle vector-B	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pNTAP Shuttle vector-C	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Adenoviral pTAP Shuttle-CAT Vector	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pShuttle-CMV-lacZ Control Vector	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	AD-293 Cell Line >1 x 10e6 Viable Cells	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	BJ5183-AD-1 electroporation competent cells	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Transformation Control	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	XL10-Gold Ultracompetent cells	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	XL10-Gold 2-Mercaptoethanol	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pUC 18 DNA Control Plasmid	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Lysis Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	0.5 M EDTA	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Streptavidin Resin	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Streptavidin Binding Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

## Section 6. Accidental release measures

Streptavidin Elution Buffer	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Streptavidin Supernatant Supplement	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
MS-Grade Calmodulin Resin	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Calmodulin Binding Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Calmodulin Elution Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

<b>Environmental precautions</b>	: $\beta$ -Mercaptoethanol	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
	pNTAP Shuttle vector-A	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pNTAP Shuttle vector-B	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pNTAP Shuttle vector-C	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Adenoviral pTAP Shuttle-CAT Vector	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pShuttle-CMV-lacZ Control Vector	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	AD-293 Cell Line >1 x 10e6 Viable Cells	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	BJ5183-AD-1 electroporation competent cells	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

## Section 6. Accidental release measures

Transformation Control	soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
XL10-Gold Ultracompetent cells	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
XL10-Gold 2-Mercaptoethanol	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
pUC 18 DNA Control Plasmid	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Lysis Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
0.5 M EDTA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Streptavidin Resin	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Streptavidin Binding Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Streptavidin Elution Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Streptavidin Supernatant Supplement	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
MS-Grade Calmodulin Resin	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Calmodulin Binding Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Calmodulin Elution Buffer	Avoid dispersal of spilt material and runoff and

## Section 6. Accidental release measures

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and material for containment and cleaning up

**Methods for cleaning up** :  $\beta$ -Mercaptoethanol

pNTAP Shuttle vector-A	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
pNTAP Shuttle vector-B	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
pNTAP Shuttle vector-C	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Adenoviral pTAP Shuttle-CAT Vector	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
pShuttle-CMV-lacZ Control Vector	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
AD-293 Cell Line >1 x 10e6 Viable Cells	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
BJ5183-AD-1 electroporation competent cells	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Transformation Control	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
XL10-Gold Ultracompetent cells	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

## Section 6. Accidental release measures

	Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
XL10-Gold 2-Mercaptoethanol	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
pUC 18 DNA Control Plasmid	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Lysis Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
0.5 M EDTA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Streptavidin Resin	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Streptavidin Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Streptavidin Elution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Streptavidin Supernatant Supplement	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
MS-Grade Calmodulin Resin	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Calmodulin Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an

## Section 6. Accidental release measures

Calmodulin Elution Buffer

inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

#### Protective measures

: -Mercaptoethanol

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

pNTAP Shuttle vector-A

Put on appropriate personal protective equipment (see Section 8).

pNTAP Shuttle vector-B

Put on appropriate personal protective equipment (see Section 8).

pNTAP Shuttle vector-C

Put on appropriate personal protective equipment (see Section 8).

Adenoviral pTAP Shuttle-CAT Vector

Put on appropriate personal protective equipment (see Section 8).

pShuttle-CMV-lacZ Control Vector

Put on appropriate personal protective equipment (see Section 8).

AD-293 Cell Line &gt;1 x 10e6 Viable Cells

Put on appropriate personal protective equipment (see Section 8).

BJ5183-AD-1

Put on appropriate personal protective equipment (see Section 8).

electroporation competent cells

Transformation Control

Put on appropriate personal protective equipment (see Section 8).

XL10-Gold Ultracompetent cells

Put on appropriate personal protective equipment (see Section 8).

XL10-Gold

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

2-Mercaptoethanol


## Section 7. Handling and storage

pUC 18 DNA Control Plasmid	Put on appropriate personal protective equipment (see Section 8).
Lysis Buffer	Put on appropriate personal protective equipment (see Section 8).
0.5 M EDTA	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Streptavidin Resin	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
Streptavidin Binding Buffer	Put on appropriate personal protective equipment (see Section 8).
Streptavidin Elution Buffer	Put on appropriate personal protective equipment (see Section 8).
Streptavidin Supernatant Supplement	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
MS-Grade Calmodulin Resin	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
Calmodulin Binding Buffer	Put on appropriate personal protective equipment (see Section 8).



## Section 7. Handling and storage

### Advice on general occupational hygiene

Calmodulin Elution Buffer	Put on appropriate personal protective equipment (see Section 8).
:  -Mercaptoethanol	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
pNTAP Shuttle vector-A	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
pNTAP Shuttle vector-B	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
pNTAP Shuttle vector-C	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Adenoviral pTAP Shuttle-CAT Vector	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
pShuttle-CMV-lacZ Control Vector	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
AD-293 Cell Line >1 x 10e6 Viable Cells	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
BJ5183-AD-1 electroporation competent cells	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Transformation Control	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

## Section 7. Handling and storage

	before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
XL10-Gold Ultracompetent cells	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
XL10-Gold 2-Mercaptoethanol	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
pUC 18 DNA Control Plasmid	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Lysis Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
0.5 M EDTA	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Streptavidin Resin	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Streptavidin Binding Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Streptavidin Elution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Streptavidin Supernatant Supplement	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

## Section 7. Handling and storage

MS-Grade Calmodulin Resin	processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Calmodulin Binding Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Calmodulin Elution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities** : -Mercaptoethanol

pNTAP Shuttle vector-A	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
pNTAP Shuttle vector-B	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
pNTAP Shuttle vector-C	Store in accordance with local regulations. Store in

## Section 7. Handling and storage

Adenoviral pTAP Shuttle-CAT Vector	original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
pShuttle-CMV-lacZ Control Vector	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
AD-293 Cell Line >1 x 10e6 Viable Cells	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
BJ5183-AD-1 electroporation competent cells	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Transformation Control	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid

## Section 7. Handling and storage

XL10-Gold Ultracompetent cells	environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
XL10-Gold 2-Mercaptoethanol	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
pUC 18 DNA Control Plasmid	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Lysis Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
0.5 M EDTA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Streptavidin Resin	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from

## Section 7. Handling and storage

Streptavidin Binding Buffer	oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Streptavidin Elution Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Streptavidin Supernatant Supplement	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
MS-Grade Calmodulin Resin	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Calmodulin Binding Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for

## Section 7. Handling and storage

### Calmodulin Elution Buffer

incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls and personal protection

### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
<b>AD-293 Cell Line &gt;1 x 10e6 Viable Cells</b> Dimethyl sulfoxide	<b>DFG MAC-values list (Germany, 7/2015).            Absorbed through skin.</b> PEAK: 320 mg/m <sup>3</sup> , 4 times per shift, 15 minutes. TWA: 160 mg/m <sup>3</sup> 8 hours. PEAK: 100 ppm, 4 times per shift, 15 minutes. TWA: 50 ppm 8 hours.
<b>BJ5183-AD-1 electroporation competent cells</b> Glycerol	<b>Safe Work Australia (Australia, 1/2014).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.
<b>XL10-Gold Ultracompetent cells</b> Glycerol  Dimethyl sulfoxide	<b>Safe Work Australia (Australia, 1/2014).</b> TWA: 10 mg/m <sup>3</sup> 8 hours. <b>DFG MAC-values list (Germany, 7/2015).            Absorbed through skin.</b> PEAK: 320 mg/m <sup>3</sup> , 4 times per shift, 15 minutes. TWA: 160 mg/m <sup>3</sup> 8 hours. PEAK: 100 ppm, 4 times per shift, 15 minutes. TWA: 50 ppm 8 hours.
Sucrose	<b>Safe Work Australia (Australia, 1/2014).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.
<b>Streptavidin Resin</b> Ethanol	<b>Safe Work Australia (Australia, 1/2014).</b> TWA: 1880 mg/m <sup>3</sup> 8 hours. TWA: 1000 ppm 8 hours.
<b>MS-Grade Calmodulin Resin</b> Ethanol	<b>Safe Work Australia (Australia, 1/2014).</b> TWA: 1880 mg/m <sup>3</sup> 8 hours. TWA: 1000 ppm 8 hours.

## Section 8. Exposure controls and personal protection

- Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures**
- Hygiene measures** : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	: $\beta$ -Mercaptoethanol	Liquid.
	pNTAP Shuttle vector-A	Liquid.
	pNTAP Shuttle vector-B	Liquid.
	pNTAP Shuttle vector-C	Liquid.
	Adenoviral pTAP Shuttle-CAT Vector	Liquid.
	pShuttle-CMV-lacZ Control Vector	Liquid.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Liquid.
	BJ5183-AD-1 electroporation competent	Liquid.



## Section 9. Physical and chemical properties

	cells	
	Transformation Control	Liquid.
	XL10-Gold Ultracompetent	Liquid.
	cells	
	XL10-Gold	Liquid.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Liquid.
	Lysis Buffer	Liquid.
	0.5 M EDTA	Liquid.
	Streptavidin Resin	Liquid.
	Streptavidin Binding Buffer	Liquid.
	Streptavidin Elution Buffer	Liquid.
	Streptavidin Supernatant	Liquid.
	Supplement	
	MS-Grade Calmodulin Resin	Liquid.
	Calmodulin Binding Buffer	Liquid.
	Calmodulin Elution Buffer	Liquid.
<b>Colour</b>	: $\beta$ -Mercaptoethanol	Colourless.
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle- CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1	Not available.
	electroporation competent cells	
	Transformation Control	Not available.
	XL10-Gold Ultracompetent	Not available.
	cells	
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant	Not available.
	Supplement	
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.
<b>Odour</b>	: $\beta$ -Mercaptoethanol	Characteristic.
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle- CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1	Not available.
	electroporation competent cells	
	Transformation Control	Not available.
	XL10-Gold Ultracompetent	Not available.
	cells	
	XL10-Gold	Not available.

## Section 9. Physical and chemical properties

	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant	Not available.
	Supplement	
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.
<b>Odour threshold</b>	: $\beta$ -Mercaptoethanol	Not available.
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant	Not available.
	Supplement	
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.
<b>pH</b>	: $\beta$ -Mercaptoethanol	Not available.
	pNTAP Shuttle vector-A	7.5
	pNTAP Shuttle vector-B	7.5
	pNTAP Shuttle vector-C	7.5
	Adenoviral pTAP Shuttle-CAT Vector	7.5
	pShuttle-CMV-lacZ Control Vector	7.5
	AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	7.5
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	7.5
	XL10-Gold Ultracompetent cells	6.4
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	7.5
	Lysis Buffer	8
	0.5 M EDTA	8
	Streptavidin Resin	7.5

## Section 9. Physical and chemical properties

	Streptavidin Binding Buffer	8
	Streptavidin Elution Buffer	8
	Streptavidin Supernatant Supplement	Not available.
	MS-Grade Calmodulin Resin	7.5
	Calmodulin Binding Buffer	8
	Calmodulin Elution Buffer	8
<b>Melting point</b>	: $\beta$ -Mercaptoethanol	<-100°C (<-148°F)
	pNTAP Shuttle vector-A	0°C (32°F)
	pNTAP Shuttle vector-B	0°C (32°F)
	pNTAP Shuttle vector-C	0°C (32°F)
	Adenoviral pTAP Shuttle-CAT Vector	0°C (32°F)
	pShuttle-CMV-lacZ Control Vector	0°C (32°F)
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	0°C (32°F)
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold 2-Mercaptoethanol	Not available.
	pUC 18 DNA Control Plasmid	0°C (32°F)
	Lysis Buffer	0°C (32°F)
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	0°C (32°F)
	Streptavidin Elution Buffer	0°C (32°F)
	Streptavidin Supernatant Supplement	0°C (32°F)
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	0°C (32°F)
	Calmodulin Elution Buffer	0°C (32°F)
<b>Boiling point</b>	: $\beta$ -Mercaptoethanol	155.8°C (312.4°F)
	pNTAP Shuttle vector-A	100°C (212°F)
	pNTAP Shuttle vector-B	100°C (212°F)
	pNTAP Shuttle vector-C	100°C (212°F)
	Adenoviral pTAP Shuttle-CAT Vector	100°C (212°F)
	pShuttle-CMV-lacZ Control Vector	100°C (212°F)
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	100°C (212°F)
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold 2-Mercaptoethanol	Not available.
	pUC 18 DNA Control Plasmid	100°C (212°F)
	Lysis Buffer	100°C (212°F)
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	100°C (212°F)
	Streptavidin Elution Buffer	100°C (212°F)
	Streptavidin Supernatant Supplement	100°C (212°F)
	MS-Grade Calmodulin Resin	Not available.

## Section 9. Physical and chemical properties

	Calmodulin Binding Buffer	100°C (212°F)
	Calmodulin Elution Buffer	100°C (212°F)
<b>Flash point</b>	: $\beta$ -Mercaptoethanol	Closed cup: 74°C (165.2°F) Open cup: 74°C (165.2°F)
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold 2-Mercaptoethanol	Not available.
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Closed cup: 37.8 to 61°C (100 to 141.8°F)
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant Supplement	Not available.
	MS-Grade Calmodulin Resin	Closed cup: 37.8 to 61°C (100 to 141.8°F)
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.
<b>Evaporation rate</b>	: $\beta$ -Mercaptoethanol	Not available.
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold 2-Mercaptoethanol	Not available.
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant Supplement	Not available.
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.

## Section 9. Physical and chemical properties

<b>Flammability (solid, gas)</b>	:	$\beta$ -Mercaptoethanol	Not applicable.	
		pNTAP Shuttle vector-A	Not applicable.	
		pNTAP Shuttle vector-B	Not applicable.	
		pNTAP Shuttle vector-C	Not applicable.	
		Adenoviral pTAP Shuttle-CAT Vector	Not applicable.	
		pShuttle-CMV-lacZ Control Vector	Not applicable.	
		AD-293 Cell Line >1 x 10e6 Viable Cells	Not applicable.	
		BJ5183-AD-1 electroporation competent cells	Not applicable.	
		Transformation Control	Not applicable.	
		XL10-Gold Ultracompetent cells	Not applicable.	
		XL10-Gold	Not applicable.	
		2-Mercaptoethanol		
		pUC 18 DNA Control Plasmid	Not applicable.	
		Lysis Buffer	Not applicable.	
		0.5 M EDTA	Not applicable.	
		Streptavidin Resin	Not applicable.	
		Streptavidin Binding Buffer	Not applicable.	
		Streptavidin Elution Buffer	Not applicable.	
		Streptavidin Supernatant Supplement	Not applicable.	
		MS-Grade Calmodulin Resin	Not applicable.	
		Calmodulin Binding Buffer	Not applicable.	
		Calmodulin Elution Buffer	Not applicable.	
	<b>Lower and upper explosive (flammable) limits</b>	:	$\beta$ -Mercaptoethanol	Lower: 2.3% Upper: 18%
			pNTAP Shuttle vector-A	Not available.
			pNTAP Shuttle vector-B	Not available.
			pNTAP Shuttle vector-C	Not available.
			Adenoviral pTAP Shuttle-CAT Vector	Not available.
		pShuttle-CMV-lacZ Control Vector	Not available.	
		AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.	
		BJ5183-AD-1 electroporation competent cells	Not available.	
		Transformation Control	Not available.	
		XL10-Gold Ultracompetent cells	Not available.	
		XL10-Gold	Not available.	
		2-Mercaptoethanol		
		pUC 18 DNA Control Plasmid	Not available.	
		Lysis Buffer	Not available.	
		0.5 M EDTA	Not available.	
		Streptavidin Resin	Not available.	
		Streptavidin Binding Buffer	Not available.	
		Streptavidin Elution Buffer	Not available.	
		Streptavidin Supernatant Supplement	Not available.	
		MS-Grade Calmodulin Resin	Not available.	
		Calmodulin Binding Buffer	Not available.	
		Calmodulin Elution Buffer	Not available.	



## Section 9. Physical and chemical properties

<b>Relative density</b>	:	$\beta$ -Mercaptoethanol	1.1	
		pNTAP Shuttle vector-A	Not available.	
		pNTAP Shuttle vector-B	Not available.	
		pNTAP Shuttle vector-C	Not available.	
		Adenoviral pTAP Shuttle-CAT Vector	Not available.	
		pShuttle-CMV-lacZ Control Vector	Not available.	
		AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.	
		BJ5183-AD-1 electroporation competent cells	Not available.	
		Transformation Control	Not available.	
		XL10-Gold Ultracompetent cells	Not available.	
		XL10-Gold	Not available.	
		2-Mercaptoethanol	Not available.	
		pUC 18 DNA Control Plasmid	Not available.	
		Lysis Buffer	Not available.	
		0.5 M EDTA	Not available.	
		Streptavidin Resin	Not available.	
		Streptavidin Binding Buffer	Not available.	
		Streptavidin Elution Buffer	Not available.	
		Streptavidin Supernatant Supplement	Not available.	
		MS-Grade Calmodulin Resin	Not available.	
		Calmodulin Binding Buffer	Not available.	
		Calmodulin Elution Buffer	Not available.	
	<b>Solubility</b>	:	$\beta$ -Mercaptoethanol	Easily soluble in the following materials: cold water and hot water.
			pNTAP Shuttle vector-A	Easily soluble in the following materials: cold water and hot water.
			pNTAP Shuttle vector-B	Easily soluble in the following materials: cold water and hot water.
		pNTAP Shuttle vector-C	Easily soluble in the following materials: cold water and hot water.	
		Adenoviral pTAP Shuttle-CAT Vector	Easily soluble in the following materials: cold water and hot water.	
		pShuttle-CMV-lacZ Control Vector	Easily soluble in the following materials: cold water and hot water.	
		AD-293 Cell Line >1 x 10e6 Viable Cells	Easily soluble in the following materials: cold water and hot water.	
		BJ5183-AD-1 electroporation competent cells	Soluble in the following materials: cold water and hot water.	
		Transformation Control	Easily soluble in the following materials: cold water and hot water.	
		XL10-Gold Ultracompetent cells	Soluble in the following materials: cold water and hot water.	
		XL10-Gold	Easily soluble in the following materials: cold water and hot water.	
		2-Mercaptoethanol	Easily soluble in the following materials: cold water and hot water.	
		pUC 18 DNA Control Plasmid	Easily soluble in the following materials: cold water and hot water.	
		Lysis Buffer	Easily soluble in the following materials: cold water and hot water.	
		0.5 M EDTA	Soluble in the following materials: cold water and hot water.	
		Streptavidin Resin	Soluble in the following materials: cold water and hot water.	
		Streptavidin Binding Buffer	Easily soluble in the following materials: cold water and hot water.	
		Streptavidin Elution Buffer	Easily soluble in the following materials: cold water	

## Section 9. Physical and chemical properties

	Streptavidin Supernatant Supplement	and hot water. Easily soluble in the following materials: cold water and hot water.
	MS-Grade Calmodulin Resin	Soluble in the following materials: cold water and hot water.
	Calmodulin Binding Buffer	Easily soluble in the following materials: cold water and hot water.
	Calmodulin Elution Buffer	Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: $\beta$ -Mercaptoethanol	-0.056
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant Supplement	Not available.
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.
<b>Auto-ignition temperature</b>	: $\beta$ -Mercaptoethanol	295°C (563°F)
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant	Not available.



## Section 9. Physical and chemical properties

	Supplement	
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.
<b>Decomposition temperature</b>	: $\beta$ -Mercaptoethanol	Not available.
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant	Not available.
	Supplement	
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.
<b>Viscosity</b>	: $\beta$ -Mercaptoethanol	Dynamic (room temperature): 3.43 mPa·s (3.43 cP)
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	Not available.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Not available.
	XL10-Gold	Not available.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	Not available.
	Lysis Buffer	Not available.
	0.5 M EDTA	Not available.
	Streptavidin Resin	Not available.
	Streptavidin Binding Buffer	Not available.
	Streptavidin Elution Buffer	Not available.
	Streptavidin Supernatant	Not available.
	Supplement	
	MS-Grade Calmodulin Resin	Not available.
	Calmodulin Binding Buffer	Not available.
	Calmodulin Elution Buffer	Not available.

## Section 10. Stability and reactivity

<b>Reactivity</b>	: $\beta$ -Mercaptoethanol	No specific test data related to reactivity available for this product or its ingredients.
	pNTAP Shuttle vector-A	No specific test data related to reactivity available for this product or its ingredients.
	pNTAP Shuttle vector-B	No specific test data related to reactivity available for this product or its ingredients.
	pNTAP Shuttle vector-C	No specific test data related to reactivity available for this product or its ingredients.
	Adenoviral pTAP Shuttle-CAT Vector	No specific test data related to reactivity available for this product or its ingredients.
	pShuttle-CMV-lacZ Control Vector	No specific test data related to reactivity available for this product or its ingredients.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No specific test data related to reactivity available for this product or its ingredients.
	BJ5183-AD-1 electroporation competent cells	No specific test data related to reactivity available for this product or its ingredients.
	Transformation Control	No specific test data related to reactivity available for this product or its ingredients.
	XL10-Gold Ultracompetent cells	No specific test data related to reactivity available for this product or its ingredients.
	XL10-Gold 2-Mercaptoethanol	No specific test data related to reactivity available for this product or its ingredients.
	pUC 18 DNA Control Plasmid	No specific test data related to reactivity available for this product or its ingredients.
	Lysis Buffer	No specific test data related to reactivity available for this product or its ingredients.
	0.5 M EDTA	No specific test data related to reactivity available for this product or its ingredients.
	Streptavidin Resin	No specific test data related to reactivity available for this product or its ingredients.
	Streptavidin Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Streptavidin Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Streptavidin Supernatant Supplement	No specific test data related to reactivity available for this product or its ingredients.
	MS-Grade Calmodulin Resin	No specific test data related to reactivity available for this product or its ingredients.
	Calmodulin Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Calmodulin Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	: $\beta$ -Mercaptoethanol	The product is stable.
	pNTAP Shuttle vector-A	The product is stable.
	pNTAP Shuttle vector-B	The product is stable.
	pNTAP Shuttle vector-C	The product is stable.
	Adenoviral pTAP Shuttle-CAT Vector	The product is stable.
	pShuttle-CMV-lacZ Control Vector	The product is stable.
	AD-293 Cell Line >1 x 10e6 Viable Cells	The product is stable.
	BJ5183-AD-1 electroporation competent cells	The product is stable.
	Transformation Control	The product is stable.
	XL10-Gold Ultracompetent cells	The product is stable.
	XL10-Gold 2-Mercaptoethanol	The product is stable.

## Section 10. Stability and reactivity

pUC 18 DNA Control Plasmid	The product is stable.
Lysis Buffer	The product is stable.
0.5 M EDTA	The product is stable.
Streptavidin Resin	The product is stable.
Streptavidin Binding Buffer	The product is stable.
Streptavidin Elution Buffer	The product is stable.
Streptavidin Supernatant Supplement	The product is stable.
MS-Grade Calmodulin Resin	The product is stable.
Calmodulin Binding Buffer	The product is stable.
Calmodulin Elution Buffer	The product is stable.

### Possibility of hazardous reactions

: $\beta$ -Mercaptoethanol	Under normal conditions of storage and use, hazardous reactions will not occur.
pNTAP Shuttle vector-A	Under normal conditions of storage and use, hazardous reactions will not occur.
pNTAP Shuttle vector-B	Under normal conditions of storage and use, hazardous reactions will not occur.
pNTAP Shuttle vector-C	Under normal conditions of storage and use, hazardous reactions will not occur.
Adenoviral pTAP Shuttle-CAT Vector	Under normal conditions of storage and use, hazardous reactions will not occur.
pShuttle-CMV-lacZ Control Vector	Under normal conditions of storage and use, hazardous reactions will not occur.
AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	Under normal conditions of storage and use, hazardous reactions will not occur.
BJ5183-AD-1 electroporation competent cells	Under normal conditions of storage and use, hazardous reactions will not occur.
Transformation Control	Under normal conditions of storage and use, hazardous reactions will not occur.
XL10-Gold Ultracompetent cells	Under normal conditions of storage and use, hazardous reactions will not occur.
XL10-Gold	Under normal conditions of storage and use, hazardous reactions will not occur.
2-Mercaptoethanol	Under normal conditions of storage and use, hazardous reactions will not occur.
pUC 18 DNA Control Plasmid	Under normal conditions of storage and use, hazardous reactions will not occur.
Lysis Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
0.5 M EDTA	Under normal conditions of storage and use, hazardous reactions will not occur.
Streptavidin Resin	Under normal conditions of storage and use, hazardous reactions will not occur.
Streptavidin Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
Streptavidin Elution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
Streptavidin Supernatant Supplement	Under normal conditions of storage and use, hazardous reactions will not occur.
MS-Grade Calmodulin Resin	Under normal conditions of storage and use, hazardous reactions will not occur.
Calmodulin Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
Calmodulin Elution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.

## Section 10. Stability and reactivity

<b>Conditions to avoid</b>	: $\beta$ -Mercaptoethanol	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapour to accumulate in low or confined areas.
	pNTAP Shuttle vector-A	No specific data.
	pNTAP Shuttle vector-B	No specific data.
	pNTAP Shuttle vector-C	No specific data.
	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	pShuttle-CMV-lacZ Control Vector	No specific data.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
	BJ5183-AD-1 electroporation competent cells	No specific data.
	Transformation Control	No specific data.
	XL10-Gold Ultracompetent cells	No specific data.
	XL10-Gold 2-Mercaptoethanol	No specific data.
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	No specific data.
	Streptavidin Resin	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
	Streptavidin Binding Buffer	No specific data.
	Streptavidin Elution Buffer	No specific data.
	Streptavidin Supernatant Supplement	No specific data.
	MS-Grade Calmodulin Resin	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
	Calmodulin Binding Buffer	No specific data.
	Calmodulin Elution Buffer	No specific data.
<b>Incompatible materials</b>	: $\beta$ -Mercaptoethanol	Reactive or incompatible with the following materials: oxidizing materials
	pNTAP Shuttle vector-A	May react or be incompatible with oxidising materials.
	pNTAP Shuttle vector-B	May react or be incompatible with oxidising materials.
	pNTAP Shuttle vector-C	May react or be incompatible with oxidising materials.
	Adenoviral pTAP Shuttle-CAT Vector	May react or be incompatible with oxidising materials.
	pShuttle-CMV-lacZ Control Vector	May react or be incompatible with oxidising materials.
	AD-293 Cell Line >1 x 10e6 Viable Cells	May react or be incompatible with oxidising materials.
	BJ5183-AD-1 electroporation competent cells	May react or be incompatible with oxidising materials.
	Transformation Control	May react or be incompatible with oxidising materials.
	XL10-Gold Ultracompetent cells	May react or be incompatible with oxidising materials.
	XL10-Gold 2-Mercaptoethanol	May react or be incompatible with oxidising materials.
	pUC 18 DNA Control Plasmid	May react or be incompatible with oxidising materials.
	Lysis Buffer	May react or be incompatible with oxidising materials.
	0.5 M EDTA	May react or be incompatible with oxidising materials.
	Streptavidin Resin	Reactive or incompatible with the following materials: oxidizing materials

## Section 10. Stability and reactivity

Streptavidin Binding Buffer	May react or be incompatible with oxidising materials.
Streptavidin Elution Buffer	May react or be incompatible with oxidising materials.
Streptavidin Supernatant Supplement	May react or be incompatible with oxidising materials.
MS-Grade Calmodulin Resin	Reactive or incompatible with the following materials: oxidizing materials
Calmodulin Binding Buffer	May react or be incompatible with oxidising materials.
Calmodulin Elution Buffer	May react or be incompatible with oxidising materials.
<b>Hazardous decomposition products</b> : $\beta$ -Mercaptoethanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
pNTAP Shuttle vector-A	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
pNTAP Shuttle vector-B	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
pNTAP Shuttle vector-C	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Adenoviral pTAP Shuttle-CAT Vector	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
pShuttle-CMV-lacZ Control Vector	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
AD-293 Cell Line >1 x 10e6 Viable Cells	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
BJ5183-AD-1 electroporation competent cells	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Transformation Control	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
XL10-Gold Ultracompetent cells	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
XL10-Gold 2-Mercaptoethanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
pUC 18 DNA Control Plasmid	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Lysis Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
0.5 M EDTA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Streptavidin Resin	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Streptavidin Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Streptavidin Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Streptavidin Supernatant Supplement	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 10. Stability and reactivity

MS-Grade Calmodulin Resin	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Calmodulin Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Calmodulin Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>β-Mercaptoethanol</b> 2-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
<b>AD-293 Cell Line &gt;1 x 10e6 Viable Cells</b> Dimethyl sulfoxide	LD50 Dermal LD50 Oral	Rat Rat	40000 mg/kg 14500 mg/kg	- -
<b>BJ5183-AD-1 electroporation competent cells</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>XL10-Gold Ultracompetent cells</b> Glycerol Dimethyl sulfoxide Sucrose	LD50 Oral LD50 Dermal LD50 Oral LD50 Oral	Rat Rat Rat Rat	12600 mg/kg 40000 mg/kg 14500 mg/kg 29700 mg/kg	- - - -
<b>XL10-Gold 2-Mercaptoethanol</b> 2-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
<b>Streptavidin Resin</b> Ethanol	LC50 Inhalation Vapour LD50 Oral	Rat Rat	124700 mg/m <sup>3</sup> 7 g/kg	4 hours -
<b>Streptavidin Supernatant Supplement</b> Imidazole	LD50 Oral	Rat	220 mg/kg	-
<b>MS-Grade Calmodulin Resin</b> Ethanol	LC50 Inhalation Vapour LD50 Oral	Rat Rat	124700 mg/m <sup>3</sup> 7 g/kg	4 hours -

#### Irritation/Corrosion

## Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>β-Mercaptoethanol</b> 2-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 milligrams	-
<b>AD-293 Cell Line &gt;1 x 10e6 Viable Cells</b> Dimethyl sulfoxide	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	100 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	100 milligrams	-
<b>BJ5183-AD-1 electroporation competent cells</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>XL10-Gold Ultracompetent cells</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Dimethyl sulfoxide	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	100 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	100 milligrams	-
<b>XL10-Gold 2-Mercaptoethanol</b> 2-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 milligrams	-
<b>Streptavidin Resin</b> Ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	0.06666667 minutes 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
<b>MS-Grade Calmodulin Resin</b> Ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	0.06666667 minutes 100 milligrams	-

## Section 11. Toxicological information

	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-

### Conclusion/Summary

**Skin** : **240105-51**: Prolonged or repeated contact may dry skin and cause irritation.

### Sensitisation

Not available.

### Mutagenicity

Not available.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
<b>β-Mercaptoethanol</b> 2-Mercaptoethanol	Category 3	Not applicable.	Respiratory tract irritation
<b>XL10-Gold 2-Mercaptoethanol</b> 2-Mercaptoethanol	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

<b>Information on likely routes of exposure</b>	β-Mercaptoethanol	Routes of entry anticipated: Oral, Dermal, Inhalation.
	pNTAP Shuttle vector-A	Not available.
	pNTAP Shuttle vector-B	Not available.
	pNTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
	AD-293 Cell Line >1 x 10e6 Viable Cells	Routes of entry anticipated: Oral, Dermal, Inhalation.
	BJ5183-AD-1 electroporation competent cells	Not available.
	Transformation Control	Not available.
	XL10-Gold Ultracompetent cells	Routes of entry anticipated: Oral, Dermal, Inhalation.
XL10-Gold 2-Mercaptoethanol	Routes of entry anticipated: Oral, Dermal, Inhalation.	
pUC 18 DNA Control Plasmid	Not available.	
Lysis Buffer	Not available.	



## Section 11. Toxicological information

0.5 M EDTA	Routes of entry anticipated: Oral, Dermal, Inhalation.
Streptavidin Resin	Routes of entry anticipated: Oral, Dermal, Inhalation.
Streptavidin Binding Buffer	Not available.
Streptavidin Elution Buffer	Not available.
Streptavidin Supernatant Supplement	Routes of entry anticipated: Oral, Dermal, Inhalation.
MS-Grade Calmodulin Resin	Routes of entry anticipated: Oral, Dermal, Inhalation.
Calmodulin Binding Buffer	Not available.
Calmodulin Elution Buffer	Not available.

### Potential acute health effects

#### Eye contact

: <input checked="" type="checkbox"/> Mercaptoethanol	Causes serious eye damage.
pNTAP Shuttle vector-A	No known significant effects or critical hazards.
pNTAP Shuttle vector-B	No known significant effects or critical hazards.
pNTAP Shuttle vector-C	No known significant effects or critical hazards.
Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
Transformation Control	No known significant effects or critical hazards.
XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
XL10-Gold	Causes serious eye damage.
2-Mercaptoethanol	
pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Lysis Buffer	No known significant effects or critical hazards.
0.5 M EDTA	Causes serious eye irritation.
Streptavidin Resin	Causes serious eye irritation.
Streptavidin Binding Buffer	No known significant effects or critical hazards.
Streptavidin Elution Buffer	No known significant effects or critical hazards.
Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
MS-Grade Calmodulin Resin	Causes serious eye irritation.
Calmodulin Binding Buffer	No known significant effects or critical hazards.
Calmodulin Elution Buffer	No known significant effects or critical hazards.

#### Inhalation

: <input type="checkbox"/> Mercaptoethanol	Fatal if inhaled. May cause respiratory irritation.
pNTAP Shuttle vector-A	No known significant effects or critical hazards.
pNTAP Shuttle vector-B	No known significant effects or critical hazards.
pNTAP Shuttle vector-C	No known significant effects or critical hazards.
Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
Transformation Control	No known significant effects or critical hazards.
XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
XL10-Gold	No known significant effects or critical hazards.
2-Mercaptoethanol	
pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
Lysis Buffer	No known significant effects or critical hazards.
0.5 M EDTA	No known significant effects or critical hazards.
Streptavidin Resin	No known significant effects or critical hazards.
Streptavidin Binding Buffer	No known significant effects or critical hazards.
Streptavidin Elution Buffer	No known significant effects or critical hazards.

## Section 11. Toxicological information



	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Skin contact</b>	: $\beta$ -Mercaptoethanol	Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold 2-Mercaptoethanol	May cause an allergic skin reaction.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Ingestion</b>	: $\beta$ -Mercaptoethanol	Toxic if swallowed.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.

## Section 11. Toxicological information

Calmodulin Elution Buffer No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

#### Eye contact

:  -Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
pNTAP Shuttle vector-A	No specific data.
pNTAP Shuttle vector-B	No specific data.
pNTAP Shuttle vector-C	No specific data.
Adenoviral pTAP Shuttle-CAT Vector	No specific data.
pShuttle-CMV-lacZ Control Vector	No specific data.
AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
BJ5183-AD-1 electroporation competent cells	No specific data.
Transformation Control	No specific data.
XL10-Gold Ultracompetent cells	No specific data.
XL10-Gold 2-Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
pUC 18 DNA Control Plasmid	No specific data.
Lysis Buffer	No specific data.
0.5 M EDTA	Adverse symptoms may include the following: pain or irritation watering redness
Streptavidin Resin	Adverse symptoms may include the following: pain or irritation watering redness
Streptavidin Binding Buffer	No specific data.
Streptavidin Elution Buffer	No specific data.
Streptavidin Supernatant Supplement	No specific data.
MS-Grade Calmodulin Resin	Adverse symptoms may include the following: pain or irritation watering redness
Calmodulin Binding Buffer	No specific data.
Calmodulin Elution Buffer	No specific data.
:  -Mercaptoethanol	Adverse symptoms may include the following: respiratory tract irritation coughing
pNTAP Shuttle vector-A	No specific data.
pNTAP Shuttle vector-B	No specific data.
pNTAP Shuttle vector-C	No specific data.
Adenoviral pTAP Shuttle-CAT Vector	No specific data.
pShuttle-CMV-lacZ Control Vector	No specific data.
AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
BJ5183-AD-1 electroporation competent cells	No specific data.

#### Inhalation

## Section 11. Toxicological information

	Transformation Control	No specific data.
	XL10-Gold Ultracompetent cells	No specific data.
	XL10-Gold	No specific data.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	No specific data.
	Streptavidin Resin	No specific data.
	Streptavidin Binding Buffer	No specific data.
	Streptavidin Elution Buffer	No specific data.
	Streptavidin Supernatant Supplement	Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
	MS-Grade Calmodulin Resin	No specific data.
	Calmodulin Binding Buffer	No specific data.
	Calmodulin Elution Buffer	No specific data.
<b>Skin contact</b>	<b>2-Mercaptoethanol</b>	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	pNTAP Shuttle vector-A	No specific data.
	pNTAP Shuttle vector-B	No specific data.
	pNTAP Shuttle vector-C	No specific data.
	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	pShuttle-CMV-lacZ Control Vector	No specific data.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
	BJ5183-AD-1 electroporation competent cells	No specific data.
	Transformation Control	No specific data.
	XL10-Gold Ultracompetent cells	No specific data.
	XL10-Gold	
	2-Mercaptoethanol	Adverse symptoms may include the following:  pain or irritation redness blistering may occur
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	No specific data.
	Streptavidin Resin	No specific data.
	Streptavidin Binding Buffer	No specific data.
	Streptavidin Elution Buffer	No specific data.
	Streptavidin Supernatant Supplement	Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
	MS-Grade Calmodulin Resin	No specific data.
	Calmodulin Binding Buffer	No specific data.
	Calmodulin Elution Buffer	No specific data.

## Section 11. Toxicological information

<b>Ingestion</b>	: $\beta$ -Mercaptoethanol	Adverse symptoms may include the following: stomach pains
	pNTAP Shuttle vector-A	No specific data.
	pNTAP Shuttle vector-B	No specific data.
	pNTAP Shuttle vector-C	No specific data.
	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	pShuttle-CMV-lacZ Control Vector	No specific data.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No specific data.
	BJ5183-AD-1 electroporation competent cells	No specific data.
	Transformation Control	No specific data.
	XL10-Gold Ultracompetent cells	No specific data.
	XL10-Gold 2-Mercaptoethanol	Adverse symptoms may include the following: stomach pains
	pUC 18 DNA Control Plasmid	No specific data.
	Lysis Buffer	No specific data.
	0.5 M EDTA	No specific data.
	Streptavidin Resin	No specific data.
	Streptavidin Binding Buffer	No specific data.
	Streptavidin Elution Buffer	No specific data.
	Streptavidin Supernatant Supplement	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	MS-Grade Calmodulin Resin	No specific data.
	Calmodulin Binding Buffer	No specific data.
	Calmodulin Elution Buffer	No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.

<b>General</b>	: $\beta$ -Mercaptoethanol	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.

## Section 11. Toxicological information

	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: $\beta$ -Mercaptoethanol	No known significant effects or critical hazards.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold	No known significant effects or critical hazards.
	2-Mercaptoethanol	
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: $\beta$ -Mercaptoethanol	No known significant effects or critical hazards.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold	No known significant effects or critical hazards.
	2-Mercaptoethanol	

## Section 11. Toxicological information

	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Teratogenicity</b>	: $\beta$ -Mercaptoethanol	No known significant effects or critical hazards.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.
	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	May damage the unborn child.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
<b>Developmental effects</b>	: $\beta$ -Mercaptoethanol	No known significant effects or critical hazards.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10e6 Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
	Streptavidin Binding Buffer	No known significant effects or critical hazards.

## Section 11. Toxicological information

<b>Fertility effects</b>	Streptavidin Elution Buffer	No known significant effects or critical hazards.
	Streptavidin Supernatant Supplement	No known significant effects or critical hazards.
	MS-Grade Calmodulin Resin	No known significant effects or critical hazards.
	Calmodulin Binding Buffer	No known significant effects or critical hazards.
	Calmodulin Elution Buffer	No known significant effects or critical hazards.
	: $\beta$ -Mercaptoethanol	No known significant effects or critical hazards.
	pNTAP Shuttle vector-A	No known significant effects or critical hazards.
	pNTAP Shuttle vector-B	No known significant effects or critical hazards.
	pNTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
	AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells	No known significant effects or critical hazards.
	BJ5183-AD-1 electroporation competent cells	No known significant effects or critical hazards.
	Transformation Control	No known significant effects or critical hazards.
	XL10-Gold Ultracompetent cells	No known significant effects or critical hazards.
	XL10-Gold 2-Mercaptoethanol	No known significant effects or critical hazards.
	pUC 18 DNA Control Plasmid	No known significant effects or critical hazards.
	Lysis Buffer	No known significant effects or critical hazards.
	0.5 M EDTA	No known significant effects or critical hazards.
	Streptavidin Resin	No known significant effects or critical hazards.
Streptavidin Binding Buffer	No known significant effects or critical hazards.	
Streptavidin Elution Buffer	No known significant effects or critical hazards.	
Streptavidin Supernatant Supplement	No known significant effects or critical hazards.	
MS-Grade Calmodulin Resin	No known significant effects or critical hazards.	
Calmodulin Binding Buffer	No known significant effects or critical hazards.	
Calmodulin Elution Buffer	No known significant effects or critical hazards.	

### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
<input checked="" type="checkbox"/> XL10-Gold 2-Mercaptoethanol	
Oral	5545.5 mg/kg
Dermal	4545.5 mg/kg
Inhalation (vapours)	40.5 mg/l

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
<input checked="" type="checkbox"/> AD-293 Cell Line >1 x 10 <sup>6</sup> Viable Cells			
Dimethyl sulfoxide	Acute LC50 25000 ppm Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 34000000 $\mu$ g/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 100 $\mu$ l/L Marine water	Algae - Ulva lactuca	72 hours
BJ5183-AD-1 electroporation competent cells			



## Section 12. Ecological information

Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>XL10-Gold Ultracompetent cells</b>			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Dimethyl sulfoxide	Acute LC50 25000 ppm Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 34000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 100 µl/L Marine water	Algae - Ulva lactuca	72 hours
<b>0.5 M EDTA</b>			
Edetic acid	Acute EC50 113000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 41000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
<b>Streptavidin Resin</b>			
Ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 µl/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC 0.375 µl/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks
<b>MS-Grade Calmodulin Resin</b>			
Ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 µl/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC 0.375 µl/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>EJ5183-AD-1 electroporation competent cells</b>				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>XL10-Gold Ultracompetent cells</b>				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

## Section 12. Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>0.5 M EDTA</b> Edetic acid	-	-	Not readily
<b>Streptavidin Resin</b> Ethanol	-	-	Readily
<b>MS-Grade Calmodulin Resin</b> Ethanol	-	-	Readily

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>β-Mercaptoethanol</b> 2-Mercaptoethanol	-0.056	-	low
<b>AD-293 Cell Line &gt;1 x 10e6 Viable Cells</b> Dimethyl sulfoxide	-1.35	3.16	low
<b>BJ5183-AD-1 electroporation competent cells</b> Glycerol	-1.76	-	low
<b>XL10-Gold Ultracompetent cells</b> Glycerol	-1.76	-	low
Dimethyl sulfoxide	-1.35	3.16	low
Sucrose	-3.7	-	low
<b>XL10-Gold 2-Mercaptoethanol</b> 2-Mercaptoethanol	-0.056	-	low
<b>0.5 M EDTA</b> Edetic acid	-3.86	1.8	low
<b>Streptavidin Resin</b> Ethanol	-0.35	0.5	low
<b>Streptavidin Supernatant Supplement</b> Imidazole	-0.02	-	low
<b>MS-Grade Calmodulin Resin</b> Ethanol	-0.35	0.5	low

### Mobility in soil





**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	ADG	IMDG	IATA
<b>UN number</b>	UN3316	UN3316	UN3316
<b>UN proper shipping name</b>	CHEMICAL KIT	CHEMICAL KIT	<input checked="" type="checkbox"/> Chemical kit
<b>Transport hazard class(es)</b>	9 	9  	9 
<b>Packing group</b>	II	II	II
<b>Environmental hazards</b>	<input checked="" type="checkbox"/> Yes. The environmentally hazardous substance mark is not required.	Yes.	<input checked="" type="checkbox"/> Yes. The environmentally hazardous substance mark is not required.

### Additional information

**Remarks:** Excepted Quantity

- ADG** :  **Hazchem code** 2Z  
**Special provisions** 251, 340
- IMDG** :  The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.  
**Emergency schedules** F-A, \_S-P\_  
**Special provisions** 251, 340
- IATA** :  The environmentally hazardous substance mark may appear if required by other transportation regulations.  
**Quantity limitation** Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960. Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960.  
**Special provisions** A44, A163

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## Section 15. Regulatory information

### Standard Uniform Schedule of Medicine and Poisons

6, 5

### Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: Not determined.
<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (ENCS)</b> : Not determined. <b>Japan inventory (ISHL)</b> : Not determined.
<b>Malaysia</b>	: Not determined.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: Not determined.
<b>Thailand</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: Not determined.
<b>Viet Nam</b>	: <input checked="" type="checkbox"/> Not determined.

## Section 16. Any other relevant information

### History

**Date of issue/Date of revision** : 23/01/2018

**Date of previous issue** : 31/05/2016.

**Version** : 7

### Key to abbreviations

: ADG = Australian Dangerous Goods  
 ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 NOHSC = National Occupational Health and Safety Commission

**Section 16. Any other relevant information**

SUSMP = Standard Uniform Schedule of Medicine and Poisons  
UN = United Nations

**Procedure used to derive the classification**

Classification	Justification
<b>β-Mercaptoethanol</b> Flam. Liq. 4, H227 Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411	On basis of test data On basis of test data On basis of test data On basis of test data Expert judgment Expert judgment Expert judgment Expert judgment Expert judgment
<b>XL10-Gold 2-Mercaptoethanol</b> Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412	Calculation method Calculation method Calculation method
<b>0.5 M EDTA</b> Eye Irrit. 2A, H319	Calculation method
<b>Streptavidin Resin</b> Flam. Liq. 3, H226 Eye Irrit. 2A, H319	On basis of test data Calculation method
<b>Streptavidin Supernatant Supplement</b> Repr. 1B, H360 (Unborn child)	Calculation method
<b>MS-Grade Calmodulin Resin</b> Flam. Liq. 3, H226 Eye Irrit. 2A, H319	On basis of test data Calculation method

**References** : Not available.

🔍 Indicates information that has changed from previously issued version.

**Notice to reader**

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.