

SAFETY DATA SHEET



InterPlay Adenoviral C-terminal TAP Vectors, Part Number 240216

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	:	InterPlay Adenoviral C-terminal TAP Vectors, Part Number 240216	
Part No. (Kit)	:	240216	
Part No.	:	Adenoviral pCTAP Shuttle Vector - A	240216-51
		Adenoviral pCTAP Shuttle Vector - B	240216-52
		pCTAP Shuttle vector-C	240216-53
		Adenoviral pTAP Shuttle-CAT Vector	240217-51
		pShuttle-CMV-lacZ Control Vector	240008-51

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical reagent.	
Adenoviral pCTAP Shuttle Vector - A	0.02 ml (20 µg 1 µg/µl)
Adenoviral pCTAP Shuttle Vector - B	0.02 ml (20 µg 1 µg/µl)
pCTAP Shuttle vector-C	0.02 ml
Adenoviral pTAP Shuttle-CAT Vector	0.02 ml (20 µg 1 µg/µl)
pShuttle-CMV-lacZ Control Vector	0.01 ml (10 µg 1 µg/µl)

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition	:	Adenoviral pCTAP Shuttle Vector - A	Mixture
		Adenoviral pCTAP Shuttle Vector - B	Mixture
		pCTAP Shuttle vector-C	Mixture
		Adenoviral pTAP Shuttle-CAT Vector	Mixture
		pShuttle-CMV-lacZ Control Vector	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

SECTION 2: Hazards identification

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	No signal word. No signal word. No signal word. No signal word. No signal word.
Hazard statements	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Precautionary statements</u>		
Prevention	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Response	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Storage	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

SECTION 2: Hazards identification

Supplemental label elements	: Adenoviral pCTAP Shuttle Vector - A	Not applicable.
	: Adenoviral pCTAP Shuttle Vector - B	Not applicable.
	: pCTAP Shuttle vector-C	Not applicable.
	: Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
	: pShuttle-CMV-lacZ Control Vector	Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Adenoviral pCTAP Shuttle Vector - A	Not applicable.
	: Adenoviral pCTAP Shuttle Vector - B	Not applicable.
	: pCTAP Shuttle vector-C	Not applicable.
	: Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
	: pShuttle-CMV-lacZ Control Vector	Not applicable.

Special packaging requirements

Tactile warning of danger	: Adenoviral pCTAP Shuttle Vector - A	Not applicable.
	: Adenoviral pCTAP Shuttle Vector - B	Not applicable.
	: pCTAP Shuttle vector-C	Not applicable.
	: Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
	: pShuttle-CMV-lacZ Control Vector	Not applicable.

2.3 Other hazards

Other hazards which do not result in classification	: Adenoviral pCTAP Shuttle Vector - A	None known.
	: Adenoviral pCTAP Shuttle Vector - B	None known.
	: pCTAP Shuttle vector-C	None known.
	: Adenoviral pTAP Shuttle-CAT Vector	None known.
	: pShuttle-CMV-lacZ Control Vector	None known.

SECTION 3: Composition/information on ingredients

3.1 Substances	: Adenoviral pCTAP Shuttle Vector - A	Mixture
	: Adenoviral pCTAP Shuttle Vector - B	Mixture
	: pCTAP Shuttle vector-C	Mixture
	: Adenoviral pTAP Shuttle-CAT Vector	Mixture
	: pShuttle-CMV-lacZ Control Vector	Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Eye contact	: Adenoviral pCTAP Shuttle Vector - A	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Adenoviral pCTAP Shuttle Vector - B	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	pCTAP Shuttle vector-C	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Adenoviral pTAP Shuttle-CAT Vector	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	pShuttle-CMV-lacZ Control Vector	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Adenoviral pCTAP Shuttle Vector - A	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Adenoviral pCTAP Shuttle Vector - B	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	pCTAP Shuttle vector-C	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Adenoviral pTAP Shuttle-CAT Vector	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	pShuttle-CMV-lacZ Control Vector	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Adenoviral pCTAP Shuttle Vector - A	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Adenoviral pCTAP Shuttle Vector - B	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	pCTAP Shuttle vector-C	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Adenoviral pTAP Shuttle-CAT Vector	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	pShuttle-CMV-lacZ Control Vector	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Adenoviral pCTAP Shuttle Vector - A	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Adenoviral pCTAP Shuttle Vector - B	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	pCTAP Shuttle vector-C	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

SECTION 4: First aid measures

	Adenoviral pTAP Shuttle-CAT Vector	personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	pShuttle-CMV-lacZ Control Vector	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: Adenoviral pCTAP Shuttle Vector - A	No action shall be taken involving any personal risk or without suitable training.
	Adenoviral pCTAP Shuttle Vector - B	No action shall be taken involving any personal risk or without suitable training.
	pCTAP Shuttle vector-C	No action shall be taken involving any personal risk or without suitable training.
	Adenoviral pTAP Shuttle-CAT Vector	No action shall be taken involving any personal risk or without suitable training.
	pShuttle-CMV-lacZ Control Vector	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Inhalation	: Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Skin contact	: Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Ingestion	: Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.

SECTION 4: First aid measures**Over-exposure signs/symptoms**

Eye contact	: Adenoviral pCTAP Shuttle Vector - A	No specific data.
	: Adenoviral pCTAP Shuttle Vector - B	No specific data.
	: pCTAP Shuttle vector-C	No specific data.
	: Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	: pShuttle-CMV-lacZ Control Vector	No specific data.
Inhalation	: Adenoviral pCTAP Shuttle Vector - A	No specific data.
	: Adenoviral pCTAP Shuttle Vector - B	No specific data.
	: pCTAP Shuttle vector-C	No specific data.
	: Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	: pShuttle-CMV-lacZ Control Vector	No specific data.
Skin contact	: Adenoviral pCTAP Shuttle Vector - A	No specific data.
	: Adenoviral pCTAP Shuttle Vector - B	No specific data.
	: pCTAP Shuttle vector-C	No specific data.
	: Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	: pShuttle-CMV-lacZ Control Vector	No specific data.
Ingestion	: Adenoviral pCTAP Shuttle Vector - A	No specific data.
	: Adenoviral pCTAP Shuttle Vector - B	No specific data.
	: pCTAP Shuttle vector-C	No specific data.
	: Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	: pShuttle-CMV-lacZ Control Vector	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Adenoviral pCTAP Shuttle Vector - A	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	: Adenoviral pCTAP Shuttle Vector - B	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	: pCTAP Shuttle vector-C	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	: Adenoviral pTAP Shuttle-CAT Vector	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	: pShuttle-CMV-lacZ Control Vector	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Adenoviral pCTAP Shuttle Vector - A	No specific treatment.
	: Adenoviral pCTAP Shuttle Vector - B	No specific treatment.
	: pCTAP Shuttle vector-C	No specific treatment.
	: Adenoviral pTAP Shuttle-CAT Vector	No specific treatment.
	: pShuttle-CMV-lacZ Control Vector	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Adenoviral pCTAP Shuttle Vector - A	Use an extinguishing agent suitable for the surrounding fire.
	: Adenoviral pCTAP Shuttle Vector - B	Use an extinguishing agent suitable for the surrounding fire.
	: pCTAP Shuttle vector-C	Use an extinguishing agent suitable for the surrounding fire.
	: Adenoviral pTAP Shuttle-CAT Vector	Use an extinguishing agent suitable for the surrounding fire.
	: pShuttle-CMV-lacZ Control Vector	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Adenoviral pCTAP Shuttle Vector - A	None known.
	: Adenoviral pCTAP Shuttle Vector - B	None known.
	: pCTAP Shuttle vector-C	None known.
	: Adenoviral pTAP Shuttle-CAT Vector	None known.
	: pShuttle-CMV-lacZ Control Vector	None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: Adenoviral pCTAP Shuttle Vector - A	In a fire or if heated, a pressure increase will occur and the container may burst.
	: Adenoviral pCTAP Shuttle Vector - B	In a fire or if heated, a pressure increase will occur and the container may burst.
	: pCTAP Shuttle vector-C	In a fire or if heated, a pressure increase will occur and the container may burst.
	: Adenoviral pTAP Shuttle-CAT Vector	In a fire or if heated, a pressure increase will occur and the container may burst.
	: pShuttle-CMV-lacZ Control Vector	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Adenoviral pCTAP Shuttle Vector - A	No specific data.
	: Adenoviral pCTAP Shuttle Vector - B	No specific data.
	: pCTAP Shuttle vector-C	No specific data.
	: Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	: pShuttle-CMV-lacZ Control Vector	No specific data.

5.3 Advice for firefighters

Special precautions for fire-fighters	: Adenoviral pCTAP Shuttle Vector - A	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	: Adenoviral pCTAP Shuttle Vector - B	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	: pCTAP Shuttle vector-C	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	: Adenoviral pTAP Shuttle-CAT Vector	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	: pShuttle-CMV-lacZ Control Vector	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SECTION 5: Firefighting measures

Special protective equipment for fire-fighters	: Adenoviral pCTAP Shuttle Vector - A	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Adenoviral pCTAP Shuttle Vector - B	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	pCTAP Shuttle vector-C	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Adenoviral pTAP Shuttle-CAT Vector	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	pShuttle-CMV-lacZ Control Vector	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel	: Adenoviral pCTAP Shuttle Vector - A	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Adenoviral pCTAP Shuttle Vector - B	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	pCTAP Shuttle vector-C	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Adenoviral pTAP Shuttle-CAT Vector	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	pShuttle-CMV-lacZ Control Vector	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SECTION 6: Accidental release measures

For emergency responders	: Adenoviral pCTAP Shuttle Vector - A	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Adenoviral pCTAP Shuttle Vector - B	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pCTAP Shuttle vector-C	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Adenoviral pTAP Shuttle-CAT Vector	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	pShuttle-CMV-lacZ Control Vector	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Adenoviral pCTAP Shuttle Vector - A	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Adenoviral pCTAP Shuttle Vector - B	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pCTAP Shuttle vector-C	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Adenoviral pTAP Shuttle-CAT Vector	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	pShuttle-CMV-lacZ Control Vector	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for containment and cleaning up		
Methods for cleaning up	: Adenoviral pCTAP Shuttle Vector - A	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Adenoviral pCTAP Shuttle Vector - B	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	pCTAP Shuttle vector-C	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Adenoviral pTAP Shuttle-CAT Vector	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

SECTION 6: Accidental release measures

pShuttle-CMV-lacZ Control Vector	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
-------------------------------------	---

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage	: Adenoviral pCTAP Shuttle Vector - A	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental
----------------	---------------------------------------	--

SECTION 7: Handling and storage

Adenoviral pCTAP Shuttle Vector - B	contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
pCTAP Shuttle vector-C	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Adenoviral pTAP Shuttle-CAT Vector	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
pShuttle-CMV-lacZ Control Vector	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations

: Adenoviral pCTAP Shuttle Vector - A	Industrial applications, Professional applications.
Adenoviral pCTAP Shuttle Vector - B	Industrial applications, Professional applications.
pCTAP Shuttle vector-C	Industrial applications, Professional applications.
Adenoviral pTAP Shuttle-CAT Vector	Industrial applications, Professional applications.
pShuttle-CMV-lacZ Control Vector	Industrial applications, Professional applications.

Industrial sector specific solutions

: Adenoviral pCTAP Shuttle Vector - A	Not applicable.
Adenoviral pCTAP Shuttle Vector - B	Not applicable.
pCTAP Shuttle vector-C	Not applicable.
Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
pShuttle-CMV-lacZ Control Vector	Not applicable.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limits**

No exposure limit value known.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Appearance**

Physical state	:	Adenoviral pCTAP Shuttle Vector - A	Liquid.
		Adenoviral pCTAP Shuttle Vector - B	Liquid.
		pCTAP Shuttle vector-C	Liquid.
		Adenoviral pTAP Shuttle-CAT Vector	Liquid.
		pShuttle-CMV-lacZ Control Vector	Liquid.
Colour	:	Adenoviral pCTAP Shuttle Vector - A	Not available.
		Adenoviral pCTAP Shuttle Vector - B	Not available.
		pCTAP Shuttle vector-C	Not available.
		Adenoviral pTAP Shuttle-CAT Vector	Not available.
		pShuttle-CMV-lacZ Control Vector	Not available.
Odour	:	Adenoviral pCTAP Shuttle Vector - A	Not available.
		Adenoviral pCTAP Shuttle Vector - B	Not available.
		pCTAP Shuttle vector-C	Not available.
		Adenoviral pTAP Shuttle-CAT Vector	Not available.
		pShuttle-CMV-lacZ Control Vector	Not available.
Odour threshold	:	Adenoviral pCTAP Shuttle Vector - A	Not available.
		Adenoviral pCTAP Shuttle Vector - B	Not available.
		pCTAP Shuttle vector-C	Not available.
		Adenoviral pTAP Shuttle-CAT Vector	Not available.
		pShuttle-CMV-lacZ Control Vector	Not available.
pH	:	Adenoviral pCTAP Shuttle Vector - A	7.5
		Adenoviral pCTAP Shuttle Vector - B	7.5
		pCTAP Shuttle vector-C	7.5
		Adenoviral pTAP Shuttle-CAT Vector	7.5
		pShuttle-CMV-lacZ Control Vector	7.5
Melting point/freezing point	:	Adenoviral pCTAP Shuttle Vector - A	0°C
		Adenoviral pCTAP Shuttle Vector - B	0°C
		pCTAP Shuttle vector-C	0°C
		Adenoviral pTAP Shuttle-CAT Vector	0°C
		pShuttle-CMV-lacZ Control Vector	0°C

SECTION 9: Physical and chemical properties

Initial boiling point and boiling range	: Adenoviral pCTAP Shuttle Vector - A	100°C
	: Adenoviral pCTAP Shuttle Vector - B	100°C
	: pCTAP Shuttle vector-C	100°C
	: Adenoviral pTAP Shuttle-CAT Vector	100°C
	: pShuttle-CMV-lacZ Control Vector	100°C
	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
Flash point	: pCTAP Shuttle vector-C	Not available.
	: Adenoviral pTAP Shuttle-CAT Vector	Not available.
	: pShuttle-CMV-lacZ Control Vector	Not available.
	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
	: pCTAP Shuttle vector-C	Not available.
	: Adenoviral pTAP Shuttle-CAT Vector	Not available.
Evaporation rate	: pShuttle-CMV-lacZ Control Vector	Not available.
	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
	: pCTAP Shuttle vector-C	Not available.
	: Adenoviral pTAP Shuttle-CAT Vector	Not available.
	: pShuttle-CMV-lacZ Control Vector	Not available.
	: Adenoviral pCTAP Shuttle Vector - A	Not applicable.
Flammability (solid, gas)	: Adenoviral pCTAP Shuttle Vector - B	Not applicable.
	: pCTAP Shuttle vector-C	Not applicable.
	: Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
	: pShuttle-CMV-lacZ Control Vector	Not applicable.
	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
	: pCTAP Shuttle vector-C	Not available.
Upper/lower flammability or explosive limits	: Adenoviral pTAP Shuttle-CAT Vector	Not available.
	: pShuttle-CMV-lacZ Control Vector	Not available.
	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
	: pCTAP Shuttle vector-C	Not available.
	: Adenoviral pTAP Shuttle-CAT Vector	Not available.
	: pShuttle-CMV-lacZ Control Vector	Not available.
Vapour pressure	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
	: pCTAP Shuttle vector-C	Not available.
	: Adenoviral pTAP Shuttle-CAT Vector	Not available.
	: pShuttle-CMV-lacZ Control Vector	Not available.
	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
Vapour density	: pCTAP Shuttle vector-C	Not available.
	: Adenoviral pTAP Shuttle-CAT Vector	Not available.
	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	: Adenoviral pCTAP Shuttle Vector - B	Not available.
	: pCTAP Shuttle vector-C	Not available.

SECTION 9: Physical and chemical properties

	pShuttle-CMV-lacZ Control Vector	Not available.
Relative density	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	Adenoviral pCTAP Shuttle Vector - B	Not available.
	pCTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
Solubility(ies)	: Adenoviral pCTAP Shuttle Vector - A	Easily soluble in the following materials: cold water and hot water.
	Adenoviral pCTAP Shuttle Vector - B	Easily soluble in the following materials: cold water and hot water.
	pCTAP Shuttle vector-C	Easily soluble in the following materials: cold water and hot water.
	Adenoviral pTAP Shuttle-CAT Vector	Easily soluble in the following materials: cold water and hot water.
	pShuttle-CMV-lacZ Control Vector	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	Adenoviral pCTAP Shuttle Vector - B	Not available.
	pCTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
Auto-ignition temperature	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	Adenoviral pCTAP Shuttle Vector - B	Not available.
	pCTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
Decomposition temperature	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	Adenoviral pCTAP Shuttle Vector - B	Not available.
	pCTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.
Viscosity	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	Adenoviral pCTAP Shuttle Vector - B	Not available.
	pCTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ Control Vector	Not available.

SECTION 9: Physical and chemical properties

Explosive properties	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	Adenoviral pCTAP Shuttle Vector - B	Not available.
	pCTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ	Not available.
	Control Vector	Not available.
Oxidising properties	: Adenoviral pCTAP Shuttle Vector - A	Not available.
	Adenoviral pCTAP Shuttle Vector - B	Not available.
	pCTAP Shuttle vector-C	Not available.
	Adenoviral pTAP Shuttle-CAT Vector	Not available.
	pShuttle-CMV-lacZ	Not available.
	Control Vector	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: Adenoviral pCTAP Shuttle Vector - A	No specific test data related to reactivity available for this product or its ingredients.
	Adenoviral pCTAP Shuttle Vector - B	No specific test data related to reactivity available for this product or its ingredients.
	pCTAP Shuttle vector-C	No specific test data related to reactivity available for this product or its ingredients.
	Adenoviral pTAP Shuttle-CAT Vector	No specific test data related to reactivity available for this product or its ingredients.
	pShuttle-CMV-lacZ	No specific test data related to reactivity available for this product or its ingredients.
	Control Vector	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Adenoviral pCTAP Shuttle Vector - A	The product is stable.
	Adenoviral pCTAP Shuttle Vector - B	The product is stable.
	pCTAP Shuttle vector-C	The product is stable.
	Adenoviral pTAP Shuttle-CAT Vector	The product is stable.
	pShuttle-CMV-lacZ	The product is stable.
	Control Vector	The product is stable.
10.3 Possibility of hazardous reactions	: Adenoviral pCTAP Shuttle Vector - A	Under normal conditions of storage and use, hazardous reactions will not occur.
	Adenoviral pCTAP Shuttle Vector - B	Under normal conditions of storage and use, hazardous reactions will not occur.
	pCTAP Shuttle vector-C	Under normal conditions of storage and use, hazardous reactions will not occur.
	Adenoviral pTAP Shuttle-CAT Vector	Under normal conditions of storage and use, hazardous reactions will not occur.
	pShuttle-CMV-lacZ	Under normal conditions of storage and use, hazardous reactions will not occur.
	Control Vector	Under normal conditions of storage and use, hazardous reactions will not occur.

SECTION 10: Stability and reactivity

10.4 Conditions to avoid	:	Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	No specific data. No specific data. No specific data. No specific data. No specific data.
10.5 Incompatible materials	:	Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
10.6 Hazardous decomposition products	:	Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

:	Adenoviral pCTAP Shuttle Vector - A Adenoviral pCTAP Shuttle Vector - B pCTAP Shuttle vector-C Adenoviral pTAP Shuttle-CAT Vector pShuttle-CMV-lacZ Control Vector	Not available. Not available. Not available. Not available. Not available.
---	---	--

SECTION 11: Toxicological informationPotential acute health effects

Inhalation	:	Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
		Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
		pCTAP Shuttle vector-C	No known significant effects or critical hazards.
		Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
		pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Ingestion	:	Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
		Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
		pCTAP Shuttle vector-C	No known significant effects or critical hazards.
		Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
		pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Skin contact	:	Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
		Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
		pCTAP Shuttle vector-C	No known significant effects or critical hazards.
		Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
		pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Eye contact	:	Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
		Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
		pCTAP Shuttle vector-C	No known significant effects or critical hazards.
		Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
		pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	:	Adenoviral pCTAP Shuttle Vector - A	No specific data.
		Adenoviral pCTAP Shuttle Vector - B	No specific data.
		pCTAP Shuttle vector-C	No specific data.
		Adenoviral pTAP Shuttle-CAT Vector	No specific data.
		pShuttle-CMV-lacZ Control Vector	No specific data.
Ingestion	:	Adenoviral pCTAP Shuttle Vector - A	No specific data.
		Adenoviral pCTAP Shuttle Vector - B	No specific data.
		pCTAP Shuttle vector-C	No specific data.
		Adenoviral pTAP Shuttle-CAT Vector	No specific data.
		pShuttle-CMV-lacZ Control Vector	No specific data.

SECTION 11: Toxicological information

Skin contact	:	Adenoviral pCTAP Shuttle Vector - A	No specific data.
	:	Adenoviral pCTAP Shuttle Vector - B	No specific data.
	:	pCTAP Shuttle vector-C	No specific data.
	:	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	:	pShuttle-CMV-lacZ Control Vector	No specific data.
Eye contact	:	Adenoviral pCTAP Shuttle Vector - A	No specific data.
	:	Adenoviral pCTAP Shuttle Vector - B	No specific data.
	:	pCTAP Shuttle vector-C	No specific data.
	:	Adenoviral pTAP Shuttle-CAT Vector	No specific data.
	:	pShuttle-CMV-lacZ Control Vector	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	:	Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	:	Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	:	pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	:	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	:	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Carcinogenicity	:	Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	:	Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	:	pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	:	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	:	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Mutagenicity	:	Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	:	Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	:	pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	:	Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	:	pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.

SECTION 11: Toxicological information

Teratogenicity	: Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	: Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	: pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	: Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	: pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Developmental effects	: Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	: Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	: pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	: Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	: pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.
Fertility effects	: Adenoviral pCTAP Shuttle Vector - A	No known significant effects or critical hazards.
	: Adenoviral pCTAP Shuttle Vector - B	No known significant effects or critical hazards.
	: pCTAP Shuttle vector-C	No known significant effects or critical hazards.
	: Adenoviral pTAP Shuttle-CAT Vector	No known significant effects or critical hazards.
	: pShuttle-CMV-lacZ Control Vector	No known significant effects or critical hazards.

SECTION 12: Ecological information**12.1 Toxicity**

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulatory information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Adenoviral pCTAP Shuttle Vector - A	Not applicable.
	Adenoviral pCTAP Shuttle Vector - B	Not applicable.
	pCTAP Shuttle vector-C	Not applicable.
	Adenoviral pTAP Shuttle-CAT Vector	Not applicable.
	pShuttle-CMV-lacZ Control Vector	Not applicable.

Other EU regulations

Europe inventory : All components are listed or exempted.

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

SECTION 15: Regulatory information

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
United States	: All components are listed or exempted.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
-----------------------------------	---

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Not applicable.

Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of revision : 30/03/2017

Date of issue/Date of revision : 30/03/2017

SECTION 16: Other information

Date of previous issue : No previous validation.

Version : 1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.