

SAFETY DATA SHEET



Lambda EMBL 3 BamHI Vector Kit, Part Number 241211

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Lambda EMBL 3 BamHI Vector Kit, Part Number 241211
Part No. (Kit) : 241211
Part No. : Lambda EMBL3 Vector 241211-51
Double Digested With
EcoR I And BamH I
CIAP Treated
pME/Bam HI Test Insert 210200-53
XL1-Blue MRA E.coli 200302-81
Strain
XL1-Blue MRA (p2) E. 200303-81
coli Strain

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical reagent. Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	0.01 ml (10 µg 1 µg/µl)
pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	0.01 ml (2.5 µg 0.25 µg/µl) 0.5 ml
XL1-Blue MRA (p2) E.coli Strain	0.5 ml

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Lambda EMBL3 Vector Mixture
Double Digested With
EcoR I And BamH I
CIAP Treated
pME/Bam HI Test Insert Mixture
XL1-Blue MRA E.coli Mixture
Strain
XL1-Blue MRA (p2) E. Mixture
coli Strain

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Date of issue/Date of revision : 21/04/2017

SECTION 2: Hazards identification

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No signal word. No signal word. No signal word. No signal word.
Hazard statements	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Precautionary statements</u>		
Prevention	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
Response	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
Storage	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.

SECTION 2: Hazards identification

Hazardous ingredients	: XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain	Not applicable. Not applicable.
Supplemental label elements	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain	Not applicable. Not applicable. Safety data sheet available on request. Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.

Special packaging requirements

Tactile warning of danger	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain	Not applicable. Not applicable. Not applicable. Not applicable.
----------------------------------	--	--

2.3 Other hazards

Other hazards which do not result in classification	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain	None known. None known. None known. None known.
--	--	--

SECTION 3: Composition/information on ingredients

3.1 Substances	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain	Mixture Mixture Mixture Mixture
-----------------------	--	--

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
XL1-Blue MRA E.coli Strain Glycerol	EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
XL1-Blue MRA (p2) E.coli Strain Glycerol	EC: 200-289-5	≥10 - ≤25	Not classified.	[2]

Lambda EMBL 3 BamHI Vector Kit, Part Number 241211

SECTION 3: Composition/information on ingredients

Sodium chloride	CAS: 56-81-5 EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319 See Section 16 for the full text of the H statements declared above.	[1]
-----------------	---	----	---	-----

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XL1-Blue MRA E.coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XL1-Blue MRA (p2) E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	XL1-Blue MRA E.coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	XL1-Blue MRA (p2) E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XL1-Blue MRA E.coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XL1-Blue MRA (p2) E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SECTION 4: First aid measures

Ingestion	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Inhalation	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

SECTION 4: First aid measures

	coli Strain	
Ingestion	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No known significant effects or critical hazards.
	pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No specific data.
	pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	No specific data. No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.

Inhalation	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No specific data.
	pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	No specific data. No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.

Skin contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No specific data.
	pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	No specific data. No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.

Ingestion	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No specific data.
	pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	No specific data. No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pME/Bam HI Test Insert	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XL1-Blue MRA E.coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XL1-Blue MRA (p2) E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 4: First aid measures

Specific treatments	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No specific treatment. No specific treatment. No specific treatment. No specific treatment.
----------------------------	---	--	--

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	None known. None known. None known. None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No specific data. No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

SECTION 5: Firefighting measures

Special precautions for fire-fighters	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	XL1-Blue MRA E.coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	XL1-Blue MRA (p2) E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	pME/Bam HI Test Insert	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	XL1-Blue MRA E.coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	XL1-Blue MRA (p2) E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	pME/Bam HI Test Insert	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	XL1-Blue MRA E.coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	XL1-Blue MRA (p2) E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SECTION 6: Accidental release measures

For emergency responders	<p>: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E. coli Strain</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p> <p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p> <p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p> <p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>
6.2 Environmental precautions	<p>: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E. coli Strain</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
6.3 Methods and material for containment and cleaning up		
Methods for cleaning up	<p>: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E. coli Strain</p>	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
6.4 Reference to other sections	<p>: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.</p>	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Put on appropriate personal protective equipment (see Section 8).
	pME/Bam HI Test Insert	Put on appropriate personal protective equipment (see Section 8).
	XL1-Blue MRA E.coli Strain	Put on appropriate personal protective equipment (see Section 8).
	XL1-Blue MRA (p2) E. coli Strain	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	pME/Bam HI Test Insert	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	XL1-Blue MRA E.coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	XL1-Blue MRA (p2) E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
	pME/Bam HI Test Insert	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
	XL1-Blue MRA E.coli Strain	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to

SECTION 7: Handling and storage

XL1-Blue MRA (p2) E. coli Strain

prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations

- : Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain Industrial applications, Professional applications.
- : Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain Industrial applications, Professional applications.
- : Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA (p2) E. coli Strain Industrial applications, Professional applications.

Industrial sector specific solutions

- : Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain Not applicable.
- : Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain Not applicable.
- : Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA (p2) E. coli Strain Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
XL1-Blue MRA E.coli Strain Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
XL1-Blue MRA (p2) E.coli Strain Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist

Recommended monitoring procedures

- : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

Date of issue/Date of revision : 21/04/2017

11/23

SECTION 8: Exposure controls/personal protection

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Lambda EMBL3 Vector Liquid.
 Double Digested With EcoR I And BamH I
 CIAP Treated
 pME/Bam HI Test Insert Liquid.
 XL1-Blue MRA E.coli Strain Liquid.
 XL1-Blue MRA (p2) E. coli Strain Liquid.

Colour : Lambda EMBL3 Vector Not available.
 Double Digested With EcoR I And BamH I
 CIAP Treated
 pME/Bam HI Test Insert Not available.
 XL1-Blue MRA E.coli Strain Not available.
 XL1-Blue MRA (p2) E. coli Strain Not available.

SECTION 9: Physical and chemical properties

Odour	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
Odour threshold	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
pH	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	7 7.5 7 7
Melting point/freezing point	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	0°C 0°C Not available. Not available.
Initial boiling point and boiling range	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	100°C 100°C Not available. Not available.
Flash point	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
Evaporation rate	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.	Not available. Not available. Not available. Not available.

SECTION 9: Physical and chemical properties

		coli Strain	
Flammability (solid, gas)	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Not applicable.
		pME/Bam HI Test Insert	Not applicable.
		XL1-Blue MRA E.coli Strain	Not applicable.
		XL1-Blue MRA (p2) E. coli Strain	Not applicable.
Upper/lower flammability or explosive limits	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Not available.
		pME/Bam HI Test Insert	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E. coli Strain	Not available.
Vapour pressure	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Not available.
		pME/Bam HI Test Insert	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E. coli Strain	Not available.
Vapour density	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Not available.
		pME/Bam HI Test Insert	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E. coli Strain	Not available.
Relative density	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Not available.
		pME/Bam HI Test Insert	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E. coli Strain	Not available.
Solubility(ies)	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	Easily soluble in the following materials: cold water and hot water.
		pME/Bam HI Test Insert	Easily soluble in the following materials: cold water and hot water.
		XL1-Blue MRA E.coli Strain	Soluble in the following materials: cold water and hot water.
		XL1-Blue MRA (p2) E. coli Strain	Soluble in the following materials: cold water and hot water.

SECTION 9: Physical and chemical properties

Partition coefficient: n-octanol/water	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
Auto-ignition temperature	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
Decomposition temperature	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
Viscosity	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
Explosive properties	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.
Oxidising properties	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Not available. Not available. Not available. Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	The product is stable. The product is stable. The product is stable. The product is stable.
10.3 Possibility of hazardous reactions	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No specific data. No specific data. No specific data. No specific data.
10.5 Incompatible materials	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
10.6 Hazardous decomposition products	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
XL1-Blue MRA E.coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
XL1-Blue MRA (p2) E.coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
XL1-Blue MRA E.coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
XL1-Blue MRA (p2) E.coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitiser

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain Not available. Routes of entry anticipated: Oral, Dermal, Inhalation.
 XL1-Blue MRA (p2) E. coli Strain Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Inhalation : Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain No known significant effects or critical hazards.
 XL1-Blue MRA (p2) E. coli Strain No known significant effects or critical hazards.

SECTION 11: Toxicological information

Ingestion	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No specific data. No specific data. No specific data. No specific data.
Ingestion	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No specific data. No specific data. No specific data. No specific data.
Skin contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain	No specific data. No specific data. No specific data. No specific data.
Eye contact	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	No specific data. No specific data. No specific data.

SECTION 11: Toxicological information

XL1-Blue MRA (p2) E. coli Strain No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No known significant effects or critical hazards.
	pME/Bam HI Test Insert	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
Carcinogenicity	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No known significant effects or critical hazards.
	pME/Bam HI Test Insert	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
Mutagenicity	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No known significant effects or critical hazards.
	pME/Bam HI Test Insert	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
Teratogenicity	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No known significant effects or critical hazards.
	pME/Bam HI Test Insert	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
Developmental effects	: Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No known significant effects or critical hazards.
	pME/Bam HI Test Insert	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.

SECTION 11: Toxicological information

Fertility effects	:	Lambda EMBL3 Vector Double Digested With EcoR I And BamH I CIAP Treated	No known significant effects or critical hazards.
		pME/Bam HI Test Insert XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards. No known significant effects or critical hazards.
		XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
XL1-Blue MRA E.coli Strain Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1.56 g/L Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
XL1-Blue MRA (p2) E.coli Strain Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1.56 g/L Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

SECTION 12: Ecological information**12.5 Results of PBT and vPvB assessment**

- PBT** : Not applicable.
vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**Product

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information**Regulatory information**

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**EU Regulation (EC) No. 1907/2006 (REACH)Annex XIV - List of substances subject to authorisationAnnex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

- Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** :
- | | |
|---------------------------------|-----------------|
| Lambda EMBL3 Vector | Not applicable. |
| Double Digested With EcoR | |
| I And BamH I CIAP Treated | |
| pME/Bam HI Test Insert | Not applicable. |
| XL1-Blue MRA E.coli Strain | Not applicable. |
| XL1-Blue MRA (p2) E.coli Strain | Not applicable. |

Other EU regulations

Europe inventory : All components are listed or exempted.

Date of issue/Date of revision : 21/04/2017

SECTION 15: Regulatory information

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
United States	: All components are listed or exempted.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
-----------------------------------	---

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Date of issue/Date of revision : 21/04/2017

22/23

SECTION 16: Other information

XL1-Blue MRA E.coli Strain H319	Causes serious eye irritation.
XL1-Blue MRA (p2) E.coli Strain H319	Causes serious eye irritation.

[Full text of classifications \[CLP/GHS\]](#)

XL1-Blue MRA E.coli Strain Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
XL1-Blue MRA (p2) E.coli Strain Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Date of issue/ Date of revision : 21/04/2017

Date of previous issue : No previous validation.

Version : 1

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.