

SAFETY DATA SHEET



Lambda DASH II BamH I Vector Kit, Part Number 247211

Section 1. Identification

Product identifier : Lambda DASH II BamH I Vector Kit, Part Number 247211
Part No. (Chemical Kit) : 247211
Part No. : pBR322 Test Insert Digested With EcoR I and Sal I 210200-52
 XL1-Blue MRA E.coli Strain 200302-81
 XL1-Blue MRA (p2) E.coli Strain 200303-81
 Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated 247211-51

Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

pBR322 Test Insert Digested With EcoR I and Sal I	10 µl (2.5 µg 0.25 µg/µl)
XL1-Blue MRA E.coli Strain	500 µl
XL1-Blue MRA (p2) E.coli Strain	500 µl
Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	10 µl (10 µg 1 µg/µl)

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
 679 Springvale Road
 Mulgrave
 Victoria 3170, Australia
 1800 802 402

Emergency telephone number (with hours of operation) : CHEMTREC®: (61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

GHS label elements

Signal word : pBR322 Test Insert Digested With EcoR I and Sal I No signal word.
 XL1-Blue MRA E.coli Strain No signal word.
 XL1-Blue MRA (p2) E.coli Strain No signal word.
 Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated No signal word.

Hazard statements : pBR322 Test Insert Digested With EcoR I and Sal I No known significant effects or critical hazards.
 XL1-Blue MRA E.coli Strain No known significant effects or critical hazards.
 XL1-Blue MRA (p2) E.coli Strain No known significant effects or critical hazards.
 Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated No known significant effects or critical hazards.

Precautionary statements

Section 2. Hazard(s) identification

Prevention	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not applicable.
		XL1-Blue MRA E.coli Strain	Not applicable.
		XL1-Blue MRA (p2) E.coli Strain	Not applicable.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not applicable.
Response	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not applicable.
		XL1-Blue MRA E.coli Strain	Not applicable.
		XL1-Blue MRA (p2) E.coli Strain	Not applicable.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not applicable.
Storage	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not applicable.
		XL1-Blue MRA E.coli Strain	Not applicable.
		XL1-Blue MRA (p2) E.coli Strain	Not applicable.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not applicable.
Disposal	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not applicable.
		XL1-Blue MRA E.coli Strain	Not applicable.
		XL1-Blue MRA (p2) E.coli Strain	Not applicable.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not applicable.
Supplemental label elements	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not applicable.
		XL1-Blue MRA E.coli Strain	Not applicable.
		XL1-Blue MRA (p2) E.coli Strain	Not applicable.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not applicable.
Other hazards which do not result in classification	:	pBR322 Test Insert Digested With EcoR I and Sal I	None known.
		XL1-Blue MRA E.coli Strain	None known.
		XL1-Blue MRA (p2) E.coli Strain	None known.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	None known.

Section 3. Composition and ingredient information

Substance/mixture	:	pBR322 Test Insert Digested With EcoR I and Sal I	Mixture
		XL1-Blue MRA E.coli Strain	Mixture
		XL1-Blue MRA (p2) E.coli Strain	Mixture
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Mixture

CAS number/other identifiers

Section 3. Composition and ingredient information

Ingredient name	% (w/w)	CAS number
XL1-Blue MRA E.coli Strain Glycerol	≥10 - ≤30	56-81-5
XL1-Blue MRA (p2) E.coli Strain Glycerol	≥10 - ≤30	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: pBR322 Test Insert Digested With EcoR I and Sal I	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XL1-Blue MRA E.coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XL1-Blue MRA (p2) E.coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: pBR322 Test Insert Digested With EcoR I and Sal I	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	XL1-Blue MRA E.coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	XL1-Blue MRA (p2) E.coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: pBR322 Test Insert Digested With EcoR I and Sal I	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XL1-Blue MRA E.coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XL1-Blue MRA (p2) E.coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Section 4. First aid measures

Ingestion	: pBR322 Test Insert Digested With EcoR I and Sal I	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	XL1-Blue MRA E.coli Strain	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	XL1-Blue MRA (p2) E.coli Strain	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.
Inhalation	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.
Skin contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.

Section 4. First aid measures

Ingestion	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E.coli Strain	No specific data.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data.

Inhalation	: pBR322 Test Insert Digested With EcoR I and Sal I	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E.coli Strain	No specific data.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data.

Skin contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E.coli Strain	No specific data.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data.

Ingestion	: pBR322 Test Insert Digested With EcoR I and Sal I	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E.coli Strain	No specific data.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: pBR322 Test Insert Digested With EcoR I and Sal I	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XL1-Blue MRA E.coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XL1-Blue MRA (p2) E.coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 4. First aid measures

Specific treatments	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific treatment. No specific treatment. No specific treatment. No specific treatment.
Protection of first-aiders	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	None known. None known. None known. None known.
Specific hazards arising from the chemical	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide

Section 5. Firefighting measures

	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	halogenated compounds metal oxide/oxides No specific data.
Special protective actions for fire-fighters	<p>ϕBR322 Test Insert Digested With EcoR I and Sal I</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
Special protective equipment for fire-fighters	<p>ϕBR322 Test Insert Digested With EcoR I and Sal I</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</p> <p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</p> <p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</p> <p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</p>

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	<p>ϕBR322 Test Insert Digested With EcoR I and Sal I</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
------------------------------------	---	---

Section 6. Accidental release measures

		personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	<p>ϕBR322 Test Insert Digested With EcoR I and Sal I</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p> <p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p> <p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p> <p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>
Environmental precautions	<p>ϕBR322 Test Insert Digested With EcoR I and Sal I</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
<u>Methods and material for containment and cleaning up</u>		
Methods for cleaning up	<p>ϕBR322 Test Insert Digested With EcoR I and Sal I</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.</p>

Section 6. Accidental release measures

I And Xho I CIAP Treated Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: pBR322 Test Insert Digested With EcoR I and Sal I Put on appropriate personal protective equipment (see Section 8).
 XL1-Blue MRA E.coli Strain Put on appropriate personal protective equipment (see Section 8).
 XL1-Blue MRA (p2) E.coli Strain Put on appropriate personal protective equipment (see Section 8).
 Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: pBR322 Test Insert Digested With EcoR I and Sal I Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
 XL1-Blue MRA E.coli Strain Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
 XL1-Blue MRA (p2) E.coli Strain Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
 Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: pBR322 Test Insert Digested With EcoR I and Sal I Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
 XL1-Blue MRA E.coli Strain Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until

Section 7. Handling and storage

XL1-Blue MRA (p2) E.coli Strain

ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
<input checked="" type="checkbox"/> XL1-Blue MRA E.coli Strain Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
XL1-Blue MRA (p2) E.coli Strain Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Section 8. Exposure controls and personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

- Physical state** :
- | | |
|--|---------|
| pBR322 Test Insert Digested With EcoR I and Sal I | Liquid. |
| XL1-Blue MRA E.coli Strain | Liquid. |
| XL1-Blue MRA (p2) E.coli Strain | Liquid. |
| Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated | Liquid. |
- Colour** :
- | | |
|--|----------------|
| pBR322 Test Insert Digested With EcoR I and Sal I | Not available. |
| XL1-Blue MRA E.coli Strain | Not available. |
| XL1-Blue MRA (p2) E.coli Strain | Not available. |
| Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated | Not available. |
- Odour** :
- | | |
|--|----------------|
| pBR322 Test Insert Digested With EcoR I and Sal I | Not available. |
| XL1-Blue MRA E.coli Strain | Not available. |
| XL1-Blue MRA (p2) E.coli Strain | Not available. |
| Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated | Not available. |
- Odour threshold** :
- | | |
|--|----------------|
| pBR322 Test Insert Digested With EcoR I and Sal I | Not available. |
| XL1-Blue MRA E.coli Strain | Not available. |
| XL1-Blue MRA (p2) E.coli Strain | Not available. |
| Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated | Not available. |
- pH** :
- | | |
|--|-----|
| pBR322 Test Insert Digested With EcoR I and Sal I | 7.5 |
| XL1-Blue MRA E.coli Strain | 7 |
| XL1-Blue MRA (p2) E.coli Strain | 7 |
| Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated | 7.5 |

Section 9. Physical and chemical properties

Melting point	:	<p>pBR322 Test Insert Digested With EcoR I and Sal I 0°C (32°F)</p> <p>XL1-Blue MRA E.coli Strain Not available.</p> <p>XL1-Blue MRA (p2) E.coli Strain Not available.</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated 0°C (32°F)</p>
Boiling point	:	<p>pBR322 Test Insert Digested With EcoR I and Sal I 100°C (212°F)</p> <p>XL1-Blue MRA E.coli Strain Not available.</p> <p>XL1-Blue MRA (p2) E.coli Strain Not available.</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated 100°C (212°F)</p>
Flash point	:	<p>pBR322 Test Insert Digested With EcoR I and Sal I Not available.</p> <p>XL1-Blue MRA E.coli Strain Not available.</p> <p>XL1-Blue MRA (p2) E.coli Strain Not available.</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated Not available.</p>
Evaporation rate	:	<p>pBR322 Test Insert Digested With EcoR I and Sal I Not available.</p> <p>XL1-Blue MRA E.coli Strain Not available.</p> <p>XL1-Blue MRA (p2) E.coli Strain Not available.</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated Not available.</p>
Flammability (solid, gas)	:	<p>pBR322 Test Insert Digested With EcoR I and Sal I Not applicable.</p> <p>XL1-Blue MRA E.coli Strain Not applicable.</p> <p>XL1-Blue MRA (p2) E.coli Strain Not applicable.</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated Not applicable.</p>
Lower and upper explosive (flammable) limits	:	<p>pBR322 Test Insert Digested With EcoR I and Sal I Not available.</p> <p>XL1-Blue MRA E.coli Strain Not available.</p> <p>XL1-Blue MRA (p2) E.coli Strain Not available.</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated Not available.</p>
Vapour pressure	:	<p>pBR322 Test Insert Digested With EcoR I and Sal I Not available.</p> <p>XL1-Blue MRA E.coli Strain Not available.</p> <p>XL1-Blue MRA (p2) E.coli Strain Not available.</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated Not available.</p>
Vapour density	:	

Section 9. Physical and chemical properties

		pBR322 Test Insert Digested With EcoR I and Sal I	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E.coli Strain	Not available.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not available.
Relative density	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E.coli Strain	Not available.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not available.
Solubility	:	pBR322 Test Insert Digested With EcoR I and Sal I	Easily soluble in the following materials: cold water and hot water.
		XL1-Blue MRA E.coli Strain	Soluble in the following materials: cold water and hot water.
		XL1-Blue MRA (p2) E.coli Strain	Soluble in the following materials: cold water and hot water.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E.coli Strain	Not available.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not available.
Auto-ignition temperature	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E.coli Strain	Not available.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not available.
Decomposition temperature	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E.coli Strain	Not available.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not available.
Viscosity	:	pBR322 Test Insert Digested With EcoR I and Sal I	Not available.
		XL1-Blue MRA E.coli Strain	Not available.
		XL1-Blue MRA (p2) E.coli Strain	Not available.
		Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not available.

Section 10. Stability and reactivity

Reactivity	<p>: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>No specific test data related to reactivity available for this product or its ingredients.</p> <p>No specific test data related to reactivity available for this product or its ingredients.</p> <p>No specific test data related to reactivity available for this product or its ingredients.</p> <p>No specific test data related to reactivity available for this product or its ingredients.</p>
Chemical stability	<p>: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>The product is stable.</p> <p>The product is stable.</p> <p>The product is stable.</p> <p>The product is stable.</p>
Possibility of hazardous reactions	<p>: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>Under normal conditions of storage and use, hazardous reactions will not occur.</p> <p>Under normal conditions of storage and use, hazardous reactions will not occur.</p> <p>Under normal conditions of storage and use, hazardous reactions will not occur.</p> <p>Under normal conditions of storage and use, hazardous reactions will not occur.</p>
Conditions to avoid	<p>: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p>
Incompatible materials	<p>: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>May react or be incompatible with oxidising materials.</p> <p>May react or be incompatible with oxidising materials.</p> <p>May react or be incompatible with oxidising materials.</p> <p>May react or be incompatible with oxidising materials.</p>
Hazardous decomposition products	<p>: pBR322 Test Insert Digested With EcoR I and Sal I</p> <p>XL1-Blue MRA E.coli Strain</p> <p>XL1-Blue MRA (p2) E.coli Strain</p> <p>Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated</p>	<p>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</p> <p>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</p> <p>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</p> <p>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</p>

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
XL1-Blue MRA E.coli Strain Glycerol	LD50 Oral	Rat	12600 mg/kg	-
XL1-Blue MRA (p2) E.coli Strain Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
XL1-Blue MRA E.coli Strain Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
XL1-Blue MRA (p2) E.coli Strain Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	: pBR322 Test Insert Digested With EcoR I and Sal I	Not available.
	XL1-Blue MRA E.coli Strain	Routes of entry anticipated: Oral, Dermal, Inhalation.
	XL1-Blue MRA (p2) E.coli Strain	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	Not available.

Section 11. Toxicological information

Potential acute health effects

Eye contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.
Inhalation	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.
Skin contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.
Ingestion	: pBR322 Test Insert Digested With EcoR I and Sal I	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E.coli Strain	No known significant effects or critical hazards.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E.coli Strain	No specific data.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data.
Inhalation	: pBR322 Test Insert Digested With EcoR I and Sal I	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E.coli Strain	No specific data.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data.
Skin contact	: pBR322 Test Insert Digested With EcoR I and Sal I	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E.coli Strain	No specific data.
	Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data.

Section 11. Toxicological information

Ingestion	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No specific data. No specific data. No specific data. No specific data.
------------------	---	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
----------------	---	--

Carcinogenicity	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
------------------------	---	--

Mutagenicity	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
---------------------	---	--

Teratogenicity	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
-----------------------	---	--

Section 11. Toxicological information

Developmental effects	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: pBR322 Test Insert Digested With EcoR I and Sal I XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.coli Strain Lambda DASH II Vector Double Digested With BamH I And Xho I CIAP Treated	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
XL1-Blue MRA E.coli Strain Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
XL1-Blue MRA (p2) E.coli Strain Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
XL1-Blue MRA E.coli Strain Glycerol	-1.76	-	low
XL1-Blue MRA (p2) E.coli Strain Glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulatory information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Australia inventory (AICS) : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Canada : All components are listed or exempted.
China : All components are listed or exempted.
Europe : All components are listed or exempted.
Japan : **Japan inventory (ENCS):** All components are listed or exempted.
Japan inventory (ISHL): All components are listed or exempted.
Malaysia : Not determined.
New Zealand : All components are listed or exempted.

Section 15. Regulatory information

- Philippines** : All components are listed or exempted.
- Republic of Korea** : All components are listed or exempted.
- Taiwan** : All components are listed or exempted.
- Turkey** : Not determined.
- United States** : All components are listed or exempted.

Section 16. Any other relevant information

History

Date of issue/Date of revision : 29/03/2017

Date of previous issue : 17/08/2015.

Version : 4

Key to abbreviations

- ADG = Australian Dangerous Goods
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- NOHSC = National Occupational Health and Safety Commission
- SUSMP = Standard Uniform Schedule of Medicine and Poisons
- UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.