

SAFETY DATA SHEET



Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714
Part no. (chemical kit)	: 247714
Part no.	: Lambda DASH II Vector 247212-51 Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain 200302-81 XL1-Blue MRA (p2) E. coli Strain 200303-81 pDT-RI/EcoR I Test Insert 210200-56 Gigapack III XL - 11 packaging extract 200207-41 VCS257 E. coli Strain 200256-51 Wild-Type Lambda DNA c1857ind 1 Sam7 246203-51

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.
	Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated 0.01 ml (10 µg 1 µg/µl)
	XL1-Blue MRA E.coli Strain 0.5 ml
	XL1-Blue MRA (p2) E.coli Strain 0.5 ml
	pDT-RI/EcoR I Test Insert 0.005 ml (2 µg 0.4 µg/µl)
	Gigapack III XL - 11 packaging extract 0.275 ml
	VCS257 E. coli Strain 1 ml
	Wild-Type Lambda DNA c1857ind 1 Sam7 0.005 ml (1.05 µg 0.21 µg/µl)

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition	:	λ Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Mixture
		XL1-Blue MRA E.coli Strain	Mixture
		XL1-Blue MRA (p2) E. coli Strain	Mixture
		pDT-RI/EcoR I Test Insert	Mixture
		Gigapack III XL - 11 packaging extract	Mixture
		VCS257 E. coli Strain	Mixture
		Wild-Type Lambda DNA c1857ind 1 Sam7	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Ingredients of unknown toxicity	:	λ XL1-Blue MRA E.coli Strain	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%
		XL1-Blue MRA (p2) E.coli Strain	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%
		Gigapack III XL - 11 packaging extract	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
		VCS257 E. coli Strain	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word	:	λ Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No signal word.
		XL1-Blue MRA E.coli Strain	No signal word.
		XL1-Blue MRA (p2) E. coli Strain	No signal word.
		pDT-RI/EcoR I Test Insert	No signal word.
		Gigapack III XL - 11 packaging extract	No signal word.
		VCS257 E. coli Strain	No signal word.
		Wild-Type Lambda DNA c1857ind 1 Sam7	No signal word.
Hazard statements	:	λ Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
		XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
		XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
		pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
		Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 2: Hazards identification

VCS257 E. coli Strain No known significant effects or critical hazards.
 Wild-Type Lambda DNA No known significant effects or critical hazards.
 c1857ind 1 Sam7

Precautionary statements

Prevention

: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated Not applicable.
 XL1-Blue MRA E.coli Strain Not applicable.
 XL1-Blue MRA (p2) E. coli Strain Not applicable.
 pDT-RI/EcoR I Test Insert Not applicable.
 Gigapack III XL - 11 packaging extract Not applicable.
 VCS257 E. coli Strain Not applicable.
 Wild-Type Lambda DNA c1857ind 1 Sam7 Not applicable.

Response

: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated Not applicable.
 XL1-Blue MRA E.coli Strain Not applicable.
 XL1-Blue MRA (p2) E. coli Strain Not applicable.
 pDT-RI/EcoR I Test Insert Not applicable.
 Gigapack III XL - 11 packaging extract Not applicable.
 VCS257 E. coli Strain Not applicable.
 Wild-Type Lambda DNA c1857ind 1 Sam7 Not applicable.

Storage

: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated Not applicable.
 XL1-Blue MRA E.coli Strain Not applicable.
 XL1-Blue MRA (p2) E. coli Strain Not applicable.
 pDT-RI/EcoR I Test Insert Not applicable.
 Gigapack III XL - 11 packaging extract Not applicable.
 VCS257 E. coli Strain Not applicable.
 Wild-Type Lambda DNA c1857ind 1 Sam7 Not applicable.

Disposal

: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated Not applicable.
 XL1-Blue MRA E.coli Strain Not applicable.
 XL1-Blue MRA (p2) E. coli Strain Not applicable.
 pDT-RI/EcoR I Test Insert Not applicable.
 Gigapack III XL - 11 packaging extract Not applicable.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 2: Hazards identification

	VCS257 E. coli Strain	Not applicable.
	Wild-Type Lambda DNA	Not applicable.
	c1857ind 1 Sam7	
Hazardous ingredients	: <input checked="" type="checkbox"/> XL1-Blue MRA E.coli Strain	Not applicable.
	XL1-Blue MRA (p2) E. coli Strain	Not applicable.
	VCS257 E. coli Strain	Not applicable.
Supplemental label elements	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not applicable.
	XL1-Blue MRA E.coli Strain	Safety data sheet available on request.
	XL1-Blue MRA (p2) E. coli Strain	Safety data sheet available on request.
	pDT-RI/EcoR I Test Insert	Not applicable.
	Gigapack III XL - 11 packaging extract	Not applicable.
	VCS257 E. coli Strain	Safety data sheet available on request.
	Wild-Type Lambda DNA	Not applicable.
	c1857ind 1 Sam7	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not applicable.
	XL1-Blue MRA E.coli Strain	Not applicable.
	XL1-Blue MRA (p2) E. coli Strain	Not applicable.
	pDT-RI/EcoR I Test Insert	Not applicable.
	Gigapack III XL - 11 packaging extract	Not applicable.
	VCS257 E. coli Strain	Not applicable.
	Wild-Type Lambda DNA	Not applicable.
	c1857ind 1 Sam7	
<u>Special packaging requirements</u>		
Tactile warning of danger	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not applicable.
	XL1-Blue MRA E.coli Strain	Not applicable.
	XL1-Blue MRA (p2) E. coli Strain	Not applicable.
	pDT-RI/EcoR I Test Insert	Not applicable.
	Gigapack III XL - 11 packaging extract	Not applicable.
	VCS257 E. coli Strain	Not applicable.
	Wild-Type Lambda DNA	Not applicable.
	c1857ind 1 Sam7	

2.3 Other hazards

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 2: Hazards identification

Other hazards which do not result in classification	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	None known.
	XL1-Blue MRA E.coli Strain	None known.
	XL1-Blue MRA (p2) E. coli Strain	None known.
	pDT-RI/EcoR I Test Insert	None known.
	Gigapack III XL - 11 packaging extract	None known.
	VCS257 E. coli Strain	None known.
	Wild-Type Lambda DNA c1857ind 1 Sam7	None known.

SECTION 3: Composition/information on ingredients

3.1 Substances	: <input checked="" type="checkbox"/> Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Mixture
	XL1-Blue MRA E.coli Strain	Mixture
	XL1-Blue MRA (p2) E.coli Strain	Mixture
	pDT-RI/EcoR I Test Insert	Mixture
	Gigapack III XL - 11 packaging extract	Mixture
	VCS257 E. coli Strain	Mixture
	Wild-Type Lambda DNA c1857ind 1 Sam7	Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
<input checked="" type="checkbox"/> XL1-Blue MRA E.coli Strain				
Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
XL1-Blue MRA (p2) E.coli Strain				
Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
Gigapack III XL - 11 packaging extract				
Sucrose	REACH #: Annex IV EC: 200-334-9 CAS: 57-50-1	≤10	Not classified.	[2]
VCS257 E. coli Strain				
Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥10 - ≤25	Not classified.	[2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
			See Section 16 for the full text of the H statements declared above.	

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

- : Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated
XL1-Blue MRA E.coli Strain
XL1-Blue MRA (p2) E. coli Strain
pDT-RI/EcoR I Test Insert
Gigapack III XL - 11 packaging extract
VCS257 E. coli Strain
Wild-Type Lambda DNA c1857ind 1 Sam7
- Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

- : Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated
XL1-Blue MRA E.coli Strain
XL1-Blue MRA (p2) E. coli Strain
pDT-RI/EcoR I Test Insert
Gigapack III XL - 11 packaging extract
VCS257 E. coli Strain
Wild-Type Lambda DNA c1857ind 1 Sam7
- Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SECTION 4: First aid measures

Skin contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XL1-Blue MRA E.coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XL1-Blue MRA (p2) E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	pDT-RI/EcoR I Test Insert	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Gigapack III XL - 11 packaging extract	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	VCS257 E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	XL1-Blue MRA E.coli Strain	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	XL1-Blue MRA (p2) E. coli Strain	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	pDT-RI/EcoR I Test Insert	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Gigapack III XL - 11 packaging extract	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	VCS257 E. coli Strain	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is

SECTION 4: First aid measures

		conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No action shall be taken involving any personal risk or without suitable training.
	XL1-Blue MRA E.coli Strain	No action shall be taken involving any personal risk or without suitable training.
	XL1-Blue MRA (p2) E. coli Strain	No action shall be taken involving any personal risk or without suitable training.
	pDT-RI/EcoR I Test Insert	No action shall be taken involving any personal risk or without suitable training.
	Gigapack III XL - 11 packaging extract	No action shall be taken involving any personal risk or without suitable training.
	VCS257 E. coli Strain	No action shall be taken involving any personal risk or without suitable training.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
	pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
	Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
Inhalation	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
	pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
	Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
Skin contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 4: First aid measures

	pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
	Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
Ingestion	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
	pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
	Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.
	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.

Inhalation	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.
	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.

Skin contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 4: First aid measures

	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
Ingestion	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.
	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XL1-Blue MRA E.coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	XL1-Blue MRA (p2) E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	pDT-RI/EcoR I Test Insert	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Gigapack III XL - 11 packaging extract	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	VCS257 E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific treatment.
	XL1-Blue MRA E.coli Strain	No specific treatment.
	XL1-Blue MRA (p2) E. coli Strain	No specific treatment.
	pDT-RI/EcoR I Test Insert	No specific treatment.
	Gigapack III XL - 11 packaging extract	No specific treatment.
	VCS257 E. coli Strain	No specific treatment.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	None known. None known. None known. None known. None known. None known. None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E.	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides Decomposition products may include the following materials:

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 5: Firefighting measures

coli Strain	carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides No specific data.
pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract	Decomposition products may include the following materials: carbon dioxide carbon monoxide
VCS257 E. coli Strain	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.

5.3 Advice for firefighters

Special precautions for fire-fighters

: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
XL1-Blue MRA (p2) E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
pDT-RI/EcoR I Test Insert	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Gigapack III XL - 11 packaging extract	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
VCS257 E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Wild-Type Lambda DNA c1857ind 1 Sam7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
XL1-Blue MRA E.coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
XL1-Blue MRA (p2) E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
pDT-RI/EcoR I Test	Fire-fighters should wear appropriate protective equipment

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 5: Firefighting measures

Insert	and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Gigapack III XL - 11 packaging extract	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
VCS257 E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Wild-Type Lambda DNA c1857ind 1 Sam7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	XL1-Blue MRA E.coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	XL1-Blue MRA (p2) E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	pDT-RI/EcoR I Test Insert	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Gigapack III XL - 11 packaging extract	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	VCS257 E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SECTION 6: Accidental release measures

For emergency responders

<p>: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>
<p>XL1-Blue MRA (p2) E. coli Strain</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>
<p>pDT-RI/EcoR I Test Insert</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>
<p>Gigapack III XL - 11 packaging extract</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>
<p>VCS257 E. coli Strain</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>
<p>Wild-Type Lambda DNA c1857ind 1 Sam7</p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>

6.2 Environmental precautions

<p>: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
<p>XL1-Blue MRA (p2) E. coli Strain</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
<p>pDT-RI/EcoR I Test Insert</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
<p>Gigapack III XL - 11 packaging extract</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
<p>VCS257 E. coli Strain</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
<p>Wild-Type Lambda DNA c1857ind 1 Sam7</p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>

6.3 Methods and material for containment and cleaning up

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 6: Accidental release measures

Methods for cleaning up	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	XL1-Blue MRA E.coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	XL1-Blue MRA (p2) E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	pDT-RI/EcoR I Test Insert	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Gigapack III XL - 11 packaging extract	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	VCS257 E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Put on appropriate personal protective equipment (see Section 8).
	XL1-Blue MRA E.coli Strain	Put on appropriate personal protective equipment (see Section 8).
	XL1-Blue MRA (p2) E. coli Strain	Put on appropriate personal protective equipment (see Section 8).
	pDT-RI/EcoR I Test Insert	Put on appropriate personal protective equipment (see Section 8).
	Gigapack III XL - 11 packaging extract	Put on appropriate personal protective equipment (see Section 8).
	VCS257 E. coli Strain	Put on appropriate personal protective equipment (see Section 8).
	Wild-Type Lambda DNA c1857ind 1 Sam7	Put on appropriate personal protective equipment (see Section 8).

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 7: Handling and storage

Advice on general occupational hygiene	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	XL1-Blue MRA E.coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	XL1-Blue MRA (p2) E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	pDT-RI/EcoR I Test Insert	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Gigapack III XL - 11 packaging extract	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	VCS257 E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	XL1-Blue MRA E.coli Strain	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly

SECTION 7: Handling and storage

	closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
XL1-Blue MRA (p2) E. coli Strain	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
pDT-RI/EcoR I Test Insert	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Gigapack III XL - 11 packaging extract	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
VCS257 E. coli Strain	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Wild-Type Lambda DNA c1857ind 1 Sam7	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 7: Handling and storage

Recommendations	:	Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	:	Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
XL1-Blue MRA E.coli Strain Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
XL1-Blue MRA (p2) E.coli Strain Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Gigapack III XL - 11 packaging extract Sucrose	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 20 mg/m ³ 15 minutes. TWA: 10 mg/m ³ 8 hours.
VCS257 E. coli Strain Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 8: Exposure controls/personal protection

atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Liquid.
	XL1-Blue MRA E.coli Strain	Liquid.
	XL1-Blue MRA (p2) E. coli Strain	Liquid.
	pDT-RI/EcoR I Test	Liquid.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 9: Physical and chemical properties

	Insert	
	Gigapack III XL - 11 packaging extract	Liquid.
	VCS257 E. coli Strain	Liquid.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Liquid.
Colour	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Odour	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Odour threshold	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
pH	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	7.5
	XL1-Blue MRA E.coli Strain	7
	XL1-Blue MRA (p2) E. coli Strain	7
	pDT-RI/EcoR I Test Insert	7.5

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 9: Physical and chemical properties

	Gigapack III XL - 11	8
	packaging extract	
	VCS257 E. coli Strain	7
	Wild-Type Lambda	7
	DNA c1857ind 1 Sam7	
Melting point/freezing point	: Lambda DASH II	0°C
	Vector Double Digested	
	With EcoR I And Xho I	
	CIAP Treated	
	XL1-Blue MRA E.coli	Not available.
	Strain	
	XL1-Blue MRA (p2) E.	Not available.
	coli Strain	
	pDT-RI/EcoR I Test	0°C
	Insert	
	Gigapack III XL - 11	Not available.
	packaging extract	
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda	0°C
	DNA c1857ind 1 Sam7	
Initial boiling point and boiling range	: Lambda DASH II	100°C
	Vector Double Digested	
	With EcoR I And Xho I	
	CIAP Treated	
	XL1-Blue MRA E.coli	Not available.
	Strain	
	XL1-Blue MRA (p2) E.	Not available.
	coli Strain	
	pDT-RI/EcoR I Test	100°C
	Insert	
	Gigapack III XL - 11	Not available.
	packaging extract	
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda	100°C
	DNA c1857ind 1 Sam7	
Flash point	: Lambda DASH II	Not available.
	Vector Double Digested	
	With EcoR I And Xho I	
	CIAP Treated	
	XL1-Blue MRA E.coli	Not available.
	Strain	
	XL1-Blue MRA (p2) E.	Not available.
	coli Strain	
	pDT-RI/EcoR I Test	Not available.
	Insert	
	Gigapack III XL - 11	Not available.
	packaging extract	
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda	Not available.
	DNA c1857ind 1 Sam7	
Evaporation rate	: Lambda DASH II	Not available.
	Vector Double Digested	
	With EcoR I And Xho I	
	CIAP Treated	
	XL1-Blue MRA E.coli	Not available.
	Strain	
	XL1-Blue MRA (p2) E.	Not available.
	coli Strain	
	pDT-RI/EcoR I Test	Not available.
	Insert	
	Gigapack III XL - 11	Not available.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 9: Physical and chemical properties

	packaging extract	
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda	Not available.
	DNA c1857ind 1 Sam7	
Flammability (solid, gas)	: Lambda DASH II	Not applicable.
	Vector Double	
	Digested With EcoR I	
	And Xho I CIAP	
	Treated	
	XL1-Blue MRA E.coli	Not applicable.
	Strain	
	XL1-Blue MRA (p2) E.	Not applicable.
	coli Strain	
	pDT-RI/EcoR I Test	Not applicable.
	Insert	
	Gigapack III XL - 11	Not applicable.
	packaging extract	
	VCS257 E. coli Strain	Not applicable.
	Wild-Type Lambda	Not applicable.
	DNA c1857ind 1 Sam7	
Upper/lower flammability or explosive limits	: Lambda DASH II	Not available.
	Vector Double Digested	
	With EcoR I And Xho I	
	CIAP Treated	
	XL1-Blue MRA E.coli	Not available.
	Strain	
	XL1-Blue MRA (p2) E.	Not available.
	coli Strain	
	pDT-RI/EcoR I Test	Not available.
	Insert	
	Gigapack III XL - 11	Not available.
	packaging extract	
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda	Not available.
	DNA c1857ind 1 Sam7	
Vapour pressure	: Lambda DASH II	Not available.
	Vector Double Digested	
	With EcoR I And Xho I	
	CIAP Treated	
	XL1-Blue MRA E.coli	Not available.
	Strain	
	XL1-Blue MRA (p2) E.	Not available.
	coli Strain	
	pDT-RI/EcoR I Test	Not available.
	Insert	
	Gigapack III XL - 11	Not available.
	packaging extract	
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda	Not available.
	DNA c1857ind 1 Sam7	
Vapour density	: Lambda DASH II	Not available.
	Vector Double Digested	
	With EcoR I And Xho I	
	CIAP Treated	
	XL1-Blue MRA E.coli	Not available.
	Strain	
	XL1-Blue MRA (p2) E.	Not available.
	coli Strain	
	pDT-RI/EcoR I Test	Not available.
	Insert	

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 9: Physical and chemical properties

	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Relative density	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Solubility(ies)	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Easily soluble in the following materials: cold water and hot water.
	XL1-Blue MRA E.coli Strain	Soluble in the following materials: cold water and hot water.
	XL1-Blue MRA (p2) E. coli Strain	Soluble in the following materials: cold water and hot water.
	pDT-RI/EcoR I Test Insert	Easily soluble in the following materials: cold water and hot water.
	Gigapack III XL - 11 packaging extract	Easily soluble in the following materials: cold water and hot water.
	VCS257 E. coli Strain	Easily soluble in the following materials: cold water and hot water.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Auto-ignition temperature	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 9: Physical and chemical properties

	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Decomposition temperature	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Viscosity	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Explosive properties	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11 packaging extract	Not available.
	VCS257 E. coli Strain	Not available.
	Wild-Type Lambda DNA c1857ind 1 Sam7	Not available.
Oxidising properties	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	Not available.
	XL1-Blue MRA E.coli Strain	Not available.
	XL1-Blue MRA (p2) E. coli Strain	Not available.
	pDT-RI/EcoR I Test Insert	Not available.
	Gigapack III XL - 11	Not available.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 9: Physical and chemical properties

packaging extract
VCS257 E. coli Strain Not available.
Wild-Type Lambda Not available.
DNA c1857ind 1 Sam7

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

- 10.1 Reactivity**
- : Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated
No specific test data related to reactivity available for this product or its ingredients.
 - XL1-Blue MRA E.coli Strain
No specific test data related to reactivity available for this product or its ingredients.
 - XL1-Blue MRA (p2) E. coli Strain
No specific test data related to reactivity available for this product or its ingredients.
 - pDT-RI/EcoR I Test Insert
No specific test data related to reactivity available for this product or its ingredients.
 - Gigapack III XL - 11 packaging extract
No specific test data related to reactivity available for this product or its ingredients.
 - VCS257 E. coli Strain
No specific test data related to reactivity available for this product or its ingredients.
 - Wild-Type Lambda DNA c1857ind 1 Sam7
No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability**
- : Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated
The product is stable.
 - XL1-Blue MRA E.coli Strain
The product is stable.
 - XL1-Blue MRA (p2) E. coli Strain
The product is stable.
 - pDT-RI/EcoR I Test Insert
The product is stable.
 - Gigapack III XL - 11 packaging extract
The product is stable.
 - VCS257 E. coli Strain
The product is stable.
 - Wild-Type Lambda DNA c1857ind 1 Sam7
The product is stable.
- 10.3 Possibility of hazardous reactions**
- : Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated
Under normal conditions of storage and use, hazardous reactions will not occur.
 - XL1-Blue MRA E.coli Strain
Under normal conditions of storage and use, hazardous reactions will not occur.
 - XL1-Blue MRA (p2) E. coli Strain
Under normal conditions of storage and use, hazardous reactions will not occur.
 - pDT-RI/EcoR I Test Insert
Under normal conditions of storage and use, hazardous reactions will not occur.
 - Gigapack III XL - 11 packaging extract
Under normal conditions of storage and use, hazardous reactions will not occur.
 - VCS257 E. coli Strain
Under normal conditions of storage and use, hazardous reactions will not occur.
 - Wild-Type Lambda DNA c1857ind 1 Sam7
Under normal conditions of storage and use, hazardous reactions will not occur.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 10: Stability and reactivity

10.4 Conditions to avoid	:	Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
10.5 Incompatible materials	:	Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
10.6 Hazardous decomposition products	:	Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
XL1-Blue MRA E.coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
XL1-Blue MRA (p2) E.coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
VCS257 E. coli Strain Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
XL1-Blue MRA E.coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
XL1-Blue MRA (p2) E.coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
VCS257 E. coli Strain Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 11: Toxicological information

Information on likely routes of exposure	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available.
---	--	--

Potential acute health effects

Inhalation	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 11: Toxicological information

Eye contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
	pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
	Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.
	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
Ingestion	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.
	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.
Skin contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.
	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA	No specific data.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 11: Toxicological information

	c1857ind 1 Sam7	
Eye contact	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No specific data.
	XL1-Blue MRA E.coli Strain	No specific data.
	XL1-Blue MRA (p2) E. coli Strain	No specific data.
	pDT-RI/EcoR I Test Insert	No specific data.
	Gigapack III XL - 11 packaging extract	No specific data.
	VCS257 E. coli Strain	No specific data.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
	pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
	Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.
Carcinogenicity	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated	No known significant effects or critical hazards.
	XL1-Blue MRA E.coli Strain	No known significant effects or critical hazards.
	XL1-Blue MRA (p2) E. coli Strain	No known significant effects or critical hazards.
	pDT-RI/EcoR I Test Insert	No known significant effects or critical hazards.
	Gigapack III XL - 11 packaging extract	No known significant effects or critical hazards.
	VCS257 E. coli Strain	No known significant effects or critical hazards.
	Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards.

SECTION 11: Toxicological information

Mutagenicity	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: Lambda DASH II Vector Double Digested With EcoR I And Xho I CIAP Treated XL1-Blue MRA E.coli Strain XL1-Blue MRA (p2) E. coli Strain pDT-RI/EcoR I Test Insert Gigapack III XL - 11 packaging extract VCS257 E. coli Strain Wild-Type Lambda DNA c1857ind 1 Sam7	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
XL1-Blue MRA E.coli Strain Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
XL1-Blue MRA (p2) E.coli Strain Sodium chloride	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
VCS257 E. coli Strain Sodium chloride	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 12: Ecological information

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 15: Regulatory information

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Lambda DASH II Vector	Not applicable.
	: Double Digested With EcoR	
	: I And Xho I CIAP Treated	
	: XL1-Blue MRA E.coli Strain	Not applicable.
	: XL1-Blue MRA (p2) E.coli Strain	Not applicable.
	: pDT-RI/EcoR I Test Insert	Not applicable.
	: Gigapack III XL - 11 packaging extract	Not applicable.
	: VCS257 E. coli Strain	Not applicable.
	: Wild-Type Lambda DNA	Not applicable.
	: c1857ind 1 Sam7	

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: At least one component is not listed in DSL but all such components are listed in NDSL.
China	: <input checked="" type="checkbox"/> All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

Lambda Dash II EcoR I-treated - Gigapack III XL Cloning Kit, Part Number 247714

SECTION 15: Regulatory information

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

XL1-Blue MRA E.coli Strain H319	Causes serious eye irritation.
XL1-Blue MRA (p2) E.coli Strain H319	Causes serious eye irritation.
VCS257 E. coli Strain H319	Causes serious eye irritation.

Full text of classifications [CLP/GHS]

XL1-Blue MRA E.coli Strain Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
XL1-Blue MRA (p2) E.coli Strain Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
VCS257 E. coli Strain Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Date of issue/ Date of revision : 21/02/2018

Date of previous issue : 29/02/2016

Version : 2

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.