

SAFETY DATA SHEET

SuperCos 1 Cosmid Vector Kit, Part Number 251301

Section 1. Identification

Product identifier	: SuperCos 1 Cosmid Vector Kit, Part Number 251301
Part no. (chemical kit)	: 251301
Part no.	: T3 RNA Polymerase 600110-51 T7 RNA Polymerase 600120-51 RNA Polymerase Dilution Buffer 600110-83 5X Transcription Buffer 600110-82 XL1-Blue MR E. coli Strain 200300-81 SuperCos 1 Cosmid 251301-51
Material uses	: Analytical reagent. T3 RNA Polymerase 20 µl (1000 U 50 U/µl) T7 RNA Polymerase 20 µl (1000 U 50 U/µl) RNA Polymerase Dilution Buffer 1000 µl 5X Transcription Buffer 1000 µl XL1-Blue MR E. coli Strain 500 µl SuperCos 1 Cosmid 25 µl (25 µg 1 µg/µl)
Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
Emergency telephone number (with hours of operation)	: CHEMTREC®: 1-800-424-9300

Section 2. Hazard identification

Classification of the substance or mixture

T3 RNA Polymerase H320	EYE IRRITATION - Category 2B
T7 RNA Polymerase H320	EYE IRRITATION - Category 2B
RNA Polymerase Dilution Buffer H320	EYE IRRITATION - Category 2B
5X Transcription Buffer H412	AQUATIC HAZARD (LONG-TERM) - Category 3
XL1-Blue MR E. coli Strain H320	EYE IRRITATION - Category 2B

GHS label elements

Signal word	: T3 RNA Polymerase Warning T7 RNA Polymerase Warning RNA Polymerase Dilution Buffer Warning 5X Transcription Buffer No signal word. XL1-Blue MR E. coli Strain Warning SuperCos 1 Cosmid No signal word.
--------------------	--

Section 2. Hazard identification

Hazard statements	: T3 RNA Polymerase	H320 - Causes eye irritation.	
	T7 RNA Polymerase	H320 - Causes eye irritation.	
	RNA Polymerase Dilution Buffer	H320 - Causes eye irritation.	
	5X Transcription Buffer	H412 - Harmful to aquatic life with long lasting effects.	
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	H320 - Causes eye irritation. No known significant effects or critical hazards.	
Precautionary statements			
Prevention	: T3 RNA Polymerase	Not applicable.	
	T7 RNA Polymerase	Not applicable.	
	RNA Polymerase Dilution Buffer	Not applicable.	
	5X Transcription Buffer	P273 - Avoid release to the environment.	
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not applicable. Not applicable.	
Response	: T3 RNA Polymerase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.	
	T7 RNA Polymerase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.	
	RNA Polymerase Dilution Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.	
	5X Transcription Buffer	Not applicable.	
	XL1-Blue MR E. coli Strain	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.	
	SuperCos 1 Cosmid	Not applicable.	
	Storage	: T3 RNA Polymerase	Not applicable.
		T7 RNA Polymerase	Not applicable.
		RNA Polymerase Dilution Buffer	Not applicable.
		5X Transcription Buffer	Not applicable.
XL1-Blue MR E. coli Strain SuperCos 1 Cosmid		Not applicable. Not applicable.	
Disposal	: T3 RNA Polymerase	Not applicable.	
	T7 RNA Polymerase	Not applicable.	
	RNA Polymerase Dilution Buffer	Not applicable.	
	5X Transcription Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.	
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not applicable. Not applicable.	

Section 2. Hazard identification

Supplemental label elements	:	T3 RNA Polymerase	None known.
		T7 RNA Polymerase	None known.
		RNA Polymerase Dilution Buffer	None known.
		5X Transcription Buffer	None known.
		XL1-Blue MR E. coli Strain	None known.
		SuperCos 1 Cosmid	None known.
Other hazards which do not result in classification	:	T3 RNA Polymerase	None known.
		T7 RNA Polymerase	None known.
		RNA Polymerase Dilution Buffer	None known.
		5X Transcription Buffer	None known.
		XL1-Blue MR E. coli Strain	None known.
		SuperCos 1 Cosmid	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	T3 RNA Polymerase	Mixture
		T7 RNA Polymerase	Mixture
		RNA Polymerase Dilution Buffer	Mixture
		5X Transcription Buffer	Mixture
		XL1-Blue MR E. coli Strain	Mixture
		SuperCos 1 Cosmid	Mixture

Ingredient name	% (w/w)	CAS number
T3 RNA Polymerase Glycerol	30 - 60	56-81-5
T7 RNA Polymerase Glycerol	30 - 60	56-81-5
RNA Polymerase Dilution Buffer Glycerol	30 - 60	56-81-5
5X Transcription Buffer Trometamol	1 - 5	77-86-1
Sodium chloride	0.5 - 1.5	7647-14-5
Magnesium chloride	0.1 - 1	7786-30-3
XL1-Blue MR E. coli Strain Glycerol	10 - 30	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures



Description of necessary first aid measures

Eye contact	:	T3 RNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
		T7 RNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Section 4. First-aid measures

	RNA Polymerase Dilution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	5X Transcription Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
	XL1-Blue MR E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	SuperCos 1 Cosmid	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	3 RNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	T7 RNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	RNA Polymerase Dilution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	5X Transcription Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately.

Section 4. First-aid measures

		Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	XL1-Blue MR E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	SuperCos 1 Cosmid	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:  T3 RNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	T7 RNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	RNA Polymerase Dilution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	5X Transcription Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	XL1-Blue MR E. coli Strain	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	SuperCos 1 Cosmid	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:  T3 RNA Polymerase	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	T7 RNA Polymerase	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a

Section 4. First-aid measures

	<p>position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
RNA Polymerase Dilution Buffer	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
5X Transcription Buffer	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
XL1-Blue MR E. coli Strain	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,</p>

Section 4. First-aid measures

SuperCos 1 Cosmid

belt or waistband.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: T3 RNA Polymerase Causes eye irritation.
 T7 RNA Polymerase Causes eye irritation.
 RNA Polymerase Dilution Causes eye irritation.
 Buffer
 5X Transcription Buffer No known significant effects or critical hazards.
 XL1-Blue MR E. coli Strain Causes eye irritation.
 SuperCos 1 Cosmid No known significant effects or critical hazards.

Inhalation

: T3 RNA Polymerase No known significant effects or critical hazards.
 T7 RNA Polymerase No known significant effects or critical hazards.
 RNA Polymerase Dilution No known significant effects or critical hazards.
 Buffer
 5X Transcription Buffer No known significant effects or critical hazards.
 XL1-Blue MR E. coli Strain No known significant effects or critical hazards.
 SuperCos 1 Cosmid No known significant effects or critical hazards.

Skin contact

: T3 RNA Polymerase No known significant effects or critical hazards.
 T7 RNA Polymerase No known significant effects or critical hazards.
 RNA Polymerase Dilution No known significant effects or critical hazards.
 Buffer
 5X Transcription Buffer No known significant effects or critical hazards.
 XL1-Blue MR E. coli Strain No known significant effects or critical hazards.
 SuperCos 1 Cosmid No known significant effects or critical hazards.

Ingestion

: T3 RNA Polymerase No known significant effects or critical hazards.
 T7 RNA Polymerase No known significant effects or critical hazards.
 RNA Polymerase Dilution No known significant effects or critical hazards.
 Buffer
 5X Transcription Buffer No known significant effects or critical hazards.
 XL1-Blue MR E. coli Strain No known significant effects or critical hazards.
 SuperCos 1 Cosmid No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact

: T3 RNA Polymerase Adverse symptoms may include the following:
 irritation
 watering
 redness
 T7 RNA Polymerase Adverse symptoms may include the following:
 irritation
 watering
 redness
 RNA Polymerase Dilution Adverse symptoms may include the following:
 Buffer
 irritation
 watering
 redness
 5X Transcription Buffer No specific data.
 XL1-Blue MR E. coli Strain Adverse symptoms may include the following:
 irritation
 watering
 redness

Section 4. First-aid measures

	SuperCos 1 Cosmid	No specific data.
Inhalation	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
Skin contact	SuperCos 1 Cosmid	No specific data.
	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
Ingestion	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.
	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: T3 RNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	T7 RNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	RNA Polymerase Dilution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	5X Transcription Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	XL1-Blue MR E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SuperCos 1 Cosmid	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Specific treatments	: T3 RNA Polymerase
T7 RNA Polymerase		No specific treatment.
RNA Polymerase Dilution Buffer		No specific treatment.
5X Transcription Buffer		No specific treatment.
XL1-Blue MR E. coli Strain		No specific treatment.
Protection of first-aiders	SuperCos 1 Cosmid	No specific treatment.
	: T3 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	T7 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	RNA Polymerase Dilution	No action shall be taken involving any personal risk

Section 4. First-aid measures

Buffer	or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
5X Transcription Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
XL1-Blue MR E. coli Strain	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
SuperCos 1 Cosmid	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	: T3 RNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
	T7 RNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
	RNA Polymerase Dilution Buffer	Use an extinguishing agent suitable for the surrounding fire.
	5X Transcription Buffer	Use an extinguishing agent suitable for the surrounding fire.
	XL1-Blue MR E. coli Strain	Use an extinguishing agent suitable for the surrounding fire.
	SuperCos 1 Cosmid	Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media	: T3 RNA Polymerase	None known.
	T7 RNA Polymerase	None known.
	RNA Polymerase Dilution Buffer	None known.
	5X Transcription Buffer	None known.
	XL1-Blue MR E. coli Strain	None known.
	SuperCos 1 Cosmid	None known.

Specific hazards arising from the chemical

:	T3 RNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	T7 RNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	RNA Polymerase Dilution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	5X Transcription Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	XL1-Blue MR E. coli Strain	In a fire or if heated, a pressure increase will occur and the container may burst.
	SuperCos 1 Cosmid	In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: T3 RNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	T7 RNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	RNA Polymerase Dilution Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	5X Transcription Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	XL1-Blue MR E. coli Strain	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	SuperCos 1 Cosmid	No specific data.
Special protective actions for fire-fighters	: T3 RNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	T7 RNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	RNA Polymerase Dilution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	5X Transcription Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	XL1-Blue MR E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SuperCos 1 Cosmid	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: T3 RNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	T7 RNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	RNA Polymerase Dilution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 5. Fire-fighting measures

5X Transcription Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
XL1-Blue MR E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SuperCos 1 Cosmid	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: T3 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	T7 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	RNA Polymerase Dilution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	5X Transcription Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	XL1-Blue MR E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	SuperCos 1 Cosmid	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

Section 6. Accidental release measures

For emergency responders : T3 RNA Polymerase

protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

T7 RNA Polymerase

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

RNA Polymerase Dilution Buffer

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

5X Transcription Buffer

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

XL1-Blue MR E. coli Strain

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SuperCos 1 Cosmid

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : T3 RNA Polymerase

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

T7 RNA Polymerase

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

RNA Polymerase Dilution Buffer

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

5X Transcription Buffer

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

XL1-Blue MR E. coli Strain

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SuperCos 1 Cosmid

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Methods for cleaning up	:	T3 RNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		T7 RNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		RNA Polymerase Dilution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		5X Transcription Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		XL1-Blue MR E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		SuperCos 1 Cosmid	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	T3 RNA Polymerase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		T7 RNA Polymerase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		RNA Polymerase Dilution Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept

Section 7. Handling and storage

		tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	5X Transcription Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	XL1-Blue MR E. coli Strain	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	SuperCos 1 Cosmid	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: T3 RNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	T7 RNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	RNA Polymerase Dilution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	5X Transcription Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	XL1-Blue MR E. coli Strain	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SuperCos 1 Cosmid	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities : T3 RNA Polymerase

contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

T7 RNA Polymerase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

RNA Polymerase Dilution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

5X Transcription Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

XL1-Blue MR E. coli Strain

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SuperCos 1 Cosmid

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a

Section 7. Handling and storage

dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

[Control parameters](#)

[Occupational exposure limits](#)

Ingredient name	Exposure limits
T3 RNA Polymerase Glycerol	<p>CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWA: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist</p>
T7 RNA Polymerase Glycerol	<p>CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWA: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist</p>
RNA Polymerase Dilution Buffer Glycerol	<p>CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWA: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m³ 8 hours. Form: respirable mist</p>

Section 8. Exposure controls/personal protection

<p>XL1-Blue MR E. coli Strain Glycerol</p>	<p>TWA: 10 mg/m³ 8 hours. Form: total mist</p> <p>CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist</p> <p>CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist</p> <p>CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist</p> <p>CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist</p>
---	--

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	T3 RNA Polymerase	Liquid.
	T7 RNA Polymerase	Liquid.
	RNA Polymerase Dilution Buffer	Liquid.
	5X Transcription Buffer	Liquid.
	XL1-Blue MR E. coli Strain	Liquid.
	SuperCos 1 Cosmid	Liquid.
Color	T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Odor	T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Odor threshold	T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
pH	T3 RNA Polymerase	7.7
	T7 RNA Polymerase	7.7
	RNA Polymerase Dilution Buffer	7.7
	5X Transcription Buffer	8
	XL1-Blue MR E. coli Strain	7
	SuperCos 1 Cosmid	7.5
Melting point	T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	0°C (32°F)
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	0°C (32°F)
Boiling point	T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	100°C (212°F)
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	100°C (212°F)
Flash point	T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.

Section 9. Physical and chemical properties

Evaporation rate	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Flammability (solid, gas)	: T3 RNA Polymerase	Not applicable.
	T7 RNA Polymerase	Not applicable.
	RNA Polymerase Dilution Buffer	Not applicable.
	5X Transcription Buffer	Not applicable.
	XL1-Blue MR E. coli Strain	Not applicable.
	SuperCos 1 Cosmid	Not applicable.
Lower and upper explosive (flammable) limits	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Vapor pressure	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Vapor density	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Relative density	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Solubility	: T3 RNA Polymerase	Soluble in the following materials: cold water and hot water.
	T7 RNA Polymerase	Soluble in the following materials: cold water and hot water.
	RNA Polymerase Dilution Buffer	Soluble in the following materials: cold water and hot water.
	5X Transcription Buffer	Easily soluble in the following materials: cold water and hot water.
	XL1-Blue MR E. coli Strain	Soluble in the following materials: cold water and hot water.
	SuperCos 1 Cosmid	Easily soluble in the following materials: cold water and hot water.

Section 9. Physical and chemical properties

Partition coefficient: n-octanol/water	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not available.
Auto-ignition temperature	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not available.
Decomposition temperature	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not available.
Viscosity	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not available.

Section 10. Stability and reactivity

Reactivity	: T3 RNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
	T7 RNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
	RNA Polymerase Dilution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	5X Transcription Buffer	No specific test data related to reactivity available for this product or its ingredients.
	XL1-Blue MR E. coli Strain	No specific test data related to reactivity available for this product or its ingredients.
	SuperCos 1 Cosmid	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: T3 RNA Polymerase	The product is stable.
	T7 RNA Polymerase	The product is stable.
	RNA Polymerase Dilution Buffer	The product is stable.
	5X Transcription Buffer	The product is stable.
	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	The product is stable.
Possibility of hazardous reactions	: T3 RNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
	T7 RNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
	RNA Polymerase Dilution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	5X Transcription Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.

Section 10. Stability and reactivity

	XL1-Blue MR E. coli Strain	Under normal conditions of storage and use, hazardous reactions will not occur.
	SuperCos 1 Cosmid	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Incompatible materials	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
Hazardous decomposition products	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
T3 RNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
T7 RNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
RNA Polymerase Dilution Buffer Glycerol	LD50 Oral	Rat	12600 mg/kg	-
5X Transcription Buffer Trometamol Sodium chloride	LD50 Dermal LD50 Oral	Rat Rat	>5000 mg/kg 3000 mg/kg	- -

Section 11. Toxicological information

Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-
XL1-Blue MR E. coli Strain Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
T3 RNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
T7 RNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
RNA Polymerase Dilution Buffer Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
5X Transcription Buffer Trometamol Sodium chloride	Skin - Moderate irritant	Rabbit	-	25 %	-
	Skin - Severe irritant	Rabbit	-	500 mg	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant Skin - Mild irritant	Rabbit Rabbit	- -	10 mg 24 hours 500 mg	- -
XL1-Blue MR E. coli Strain Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

Name	Category	Route of exposure	Target organs
5X Transcription Buffer Trometamol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

- : T3 RNA Polymerase
T7 RNA Polymerase
RNA Polymerase Dilution Buffer
5X Transcription Buffer
XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid
- Routes of entry anticipated: Oral, Dermal, Inhalation.
Routes of entry anticipated: Oral, Dermal, Inhalation.
Routes of entry anticipated: Oral, Dermal, Inhalation.
Routes of entry anticipated: Oral, Dermal, Inhalation.
Routes of entry anticipated: Oral, Dermal, Inhalation.
Not available.

Potential acute health effects

Eye contact

- : T3 RNA Polymerase
T7 RNA Polymerase
RNA Polymerase Dilution Buffer
5X Transcription Buffer
XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid
- Causes eye irritation.
Causes eye irritation.
Causes eye irritation.
No known significant effects or critical hazards.
Causes eye irritation.
No known significant effects or critical hazards.

Inhalation

- : T3 RNA Polymerase
T7 RNA Polymerase
RNA Polymerase Dilution Buffer
5X Transcription Buffer
XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid
- No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact

- : T3 RNA Polymerase
T7 RNA Polymerase
RNA Polymerase Dilution Buffer
5X Transcription Buffer
XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid
- No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Ingestion

- : T3 RNA Polymerase
T7 RNA Polymerase
RNA Polymerase Dilution Buffer
5X Transcription Buffer
XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid
- No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact

- : T3 RNA Polymerase
T7 RNA Polymerase
- Adverse symptoms may include the following:
irritation
watering
redness
Adverse symptoms may include the following:
irritation
watering
redness

Section 11. Toxicological information

	RNA Polymerase Dilution Buffer	Adverse symptoms may include the following: irritation watering redness
	5X Transcription Buffer XL1-Blue MR E. coli Strain	No specific data. Adverse symptoms may include the following: irritation watering redness
Inhalation	SuperCos 1 Cosmid : T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Skin contact	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Ingestion	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Section 11. Toxicological information

Mutagenicity	:	T3 RNA Polymerase	No known significant effects or critical hazards.
		T7 RNA Polymerase	No known significant effects or critical hazards.
		RNA Polymerase Dilution Buffer	No known significant effects or critical hazards.
		5X Transcription Buffer	No known significant effects or critical hazards.
		XL1-Blue MR E. coli Strain	No known significant effects or critical hazards.
		SuperCos 1 Cosmid	No known significant effects or critical hazards.
Reproductive toxicity	:	T3 RNA Polymerase	No known significant effects or critical hazards.
		T7 RNA Polymerase	No known significant effects or critical hazards.
		RNA Polymerase Dilution Buffer	No known significant effects or critical hazards.
		5X Transcription Buffer	No known significant effects or critical hazards.
		XL1-Blue MR E. coli Strain	No known significant effects or critical hazards.
		SuperCos 1 Cosmid	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
T3 RNA Polymerase Glycerol	12600	N/A	N/A	N/A	N/A
T7 RNA Polymerase Glycerol	12600	N/A	N/A	N/A	N/A
RNA Polymerase Dilution Buffer Glycerol	12600	N/A	N/A	N/A	N/A
5X Transcription Buffer 5X Transcription Buffer Trometamol Sodium chloride Magnesium chloride	200000	N/A	N/A	N/A	N/A
	5900	N/A	N/A	N/A	N/A
	3000	N/A	N/A	N/A	N/A
	2800	2500	N/A	N/A	N/A
XL1-Blue MR E. coli Strain Glycerol	12600	N/A	N/A	N/A	N/A

Other information	:	T3 RNA Polymerase	Adverse symptoms may include the following: May cause skin sensitization.
		T7 RNA Polymerase	Adverse symptoms may include the following: May cause skin sensitization.
		RNA Polymerase Dilution Buffer	Not available.
		5X Transcription Buffer	Adverse symptoms may include the following: May cause skin sensitization.
		XL1-Blue MR E. coli Strain	Not available.
		SuperCos 1 Cosmid	Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
T3 RNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
T7 RNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
RNA Polymerase Dilution Buffer Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
5X Transcription Buffer Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours
Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
Magnesium chloride	Acute EC50 >100 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - Eudiaptomus padanus ssp. padanus - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - Lemna aequinoctialis	96 hours
	Acute LC50 32000 µg/l Fresh water	Daphnia - Daphnia hyalina - Adult	48 hours
	Acute LC50 2120 mg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute NOEC 100 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Chronic NOEC 0.1 mg/l Fresh water	Fish - Cyprinus carpio	35 days
XL1-Blue MR E. coli Strain Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
T3 RNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
T7 RNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Section 12. Ecological information

RNA Polymerase Dilution Buffer Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
XL1-Blue MR E. coli Strain Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
T3 RNA Polymerase Glycerol	-1.76	-	low
T7 RNA Polymerase Glycerol	-1.76	-	low
RNA Polymerase Dilution Buffer Glycerol	-1.76	-	low
5X Transcription Buffer Trometamol	-2.31	-	low
XL1-Blue MR E. coli Strain Glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed.

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

Canada : At least one component is not listed in DSL but all such components are listed in NDSL.

China : All components are listed or exempted.

Europe : Not determined.

Japan : **Japan inventory (ENCS):** Not determined.
Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.

Viet Nam : All components are listed or exempted.

Section 16. Other information

History

Date of issue/Date of revision : 06/25/2021

Date of previous issue : 03/26/2019

Version : 5

Key to abbreviations

: ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 HPR = Hazardous Products Regulations
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 N/A = Not available
 UN = United Nations

Procedure used to derive the classification

Classification	Justification
T3 RNA Polymerase EYE IRRITATION - Category 2B	Calculation method
T7 RNA Polymerase EYE IRRITATION - Category 2B	Calculation method
RNA Polymerase Dilution Buffer EYE IRRITATION - Category 2B	Calculation method
5X Transcription Buffer AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method
XL1-Blue MR E. coli Strain EYE IRRITATION - Category 2B	Calculation method

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.