

Section 2. Hazards identification

T3 RNA Polymerase

H320 EYE IRRITATION - Category 2B

T7 RNA Polymerase

H320 EYE IRRITATION - Category 2B

RNA Polymerase Dilution Buffer

H320 EYE IRRITATION - Category 2B

5X Transcription Buffer

H412 AQUATIC HAZARD (LONG-TERM) - Category 3

XL1-Blue MR E. coli Strain

H320 EYE IRRITATION - Category 2B

2.2 GHS label elements

Signal word

: T3 RNA Polymerase Warning
 T7 RNA Polymerase Warning
 RNA Polymerase Dilution Buffer Warning
 5X Transcription Buffer No signal word.
 XL1-Blue MR E. coli Strain Warning
 SuperCos 1 Cosmid No signal word.

Hazard statements

: T3 RNA Polymerase H320 - Causes eye irritation.
 T7 RNA Polymerase H320 - Causes eye irritation.
 RNA Polymerase Dilution Buffer H320 - Causes eye irritation.
 5X Transcription Buffer H412 - Harmful to aquatic life with long lasting effects.
 XL1-Blue MR E. coli Strain H320 - Causes eye irritation.
 SuperCos 1 Cosmid No known significant effects or critical hazards.

Precautionary statements

Prevention

: T3 RNA Polymerase Not applicable.
 T7 RNA Polymerase Not applicable.
 RNA Polymerase Dilution Buffer Not applicable.
 5X Transcription Buffer P273 - Avoid release to the environment.
 XL1-Blue MR E. coli Strain Not applicable.
 SuperCos 1 Cosmid Not applicable.

Response

: T3 RNA Polymerase P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 - If eye irritation persists: Get medical advice or attention.
 T7 RNA Polymerase P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 - If eye irritation persists: Get medical advice or attention.
 RNA Polymerase Dilution Buffer P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 - If eye irritation persists: Get medical advice or attention.
 5X Transcription Buffer Not applicable.
 XL1-Blue MR E. coli Strain P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Section 2. Hazards identification

		P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage	SuperCos 1 Cosmid : T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer	Not applicable. Not applicable. Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	XL1-Blue MR E. coli Strain SuperCos 1 Cosmid : T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not applicable. Not applicable. None known. None known. None known. None known. None known. None known.
2.3 Other hazards		
Hazards not otherwise classified	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	None known. None known. None known. None known. None known. None known.

Section 3. Composition/information on ingredients

Substance/mixture	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Mixture Mixture Mixture Mixture Mixture Mixture
--------------------------	--	--

Ingredient name	%	CAS number
T3 RNA Polymerase Glycerol	≥50 - ≤75	56-81-5
T7 RNA Polymerase Glycerol	≥50 - ≤75	56-81-5
RNA Polymerase Dilution Buffer Glycerol	≥50 - ≤75	56-81-5
5X Transcription Buffer Trometamol Sodium chloride Magnesium chloride	≤3 ≤3 <1	77-86-1 7647-14-5 7786-30-3
XL1-Blue MR E. coli Strain Glycerol	≥10 - ≤25	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	:  T3 RNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	T7 RNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	RNA Polymerase Dilution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	5X Transcription Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
	XL1-Blue MR E. coli Strain	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	SuperCos 1 Cosmid	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:  T3 RNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	T7 RNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

Section 4. First aid measures

	RNA Polymerase Dilution Buffer	collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	5X Transcription Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	XL1-Blue MR E. coli Strain	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	SuperCos 1 Cosmid	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: T3 RNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	T7 RNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	RNA Polymerase Dilution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	5X Transcription Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

Section 4. First aid measures

Ingestion

XL1-Blue MR E. coli Strain

medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

SuperCos 1 Cosmid

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

: T7 RNA Polymerase

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

T7 RNA Polymerase

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

RNA Polymerase Dilution Buffer

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

5X Transcription Buffer

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in

Section 4. First aid measures

XL1-Blue MR E. coli Strain

a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SuperCos 1 Cosmid

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Causes eye irritation. Causes eye irritation. Causes eye irritation. No known significant effects or critical hazards. Causes eye irritation. No known significant effects or critical hazards.
Inhalation	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Section 4. First aid measures

Ingestion	: T3 RNA Polymerase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	RNA Polymerase Dilution Buffer	No known significant effects or critical hazards.
	5X Transcription Buffer	No known significant effects or critical hazards.
	XL1-Blue MR E. coli Strain	No known significant effects or critical hazards.
	SuperCos 1 Cosmid	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: T3 RNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	T7 RNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	RNA Polymerase Dilution Buffer	Adverse symptoms may include the following: irritation watering redness
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	Adverse symptoms may include the following: irritation watering redness
	SuperCos 1 Cosmid	No specific data.
Inhalation	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.
Skin contact	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.
Ingestion	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: T3 RNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	T7 RNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	RNA Polymerase Dilution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	5X Transcription Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Section 4. First aid measures

	XL1-Blue MR E. coli Strain	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SuperCos 1 Cosmid	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: T3 RNA Polymerase	No specific treatment.
	T7 RNA Polymerase	No specific treatment.
	RNA Polymerase Dilution Buffer	No specific treatment.
	5X Transcription Buffer	No specific treatment.
	XL1-Blue MR E. coli Strain	No specific treatment.
	SuperCos 1 Cosmid	No specific treatment.
Protection of first-aiders	: T3 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	T7 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	RNA Polymerase Dilution Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	5X Transcription Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	XL1-Blue MR E. coli Strain	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	SuperCos 1 Cosmid	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: T3 RNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
	T7 RNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
	RNA Polymerase Dilution Buffer	Use an extinguishing agent suitable for the surrounding fire.
	5X Transcription Buffer	Use an extinguishing agent suitable for the surrounding fire.
	XL1-Blue MR E. coli Strain	Use an extinguishing agent suitable for the surrounding fire.
	SuperCos 1 Cosmid	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: T3 RNA Polymerase	None known.
	T7 RNA Polymerase	None known.
	RNA Polymerase Dilution Buffer	None known.
	5X Transcription Buffer	None known.
	XL1-Blue MR E. coli Strain	None known.
	SuperCos 1 Cosmid	None known.

Section 5. Fire-fighting measures

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

- : T3 RNA Polymerase
- T7 RNA Polymerase
- RNA Polymerase Dilution Buffer
- 5X Transcription Buffer
- XL1-Blue MR E. coli Strain
- SuperCos 1 Cosmid

In a fire or if heated, a pressure increase will occur and the container may burst.

In a fire or if heated, a pressure increase will occur and the container may burst.

In a fire or if heated, a pressure increase will occur and the container may burst.

In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

In a fire or if heated, a pressure increase will occur and the container may burst.

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

- : T3 RNA Polymerase
- T7 RNA Polymerase
- RNA Polymerase Dilution Buffer
- 5X Transcription Buffer
- XL1-Blue MR E. coli Strain
- SuperCos 1 Cosmid

Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
halogenated compounds
metal oxide/oxides

Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters

- : T3 RNA Polymerase
- T7 RNA Polymerase
- RNA Polymerase Dilution Buffer
- 5X Transcription Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

	XL1-Blue MR E. coli Strain	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SuperCos 1 Cosmid	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: T3 RNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	T7 RNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	RNA Polymerase Dilution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	5X Transcription Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	XL1-Blue MR E. coli Strain	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SuperCos 1 Cosmid	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: T3 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	T7 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	RNA Polymerase Dilution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when

Section 6. Accidental release measures

	5X Transcription Buffer	ventilation is inadequate. Put on appropriate personal protective equipment.
	XL1-Blue MR E. coli Strain	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	SuperCos 1 Cosmid	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders :	T3 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	T7 RNA Polymerase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	RNA Polymerase Dilution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	5X Transcription Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	XL1-Blue MR E. coli Strain	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SuperCos 1 Cosmid	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: T3 RNA Polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	T7 RNA Polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

Section 6. Accidental release measures

RNA Polymerase Dilution Buffer	waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
5X Transcription Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
XL1-Blue MR E. coli Strain	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SuperCos 1 Cosmid	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: T3 RNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	T7 RNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	RNA Polymerase Dilution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	5X Transcription Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	XL1-Blue MR E. coli Strain	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SuperCos 1 Cosmid	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

: T3 RNA Polymerase

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

T7 RNA Polymerase

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

RNA Polymerase Dilution Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

5X Transcription Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

XL1-Blue MR E. coli Strain

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

SuperCos 1 Cosmid

Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: T3 RNA Polymerase

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

T7 RNA Polymerase

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

Section 7. Handling and storage

RNA Polymerase Dilution Buffer

for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

5X Transcription Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

XL1-Blue MR E. coli Strain

Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SuperCos 1 Cosmid

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: T3 RNA Polymerase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

T7 RNA Polymerase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

RNA Polymerase Dilution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled

Section 7. Handling and storage

5X Transcription Buffer

containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

XL1-Blue MR E. coli Strain

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SuperCos 1 Cosmid

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: T3 RNA Polymerase
T7 RNA Polymerase
RNA Polymerase Dilution Buffer
5X Transcription Buffer
XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid

Industrial applications, Professional applications.
Industrial applications, Professional applications.
Industrial applications, Professional applications.
Industrial applications, Professional applications.
Industrial applications, Professional applications.
Industrial applications, Professional applications.

Industrial sector specific solutions

: T3 RNA Polymerase
T7 RNA Polymerase
RNA Polymerase Dilution Buffer
5X Transcription Buffer
XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid

Not available.
Not available.
Not available.
Not available.
Not available.
Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
T3 RNA Polymerase Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
T7 RNA Polymerase Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
RNA Polymerase Dilution Buffer Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
5X Transcription Buffer Trometamol Sodium chloride Magnesium chloride	None. None. None.
XL1-Blue MR E. coli Strain Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls/personal protection

- Hygiene measures** : Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Liquid. Liquid. Liquid. Liquid. Liquid. Liquid.
Color	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not available. Not available. Not available. Not available. Not available. Not available.
Odor	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not available. Not available. Not available. Not available. Not available. Not available.
Odor threshold	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Not available. Not available. Not available. Not available. Not available. Not available.
pH	:	

Section 9. Physical and chemical properties

	T3 RNA Polymerase	7.7
	T7 RNA Polymerase	7.7
	RNA Polymerase Dilution Buffer	7.7
	5X Transcription Buffer	8
	XL1-Blue MR E. coli Strain	7
	SuperCos 1 Cosmid	7.5
Melting point	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	0°C (32°F)
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	0°C (32°F)
Boiling point	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	100°C (212°F)
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	100°C (212°F)
Flash point	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Evaporation rate	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Flammability (solid, gas)	: T3 RNA Polymerase	Not applicable.
	T7 RNA Polymerase	Not applicable.
	RNA Polymerase Dilution Buffer	Not applicable.
	5X Transcription Buffer	Not applicable.
	XL1-Blue MR E. coli Strain	Not applicable.
	SuperCos 1 Cosmid	Not applicable.
Lower and upper explosive (flammable) limits	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Vapor pressure	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Vapor density	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.

Section 9. Physical and chemical properties

Relative density	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Solubility	: T3 RNA Polymerase	Soluble in the following materials: cold water and hot water.
	T7 RNA Polymerase	Soluble in the following materials: cold water and hot water.
	RNA Polymerase Dilution Buffer	Soluble in the following materials: cold water and hot water.
	5X Transcription Buffer	Easily soluble in the following materials: cold water and hot water.
	XL1-Blue MR E. coli Strain	Soluble in the following materials: cold water and hot water.
	SuperCos 1 Cosmid	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Auto-ignition temperature	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Decomposition temperature	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.
Viscosity	: T3 RNA Polymerase	Not available.
	T7 RNA Polymerase	Not available.
	RNA Polymerase Dilution Buffer	Not available.
	5X Transcription Buffer	Not available.
	XL1-Blue MR E. coli Strain	Not available.
	SuperCos 1 Cosmid	Not available.

Section 10. Stability and reactivity

10.1 Reactivity	: T3 RNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
	T7 RNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
	RNA Polymerase Dilution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	5X Transcription Buffer	No specific test data related to reactivity available for this product or its ingredients.
	XL1-Blue MR E. coli Strain	No specific test data related to reactivity available for this product or its ingredients.
	SuperCos 1 Cosmid	No specific test data related to reactivity available for this product or its ingredients.

Section 10. Stability and reactivity

10.2 Chemical stability	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable.
10.3 Possibility of hazardous reactions	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
10.5 Incompatible materials	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
T3 RNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
T7 RNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
RNA Polymerase Dilution Buffer Glycerol	LD50 Oral	Rat	12600 mg/kg	-
5X Transcription Buffer Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-
XL1-Blue MR E. coli Strain Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	
T3 RNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
T7 RNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
RNA Polymerase Dilution Buffer Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
5X Transcription Buffer Trometamol	Skin - Moderate irritant	Rabbit	-	25 %	-	
	Skin - Severe irritant	Rabbit	-	500 mg	-	
	Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
		Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
XL1-Blue MR E. coli Strain Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	

Section 11. Toxicological information

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
5X Transcription Buffer Trometamol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

T3 RNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation.
T7 RNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation.
RNA Polymerase Dilution Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
5X Transcription Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
XL1-Blue MR E. coli Strain	Routes of entry anticipated: Oral, Dermal, Inhalation.
SuperCos 1 Cosmid	Not available.

Potential acute health effects

Eye contact

T3 RNA Polymerase	Causes eye irritation.
T7 RNA Polymerase	Causes eye irritation.
RNA Polymerase Dilution Buffer	Causes eye irritation.
5X Transcription Buffer	No known significant effects or critical hazards.
XL1-Blue MR E. coli Strain	Causes eye irritation.
SuperCos 1 Cosmid	No known significant effects or critical hazards.

Inhalation

T3 RNA Polymerase	No known significant effects or critical hazards.
T7 RNA Polymerase	No known significant effects or critical hazards.
RNA Polymerase Dilution Buffer	No known significant effects or critical hazards.
5X Transcription Buffer	No known significant effects or critical hazards.
XL1-Blue MR E. coli Strain	No known significant effects or critical hazards.
SuperCos 1 Cosmid	No known significant effects or critical hazards.

Skin contact

T3 RNA Polymerase	No known significant effects or critical hazards.
T7 RNA Polymerase	No known significant effects or critical hazards.
RNA Polymerase Dilution Buffer	No known significant effects or critical hazards.
5X Transcription Buffer	No known significant effects or critical hazards.
XL1-Blue MR E. coli Strain	No known significant effects or critical hazards.
SuperCos 1 Cosmid	No known significant effects or critical hazards.

Section 11. Toxicological information

Ingestion	: T3 RNA Polymerase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	RNA Polymerase Dilution Buffer	No known significant effects or critical hazards.
	5X Transcription Buffer	No known significant effects or critical hazards.
	XL1-Blue MR E. coli Strain	No known significant effects or critical hazards.
	SuperCos 1 Cosmid	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: T3 RNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	T7 RNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	RNA Polymerase Dilution Buffer	Adverse symptoms may include the following: irritation watering redness
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	Adverse symptoms may include the following: irritation watering redness
	SuperCos 1 Cosmid	No specific data.
Inhalation	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.
Skin contact	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.
Ingestion	: T3 RNA Polymerase	No specific data.
	T7 RNA Polymerase	No specific data.
	RNA Polymerase Dilution Buffer	No specific data.
	5X Transcription Buffer	No specific data.
	XL1-Blue MR E. coli Strain	No specific data.
	SuperCos 1 Cosmid	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Section 11. Toxicological information

General	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer XL1-Blue MR E. coli Strain SuperCos 1 Cosmid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
T3 RNA Polymerase Glycerol	12600	N/A	N/A	N/A	N/A
T7 RNA Polymerase Glycerol	12600	N/A	N/A	N/A	N/A
RNA Polymerase Dilution Buffer Glycerol	12600	N/A	N/A	N/A	N/A
5X Transcription Buffer 5X Transcription Buffer	200000	N/A	N/A	N/A	N/A
Trometamol	5900	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
Magnesium chloride	2800	2500	N/A	N/A	N/A
XL1-Blue MR E. coli Strain Glycerol	12600	N/A	N/A	N/A	N/A

Other information	: T3 RNA Polymerase T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer	Adverse symptoms may include the following: May cause skin sensitization. Adverse symptoms may include the following: May cause skin sensitization. Not available. Adverse symptoms may include the following: May cause skin sensitization.
--------------------------	---	---

Section 11. Toxicological information

XL1-Blue MR E. coli Strain
SuperCos 1 Cosmid

Not available.
Not available.

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
T3 RNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
T7 RNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
RNA Polymerase Dilution Buffer Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
5X Transcription Buffer Trometamol	Acute EC50 >980 mg/l Fresh water Acute NOEC 520 mg/l Fresh water	Daphnia Daphnia	48 hours 48 hours
Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 96 hours 3 weeks
Magnesium chloride	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water Acute EC50 >100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult Algae - Desmodesmus subspicatus	96 hours 21 days 8 weeks 72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - Eudiaptomus padanus ssp. padanus - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - Lemna aquinoctialis	96 hours
	Acute LC50 32000 µg/l Fresh water Acute LC50 2120 mg/l Fresh water Acute NOEC 100 mg/l Fresh water	Daphnia - Daphnia hyalina - Adult Fish - Pimephales promelas Algae - Desmodesmus subspicatus	48 hours 96 hours 72 hours
	Chronic NOEC 0.1 mg/l Fresh water	Fish - Cyprinus carpio	35 days
XL1-Blue MR E. coli Strain Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
T3 RNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
T7 RNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle	93 % - 30 days	-	-

Section 12. Ecological information

	Test			
RNA Polymerase Dilution Buffer Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
XL1-Blue MR E. coli Strain Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
T3 RNA Polymerase Glycerol	-1.76	-	low
T7 RNA Polymerase Glycerol	-1.76	-	low
RNA Polymerase Dilution Buffer Glycerol	-1.76	-	low
5X Transcription Buffer Trometamol	-2.31	-	low
XL1-Blue MR E. coli Strain Glycerol	-1.76	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 311: Edetic acid; Disodium hydrogenorthophosphate

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification	: T3 RNA Polymerase	EYE IRRITATION - Category 2B
	T7 RNA Polymerase	EYE IRRITATION - Category 2B
	RNA Polymerase Dilution Buffer	EYE IRRITATION - Category 2B
	5X Transcription Buffer	Not applicable.
	XL1-Blue MR E. coli Strain	EYE IRRITATION - Category 2B
	SuperCos 1 Cosmid	Not applicable.

Composition/information on ingredients

Section 15. Regulatory information

Name	%	Classification
T3 RNA Polymerase Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
T7 RNA Polymerase Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
RNA Polymerase Dilution Buffer Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
5X Transcription Buffer Trometamol	≤3	COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Sodium chloride	≤3	EYE IRRITATION - Category 2A
XL1-Blue MR E. coli Strain Glycerol	≥10 - ≤25	EYE IRRITATION - Category 2B

State regulations

- Massachusetts** : The following components are listed: GLYCERINE MIST
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL
- Pennsylvania** : The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia** : Not determined.
- Canada** : At least one component is not listed in DSL but all such components are listed in NDSL.
- China** : All components are listed or exempted.
- Europe** : Not determined.
- Japan** : **Japan inventory (ENCS):** Not determined.
Japan inventory (ISHL): Not determined.
- New Zealand** : All components are listed or exempted.
- Philippines** : Not determined.
- Republic of Korea** : Not determined.

Section 15. Regulatory information

Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: <input checked="" type="checkbox"/> All components are active or exempted.
Viet Nam	: <input checked="" type="checkbox"/> All components are listed or exempted.

Section 16. Other information

History

Date of issue	: 06/25/2021
Date of previous issue	: 03/26/2019
Version	: 4

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations
-----------------------------	---

Procedure used to derive the classification

Classification	Justification
<input checked="" type="checkbox"/> T3 RNA Polymerase EYE IRRITATION - Category 2B	Calculation method
T7 RNA Polymerase EYE IRRITATION - Category 2B	Calculation method
RNA Polymerase Dilution Buffer EYE IRRITATION - Category 2B	Calculation method
5X Transcription Buffer AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method
XL1-Blue MR E. coli Strain EYE IRRITATION - Category 2B	Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.