

# SAFETY DATA SHEET



Mycoplasma Plus PCR Primer Set, Part Number 302008

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

<b>Product name</b>	:	Mycoplasma Plus PCR Primer Set, Part Number 302008
<b>Part No. (Kit)</b>	:	302008
<b>Part No.</b>	:	Mycoplasma Plus Primers 302008-13
		Mycoplasma Plus StrataClean Resin 302008-16
		Mycoplasma Plus Internal Control 302008-15
		Mycoplasma Plus Positive Control 302008-14

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical reagent.	
☑ Mycoplasma Plus Primers	0.2 ml (200 µl 2 µl/rxn)
Mycoplasma Plus StrataClean Resin	0.5 ml (500 µl)
Mycoplasma Plus Internal Control	0.1 ml (100 µl 2 µl/rxn)
Mycoplasma Plus Positive Control	0.1 ml (100 µl 5 µl/rxn)

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany  
0800 603 1000

**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

### 1.4 Emergency telephone number

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(44)-870-8200418

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

<b>Product definition</b>	:	☑ Mycoplasma Plus Primers	Mixture
		Mycoplasma Plus StrataClean Resin	Mixture
		Mycoplasma Plus Internal Control	Mixture
		Mycoplasma Plus Positive Control	Mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Not classified.

See Section 16 for the full text of the H statements declared above.

**Date of issue/Date of revision** : 21/08/2017

1/21

## SECTION 2: Hazards identification

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

<b>Signal word</b>	: Mycoplasma Plus Primers	No signal word.
	Mycoplasma Plus StrataClean Resin	No signal word.
	Mycoplasma Plus Internal Control	No signal word.
	Mycoplasma Plus Positive Control	No signal word.
<b>Hazard statements</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Precautionary statements</b>		
<b>Prevention</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.
<b>Response</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.
<b>Storage</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.
<b>Disposal</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.

**Mycoplasma Plus PCR Primer Set, Part Number 302008**

## SECTION 2: Hazards identification

<b>Supplemental label elements</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.
<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.

### Special packaging requirements

<b>Tactile warning of danger</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.

### 2.3 Other hazards

<b>Other hazards which do not result in classification</b>	: Mycoplasma Plus Primers	None known.
	Mycoplasma Plus StrataClean Resin	None known.
	Mycoplasma Plus Internal Control	None known.
	Mycoplasma Plus Positive Control	None known.

## SECTION 3: Composition/information on ingredients

<b>3.1 Substances</b>	: Mycoplasma Plus Primers	Mixture
	Mycoplasma Plus StrataClean Resin	Mixture
	Mycoplasma Plus Internal Control	Mixture
	Mycoplasma Plus Positive Control	Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Eye contact</b>	<b>:</b> Mycoplasma Plus Primers	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Mycoplasma Plus StrataClean Resin	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Mycoplasma Plus Internal Control	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Mycoplasma Plus Positive Control	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	<b>:</b> Mycoplasma Plus Primers	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Mycoplasma Plus StrataClean Resin	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Mycoplasma Plus Internal Control	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Mycoplasma Plus Positive Control	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin contact</b>	<b>:</b> Mycoplasma Plus Primers	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Mycoplasma Plus StrataClean Resin	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Mycoplasma Plus Internal Control	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Mycoplasma Plus Positive Control	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b>	<b>:</b> Mycoplasma Plus Primers	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Mycoplasma Plus StrataClean Resin	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Mycoplasma Plus Internal Control	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Mycoplasma Plus Positive Control	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

## SECTION 4: First aid measures

<b>Protection of first-aiders</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.
-----------------------------------	--	--

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Inhalation</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Ingestion</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No specific data. No specific data. No specific data. No specific data.
<b>Inhalation</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus	No specific data. No specific data. No specific data. No specific data.

**Mycoplasma Plus PCR Primer Set, Part Number 302008**

**SECTION 4: First aid measures**

	Positive Control	
<b>Skin contact</b>	: Mycoplasma Plus Primers	No specific data.
	Mycoplasma Plus StrataClean Resin	No specific data.
	Mycoplasma Plus Internal Control	No specific data.
	Mycoplasma Plus Positive Control	No specific data.
<b>Ingestion</b>	: Mycoplasma Plus Primers	No specific data.
	Mycoplasma Plus StrataClean Resin	No specific data.
	Mycoplasma Plus Internal Control	No specific data.
	Mycoplasma Plus Positive Control	No specific data.

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Notes to physician</b>	: Mycoplasma Plus Primers	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Mycoplasma Plus StrataClean Resin	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Mycoplasma Plus Internal Control	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Mycoplasma Plus Positive Control	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	: Mycoplasma Plus Primers	No specific treatment.
	Mycoplasma Plus StrataClean Resin	No specific treatment.
	Mycoplasma Plus Internal Control	No specific treatment.
	Mycoplasma Plus Positive Control	No specific treatment.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	: Mycoplasma Plus Primers	Use an extinguishing agent suitable for the surrounding fire.
	Mycoplasma Plus StrataClean Resin	Use an extinguishing agent suitable for the surrounding fire.
	Mycoplasma Plus Internal Control	Use an extinguishing agent suitable for the surrounding fire.
	Mycoplasma Plus Positive Control	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: Mycoplasma Plus Primers	None known.
	Mycoplasma Plus StrataClean Resin	None known.
	Mycoplasma Plus Internal Control	None known.
	Mycoplasma Plus Positive Control	None known.

**5.2 Special hazards arising from the substance or mixture**

**Mycoplasma Plus PCR Primer Set, Part Number 302008**

**SECTION 5: Firefighting measures**

<b>Hazards from the substance or mixture</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous combustion products</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin  Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No specific data.  Decomposition products may include the following materials:  carbon dioxide carbon monoxide metal oxide/oxides No specific data.  No specific data.
<b>5.3 Advice for firefighters</b>		
<b>Special precautions for fire-fighters</b>	: Mycoplasma Plus Primers  Mycoplasma Plus StrataClean Resin  Mycoplasma Plus Internal Control  Mycoplasma Plus Positive Control	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: Mycoplasma Plus Primers  Mycoplasma Plus StrataClean Resin  Mycoplasma Plus Internal Control  Mycoplasma Plus Positive Control	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	<b>:</b> Mycoplasma Plus Primers	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Mycoplasma Plus StrataClean Resin	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Mycoplasma Plus Internal Control	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Mycoplasma Plus Positive Control	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	<b>:</b> Mycoplasma Plus Primers	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Mycoplasma Plus StrataClean Resin	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Mycoplasma Plus Internal Control	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Mycoplasma Plus Positive Control	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>6.2 Environmental precautions</b>	<b>:</b> Mycoplasma Plus Primers	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Mycoplasma Plus StrataClean Resin	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Mycoplasma Plus Internal Control	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Mycoplasma Plus Positive Control	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up



**Mycoplasma Plus PCR Primer Set, Part Number 302008**

**SECTION 6: Accidental release measures**

<b>Methods for cleaning up</b>	<b>:</b> Mycoplasma Plus Primers	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Mycoplasma Plus StrataClean Resin	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Mycoplasma Plus Internal Control	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Mycoplasma Plus Positive Control	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
<b>6.4 Reference to other sections</b>	<b>:</b> See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

<b>Protective measures</b>	<b>:</b> Mycoplasma Plus Primers	Put on appropriate personal protective equipment (see Section 8).
	Mycoplasma Plus StrataClean Resin	Put on appropriate personal protective equipment (see Section 8).
	Mycoplasma Plus Internal Control	Put on appropriate personal protective equipment (see Section 8).
	Mycoplasma Plus Positive Control	Put on appropriate personal protective equipment (see Section 8).
<b>Advice on general occupational hygiene</b>	<b>:</b> Mycoplasma Plus Primers	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Mycoplasma Plus StrataClean Resin	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Mycoplasma Plus Internal Control	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Mycoplasma Plus Positive Control	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

*Mycoplasma Plus PCR Primer Set, Part Number 302008*

## SECTION 7: Handling and storage

### 7.2 Conditions for safe storage, including any incompatibilities

<b>Storage</b>	:	Mycoplasma Plus Primers	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		Mycoplasma Plus StrataClean Resin	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		Mycoplasma Plus Internal Control	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		Mycoplasma Plus Positive Control	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

<b>Recommendations</b>	:	Mycoplasma Plus Primers	Industrial applications, Professional applications.
		Mycoplasma Plus StrataClean Resin	Industrial applications, Professional applications.
		Mycoplasma Plus Internal Control	Industrial applications, Professional applications.
		Mycoplasma Plus Positive Control	Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	:	Mycoplasma Plus Primers	Not applicable.
		Mycoplasma Plus StrataClean Resin	Not applicable.
		Mycoplasma Plus Internal Control	Not applicable.
		Mycoplasma Plus Positive Control	Not applicable.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

#### PNECs

No PNECs available

### 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

*Mycoplasma Plus PCR Primer Set, Part Number 302008*

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	: Mycoplasma Plus Primers	Liquid.
	Mycoplasma Plus StrataClean Resin	Liquid.
	Mycoplasma Plus Internal Control	Liquid.
	Mycoplasma Plus Positive Control	Liquid.
<b>Colour</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Odour</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Odour threshold</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>pH</b>	: Mycoplasma Plus Primers	7.5
	Mycoplasma Plus StrataClean Resin	5
	Mycoplasma Plus Internal Control	7.5
	Mycoplasma Plus Positive Control	7.5
<b>Melting point/freezing point</b>	: Mycoplasma Plus Primers	0°C
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	0°C
	Mycoplasma Plus Positive Control	0°C
<b>Initial boiling point and boiling range</b>	: Mycoplasma Plus Primers	100°C
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	100°C
	Mycoplasma Plus Positive Control	100°C

*Mycoplasma Plus PCR Primer Set, Part Number 302008*

## SECTION 9: Physical and chemical properties

<b>Flash point</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Evaporation rate</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Flammability (solid, gas)</b>	: Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus StrataClean Resin	Not applicable.
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Vapour pressure</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Vapour density</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Relative density</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.

**Mycoplasma Plus PCR Primer Set, Part Number 302008**

**SECTION 9: Physical and chemical properties**

<b>Solubility(ies)</b>	: Mycoplasma Plus Primers	Easily soluble in the following materials: cold water and hot water.
	Mycoplasma Plus StrataClean Resin	Partially soluble in the following materials: cold water and hot water.
	Mycoplasma Plus Internal Control	Easily soluble in the following materials: cold water and hot water.
	Mycoplasma Plus Positive Control	Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Auto-ignition temperature</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Decomposition temperature</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Viscosity</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Explosive properties</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.
<b>Oxidising properties</b>	: Mycoplasma Plus Primers	Not available.
	Mycoplasma Plus StrataClean Resin	Not available.
	Mycoplasma Plus Internal Control	Not available.
	Mycoplasma Plus Positive Control	Not available.

**9.2 Other information**

No additional information.

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	The product is stable. The product is stable. The product is stable. The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	No specific data. No specific data. No specific data. No specific data.
<b>10.5 Incompatible materials</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
<b>10.6 Hazardous decomposition products</b>	: Mycoplasma Plus Primers Mycoplasma Plus StrataClean Resin Mycoplasma Plus Internal Control Mycoplasma Plus Positive Control	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

*Mycoplasma Plus PCR Primer Set, Part Number 302008*

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not available.

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

**Conclusion/Summary** : Not available.

#### Sensitiser

**Conclusion/Summary** : Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

#### Information on likely routes of exposure

Mycoplasma Plus Primers	Not available.
Mycoplasma Plus StrataClean Resin	Not available.
Mycoplasma Plus Internal Control	Not available.
Mycoplasma Plus Positive Control	Not available.

#### Potential acute health effects

<b>Inhalation</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Ingestion</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Skin contact</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.



**Mycoplasma Plus PCR Primer Set, Part Number 302008**

**SECTION 11: Toxicological information**

<b>Eye contact</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Inhalation</b>	: Mycoplasma Plus Primers	No specific data.
	Mycoplasma Plus StrataClean Resin	No specific data.
	Mycoplasma Plus Internal Control	No specific data.
	Mycoplasma Plus Positive Control	No specific data.

<b>Ingestion</b>	: Mycoplasma Plus Primers	No specific data.
	Mycoplasma Plus StrataClean Resin	No specific data.
	Mycoplasma Plus Internal Control	No specific data.
	Mycoplasma Plus Positive Control	No specific data.

<b>Skin contact</b>	: Mycoplasma Plus Primers	No specific data.
	Mycoplasma Plus StrataClean Resin	No specific data.
	Mycoplasma Plus Internal Control	No specific data.
	Mycoplasma Plus Positive Control	No specific data.

<b>Eye contact</b>	: Mycoplasma Plus Primers	No specific data.
	Mycoplasma Plus StrataClean Resin	No specific data.
	Mycoplasma Plus Internal Control	No specific data.
	Mycoplasma Plus Positive Control	No specific data.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Short term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Potential chronic health effects**

**Mycoplasma Plus PCR Primer Set, Part Number 302008**

**SECTION 11: Toxicological information**

<b>General</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Teratogenicity</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Developmental effects</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.
<b>Fertility effects</b>	: Mycoplasma Plus Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	Mycoplasma Plus Internal Control	No known significant effects or critical hazards.
	Mycoplasma Plus Positive Control	No known significant effects or critical hazards.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Conclusion/Summary** : Not available.

**12.2 Persistence and degradability**

Not available.

**12.3 Bioaccumulative potential**

*Mycoplasma Plus PCR Primer Set, Part Number 302008*

## SECTION 12: Ecological information

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient ( $K_{oc}$ )** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

**ADR/RID / IMDG / IATA** : Not regulated.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

**Date of issue/Date of revision** : 21/08/2017

19/21

**Mycoplasma Plus PCR Primer Set, Part Number 302008**

## SECTION 15: Regulatory information

<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	<b>:</b> Mycoplasma Plus Primers	Not applicable.
	Mycoplasma Plus	Not applicable.
	StrataClean Resin	
	Mycoplasma Plus Internal Control	Not applicable.
	Mycoplasma Plus Positive Control	Not applicable.

### Other EU regulations

#### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

#### Seveso Directive

This product is not controlled under the Seveso Directive.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	<b>:</b>	<input checked="" type="checkbox"/> Not determined.
<b>Canada</b>	<b>:</b>	<input checked="" type="checkbox"/> Not determined.
<b>China</b>	<b>:</b>	All components are listed or exempted.
<b>Europe</b>	<b>:</b>	All components are listed or exempted.
<b>Japan</b>	<b>:</b>	<b>Japan inventory (ENCS):</b> Not determined. <b>Japan inventory (ISHL):</b> All components are listed or exempted.
<b>Malaysia</b>	<b>:</b>	Not determined.
<b>New Zealand</b>	<b>:</b>	Not determined.
<b>Philippines</b>	<b>:</b>	Not determined.
<b>Republic of Korea</b>	<b>:</b>	Not determined.
<b>Taiwan</b>	<b>:</b>	All components are listed or exempted.
<b>Thailand</b>	<b>:</b>	<input checked="" type="checkbox"/> Not determined.
<b>Turkey</b>	<b>:</b>	Not determined.
<b>United States</b>	<b>:</b>	All components are listed or exempted.
<b>Viet Nam</b>	<b>:</b>	<input checked="" type="checkbox"/> Not determined.

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

*Mycoplasma Plus PCR Primer Set, Part Number 302008*

## SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

### Full text of abbreviated H statements

Not applicable.

### Full text of classifications [CLP/GHS]

Not applicable.

**Date of issue/ Date of revision** : 21/08/2017

**Date of previous issue** : 29/02/2016.

**Version** : 2

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.