

SAFETY DATA SHEET



MycoSensor PCR Assay Kit – 100 Reactions, Part Number 302108

Section 1. Identification

Product identifier	: MycoSensor PCR Assay Kit – 100 Reactions, Part Number 302108		
Part No. (Chemical Kit)	: 302108		
Part No.	:	MycoSensor PCR Assay Kit Primers	302108-51
		Mycoplasma Plus StrataClean Resin	302008-16
		MycoSensor PCR Assay Internal Control	302108-53
		MycoSensor PCR Assay M. orale	302108-54
		Positive Control	
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	302108-52

Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

MycoSensor PCR Assay Kit Primers	200 µl	2 µl/rxn
Mycoplasma Plus StrataClean Resin	500 µl	
MycoSensor PCR Assay Internal Control	400 µl	4 µl/rxn
MycoSensor PCR Assay M. orale Positive Control	125 µl	5 µl/rxn
MycoSensor PCR Assay Kit dNTP / dUTP Mix	100 µl	

Supplier/Manufacturer	:	Agilent Technologies Australia Pty Ltd 679 Springvale Road Mulgrave Victoria 3170, Australia 1800 802 402
------------------------------	---	---

Emergency telephone number (with hours of operation)	:	CHEMTREC®: +(61)-290372994
---	---	----------------------------

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

GHS label elements

Signal word	:	MycoSensor PCR Assay Kit Primers	No signal word.
		Mycoplasma Plus StrataClean Resin	No signal word.
		MycoSensor PCR Assay Internal Control	No signal word.
		MycoSensor PCR Assay M. orale Positive Control	No signal word.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No signal word.
Hazard statements	:	MycoSensor PCR Assay Kit Primers	No known significant effects or critical hazards.
		Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
		MycoSensor PCR Assay Internal Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay M. orale Positive Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards.

Section 2. Hazard(s) identification

Precautionary statements

Prevention	:	MycoSensor PCR Assay Kit Primers	Not applicable.
		Mycoplasma Plus	Not applicable.
		StrataClean Resin	Not applicable.
		MycoSensor PCR Assay Internal Control	Not applicable.
		MycoSensor PCR Assay M. orale Positive Control	Not applicable.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not applicable.
Response	:	MycoSensor PCR Assay Kit Primers	Not applicable.
		Mycoplasma Plus	Not applicable.
		StrataClean Resin	Not applicable.
		MycoSensor PCR Assay Internal Control	Not applicable.
		MycoSensor PCR Assay M. orale Positive Control	Not applicable.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not applicable.
Storage	:	MycoSensor PCR Assay Kit Primers	Not applicable.
		Mycoplasma Plus	Not applicable.
		StrataClean Resin	Not applicable.
		MycoSensor PCR Assay Internal Control	Not applicable.
		MycoSensor PCR Assay M. orale Positive Control	Not applicable.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not applicable.
Disposal	:	MycoSensor PCR Assay Kit Primers	Not applicable.
		Mycoplasma Plus	Not applicable.
		StrataClean Resin	Not applicable.
		MycoSensor PCR Assay Internal Control	Not applicable.
		MycoSensor PCR Assay M. orale Positive Control	Not applicable.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not applicable.
Supplemental label elements	:	MycoSensor PCR Assay Kit Primers	Not applicable.
		Mycoplasma Plus	Not applicable.
		StrataClean Resin	Not applicable.
		MycoSensor PCR Assay Internal Control	Not applicable.
		MycoSensor PCR Assay M. orale Positive Control	Not applicable.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not applicable.
Other hazards which do not result in classification	:	MycoSensor PCR Assay Kit Primers	None known.
		Mycoplasma Plus	None known.
		StrataClean Resin	None known.
		MycoSensor PCR Assay Internal Control	None known.
		MycoSensor PCR Assay M. orale Positive Control	None known.
		MycoSensor PCR Assay Kit	None known.

Section 2. Hazard(s) identification

dNTP / dUTP Mix

Section 3. Composition and ingredient information

Substance/mixture	:	MycoSensor PCR Assay Kit	Mixture
		Primers	
		Mycoplasma Plus	Mixture
		StrataClean Resin	
		MycoSensor PCR Assay	Mixture
		Internal Control	
		MycoSensor PCR Assay M. orale Positive Control	Mixture
		MycoSensor PCR Assay Kit	Mixture
		dNTP / dUTP Mix	

CAS number/other identifiers

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	MycoSensor PCR Assay Kit	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		Primers	
		Mycoplasma Plus	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		StrataClean Resin	
		MycoSensor PCR Assay	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		Internal Control	
		MycoSensor PCR Assay M. orale Positive Control	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		MycoSensor PCR Assay Kit	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		dNTP / dUTP Mix	
Inhalation	:	MycoSensor PCR Assay Kit	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		Primers	
		Mycoplasma Plus	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		StrataClean Resin	
		MycoSensor PCR Assay	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		Internal Control	
		MycoSensor PCR Assay M. orale Positive Control	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		MycoSensor PCR Assay Kit	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		dNTP / dUTP Mix	

Section 4. First aid measures

Skin contact	: MycoSensor PCR Assay Kit Primers	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Mycoplasma Plus StrataClean Resin	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	MycoSensor PCR Assay Internal Control	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	MycoSensor PCR Assay M. orale Positive Control	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: MycoSensor PCR Assay Kit Primers	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Mycoplasma Plus StrataClean Resin	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	MycoSensor PCR Assay Internal Control	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	MycoSensor PCR Assay M. orale Positive Control	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: MycoSensor PCR Assay Kit Primers	No known significant effects or critical hazards.
	Mycoplasma Plus StrataClean Resin	No known significant effects or critical hazards.
	MycoSensor PCR Assay Internal Control	No known significant effects or critical hazards.
	MycoSensor PCR Assay M. orale Positive Control	No known significant effects or critical hazards.
	MycoSensor PCR Assay Kit	No known significant effects or critical hazards.

Section 4. First aid measures

		dNTP / dUTP Mix	
Inhalation	:	MycoSensor PCR Assay Kit Primers	No known significant effects or critical hazards.
		Mycoplasma Plus	No known significant effects or critical hazards.
		StrataClean Resin	
		MycoSensor PCR Assay Internal Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay M. orale Positive Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards.
Skin contact	:	MycoSensor PCR Assay Kit Primers	No known significant effects or critical hazards.
		Mycoplasma Plus	No known significant effects or critical hazards.
		StrataClean Resin	
		MycoSensor PCR Assay Internal Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay M. orale Positive Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards.
Ingestion	:	MycoSensor PCR Assay Kit Primers	No known significant effects or critical hazards.
		Mycoplasma Plus	No known significant effects or critical hazards.
		StrataClean Resin	
		MycoSensor PCR Assay Internal Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay M. orale Positive Control	No known significant effects or critical hazards.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards.
<u>Over-exposure signs/symptoms</u>			
Eye contact	:	MycoSensor PCR Assay Kit Primers	No specific data.
		Mycoplasma Plus	No specific data.
		StrataClean Resin	
		MycoSensor PCR Assay Internal Control	No specific data.
		MycoSensor PCR Assay M. orale Positive Control	No specific data.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data.
Inhalation	:	MycoSensor PCR Assay Kit Primers	No specific data.
		Mycoplasma Plus	No specific data.
		StrataClean Resin	
		MycoSensor PCR Assay Internal Control	No specific data.
		MycoSensor PCR Assay M. orale Positive Control	No specific data.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data.
Skin contact	:	MycoSensor PCR Assay Kit Primers	No specific data.
		Mycoplasma Plus	No specific data.
		StrataClean Resin	
		MycoSensor PCR Assay Internal Control	No specific data.
		MycoSensor PCR Assay M. orale Positive Control	No specific data.
		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data.

Section 4. First aid measures

Ingestion	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
------------------	--	--

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
---------------------------	--	---

Specific treatments	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment.
----------------------------	--	--

Protection of first-aiders	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.
-----------------------------------	--	--

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
-------------------------------------	---	--

Section 5. Firefighting measures

Unsuitable extinguishing media	<p>dNTP / dUTP Mix</p> <p>☑ MycoSensor PCR Assay Kit Primers</p> <p>Mycoplasma Plus</p> <p>StrataClean Resin</p> <p>Mycosensor PCR Assay Internal Control</p> <p>Mycosensor PCR Assay M. orale Positive Control</p> <p>Mycosensor PCR Assay Kit dNTP / dUTP Mix</p>	<p>surrounding fire.</p> <p>None known.</p> <p>None known.</p> <p>None known.</p> <p>None known.</p> <p>None known.</p> <p>None known.</p>
Specific hazards arising from the chemical	<p>☑ MycoSensor PCR Assay Kit Primers</p> <p>Mycoplasma Plus</p> <p>StrataClean Resin</p> <p>Mycosensor PCR Assay Internal Control</p> <p>Mycosensor PCR Assay M. orale Positive Control</p> <p>Mycosensor PCR Assay Kit dNTP / dUTP Mix</p>	<p>In a fire or if heated, a pressure increase will occur and the container may burst.</p> <p>In a fire or if heated, a pressure increase will occur and the container may burst.</p> <p>In a fire or if heated, a pressure increase will occur and the container may burst.</p> <p>In a fire or if heated, a pressure increase will occur and the container may burst.</p> <p>In a fire or if heated, a pressure increase will occur and the container may burst.</p> <p>In a fire or if heated, a pressure increase will occur and the container may burst.</p>
Hazardous thermal decomposition products	<p>☑ MycoSensor PCR Assay Kit Primers</p> <p>Mycoplasma Plus</p> <p>StrataClean Resin</p> <p>Mycosensor PCR Assay Internal Control</p> <p>Mycosensor PCR Assay M. orale Positive Control</p> <p>Mycosensor PCR Assay Kit dNTP / dUTP Mix</p>	<p>No specific data.</p> <p>Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p>
Special protective actions for fire-fighters	<p>☑ MycoSensor PCR Assay Kit Primers</p> <p>Mycoplasma Plus</p> <p>StrataClean Resin</p> <p>Mycosensor PCR Assay Internal Control</p> <p>Mycosensor PCR Assay M. orale Positive Control</p> <p>Mycosensor PCR Assay Kit dNTP / dUTP Mix</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>

Section 5. Firefighting measures

Special protective equipment for fire-fighters	: MycoSensor PCR Assay Kit Primers	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Mycoplasma Plus StrataClean Resin	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	MycoSensor PCR Assay Internal Control	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	MycoSensor PCR Assay M. orale Positive Control	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: MycoSensor PCR Assay Kit Primers	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Mycoplasma Plus StrataClean Resin	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	MycoSensor PCR Assay Internal Control	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	MycoSensor PCR Assay M. orale Positive Control	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: MycoSensor PCR Assay Kit Primers	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Mycoplasma Plus StrataClean Resin	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	MycoSensor PCR Assay	If specialised clothing is required to deal with the

Section 6. Accidental release measures

Internal Control	spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
MycoSensor PCR Assay M. orale Positive Control	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
MycoSensor PCR Assay Kit dNTP / dUTP Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions :

MycoSensor PCR Assay Kit Primers	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Mycoplasma Plus StrataClean Resin	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
MycoSensor PCR Assay Internal Control	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
MycoSensor PCR Assay M. orale Positive Control	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
MycoSensor PCR Assay Kit dNTP / dUTP Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up :

MycoSensor PCR Assay Kit Primers	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Mycoplasma Plus StrataClean Resin	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
MycoSensor PCR Assay Internal Control	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
MycoSensor PCR Assay M. orale Positive Control	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

MycoSensur PCR Assay Kit
dNTP / dUTP Mix

disposal contractor.
Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

- : MycoSensur PCR Assay Kit Primers Put on appropriate personal protective equipment (see Section 8).
- Mycoplasma Plus Put on appropriate personal protective equipment (see Section 8).
- StrataClean Resin Put on appropriate personal protective equipment (see Section 8).
- MycoSensur PCR Assay Internal Control Put on appropriate personal protective equipment (see Section 8).
- MycoSensur PCR Assay M. orale Positive Control Put on appropriate personal protective equipment (see Section 8).
- MycoSensur PCR Assay Kit dNTP / dUTP Mix Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

- : MycoSensur PCR Assay Kit Primers Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Mycoplasma Plus StrataClean Resin Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- MycoSensur PCR Assay Internal Control Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- MycoSensur PCR Assay M. orale Positive Control Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- MycoSensur PCR Assay Kit dNTP / dUTP Mix Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

<p>Conditions for safe storage, including any incompatibilities</p>	<p>MycoSensor PCR Assay Kit Primers</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>Mycoplasma Plus StrataClean Resin</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>MycoSensor PCR Assay Internal Control</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>MycoSensor PCR Assay M. orale Positive Control</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>MycoSensor PCR Assay Kit dNTP / dUTP Mix</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties







Appearance

- Physical state** : MycoSensor PCR Assay Kit Liquid.
Primers
Mycoplasma Plus Liquid.
StrataClean Resin
MycoSensor PCR Assay Liquid.
Internal Control
MycoSensor PCR Assay M. Liquid.
orale Positive Control
MycoSensor PCR Assay Kit Liquid.
dNTP / dUTP Mix
- Colour** : MycoSensor PCR Assay Kit Not available.
Primers
Mycoplasma Plus Not available.
StrataClean Resin
MycoSensor PCR Assay Not available.
Internal Control
MycoSensor PCR Assay M. Not available.
orale Positive Control

Section 9. Physical and chemical properties

		Mycosensor PCR Assay Kit	Not available.
		dNTP / dUTP Mix	
Odour	:	<input checked="" type="checkbox"/> Mycosensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin Mycosensor PCR Assay Internal Control Mycosensor PCR Assay M. orale Positive Control Mycosensor PCR Assay Kit dNTP / dUTP Mix	Not available. Not available. Not available. Not available. Not available. Not available.
Odour threshold	:	<input checked="" type="checkbox"/> Mycosensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin Mycosensor PCR Assay Internal Control Mycosensor PCR Assay M. orale Positive Control Mycosensor PCR Assay Kit dNTP / dUTP Mix	Not available. Not available. Not available. Not available. Not available.
pH	:	<input checked="" type="checkbox"/> Mycosensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin Mycosensor PCR Assay Internal Control Mycosensor PCR Assay M. orale Positive Control Mycosensor PCR Assay Kit dNTP / dUTP Mix	7.5 5 7.5 7.5 7.5
Melting point	:	<input checked="" type="checkbox"/> Mycosensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin Mycosensor PCR Assay Internal Control Mycosensor PCR Assay M. orale Positive Control Mycosensor PCR Assay Kit dNTP / dUTP Mix	0°C (32°F) Not available. 0°C (32°F) 0°C (32°F) 0°C (32°F)
Boiling point	:	<input checked="" type="checkbox"/> Mycosensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin Mycosensor PCR Assay Internal Control Mycosensor PCR Assay M. orale Positive Control Mycosensor PCR Assay Kit dNTP / dUTP Mix	100°C (212°F) Not available. 100°C (212°F) 100°C (212°F) 100°C (212°F)
Flash point	:	<input checked="" type="checkbox"/> Mycosensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin Mycosensor PCR Assay Internal Control Mycosensor PCR Assay M. orale Positive Control Mycosensor PCR Assay Kit dNTP / dUTP Mix	Not available. Not available. Not available. Not available. Not available.

Section 9. Physical and chemical properties

Evaporation rate	:  MycoSensor PCR Assay Kit Primers	Not available.
	Mycoplasma Plus	Not available.
	StrataClean Resin	Not available.
	MycoSensor PCR Assay Internal Control	Not available.
	MycoSensor PCR Assay M. orale Positive Control	Not available.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available.
Flammability (solid, gas)	:  MycoSensor PCR Assay Kit Primers	Not applicable.
	Mycoplasma Plus	Not applicable.
	StrataClean Resin	Not applicable.
	MycoSensor PCR Assay Internal Control	Not applicable.
	MycoSensor PCR Assay M. orale Positive Control	Not applicable.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not applicable.
Lower and upper explosive (flammable) limits	:  MycoSensor PCR Assay Kit Primers	Not available.
	Mycoplasma Plus	Not available.
	StrataClean Resin	Not available.
	MycoSensor PCR Assay Internal Control	Not available.
	MycoSensor PCR Assay M. orale Positive Control	Not available.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available.
Vapour pressure	:  MycoSensor PCR Assay Kit Primers	Not available.
	Mycoplasma Plus	Not available.
	StrataClean Resin	Not available.
	MycoSensor PCR Assay Internal Control	Not available.
	MycoSensor PCR Assay M. orale Positive Control	Not available.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available.
Vapour density	:  MycoSensor PCR Assay Kit Primers	Not available.
	Mycoplasma Plus	Not available.
	StrataClean Resin	Not available.
	MycoSensor PCR Assay Internal Control	Not available.
	MycoSensor PCR Assay M. orale Positive Control	Not available.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available.
Relative density	:  MycoSensor PCR Assay Kit Primers	Not available.
	Mycoplasma Plus	Not available.
	StrataClean Resin	Not available.
	MycoSensor PCR Assay Internal Control	Not available.
	MycoSensor PCR Assay M. orale Positive Control	Not available.
	MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available.

Section 9. Physical and chemical properties

Solubility	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Easily soluble in the following materials: cold water and hot water. Partially soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available. Not available. Not available. Not available. Not available. Not available.
Auto-ignition temperature	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available. Not available. Not available. Not available. Not available. Not available.
Decomposition temperature	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available. Not available. Not available. Not available. Not available. Not available.
Viscosity	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
-------------------	---	--

Section 10. Stability and reactivity

Chemical stability	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	The product is stable. The product is stable. The product is stable. The product is stable. The product is stable.
Possibility of hazardous reactions	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data. No specific data. No specific data. No specific data. No specific data.
Incompatible materials	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
Hazardous decomposition products	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	: MycoSensor PCR Assay Kit	Not available.
	Primers	
	Mycoplasma Plus	Not available.
	StrataClean Resin	
	MycoSensor PCR Assay	Not available.
	Internal Control	
	MycoSensor PCR Assay M. orale Positive Control	Not available.
MycoSensor PCR Assay Kit dNTP / dUTP Mix	Not available.	

Potential acute health effects

Eye contact	: MycoSensor PCR Assay Kit	No known significant effects or critical hazards.
	Primers	
	Mycoplasma Plus	No known significant effects or critical hazards.
	StrataClean Resin	
	MycoSensor PCR Assay	No known significant effects or critical hazards.
	Internal Control	
	MycoSensor PCR Assay M. orale Positive Control	No known significant effects or critical hazards.
MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards.	
Inhalation	: MycoSensor PCR Assay Kit	No known significant effects or critical hazards.
	Primers	
	Mycoplasma Plus	No known significant effects or critical hazards.
	StrataClean Resin	
	MycoSensor PCR Assay	No known significant effects or critical hazards.
	Internal Control	
MycoSensor PCR Assay M. orale Positive Control	No known significant effects or critical hazards.	

Section 11. Toxicological information

		MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards.
Skin contact	:	<input checked="" type="checkbox"/> MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	:	<input checked="" type="checkbox"/> MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	<input checked="" type="checkbox"/> MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Inhalation	:	<input checked="" type="checkbox"/> MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Skin contact	:	<input checked="" type="checkbox"/> MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

Section 11. Toxicological information

Ingestion	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No specific data. No specific data. No specific data. No specific data. No specific data.
------------------	--	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
----------------	--	--

Carcinogenicity	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
------------------------	--	--

Mutagenicity	: MycoSensor PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensor PCR Assay Internal Control MycoSensor PCR Assay M. orale Positive Control MycoSensor PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
---------------------	--	---

Section 11. Toxicological information

Teratogenicity	: <input checked="" type="checkbox"/>	MycoSensur PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensur PCR Assay Internal Control MycoSensur PCR Assay M. orale Positive Control MycoSensur PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects	: <input checked="" type="checkbox"/>	MycoSensur PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensur PCR Assay Internal Control MycoSensur PCR Assay M. orale Positive Control MycoSensur PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: <input checked="" type="checkbox"/>	MycoSensur PCR Assay Kit Primers Mycoplasma Plus StrataClean Resin MycoSensur PCR Assay Internal Control MycoSensur PCR Assay M. orale Positive Control MycoSensur PCR Assay Kit dNTP / dUTP Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.
Canada : Not determined.
China : All components are listed or exempted.
Europe : Not determined.
Japan : **Japan inventory (ENCS):** Not determined.
Japan inventory (ISHL): All components are listed or exempted.
Malaysia : Not determined.
New Zealand : Not determined.
Philippines : Not determined.
Republic of Korea : Not determined.

Section 15. Regulatory information

- Taiwan** : All components are listed or exempted.
- Thailand** : Not determined.
- Turkey** : Not determined.
- United States** : All components are listed or exempted.
- Viet Nam** : Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of revision : 30/06/2017

Date of previous issue : 15/05/2015.

Version : 4

Key to abbreviations

- ADG = Australian Dangerous Goods
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- NOHSC = National Occupational Health and Safety Commission
- SUSMP = Standard Uniform Schedule of Medicine and Poisons
- UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.