

# SAFETY DATA SHEET

Absolutely RNA Miniprep Kit, Part Number 400800

## Section 1. Identification

### 1.1 Product identifier

**Product name** : Absolutely RNA Miniprep Kit, Part Number 400800

**Part no. (chemical kit)** : 400800

**Part no.** : -Mercaptoethanol 200345-21  
 RNase-Free DNase I (Lyophilized) 400711-23  
 Lysis Buffer 400711-13  
 1.67X High Salt Wash Buffer 400711-14  
 5x Low Salt Wash Buffer 400711-15  
 Elution Buffer 400711-16  
 DNase Reconstitution Buffer 400711-17  
 DNase Digestion Buffer 400711-18

**Validation date** : 2/2/2018

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.

-Mercaptoethanol 0.75 ml (750 µl 14.33 M)  
 RNase-Free DNase I (Lyophilized) 1.2 mg (2600 U)  
 Lysis Buffer 35 ml  
 1.67X High Salt Wash Buffer 24 ml  
 5x Low Salt Wash Buffer 17 ml  
 Elution Buffer 12 ml  
 DNase Reconstitution Buffer 0.3 ml  
 DNase Digestion Buffer 2 x 1.5 ml

### 1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
 5301 Stevens Creek Blvd  
 Santa Clara, CA 95051, USA  
 800-227-9770

### 1.4 Emergency telephone number

**In case of emergency** : CHEMTREC®: 1-800-424-9300

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

**OSHA/HCS status** : -Mercaptoethanol This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
 RNase-Free DNase I (Lyophilized) This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
 Lysis Buffer This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
 1.67X High Salt Wash Buffer This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
 5x Low Salt Wash Buffer While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

## Section 2. Hazards identification

Elution Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
DNase Reconstitution Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
DNase Digestion Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture

#### **β-Mercaptoethanol**

H227	FLAMMABLE LIQUIDS - Category 4
H301	ACUTE TOXICITY (oral) - Category 3
H310	ACUTE TOXICITY (dermal) - Category 2
H330	ACUTE TOXICITY (inhalation) - Category 2
H315	SKIN IRRITATION - Category 2
H318	SERIOUS EYE DAMAGE - Category 1
H317	SKIN SENSITIZATION - Category 1
H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

#### **RNase-Free DNase I (Lyophilized)** Comb. Dusts

COMBUSTIBLE DUSTS

#### **Lysis Buffer**

H302	ACUTE TOXICITY (oral) - Category 4
H332	ACUTE TOXICITY (inhalation) - Category 4

#### **1.67X High Salt Wash Buffer**

H302	ACUTE TOXICITY (oral) - Category 4
H332	ACUTE TOXICITY (inhalation) - Category 4

#### **DNase Reconstitution Buffer**

H320	EYE IRRITATION - Category 2B
------	------------------------------

#### **DNase Digestion Buffer**

H226	FLAMMABLE LIQUIDS - Category 3
H319	EYE IRRITATION - Category 2A
H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
H336	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (liver) - Category 2

#### **Ingredients of unknown toxicity**

: β.67X High Salt Wash Buffer	Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown oral toxicity: 1 - 10%
DNase Reconstitution Buffer	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%
DNase Digestion Buffer	Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient

## Section 2. Hazards identification

(s) of unknown oral toxicity: 1 - 10%

### 2.2 GHS label elements

#### Hazard pictograms

:  Mercaptoethanol



Lysis Buffer



1.67X High Salt Wash Buffer



DNase Digestion Buffer



#### Signal word

:  Mercaptoethanol  
 RNase-Free DNase I (Lyophilized)  
 Lysis Buffer  
 1.67X High Salt Wash Buffer  
 5x Low Salt Wash Buffer  
 Elution Buffer  
 DNase Reconstitution Buffer  
 DNase Digestion Buffer

Danger  
 Warning  
 Warning  
 Warning  
 No signal word.  
 No signal word.  
 Warning  
 Warning

#### Hazard statements

:  Mercaptoethanol

H227 - Combustible liquid.  
 H310 + H330 - Fatal in contact with skin or if inhaled.  
 H301 - Toxic if swallowed.  
 H318 - Causes serious eye damage.  
 H315 - Causes skin irritation.  
 H317 - May cause an allergic skin reaction.  
 H335 - May cause respiratory irritation.

RNase-Free DNase I (Lyophilized)

No Code(s) - May form combustible dust concentrations in air.

Lysis Buffer

H302 + H332 - Harmful if swallowed or if inhaled.

1.67X High Salt Wash Buffer

H302 + H332 - Harmful if swallowed or if inhaled.

5x Low Salt Wash Buffer

No known significant effects or critical hazards.

Elution Buffer

No known significant effects or critical hazards.

DNase Reconstitution Buffer

H320 - Causes eye irritation.

DNase Digestion Buffer

H226 - Flammable liquid and vapor.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.


H336 - May cause drowsiness or dizziness.

H373 - May cause damage to organs through prolonged or repeated exposure. (liver)

#### Precautionary statements

## Section 2. Hazards identification

### Prevention

:  Mercaptoethanol

P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing.  
 P284 - Wear respiratory protection.  
 P210 - Keep away from flames and hot surfaces. - No smoking.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P262 - Do not get in eyes, on skin, or on clothing.  
 P260 - Do not breathe vapor.  
 P270 - Do not eat, drink or smoke when using this product.  
 P264 - Wash hands thoroughly after handling.  
 P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.

RNase-Free DNase I (Lyophilized) Lysis Buffer

Not applicable.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P261 - Avoid breathing vapor.  
 P270 - Do not eat, drink or smoke when using this product.

1.67X High Salt Wash Buffer

P264 - Wash hands thoroughly after handling.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P261 - Avoid breathing vapor.  
 P270 - Do not eat, drink or smoke when using this product.

5x Low Salt Wash Buffer  
 Elution Buffer  
 DNase Reconstitution Buffer  
 DNase Digestion Buffer


P264 - Wash hands thoroughly after handling.  
 Not applicable.  
 Not applicable.  
 P264 - Wash hands thoroughly after handling.  
 P280 - Wear protective gloves. Wear eye or face protection.  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P233 - Keep container tightly closed.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P260 - Do not breathe vapor.  
 P264 - Wash hands thoroughly after handling.

### Response

:  Mercaptoethanol

P304 + P340 + P310 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician.  
 P301 + P310 + P330 - IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth.  
 P302 + P361+P364 + P352 + P310 + P363 - IF ON SKIN: Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap and water. Immediately call a POISON CENTER or physician. Wash contaminated clothing before reuse.  
 P333 + P313 - If skin irritation or rash occurs: Get

## Section 2. Hazards identification

		medical attention. P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
RNase-Free DNase I (Lyophilized)		Not applicable.
Lysis Buffer		P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P301 + P312 + P330 - IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.
1.67X High Salt Wash Buffer		P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P301 + P312 + P330 - IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.
5x Low Salt Wash Buffer		Not applicable.
Elution Buffer		Not applicable.
DNase Reconstitution Buffer		P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
DNase Digestion Buffer		P314 - Get medical attention if you feel unwell. P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
<b>Storage</b>	:  Mercaptoethanol	P405 - Store locked up. P403 - Store in a well-ventilated place. P235 - Keep cool.
	RNase-Free DNase I (Lyophilized)	Not applicable.
	Lysis Buffer	Not applicable.
	1.67X High Salt Wash Buffer	Not applicable.
	5x Low Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	Not applicable.
	DNase Digestion Buffer	P405 - Store locked up. P403 - Store in a well-ventilated place. P235 - Keep cool.

**Disposal** :

## Section 2. Hazards identification

	β-Mercaptoethanol	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	RNase-Free DNase I (Lyophilized)	Not applicable.
	Lysis Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	1.67X High Salt Wash Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	5x Low Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	Not applicable.
	DNase Digestion Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Supplemental label elements</b>	: β-Mercaptoethanol	None known.
	RNase-Free DNase I (Lyophilized)	Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.
	Lysis Buffer	None known.
	1.67X High Salt Wash Buffer	None known.
	5x Low Salt Wash Buffer	None known.
	Elution Buffer	None known.
	DNase Reconstitution Buffer	None known.
	DNase Digestion Buffer	None known.

### 2.3 Other hazards

#### Hazards not otherwise classified

: β-Mercaptoethanol	None known.
RNase-Free DNase I (Lyophilized)	None known.
Lysis Buffer	None known.
1.67X High Salt Wash Buffer	None known.
5x Low Salt Wash Buffer	None known.
Elution Buffer	None known.
DNase Reconstitution Buffer	None known.
DNase Digestion Buffer	None known.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	: β-Mercaptoethanol	Substance
	RNase-Free DNase I (Lyophilized)	Substance
	Lysis Buffer	Mixture
	1.67X High Salt Wash Buffer	Mixture
	5x Low Salt Wash Buffer	Mixture
	Elution Buffer	Mixture
	DNase Reconstitution Buffer	Mixture
	DNase Digestion Buffer	Mixture

Ingredient name	%	CAS number
β-Mercaptoethanol β-Mercaptoethanol	100	60-24-2
RNase-Free DNase I (Lyophilized) Enzyme.	100	-
Lysis Buffer Guanidinium thiocyanate	≥25 - ≤50	593-84-0

### Section 3. Composition/information on ingredients

<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	≥25 - ≤50 ≤3	593-84-0 1185-53-1
<b>DNase Reconstitution Buffer</b> Glycerol	≥50 - ≤75	56-81-5
<b>DNase Digestion Buffer</b> Ethanol 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Sodium chloride	≥25 - ≤50 ≤5 ≤3	64-17-5 1185-53-1 7647-14-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### 4.1 Description of necessary first aid measures

**Eye contact**

: -Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

RNase-Free DNase I (Lyophilized)

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Lysis Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

1.67X High Salt Wash Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

5x Low Salt Wash Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Elution Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

DNase Reconstitution Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

DNase Digestion Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

## Section 4. First aid measures

### Inhalation

: -Mercaptoethanol

Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

RNase-Free DNase I (Lyophilized)

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Lysis Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

1.67X High Salt Wash Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse



## Section 4. First aid measures

health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5x Low Salt Wash Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Elution Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

DNase Reconstitution Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

DNase Digestion Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

### Skin contact

: -Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Gently wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

RNase-Free DNase I (Lyophilized)

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

## Section 4. First aid measures

Lysis Buffer	before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
1.67X High Salt Wash Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
5x Low Salt Wash Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
DNase Reconstitution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
DNase Digestion Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

### Ingestion

: -Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

RNase-Free DNase I (Lyophilized) Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

## Section 4. First aid measures

### Lysis Buffer

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 1.67X High Salt Wash Buffer

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 5x Low Salt Wash Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Elution Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### DNase Reconstitution Buffer

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never

## Section 4. First aid measures

### DNase Digestion Buffer


give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact


: -Mercaptoethanol  
RNase-Free DNase I (Lyophilized)

Causes serious eye damage.  
Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

Lysis Buffer  
1.67X High Salt Wash Buffer  
5x Low Salt Wash Buffer  
Elution Buffer  
DNase Reconstitution Buffer  
DNase Digestion Buffer

No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
Causes eye irritation.  
Causes serious eye irritation.

##### Inhalation


: -Mercaptoethanol  
RNase-Free DNase I (Lyophilized)

Fatal if inhaled. May cause respiratory irritation.  
Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

Lysis Buffer  
1.67X High Salt Wash Buffer  
5x Low Salt Wash Buffer  
Elution Buffer  
DNase Reconstitution Buffer  
DNase Digestion Buffer

Harmful if inhaled.  
Harmful if inhaled.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.  
May cause respiratory irritation.

##### Skin contact


: -Mercaptoethanol  
RNase-Free DNase I (Lyophilized)

Fatal in contact with skin. Causes skin irritation.  
May cause an allergic skin reaction.


Lysis Buffer  
1.67X High Salt Wash Buffer  
5x Low Salt Wash Buffer  
Elution Buffer  
DNase Reconstitution Buffer  
DNase Digestion Buffer


No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.


## Section 4. First aid measures

<b>Ingestion</b>	<b>:</b>  -Mercaptoethanol	Toxic if swallowed.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	Lysis Buffer	Harmful if swallowed.
	1.67X High Salt Wash Buffer	Harmful if swallowed.
	5x Low Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
DNase Digestion Buffer	Can cause central nervous system (CNS) depression.	


### Over-exposure signs/symptoms

<b>Eye contact</b>	<b>:</b>  -Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: irritation redness
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	Adverse symptoms may include the following: irritation watering redness
DNase Digestion Buffer	Adverse symptoms may include the following: pain or irritation watering redness	

<b>Inhalation</b>	<b>:</b>  -Mercaptoethanol	Adverse symptoms may include the following: respiratory tract irritation coughing
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: respiratory tract irritation coughing
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
DNase Digestion Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness	

<b>Skin contact</b>	<b>:</b>  -Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	RNase-Free DNase I (Lyophilized)	No specific data.
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.

## Section 4. First aid measures

<b>Ingestion</b>	DNase Digestion Buffer	No specific data.
	:  -Mercaptoethanol	Adverse symptoms may include the following: stomach pains
	RNase-Free DNase I (Lyophilized)	No specific data.
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
DNase Digestion Buffer	No specific data.	

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	:  -Mercaptoethanol	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	RNase-Free DNase I (Lyophilized)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Lysis Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	1.67X High Salt Wash Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	5x Low Salt Wash Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNase Reconstitution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNase Digestion Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	:  -Mercaptoethanol	No specific treatment.
	RNase-Free DNase I (Lyophilized)	No specific treatment.
	Lysis Buffer	No specific treatment.
	1.67X High Salt Wash Buffer	No specific treatment.
	5x Low Salt Wash Buffer	No specific treatment.
	Elution Buffer	No specific treatment.
	DNase Reconstitution Buffer	No specific treatment.
	DNase Digestion Buffer	No specific treatment.
<b>Protection of first-aiders</b>	:  -Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	RNase-Free DNase I (Lyophilized)	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

## Section 4. First aid measures


Lysis Buffer	the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
1.67X High Salt Wash Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
5x Low Salt Wash Buffer	No action shall be taken involving any personal risk or without suitable training.
Elution Buffer	No action shall be taken involving any personal risk or without suitable training.
DNase Reconstitution Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
DNase Digestion Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)


## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

:  -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam. Use dry chemical powder. Use an extinguishing agent suitable for the surrounding fire.
1.67X High Salt Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
5x Low Salt Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.
DNase Reconstitution Buffer	Use an extinguishing agent suitable for the surrounding fire.
DNase Digestion Buffer	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.

#### Unsuitable extinguishing media

:  -Mercaptoethanol RNase-Free DNase I (Lyophilized)	Do not use water jet. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Lysis Buffer	None known.
1.67X High Salt Wash Buffer	None known.
5x Low Salt Wash Buffer	None known.
Elution Buffer	None known.
DNase Reconstitution Buffer	None known.
DNase Digestion Buffer	Do not use water jet.

## Section 5. Fire-fighting measures

### 5.2 Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** : -Mercaptoethanol

Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.

RNase-Free DNase I (Lyophilized)	May form explosible dust-air mixture if dispersed.
Lysis Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
1.67X High Salt Wash Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
5x Low Salt Wash Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
DNase Reconstitution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
DNase Digestion Buffer	Flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products**

: -Mercaptoethanol

Decomposition products may include the following materials:

carbon dioxide  
carbon monoxide  
sulfur oxides

RNase-Free DNase I (Lyophilized)	Decomposition products may include the following materials:
----------------------------------	---

carbon dioxide  
carbon monoxide

Lysis Buffer	Decomposition products may include the following materials:
--------------	---

carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides

1.67X High Salt Wash Buffer	Decomposition products may include the following materials:
-----------------------------	---

carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides  
halogenated compounds

5x Low Salt Wash Buffer	No specific data.
-------------------------	-------------------

Elution Buffer	No specific data.
----------------	-------------------

DNase Reconstitution Buffer	Decomposition products may include the following materials:
-----------------------------	---

carbon dioxide  
carbon monoxide

DNase Digestion Buffer	Decomposition products may include the following materials:
------------------------	---

carbon dioxide  
carbon monoxide  
nitrogen oxides  
halogenated compounds



## Section 5. Fire-fighting measures

metal oxide/oxides

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

: -Mercaptoethanol

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

RNase-Free DNase I (Lyophilized)

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Lysis Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

1.67X High Salt Wash Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

5x Low Salt Wash Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Elution Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

DNase Reconstitution Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

DNase Digestion Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

#### Special protective equipment for fire-fighters

: -Mercaptoethanol

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

RNase-Free DNase I (Lyophilized)

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Lysis Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

1.67X High Salt Wash Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

5x Low Salt Wash Buffer

Fire-fighters should wear appropriate protective

## Section 5. Fire-fighting measures

Elution Buffer	equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
DNase Reconstitution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
DNase Digestion Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel**

: -Mercaptoethanol

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

RNase-Free DNase I (Lyophilized)

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Lysis Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

1.67X High Salt Wash Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

5x Low Salt Wash Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate

## Section 6. Accidental release measures

Elution Buffer	surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
DNase Reconstitution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
DNase Digestion Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<p><b>For emergency responders :</b> -Mercaptoethanol</p>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
RNase-Free DNase I (Lyophilized)	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Lysis Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
1.67X High Salt Wash Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
5x Low Salt Wash Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Elution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
DNase Reconstitution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
DNase Digestion Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8

## Section 6. Accidental release measures

### 6.2 Environmental precautions

: -Mercaptoethanol

RNase-Free DNase I (Lyophilized)

Lysis Buffer

1.67X High Salt Wash Buffer

5x Low Salt Wash Buffer

Elution Buffer

DNase Reconstitution Buffer

DNase Digestion Buffer

on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** : -Mercaptoethanol

RNase-Free DNase I (Lyophilized)

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

Lysis Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
1.67X High Salt Wash Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
5x Low Salt Wash Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Elution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNase Reconstitution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNase Digestion Buffer	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

**Protective measures** : -Mercaptoethanol

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

## Section 7. Handling and storage

RNase-Free DNase I (Lyophilized)	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Lysis Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
1.67X High Salt Wash Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
5x Low Salt Wash Buffer	Put on appropriate personal protective equipment (see Section 8).
Elution Buffer	Put on appropriate personal protective equipment (see Section 8).
DNase Reconstitution Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
DNase Digestion Buffer	Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated.

## Section 7. Handling and storage

### Advice on general occupational hygiene

: -Mercaptoethanol

RNase-Free DNase I (Lyophilized)

Lysis Buffer

1.67X High Salt Wash Buffer

5x Low Salt Wash Buffer

Elution Buffer

DNase Reconstitution Buffer

Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.


Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

	DNase Digestion Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<p><b>7.2 Conditions for safe storage, including any incompatibilities</b></p>	<p>: -Mercaptoethanol</p>	<p>Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	RNase-Free DNase I (Lyophilized)	<p>Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	Lysis Buffer	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	1.67X High Salt Wash Buffer	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>



## Section 7. Handling and storage

5x Low Salt Wash Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Elution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

DNase Reconstitution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

DNase Digestion Buffer

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

#### Recommendations

<ul style="list-style-type: none"> <li>•  Mercaptoethanol</li> <li>RNase-Free DNase I (Lyophilized)</li> <li>Lysis Buffer</li> <li>1.67X High Salt Wash Buffer</li> <li>5x Low Salt Wash Buffer</li> <li>Elution Buffer</li> <li>DNase Reconstitution Buffer</li> <li>DNase Digestion Buffer</li> </ul>	<ul style="list-style-type: none"> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> </ul>
--	--

## Section 7. Handling and storage

<b>Industrial sector specific solutions</b>	<b>β-Mercaptoethanol</b>	Not applicable.
	<b>RNase-Free DNase I (Lyophilized)</b>	Not applicable.
	<b>Lysis Buffer</b>	Not applicable.
	<b>1.67X High Salt Wash Buffer</b>	Not applicable.
	<b>5x Low Salt Wash Buffer</b>	Not applicable.
	<b>Elution Buffer</b>	Not applicable.
	<b>DNase Reconstitution Buffer</b>	Not applicable.
	<b>DNase Digestion Buffer</b>	Not applicable.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	<b>AIHA WEEL (United States, 10/2011).</b> <b>Absorbed through skin.</b> TWA: 0.2 ppm 8 hours.
<b>RNase-Free DNase I (Lyophilized)</b> Enzyme.	None.
<b>Lysis Buffer</b> Guanidinium thiocyanate	None.
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	None. None.
<b>DNase Reconstitution Buffer</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>OSHA PEL (United States, 6/2016).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
<b>DNase Digestion Buffer</b> Ethanol	<b>ACGIH TLV (United States, 3/2017).</b> STEL: 1000 ppm 15 minutes. <b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 1000 ppm 8 hours. TWA: 1900 mg/m <sup>3</sup> 8 hours. <b>NIOSH REL (United States, 10/2016).</b> TWA: 1000 ppm 10 hours. TWA: 1900 mg/m <sup>3</sup> 10 hours. <b>OSHA PEL (United States, 6/2016).</b> TWA: 1000 ppm 8 hours. TWA: 1900 mg/m <sup>3</sup> 8 hours.
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Sodium chloride	None. None.

### 8.2 Exposure controls

## Section 8. Exposure controls/personal protection

- Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures**
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	: <input checked="" type="checkbox"/> Mercaptoethanol	Liquid.
	: RNase-Free DNase I (Lyophilized)	Solid.
	: Lysis Buffer	Liquid.
	: 1.67X High Salt Wash Buffer	Liquid.
	: 5x Low Salt Wash Buffer	Liquid.
	: Elution Buffer	Liquid.
	: DNase Reconstitution Buffer	Liquid.
	: DNase Digestion Buffer	Liquid.

## Section 9. Physical and chemical properties

<b>Color</b>	<b>:</b>	β-Mercaptoethanol	Colorless.
		RNase-Free DNase I (Lyophilized)	Not available.
		Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low Salt Wash Buffer	Not available.
		Elution Buffer	Not available.
		DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Not available.
<b>Odor</b>	<b>:</b>	β-Mercaptoethanol	Characteristic.
		RNase-Free DNase I (Lyophilized)	Not available.
		Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low Salt Wash Buffer	Not available.
		Elution Buffer	Not available.
		DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Not available.
<b>Odor threshold</b>	<b>:</b>	β-Mercaptoethanol	Not available.
		RNase-Free DNase I (Lyophilized)	Not available.
		Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low Salt Wash Buffer	Not available.
		Elution Buffer	Not available.
		DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Not available.
<b>pH</b>	<b>:</b>	β-Mercaptoethanol	Not available.
		RNase-Free DNase I (Lyophilized)	Not available.
		Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low Salt Wash Buffer	6.4
		Elution Buffer	7.5
		DNase Reconstitution Buffer DNase Digestion Buffer	7.5 7
<b>Melting point</b>	<b>:</b>	β-Mercaptoethanol	-100°C (-148°F)
		RNase-Free DNase I (Lyophilized)	Not available.
		Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low Salt Wash Buffer	0°C (32°F)
		Elution Buffer	0°C (32°F)
		DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Not available.
<b>Boiling point</b>	<b>:</b>	β-Mercaptoethanol	157°C (314.6°F)
		RNase-Free DNase I (Lyophilized)	Not available.
		Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low Salt Wash Buffer	100°C (212°F)
		Elution Buffer	100°C (212°F)
		DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Not available.
<b>Flash point</b>	<b>:</b>	β-Mercaptoethanol	Closed cup: 74°C (165.2°F) Open cup: 74°C (165.2°F)
		RNase-Free DNase I (Lyophilized)	Not available.
		Lysis Buffer	Not available.
		1.67X High Salt Wash Buffer	Not available.
		5x Low Salt Wash Buffer	Not available.
		Elution Buffer	Not available.
		DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Closed cup: 23 to 37.8°C (73.4 to 100°F)

## Section 9. Physical and chemical properties

<b>Evaporation rate</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Flammability (solid, gas)</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Not applicable. Not available. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol  RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Lower: 2.3% Upper: 18%  Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Vapor pressure</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	0.13 kPa (0.98 mm Hg) [room temperature] Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Vapor density</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	2.7 [Air = 1] Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Relative density</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	1.1 Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Solubility</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol  RNase-Free DNase I (Lyophilized)  Lysis Buffer  1.67X High Salt Wash Buffer	Easily soluble in the following materials: cold water and hot water.  Easily soluble in the following materials: cold water and hot water.  Soluble in the following materials: cold water and hot water.  Soluble in the following materials: cold water and hot water.

## Section 9. Physical and chemical properties

	5x Low Salt Wash Buffer	Easily soluble in the following materials: cold water and hot water.
	Elution Buffer	Easily soluble in the following materials: cold water and hot water.
	DNase Reconstitution Buffer	Soluble in the following materials: cold water and hot water.
	DNase Digestion Buffer	Soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol	-0.056
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.
<b>Auto-ignition temperature</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol	295°C (563°F)
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.
<b>Decomposition temperature</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.
<b>Viscosity</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol	Dynamic (room temperature): 3.43 mPa·s (3.43 cP)
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol	No specific test data related to reactivity available for this product or its ingredients.
	RNase-Free DNase I (Lyophilized)	No specific test data related to reactivity available for this product or its ingredients.
	Lysis Buffer	No specific test data related to reactivity available for this product or its ingredients.
	1.67X High Salt Wash Buffer	No specific test data related to reactivity available for this product or its ingredients.
	5x Low Salt Wash Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	DNase Reconstitution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	DNase Digestion Buffer	No specific test data related to reactivity available for this product or its ingredients.

## Section 10. Stability and reactivity


for this product or its ingredients.

<b>10.2 Chemical stability</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol  RNase-Free DNase I (Lyophilized)  Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. No specific data. No specific data. No specific data. No specific data. No specific data. Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
<b>10.5 Incompatible materials</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol  RNase-Free DNase I (Lyophilized)  Lysis Buffer	Reactive or incompatible with the following materials: oxidizing materials Reactive or incompatible with the following materials: oxidizing materials May react or be incompatible with oxidizing

## Section 10. Stability and reactivity

1.67X High Salt Wash Buffer	materials. May react or be incompatible with oxidizing materials.
5x Low Salt Wash Buffer	May react or be incompatible with oxidizing materials.
Elution Buffer	May react or be incompatible with oxidizing materials.
DNase Reconstitution Buffer	May react or be incompatible with oxidizing materials.
DNase Digestion Buffer	Reactive or incompatible with the following materials: oxidizing materials


### 10.6 Hazardous decomposition products

:  -Mercaptoethanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
RNase-Free DNase I (Lyophilized)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Lysis Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
1.67X High Salt Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
5x Low Salt Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
DNase Reconstitution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
DNase Digestion Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
 -Mercaptoethanol β-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
<b>DNase Reconstitution Buffer</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>DNase Digestion Buffer</b> Ethanol	LC50 Inhalation Vapor LD50 Oral	Rat Rat	124700 mg/m <sup>3</sup> 7 g/kg	4 hours -
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

#### Irritation/Corrosion



## Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 milligrams	-
<b>DNase Reconstitution Buffer</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>DNase Digestion Buffer</b> Ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

### Sensitization

Not available.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Classification

Product/ingredient name	OSHA	IARC	NTP
<b>DNase Digestion Buffer</b> Ethanol	-	1	-

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

## Section 11. Toxicological information

Name	Category	Route of exposure	Target organs
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	Category 3	Not applicable.	Respiratory tract irritation
<b>1.67X High Salt Wash Buffer</b> 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation
<b>DNase Digestion Buffer</b> Ethanol	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
<b>DNase Digestion Buffer</b> Ethanol	Category 2	Not determined	liver

### Aspiration hazard

Not available.

### Information on the likely routes of exposure

β-Mercaptoethanol	Routes of entry anticipated: Oral, Dermal, Inhalation.
RNase-Free DNase I (Lyophilized)	Not available.
Lysis Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
1.67X High Salt Wash Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
5x Low Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
DNase Digestion Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

#### Eye contact

β-Mercaptoethanol	Causes serious eye damage.
RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Lysis Buffer	No known significant effects or critical hazards.
1.67X High Salt Wash Buffer	No known significant effects or critical hazards.
5x Low Salt Wash Buffer	No known significant effects or critical hazards.
Elution Buffer	No known significant effects or critical hazards.
DNase Reconstitution Buffer	Causes eye irritation.
DNase Digestion Buffer	Causes serious eye irritation.

## Section 11. Toxicological information

<b>Inhalation</b>	<p>: <b>β</b>-Mercaptoethanol RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer</p>	<p>Fatal if inhaled. May cause respiratory irritation. Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.</p> <p>Harmful if inhaled. Harmful if inhaled.</p> <p>No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation.</p>
<b>Skin contact</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer</p>	<p>Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.</p> <p>No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.</p>
<b>Ingestion</b>	<p>: <b>β</b>-Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer</p>	<p>Toxic if swallowed.</p> <p>No known significant effects or critical hazards. Harmful if swallowed. Harmful if swallowed.</p> <p>No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Can cause central nervous system (CNS) depression.</p>

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>Adverse symptoms may include the following: pain watering redness</p> <p>Adverse symptoms may include the following: irritation redness</p> <p>No specific data. No specific data. No specific data. No specific data.</p> <p>Adverse symptoms may include the following: irritation watering redness</p> <p>Adverse symptoms may include the following: pain or irritation watering redness</p>
--------------------	--	---

## Section 11. Toxicological information

<b>Inhalation</b>	: <b>β-Mercaptoethanol</b>	Adverse symptoms may include the following: respiratory tract irritation coughing
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: respiratory tract irritation coughing
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness
<b>Skin contact</b>	: <b>β-Mercaptoethanol</b>	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	RNase-Free DNase I (Lyophilized)	No specific data.
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	No specific data.
<b>Ingestion</b>	: <b>β-Mercaptoethanol</b>	Adverse symptoms may include the following: stomach pains
	RNase-Free DNase I (Lyophilized)	No specific data.
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

## Section 11. Toxicological information

<b>General</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.</p> <p>Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>May cause damage to organs through prolonged or repeated exposure.</p>
<b>Carcinogenicity</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
<b>Mutagenicity</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
<b>Teratogenicity</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
<b>Developmental effects</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
<b>Fertility effects</b>	<p>: <b>β</b>-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>

### Numerical measures of toxicity

#### Acute toxicity estimates

## Section 11. Toxicological information

Route	ATE value
<b>Lysis Buffer</b> Oral Dermal Inhalation (dusts and mists)	1057.1 mg/kg 2325.6 mg/kg 3.171 mg/l
<b>1.67X High Salt Wash Buffer</b> Oral Dermal Inhalation (dusts and mists)	1282.1 mg/kg 2820.5 mg/kg 3.846 mg/l
<b>DNase Digestion Buffer</b> Oral	258620.7 mg/kg

<b>Other information</b>	: <input checked="" type="checkbox"/> -Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Adverse symptoms may include the following: Repeated exposure may cause skin dryness or cracking.

## Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<b>DNase Reconstitution Buffer</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>DNase Digestion Buffer</b> Ethanol	Acute EC50 17.921 mg/l Marine water Acute EC50 2000 µg/l Fresh water Acute LC50 25500 µg/l Marine water	Algae - Ulva pertusa Daphnia - Daphnia magna Crustaceans - Artemia franciscana - Larvae	96 hours 48 hours 48 hours
	Acute LC50 42000 µg/l Fresh water Chronic NOEC 4.995 mg/l Marine water Chronic NOEC 100 ul/L Fresh water	Fish - Oncorhynchus mykiss Algae - Ulva pertusa Daphnia - Daphnia magna - Neonate	4 days 96 hours 21 days
	Chronic NOEC 0.375 ul/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks
Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water Acute EC50 402600 µg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Crustaceans - Cypris subglobosa Daphnia - Daphnia magna Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 48 hours 96 hours 96 hours 3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex	96 hours 21 days

## Section 12. Ecological information

	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
--	-----------------------------------	-----------------------------------	---------

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>DNase Reconstitution Buffer</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>DNase Digestion Buffer</b> Ethanol	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	-0.056	-	low
<b>DNase Reconstitution Buffer</b> Glycerol	-1.76	-	low
<b>DNase Digestion Buffer</b> Ethanol	-0.35	0.5	low

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.






## Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	UN3316	UN3316	UN3316	UN3316	UN3316
UN proper shipping name	☑ Chemical kits	CHEMICAL KIT	EQUIPO QUIMICO	CHEMICAL KIT	Chemical kit
Transport hazard class(es)	9 	9 	9 	9 	9 
Packing group	II	II	II	II	II
Environmental hazards	☒ No.	☒ No.	☒ No.	☒ No.	☒ No.

### Additional information

☑ **Remarks:** Excepted Quantity

#### DOT Classification

: ☑ **Limited quantity** Yes.  
**Packaging instruction** Exceptions: 161. Non-bulk: 161. Bulk: None.  
**Quantity limitation** Passenger aircraft/rail: 10 kg. Cargo aircraft: 10 kg.  
**Special provisions** 15

#### TDG Classification

: ☑ Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9).  
**Passenger Carrying Road or Rail Index** 10  
**Special provisions** 65, 141

#### Mexico Classification

: ☑ **Special provisions** 251, 340

#### IMDG

: ☑ **Emergency schedules** F-A, \_S-P\_  
**Special provisions** 251, 340

#### IATA

: ☑ **Quantity limitation** Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960. Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960.  
**Special provisions** A44, A163

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.



## Section 14. Transport information

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) PAIR: octamethylcyclotetrasiloxane  
 TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
 Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

### SARA 311/312

#### **Classification**

<p>β-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized) Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer</p>	<p>FLAMMABLE LIQUIDS - Category 4                  ACUTE TOXICITY (oral) - Category 3                  ACUTE TOXICITY (dermal) - Category 2                  ACUTE TOXICITY (inhalation) - Category 2                  SKIN IRRITATION - Category 2                  SERIOUS EYE DAMAGE - Category 1                  SKIN SENSITIZATION - Category 1                  SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3                  COMBUSTIBLE DUSTS                  ACUTE TOXICITY (oral) - Category 4                  ACUTE TOXICITY (inhalation) - Category 4                  ACUTE TOXICITY (oral) - Category 4                  ACUTE TOXICITY (inhalation) - Category 4                  Not applicable.                  Not applicable.                  EYE IRRITATION - Category 2B                  FLAMMABLE LIQUIDS - Category 3                  EYE IRRITATION - Category 2A                  SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3                  SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3                  SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (liver) - Category 2</p>
---	---

#### Composition/information on ingredients

## Section 15. Regulatory information

Name	%	Classification
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	100	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 2 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
<b>RNase-Free DNase I (Lyophilized) Enzyme.</b>	100	COMBUSTIBLE DUSTS
<b>Lysis Buffer</b> Guanidinium thiocyanate	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4
2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride	≤3	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
<b>DNase Reconstitution Buffer</b> Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2A
<b>DNase Digestion Buffer</b> Ethanol	≥25 - ≤50	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (liver) - Category 2
2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride	≤5	HNOC - Defatting irritant SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Sodium chloride	≤3	EYE IRRITATION - Category 2A

### State regulations

#### Massachusetts

: The following components are listed: 2-MERCAPTOETHANOL; ETHYL ALCOHOL; DENATURED ALCOHOL; GLYCERINE MIST

#### New York

: None of the components are listed.

#### New Jersey

: The following components are listed: THIOGLYCOL; 2-MERCAPTOETHANOL; ETHYL ALCOHOL; ALCOHOL; GLYCERIN; 1,2,3-PROPANETRIOL

#### Pennsylvania

: The following components are listed: ETHANOL, 2-MERCAPTO-; DENATURED ALCOHOL; ETHANOL; 1,2,3-PROPANETRIOL

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

## Section 15. Regulatory information

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: All components are listed or exempted.
<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <input checked="" type="checkbox"/> <b>Japan inventory (ENCS)</b> : Not determined. <b>Japan inventory (ISHL)</b> : All components are listed or exempted.
<b>Malaysia</b>	: Not determined.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: All components are listed or exempted.
<b>Viet Nam</b>	: <input checked="" type="checkbox"/> Not determined.

## Section 16. Other information

### History

<b>Date of issue</b>	: 02/02/2018
<b>Date of previous issue</b>	: 09/20/2016
<b>Version</b>	: 7

### Procedure used to derive the classification

Classification	Justification
<b><input checked="" type="checkbox"/>-Mercaptoethanol</b> FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 2 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	On basis of test data On basis of test data On basis of test data On basis of test data Expert judgment Expert judgment Expert judgment Expert judgment
<b>RNase-Free DNase I (Lyophilized)</b> COMBUSTIBLE DUSTS	On basis of test data
<b>Lysis Buffer</b> ACUTE TOXICITY (oral) - Category 4	Calculation method

## Section 16. Other information

ACUTE TOXICITY (inhalation) - Category 4	Calculation method
<b>1.67X High Salt Wash Buffer</b>	
ACUTE TOXICITY (oral) - Category 4	Calculation method
ACUTE TOXICITY (inhalation) - Category 4	Calculation method
<b>DNase Reconstitution Buffer</b>	
EYE IRRITATION - Category 2B	Calculation method
<b>DNase Digestion Buffer</b>	
FLAMMABLE LIQUIDS - Category 3	On basis of test data
EYE IRRITATION - Category 2A	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (liver) - Category 2	Calculation method

✔ Indicates information that has changed from previously issued version.

### [Notice to reader](#)

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.