

# SAFETY DATA SHEET



Absolutely RNA Miniprep Kit, Part Number 400800

## Section 1. Identification

### 1.1 Product identifier

**Product name** : Absolutely RNA Miniprep Kit, Part Number 400800

**Part no. (chemical kit)** : 400800

**Part no.** :

β-Mercaptoethanol	200345-21
RNase-Free DNase I (Lyophilized)	400711-23
Lysis Buffer	400711-13
1.67X High Salt Wash Buffer	400711-14
5x Low Salt Wash Buffer	400711-15
Elution Buffer	400711-16
DNase Reconstitution Buffer	400711-17
DNase Digestion Buffer	400711-18

**Validation date** : 1/29/2024

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** :

- Analytical reagent.
- β-Mercaptoethanol 0.75 ml (750 µl 14.33 M)
- RNase-Free DNase I (Lyophilized) 1.2 mg (2600 U)
- Lysis Buffer 35 ml
- 1.67X High Salt Wash Buffer 24 ml
- 5x Low Salt Wash Buffer 17 ml
- Elution Buffer 12 ml
- DNase Reconstitution Buffer 0.3 ml
- DNase Digestion Buffer 2 x 1.5 ml

### 1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
5301 Stevens Creek Blvd  
Santa Clara, CA 95051, USA  
800-227-9770

### 1.4 Emergency telephone number

**In case of emergency** : CHEMTREC®: 1-800-424-9300

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

<b>OSHA/HCS status</b>	β-Mercaptoethanol	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	RNase-Free DNase I (Lyophilized)	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Lysis Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	1.67X High Salt Wash Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	5x Low Salt Wash Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Elution Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR

## Section 2. Hazards identification

1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

DNase Reconstitution Buffer This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
 DNase Digestion Buffer This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture

#### **B-Mercaptoethanol**

H227 FLAMMABLE LIQUIDS - Category 4  
 H301 ACUTE TOXICITY (oral) - Category 3  
 H310 ACUTE TOXICITY (dermal) - Category 2  
 H331 ACUTE TOXICITY (inhalation) - Category 3  
 H315 SKIN IRRITATION - Category 2  
 H318 SERIOUS EYE DAMAGE - Category 1  
 H317 SKIN SENSITIZATION - Category 1A  
 H361 TOXIC TO REPRODUCTION - Category 2  
 H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2  
 H400 AQUATIC HAZARD (ACUTE) - Category 1  
 H411 AQUATIC HAZARD (LONG-TERM) - Category 2

#### **RNase-Free DNase I (Lyophilized)**

COMBUSTIBLE DUSTS

#### **Lysis Buffer**

H302 ACUTE TOXICITY (oral) - Category 4  
 H314 SKIN CORROSION - Category 1C  
 H318 SERIOUS EYE DAMAGE - Category 1  
 H412 AQUATIC HAZARD (LONG-TERM) - Category 3

#### **1.67X High Salt Wash Buffer**

H302 ACUTE TOXICITY (oral) - Category 4  
 H314 SKIN CORROSION - Category 1C  
 H318 SERIOUS EYE DAMAGE - Category 1  
 H412 AQUATIC HAZARD (LONG-TERM) - Category 3

#### **DNase Reconstitution Buffer**

H320 EYE IRRITATION - Category 2B


#### **DNase Digestion Buffer**

H226 FLAMMABLE LIQUIDS - Category 3

### 2.2 GHS label elements

## Section 2. Hazards identification

**Hazard pictograms** : -Mercaptoethanol



Lysis Buffer



1.67X High Salt Wash Buffer



DNase Digestion Buffer



**Signal word**

: -Mercaptoethanol Danger  
 RNase-Free DNase I (Lyophilized) Warning  
 Lysis Buffer Danger  
 1.67X High Salt Wash Buffer Danger  
 5x Low Salt Wash Buffer No signal word.  
 Elution Buffer No signal word.  
 DNase Reconstitution Buffer Warning  
 DNase Digestion Buffer Warning

**Hazard statements**

: -Mercaptoethanol H227 - Combustible liquid.  
 H301 + H331 - Toxic if swallowed or if inhaled.  
 H310 - Fatal in contact with skin.  
 H315 - Causes skin irritation.  
 H317 - May cause an allergic skin reaction.  
 H318 - Causes serious eye damage.  
 H361 - Suspected of damaging fertility or the unborn child.  
 H373 - May cause damage to organs through prolonged or repeated exposure. (heart, liver)  
 H400 - Very toxic to aquatic life.  
 H411 - Toxic to aquatic life with long lasting effects.  
 RNase-Free DNase I (Lyophilized) May form combustible dust concentrations in air.  
 Lysis Buffer H302 - Harmful if swallowed.  
 H314 - Causes severe skin burns and eye damage.  
 H412 - Harmful to aquatic life with long lasting effects.  
 1.67X High Salt Wash Buffer H302 - Harmful if swallowed.  
 H314 - Causes severe skin burns and eye damage.  
 H412 - Harmful to aquatic life with long lasting effects.  
 5x Low Salt Wash Buffer No known significant effects or critical hazards.  
 Elution Buffer No known significant effects or critical hazards.  
 DNase Reconstitution Buffer H320 - Causes eye irritation.  
 DNase Digestion Buffer H226 - Flammable liquid and vapor.

**Precautionary statements**

## Section 2. Hazards identification

### Prevention

: -Mercaptoethanol

P201 - Obtain special instructions before use.  
 P280 - Wear protective gloves, protective clothing and eye or face protection.  
 P210 - Keep away from flames and hot surfaces. No smoking.  
 P273 - Avoid release to the environment.  
 P262 - Do not get in eyes, on skin, or on clothing.  
 P260 - Do not breathe vapor.  
 P270 - Do not eat, drink or smoke when using this product.

RNase-Free DNase I (Lyophilized)  
 Lysis Buffer

P264 - Wash thoroughly after handling.  
 Not applicable.  
 P280 - Wear protective gloves, protective clothing and eye or face protection.  
 P273 - Avoid release to the environment.  
 P270 - Do not eat, drink or smoke when using this product.

1.67X High Salt Wash Buffer

P264 - Wash thoroughly after handling.  
 P280 - Wear protective gloves, protective clothing and eye or face protection.  
 P273 - Avoid release to the environment.  
 P270 - Do not eat, drink or smoke when using this product.

5x Low Salt Wash Buffer  
 Elution Buffer  
 DNase Reconstitution Buffer  
 DNase Digestion Buffer

P264 - Wash thoroughly after handling.  
 Not applicable.  
 Not applicable.  
 Not applicable.  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P241 - Use explosion-proof electrical, ventilating or lighting equipment.  
 P242 - Use non-sparking tools.  
 P243 - Take action to prevent static discharges.

### Response

: -Mercaptoethanol

P391 - Collect spillage.  
 P308 + P313 - IF exposed or concerned: Get medical advice or attention.  
 P304 + P340, P311 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor.  
 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
 P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse.  
 P302 + P310, P352 - IF ON SKIN: Immediately call a POISON CENTER or doctor. Wash with plenty of water.  
 P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.  
 P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

RNase-Free DNase I (Lyophilized)  
 Lysis Buffer

Not applicable.  
 P304 + P310 - IF INHALED: Immediately call a POISON CENTER or doctor.  
 P301 + P310, P330, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

## Section 2. Hazards identification

	1.67X High Salt Wash Buffer	<p>P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor.</p> <p>P363 - Wash contaminated clothing before reuse.</p> <p>P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.</p> <p>P304 + P310 - IF INHALED: Immediately call a POISON CENTER or doctor.</p> <p>P301 + P310, P330, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.</p> <p>P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor.</p> <p>P363 - Wash contaminated clothing before reuse.</p> <p>P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.</p>
	5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer	<p>Not applicable.</p> <p>Not applicable.</p> <p>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337 + P313 - If eye irritation persists: Get medical advice or attention.</p>
<b>Storage</b>	<p>DNase Digestion Buffer</p> <p>: β-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>Not applicable.</p> <p>P403 + P235 - Store in a well-ventilated place. Keep cool.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>P403 + P235 - Store in a well-ventilated place. Keep cool.</p>
<b>Disposal</b>	<p>: β-Mercaptoethanol</p> <p>RNase-Free DNase I (Lyophilized)</p> <p>Lysis Buffer</p> <p>1.67X High Salt Wash Buffer</p> <p>5x Low Salt Wash Buffer</p> <p>Elution Buffer</p> <p>DNase Reconstitution Buffer</p> <p>DNase Digestion Buffer</p>	<p>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</p> <p>Not applicable.</p> <p>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</p> <p>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</p>

## Section 2. Hazards identification

<b>Supplemental label elements</b>	: $\beta$ -Mercaptoethanol	None known.
	RNase-Free DNase I (Lyophilized)	Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.
	Lysis Buffer	Keep container tightly closed. Do not breathe vapor or spray. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling.
	1.67X High Salt Wash Buffer	Keep container tightly closed. Do not breathe vapor or spray. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling.
	5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	None known. None known. None known. Avoid contact with skin and clothing. Wash thoroughly after handling.

### 2.3 Other hazards

<b>Hazards not otherwise classified</b>	: $\beta$ -Mercaptoethanol	None known.
	RNase-Free DNase I (Lyophilized)	None known.
	Lysis Buffer	Causes respiratory tract burns. Causes digestive tract burns.
	1.67X High Salt Wash Buffer	Causes respiratory tract burns. Causes digestive tract burns.
	5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	None known. None known. None known. Prolonged or repeated contact may dry skin and cause irritation.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	: $\beta$ -Mercaptoethanol	Substance
	RNase-Free DNase I (Lyophilized)	Substance
	Lysis Buffer	Mixture
	1.67X High Salt Wash Buffer	Mixture
	5x Low Salt Wash Buffer	Mixture
	Elution Buffer	Mixture
	DNase Reconstitution Buffer	Mixture
	DNase Digestion Buffer	Mixture

Ingredient name	%	CAS number
<b><math>\beta</math>-Mercaptoethanol</b>		
$\beta$ -Mercaptoethanol	100	60-24-2
<b>RNase-Free DNase I (Lyophilized)</b>		
Enzyme.	100	-
<b>Lysis Buffer</b>		
Guanidinium thiocyanate	$\geq 25 - \leq 50$	593-84-0
<b>1.67X High Salt Wash Buffer</b>		

### Section 3. Composition/information on ingredients

Guanidinium thiocyanate	≥25 - ≤50	593-84-0
<b>DNase Reconstitution Buffer</b>		
Glycerol	≥50 - ≤75	56-81-5
<b>DNase Digestion Buffer</b>		
Ethanol	≥25 - <50	64-17-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### 4.1 Description of necessary first aid measures

**Eye contact**

: -Mercaptoethanol

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

RNase-Free DNase I (Lyophilized)

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Lysis Buffer

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

1.67X High Salt Wash Buffer

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

5x Low Salt Wash Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Elution Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

DNase Reconstitution Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

DNase Digestion Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

## Section 4. First aid measures

### Inhalation

: -Mercaptoethanol

Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

RNase-Free DNase I (Lyophilized)

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Lysis Buffer

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

1.67X High Salt Wash Buffer

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5x Low Salt Wash Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Elution Buffer

Remove victim to fresh air and keep at rest in a

## Section 4. First aid measures

	<p>DNase Reconstitution Buffer</p>	<p>position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
	<p>DNase Digestion Buffer</p>	<p>Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</p>
<p><b>Skin contact</b></p>	<p>: -Mercaptoethanol</p>	<p>Get medical attention immediately. Call a poison center or physician. Gently wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.</p>
	<p>RNase-Free DNase I (Lyophilized)</p>	<p>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</p>
	<p>Lysis Buffer</p>	<p>Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.</p>
	<p>1.67X High Salt Wash Buffer</p>	<p>Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean</p>

## Section 4. First aid measures

	5x Low Salt Wash Buffer	shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	DNase Reconstitution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	DNase Digestion Buffer	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Ingestion</b>	:  -Mercaptoethanol	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	RNase-Free DNase I (Lyophilized)	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
	Lysis Buffer	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	1.67X High Salt Wash Buffer	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs,

## Section 4. First aid measures

5x Low Salt Wash Buffer

the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Elution Buffer

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

DNase Reconstitution Buffer

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

DNase Digestion Buffer

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact

: -Mercaptoethanol  
RNase-Free DNase I (Lyophilized)

Causes serious eye damage.  
Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

Lysis Buffer  
1.67X High Salt Wash Buffer  
5x Low Salt Wash Buffer  
Elution Buffer  
DNase Reconstitution Buffer

Causes serious eye damage.  
Causes serious eye damage.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
Causes eye irritation.

## Section 4. First aid measures

<b>Inhalation</b>	DNase Digestion Buffer	No known significant effects or critical hazards.
	: $\beta$ -Mercaptoethanol	Toxic if inhaled.
	RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	Lysis Buffer	Corrosive to the respiratory system.
	1.67X High Salt Wash Buffer	Corrosive to the respiratory system.
	5x Low Salt Wash Buffer	No known significant effects or critical hazards.
<b>Skin contact</b>	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.
	: $\beta$ -Mercaptoethanol	Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	Lysis Buffer	Causes severe burns.
<b>Ingestion</b>	1.67X High Salt Wash Buffer	Causes severe burns.
	5x Low Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	Defatting to the skin. May cause skin dryness and irritation.
	: $\beta$ -Mercaptoethanol	Toxic if swallowed.
<b>Over-exposure signs/symptoms</b>	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	Lysis Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	1.67X High Salt Wash Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	5x Low Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
<b>Eye contact</b>	DNase Digestion Buffer	No known significant effects or critical hazards.
	: $\beta$ -Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: irritation redness
	Lysis Buffer	Adverse symptoms may include the following: pain watering redness
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain watering redness
	5x Low Salt Wash Buffer	No specific data.
Elution Buffer	No specific data.	
DNase Reconstitution Buffer	Adverse symptoms may include the following: irritation watering redness	
DNase Digestion Buffer	No specific data.	

## Section 4. First aid measures

<b>Inhalation</b>	: $\beta$ -Mercaptoethanol	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: respiratory tract irritation coughing
	Lysis Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: respiratory tract irritation coughing
	5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	No specific data. No specific data. No specific data. No specific data.
<b>Skin contact</b>	: $\beta$ -Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	No specific data.
	Lysis Buffer	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	No specific data. No specific data. No specific data. Adverse symptoms may include the following: irritation dryness cracking
<b>Ingestion</b>	: $\beta$ -Mercaptoethanol	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	No specific data.
	Lysis Buffer	Adverse symptoms may include the following: stomach pains
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: stomach pains
	5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	No specific data. No specific data. No specific data. No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

## Section 4. First aid measures

<b>Notes to physician</b>	: $\beta$ -Mercaptoethanol	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	RNase-Free DNase I (Lyophilized)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Lysis Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	1.67X High Salt Wash Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	5x Low Salt Wash Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNase Reconstitution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNase Digestion Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	: $\beta$ -Mercaptoethanol	No specific treatment.
	RNase-Free DNase I (Lyophilized)	No specific treatment.
	Lysis Buffer	No specific treatment.
	1.67X High Salt Wash Buffer	No specific treatment.
	5x Low Salt Wash Buffer	No specific treatment.
	Elution Buffer	No specific treatment.
	DNase Reconstitution Buffer	No specific treatment.
	DNase Digestion Buffer	No specific treatment.
<b>Protection of first-aiders</b>	: $\beta$ -Mercaptoethanol	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	RNase-Free DNase I (Lyophilized)	No action shall be taken involving any personal risk or without suitable training.
	Lysis Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	1.67X High Salt Wash Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

## Section 4. First aid measures

5x Low Salt Wash Buffer	before removing it, or wear gloves. No action shall be taken involving any personal risk or without suitable training.
Elution Buffer	No action shall be taken involving any personal risk or without suitable training.
DNase Reconstitution Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
DNase Digestion Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

: $\beta$ -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam. Use dry chemical powder. Use an extinguishing agent suitable for the surrounding fire.
1.67X High Salt Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
5x Low Salt Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.
DNase Reconstitution Buffer	Use an extinguishing agent suitable for the surrounding fire.
DNase Digestion Buffer	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.

#### Unsuitable extinguishing media

: $\beta$ -Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Do not use water jet. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. None known. None known. None known. None known. None known. Do not use water jet.
---	--

### 5.2 Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

: $\beta$ -Mercaptoethanol          RNase-Free DNase I (Lyophilized) Lysis Buffer	Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.  May form explosible dust-air mixture if dispersed. In a fire or if heated, a pressure increase will occur and the container may burst. This material is
--	--

## Section 5. Fire-fighting measures

		harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	1.67X High Salt Wash Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	5x Low Salt Wash Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	DNase Reconstitution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	DNase Digestion Buffer	Flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
<b>Hazardous thermal decomposition products</b>	: β-Mercaptoethanol	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
	RNase-Free DNase I (Lyophilized)	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Lysis Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
	1.67X High Salt Wash Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	DNase Digestion Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides

### 5.3 Advice for firefighters

## Section 5. Fire-fighting measures

**Special protective actions for fire-fighters** : β-Mercaptoethanol

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

RNase-Free DNase I (Lyophilized)

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Lysis Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

1.67X High Salt Wash Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

5x Low Salt Wash Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Elution Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

DNase Reconstitution Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

DNase Digestion Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters** : β-Mercaptoethanol

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

RNase-Free DNase I (Lyophilized)

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Lysis Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

1.67X High Salt Wash Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

5x Low Salt Wash Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Elution Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

## Section 5. Fire-fighting measures

DNase Reconstitution Buffer	(SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
DNase Digestion Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel**

: -Mercaptoethanol

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

RNase-Free DNase I (Lyophilized)

Lysis Buffer

1.67X High Salt Wash Buffer

5x Low Salt Wash Buffer

Elution Buffer

## Section 6. Accidental release measures

DNase Reconstitution Buffer	touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
DNase Digestion Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For emergency responders</b> : $\beta$ -Mercaptoethanol	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
RNase-Free DNase I (Lyophilized)	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Lysis Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
1.67X High Salt Wash Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
5x Low Salt Wash Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Elution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
DNase Reconstitution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
DNase Digestion Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## Section 6. Accidental release measures

<b>6.2 Environmental precautions</b>	: β-Mercaptoethanol	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
	RNase-Free DNase I (Lyophilized)	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Lysis Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
	1.67X High Salt Wash Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
	5x Low Salt Wash Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Elution Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	DNase Reconstitution Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	DNase Digestion Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

<b>Methods for cleaning up</b>	: β-Mercaptoethanol	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	RNase-Free DNase I (Lyophilized)	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed

## Section 6. Accidental release measures

Lysis Buffer	waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
1.67X High Salt Wash Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
5x Low Salt Wash Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Elution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNase Reconstitution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNase Digestion Buffer	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

**Protective measures** : β-Mercaptoethanol

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-

## Section 7. Handling and storage

	proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
RNase-Free DNase I (Lyophilized)	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Lysis Buffer	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
1.67X High Salt Wash Buffer	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
5x Low Salt Wash Buffer	Put on appropriate personal protective equipment (see Section 8).
Elution Buffer	Put on appropriate personal protective equipment (see Section 8).
DNase Reconstitution Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
DNase Digestion Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with

## Section 7. Handling and storage

eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

### Advice on general occupational hygiene

: β-Mercaptoethanol

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

RNase-Free DNase I (Lyophilized)

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Lysis Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

1.67X High Salt Wash Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

5x Low Salt Wash Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Elution Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

DNase Reconstitution Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

## Section 7. Handling and storage

	<p>DNase Digestion Buffer</p>	<p>before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p><b>7.2 Conditions for safe storage, including any incompatibilities</b></p>	<p>: -Mercaptoethanol</p>	<p>Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>RNase-Free DNase I (Lyophilized)</p>	<p>Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>Lysis Buffer</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
	<p>1.67X High Salt Wash Buffer</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store</p>

## Section 7. Handling and storage

### 5x Low Salt Wash Buffer

in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Elution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### DNase Reconstitution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### DNase Digestion Buffer

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### [7.3 Specific end use\(s\)](#)

## Section 7. Handling and storage

<b>Recommendations</b>	: β-Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Industrial applications, Professional applications. Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	: β-Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	<b>OARS WEEL (United States, 4/2022).</b> Absorbed through skin. TWA: 0.2 ppm 8 hours.
<b>RNase-Free DNase I (Lyophilized)</b> Enzyme.	None.
<b>Lysis Buffer</b> Guanidinium thiocyanate	None.
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate	None.
<b>DNase Reconstitution Buffer</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>OSHA PEL (United States, 5/2018).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>CAL OSHA PEL (United States, 5/2018).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: total dust
<b>DNase Digestion Buffer</b> Ethanol	<b>ACGIH TLV (United States, 1/2023).</b> STEL: 1000 ppm 15 minutes. <b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 1000 ppm 8 hours. TWA: 1900 mg/m <sup>3</sup> 8 hours. <b>NIOSH REL (United States, 10/2020).</b> TWA: 1000 ppm 10 hours.

## Section 8. Exposure controls/personal protection

TWA: 1900 mg/m<sup>3</sup> 10 hours.  
**OSHA PEL (United States, 5/2018).**  
 TWA: 1000 ppm 8 hours.  
 TWA: 1900 mg/m<sup>3</sup> 8 hours.  
**CAL OSHA PEL (United States, 5/2018).**  
 TWA: 1900 mg/m<sup>3</sup> 8 hours.  
 TWA: 1000 ppm 8 hours.

### Biological exposure indices

No exposure indices known.

### 8.2 Exposure controls

#### **Appropriate engineering controls**

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### **Environmental exposure controls**

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### Skin protection

#### **Hand protection**

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Other skin protection**

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Respiratory protection**

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

<b>Physical state</b>	: $\beta$ -Mercaptoethanol	Liquid.
	RNase-Free DNase I (Lyophilized)	Solid.
	Lysis Buffer	Liquid.
	1.67X High Salt Wash Buffer	Liquid.
	5x Low Salt Wash Buffer	Liquid.
	Elution Buffer	Liquid.
	DNase Reconstitution Buffer	Liquid.
	DNase Digestion Buffer	Liquid.
<b>Color</b>	: $\beta$ -Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.
<b>Odor</b>	: $\beta$ -Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.
<b>Odor threshold</b>	: $\beta$ -Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.
<b>pH</b>	: $\beta$ -Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	6.4
	Elution Buffer	7.5
	DNase Reconstitution Buffer	7.5
	DNase Digestion Buffer	7
<b>Melting point/freezing point</b>	: $\beta$ -Mercaptoethanol	-100°C (-148°F)
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	0°C (32°F)
	Elution Buffer	0°C (32°F)
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.

## Section 9. Physical and chemical properties and safety characteristics

**Boiling point, initial boiling point, and boiling range** :

- β-Mercaptoethanol 157°C (314.6°F)
- RNase-Free DNase I (Lyophilized) Not available.
- Lysis Buffer Not available.
- 1.67X High Salt Wash Buffer Not available.
- 5x Low Salt Wash Buffer 100°C (212°F)
- Elution Buffer 100°C (212°F)
- DNase Reconstitution Buffer Not available.
- DNase Digestion Buffer Not available.

**Flash point** :

- β-Mercaptoethanol Closed cup: 74°C (165.2°F)  
Open cup: 74°C (165.2°F)
- RNase-Free DNase I (Lyophilized) Not applicable.
- Lysis Buffer Not available.
- 1.67X High Salt Wash Buffer Not available.
- 5x Low Salt Wash Buffer Not available.
- Elution Buffer Not available.
- DNase Reconstitution Buffer Not available.
- DNase Digestion Buffer Closed cup: 23 to 37.8°C (73.4 to 100°F)

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
DNase Reconstitution Buffer						
Glycerol	-	-	-	177	350.6	-

**Evaporation rate** :

- β-Mercaptoethanol Not available.
- RNase-Free DNase I (Lyophilized) Not available.
- Lysis Buffer Not available.
- 1.67X High Salt Wash Buffer Not available.
- 5x Low Salt Wash Buffer Not available.
- Elution Buffer Not available.
- DNase Reconstitution Buffer Not available.
- DNase Digestion Buffer Not available.

**Flammability** :

- β-Mercaptoethanol Not applicable.
- RNase-Free DNase I (Lyophilized) Not available.
- Lysis Buffer Not applicable.
- 1.67X High Salt Wash Buffer Not applicable.
- 5x Low Salt Wash Buffer Not applicable.
- Elution Buffer Not applicable.
- DNase Reconstitution Buffer Not applicable.
- DNase Digestion Buffer Not applicable.

**Lower and upper explosion limit/flammability limit** :

- β-Mercaptoethanol Lower: 2.3%  
Upper: 18%
- RNase-Free DNase I (Lyophilized) Not applicable.
- Lysis Buffer Not available.
- 1.67X High Salt Wash Buffer Not available.
- 5x Low Salt Wash Buffer Not available.
- Elution Buffer Not available.
- DNase Reconstitution Buffer Not available.
- DNase Digestion Buffer Not available.

**Vapor pressure** :

- β-Mercaptoethanol 0.13 kPa (0.97508 mm Hg)

## Section 9. Physical and chemical properties and safety characteristics

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
<b>Lysis Buffer</b>						
water	17.5	2.3	-	92.258	12.3	-
Guanidinium thiocyanate	<0.000001	<0.00000013	EU A.4	-	-	-
<b>1.67X High Salt Wash Buffer</b>						
water	17.5	2.3	-	92.258	12.3	-
<b>5x Low Salt Wash Buffer</b>						
water	17.5	2.3	-	92.258	12.3	-
<b>Elution Buffer</b>						
water	17.5	2.3	-	92.258	12.3	-
<b>DNase Reconstitution Buffer</b>						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-
<b>DNase Digestion Buffer</b>						
Ethanol	42.94865	5.7	-	-	-	-
water	17.5	2.3	-	92.258	12.3	-

**Relative vapor density** :

- β-Mercaptoethanol 2.7 [Air = 1]
- RNase-Free DNase I (Lyophilized) Not applicable.
- Lysis Buffer Not available.
- 1.67X High Salt Wash Buffer Not available.
- 5x Low Salt Wash Buffer Not available.
- Elution Buffer Not available.
- DNase Reconstitution Buffer Not available.
- DNase Digestion Buffer Not available.

**Relative density** :

- β-Mercaptoethanol 1.1
- RNase-Free DNase I (Lyophilized) Not available.
- Lysis Buffer Not available.
- 1.67X High Salt Wash Buffer Not available.
- 5x Low Salt Wash Buffer Not available.
- Elution Buffer Not available.
- DNase Reconstitution Buffer Not available.
- DNase Digestion Buffer Not available.

## Section 9. Physical and chemical properties and safety characteristics

<b>Solubility(ies)</b>	<b>Media</b>	<b>Result</b>
	β-Mercaptoethanol	
	water	Soluble
	<b>RNase-Free DNase I (Lyophilized)</b>	
	water	Soluble
	<b>Lysis Buffer</b>	
	water	Soluble
	<b>1.67X High Salt Wash Buffer</b>	
	water	Soluble
	<b>5x Low Salt Wash Buffer</b>	
water	Soluble	
<b>Elution Buffer</b>		
water	Soluble	
<b>DNase Reconstitution Buffer</b>		
water	Soluble	
<b>DNase Digestion Buffer</b>		
water	Soluble	

<b>Partition coefficient: n-octanol/water</b>	β-Mercaptoethanol	-0.056
	RNase-Free DNase I (Lyophilized)	Not applicable.
	Lysis Buffer	Not applicable.
	1.67X High Salt Wash Buffer	Not applicable.
	5x Low Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	Not applicable.
	DNase Digestion Buffer	Not applicable.

<b>Auto-ignition temperature</b>	β-Mercaptoethanol	295°C (563°F)
	RNase-Free DNase I (Lyophilized)	Not applicable.

Ingredient name	°C	°F	Method
<b>DNase Reconstitution Buffer</b>			
Glycerol	370	698	-
<b>DNase Digestion Buffer</b>			
Ethanol	455	851	DIN 51794

<b>Decomposition temperature</b>	β-Mercaptoethanol	Not available.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.

<b>Viscosity</b>	β-Mercaptoethanol	Dynamic: 3.43 mPa·s (3.43 cP)
	RNase-Free DNase I (Lyophilized)	Not applicable.
	Lysis Buffer	Not available.
	1.67X High Salt Wash Buffer	Not available.
	5x Low Salt Wash Buffer	Not available.
	Elution Buffer	Not available.
	DNase Reconstitution Buffer	Not available.
	DNase Digestion Buffer	Not available.

**Particle characteristics**

## Section 9. Physical and chemical properties and safety characteristics

<b>Median particle size</b>	: β-Mercaptoethanol	Not applicable.
	RNase-Free DNase I (Lyophilized)	Not available.
	Lysis Buffer	Not applicable.
	1.67X High Salt Wash Buffer	Not applicable.
	5x Low Salt Wash Buffer	Not applicable.
	Elution Buffer	Not applicable.
	DNase Reconstitution Buffer	Not applicable.
	DNase Digestion Buffer	Not applicable.

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	: β-Mercaptoethanol	No specific test data related to reactivity available for this product or its ingredients.
	RNase-Free DNase I (Lyophilized)	No specific test data related to reactivity available for this product or its ingredients.
	Lysis Buffer	No specific test data related to reactivity available for this product or its ingredients.
	1.67X High Salt Wash Buffer	No specific test data related to reactivity available for this product or its ingredients.
	5x Low Salt Wash Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	DNase Reconstitution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	DNase Digestion Buffer	No specific test data related to reactivity available for this product or its ingredients.

<b>10.2 Chemical stability</b>	: β-Mercaptoethanol	The product is stable.
	RNase-Free DNase I (Lyophilized)	The product is stable.
	Lysis Buffer	The product is stable.
	1.67X High Salt Wash Buffer	The product is stable.
	5x Low Salt Wash Buffer	The product is stable.
	Elution Buffer	The product is stable.
	DNase Reconstitution Buffer	The product is stable.
	DNase Digestion Buffer	The product is stable.

<b>10.3 Possibility of hazardous reactions</b>	: β-Mercaptoethanol	Under normal conditions of storage and use, hazardous reactions will not occur.
	RNase-Free DNase I (Lyophilized)	Under normal conditions of storage and use, hazardous reactions will not occur.
	Lysis Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	1.67X High Salt Wash Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	5x Low Salt Wash Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	Elution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	DNase Reconstitution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	DNase Digestion Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.

## Section 10. Stability and reactivity

<b>10.4 Conditions to avoid</b>	: β-Mercaptoethanol	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
	RNase-Free DNase I (Lyophilized)	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
	Lysis Buffer	No specific data.
	1.67X High Salt Wash Buffer	No specific data.
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
<b>10.5 Incompatible materials</b>	: β-Mercaptoethanol	Reactive or incompatible with the following materials: oxidizing materials
	RNase-Free DNase I (Lyophilized)	Reactive or incompatible with the following materials: oxidizing materials
	Lysis Buffer	May react or be incompatible with oxidizing materials.
	1.67X High Salt Wash Buffer	May react or be incompatible with oxidizing materials.
	5x Low Salt Wash Buffer	May react or be incompatible with oxidizing materials.
	Elution Buffer	May react or be incompatible with oxidizing materials.
	DNase Reconstitution Buffer	May react or be incompatible with oxidizing materials.
	DNase Digestion Buffer	Reactive or incompatible with the following materials: oxidizing materials
<b>10.6 Hazardous decomposition products</b>	: β-Mercaptoethanol	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	RNase-Free DNase I (Lyophilized)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Lysis Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	1.67X High Salt Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	5x Low Salt Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 10. Stability and reactivity

DNase Reconstitution Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

DNase Digestion Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
<b>Lysis Buffer</b> Guanidinium thiocyanate	LC50 Inhalation Dusts and mists LD50 Oral	Rat - Female Rat - Male, Female	3.181 mg/l 593 mg/kg	4 hours -
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate	LC50 Inhalation Dusts and mists LD50 Oral	Rat - Female Rat - Male, Female	3.181 mg/l 593 mg/kg	4 hours -
<b>DNase Reconstitution Buffer</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>DNase Digestion Buffer</b> Ethanol	LC50 Inhalation Vapor LD50 Oral	Rat Rat	124700 mg/m <sup>3</sup> 7 g/kg	4 hours -

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 mg	-
<b>DNase Reconstitution Buffer</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>DNase Digestion Buffer</b> Ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Moderate irritant	Rabbit	-	0.06666667 minutes 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	100 uL	-

#### Sensitization

Not available.

#### Mutagenicity

## Section 11. Toxicological information

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Classification

Product/ingredient name	OSHA	IARC	NTP
DNase Digestion Buffer Ethanol	-	1	-

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
β-Mercaptoethanol β-Mercaptoethanol	Category 2	-	heart, liver

### Aspiration hazard

Not available.

### Information on the likely routes of exposure

β-Mercaptoethanol	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
RNase-Free DNase I (Lyophilized) Lysis Buffer	Not available. Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
1.67X High Salt Wash Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
5x Low Salt Wash Buffer	Not available.
Elution Buffer	Not available.
DNase Reconstitution Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
DNase Digestion Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

### Potential acute health effects

#### Eye contact

β-Mercaptoethanol	Causes serious eye damage.
RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Lysis Buffer	Causes serious eye damage.
1.67X High Salt Wash Buffer	Causes serious eye damage.
5x Low Salt Wash Buffer	No known significant effects or critical hazards.
Elution Buffer	No known significant effects or critical hazards.
DNase Reconstitution Buffer	Causes eye irritation.
DNase Digestion Buffer	No known significant effects or critical hazards.

#### Inhalation

β-Mercaptoethanol	Toxic if inhaled.
RNase-Free DNase I (Lyophilized)	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Lysis Buffer	Corrosive to the respiratory system.
1.67X High Salt Wash Buffer	Corrosive to the respiratory system.
5x Low Salt Wash Buffer	No known significant effects or critical hazards.

## Section 11. Toxicological information

	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.
<b>Skin contact</b>	: β-Mercaptoethanol	Fatal in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	Lysis Buffer	Causes severe burns.
	1.67X High Salt Wash Buffer	Causes severe burns.
	5x Low Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	Defatting to the skin. May cause skin dryness and irritation.
<b>Ingestion</b>	: β-Mercaptoethanol	Toxic if swallowed.
	RNase-Free DNase I (Lyophilized)	No known significant effects or critical hazards.
	Lysis Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	1.67X High Salt Wash Buffer	May cause burns to mouth, throat and stomach. Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
	5x Low Salt Wash Buffer	No known significant effects or critical hazards.
	Elution Buffer	No known significant effects or critical hazards.
	DNase Reconstitution Buffer	No known significant effects or critical hazards.
	DNase Digestion Buffer	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: β-Mercaptoethanol	Adverse symptoms may include the following: pain watering redness
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: irritation redness
	Lysis Buffer	Adverse symptoms may include the following: pain watering redness
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain watering redness
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	Adverse symptoms may include the following: irritation watering redness
	DNase Digestion Buffer	No specific data.
<b>Inhalation</b>	: β-Mercaptoethanol	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized)	Adverse symptoms may include the following: respiratory tract irritation coughing
	Lysis Buffer	Adverse symptoms may include the following: respiratory tract irritation

## Section 11. Toxicological information

	1.67X High Salt Wash Buffer	coughing Adverse symptoms may include the following: respiratory tract irritation
	5x Low Salt Wash Buffer	coughing No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	No specific data.
<b>Skin contact</b>	: β-Mercaptoethanol	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized) Lysis Buffer	No specific data. Adverse symptoms may include the following: pain or irritation redness blistering may occur
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	Adverse symptoms may include the following: irritation dryness cracking
<b>Ingestion</b>	: β-Mercaptoethanol	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
	RNase-Free DNase I (Lyophilized) Lysis Buffer	No specific data. Adverse symptoms may include the following: stomach pains
	1.67X High Salt Wash Buffer	Adverse symptoms may include the following: stomach pains
	5x Low Salt Wash Buffer	No specific data.
	Elution Buffer	No specific data.
	DNase Reconstitution Buffer	No specific data.
	DNase Digestion Buffer	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

## Section 11. Toxicological information

<b>General</b>	: β-Mercaptoethanol  RNase-Free DNase I (Lyophilized)  Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.  Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.  No known significant effects or critical hazards. No known significant effects or critical hazards. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
<b>Carcinogenicity</b>	: β-Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Mutagenicity</b>	: β-Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Reproductive toxicity</b>	: β-Mercaptoethanol RNase-Free DNase I (Lyophilized) Lysis Buffer 1.67X High Salt Wash Buffer 5x Low Salt Wash Buffer Elution Buffer DNase Reconstitution Buffer DNase Digestion Buffer	Suspected of damaging fertility or the unborn child. No known significant effects or critical hazards. No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
β-Mercaptoethanol β-Mercaptoethanol	244	200	N/A	3	N/A
<b>Lysis Buffer</b> Lysis Buffer Guanidinium thiocyanate	1253.7 593	2325.6 1100	N/A N/A	N/A N/A	6.7 3.181
<b>1.67X High Salt Wash Buffer</b> 1.67X High Salt Wash Buffer Guanidinium thiocyanate	1520.5 593	2820.5 1100	N/A N/A	N/A N/A	8.2 3.181
<b>DNase Reconstitution Buffer</b> Glycerol	12600	N/A	N/A	N/A	N/A

## Section 11. Toxicological information

<b>DNase Digestion Buffer</b> DNase Digestion Buffer Ethanol	258620.7 7000	N/A N/A	N/A N/A	N/A 124.7	N/A N/A
--	------------------	------------	------------	--------------	------------

**Other information** :  DNase Digestion Buffer

Adverse symptoms may include the following:  
Repeated exposure may cause skin dryness or cracking.

## Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	Acute EC50 0.4 mg/l Fresh water	Daphnia	48 hours
<b>DNase Reconstitution Buffer</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours
<b>DNase Digestion Buffer</b> Ethanol	Acute EC50 3306 mg/l Marine water Acute EC50 1074 mg/l Fresh water Acute EC50 2 mg/l Fresh water Acute LC50 11000000 µg/l Marine water Chronic NOEC 4.995 mg/l Marine water Chronic NOEC 100 ul/L Fresh water	Algae - <i>Ulva pertusa</i> Crustaceans - <i>Cypris subglobosa</i> Daphnia - <i>Daphnia magna</i> Fish - <i>Alburnus alburnus</i> Algae - <i>Ulva pertusa</i> Daphnia - <i>Daphnia magna</i> - Neonate	96 hours 48 hours 48 hours 96 hours 96 hours 21 days

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	OECD 310 Ready Biodegradability - CO <sub>2</sub> in Sealed Vessels (Headspace Test)	69 % - Not readily - 60 days	20 mg/l	-
<b>Lysis Buffer</b> Guanidinium thiocyanate	OECD 302B Inherent Biodegradability: Zahn-Wellens/EMPA Test	46 % - Inherent - 28 days	-	-
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate	OECD 302B Inherent Biodegradability: Zahn-Wellens/EMPA Test	46 % - Inherent - 28 days	-	-
<b>DNase Reconstitution Buffer</b>				

## Section 12. Ecological information

Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
----------	--	----------------	---	---

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	-	-	Not readily
<b>Lysis Buffer</b> Guanidinium thiocyanate	-	-	Inherent
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate	-	-	Inherent
<b>DNase Digestion Buffer</b> Ethanol	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	-0.056	-	Low
<b>Lysis Buffer</b> Guanidinium thiocyanate	<-1.7	-	Low
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate	<-1.7	-	Low
<b>DNase Reconstitution Buffer</b> Glycerol	-1.76	-	Low
<b>DNase Digestion Buffer</b> Ethanol	-0.35	0.5	Low

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

## Section 13. Disposal considerations

and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	UN3316	UN3316	UN3316	UN3316	UN3316
UN proper shipping name	Chemical kit	CHEMICAL KIT	EQUIPO QUIMICO	CHEMICAL KIT	Chemical kit
Transport hazard class(es)	9 	9 	9 	9 	9 
Packing group	II	II	II	II	II
Environmental hazards	No.	No.	No.	No.	No.

### Additional information

Remarks: Excepted Quantity

#### DOT Classification

: **Limited quantity** Yes.  
**Packaging instruction** Exceptions: 161. Non-bulk: 161. Bulk: None.  
**Quantity limitation** Passenger aircraft/rail: 10 kg. Cargo aircraft: 10 kg.  
**Special provisions** 15

#### TDG Classification

: Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9).  
**Passenger Carrying Road or Rail Index** 10  
**Special provisions** 65, 141

#### Mexico Classification

: **Special provisions** 251, 340

#### IMDG

: **Emergency schedules** F-A, \_S-P\_  
**Special provisions** 251, 340

#### IATA

:  The environmentally hazardous substance mark may appear if required by other transportation regulations.  
**Quantity limitation** Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960. Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960.  
**Special provisions** A44, A163

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 14. Transport information

Transport in bulk according to IMO instruments : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
Clean Water Act (CWA) 311: Edetic acid

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

### SARA 311/312

**Classification** :  Mercaptoethanol

FLAMMABLE LIQUIDS - Category 4  
ACUTE TOXICITY (oral) - Category 3  
ACUTE TOXICITY (dermal) - Category 2  
ACUTE TOXICITY (inhalation) - Category 3  
SKIN IRRITATION - Category 2  
SERIOUS EYE DAMAGE - Category 1  
SKIN SENSITIZATION - Category 1A  
TOXIC TO REPRODUCTION - Category 2  
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2  
COMBUSTIBLE DUSTS  
ACUTE TOXICITY (oral) - Category 4  
SKIN CORROSION - Category 1C  
SERIOUS EYE DAMAGE - Category 1  
HNOC - Corrosive to digestive tract  
HNOC - Corrosive to respiratory tract  
ACUTE TOXICITY (oral) - Category 4  
SKIN CORROSION - Category 1C  
SERIOUS EYE DAMAGE - Category 1  
HNOC - Corrosive to digestive tract  
HNOC - Corrosive to respiratory tract  
Not applicable.  
Not applicable.  
EYE IRRITATION - Category 2B  
FLAMMABLE LIQUIDS - Category 3  
HNOC - Defatting irritant

RNase-Free DNase I (Lyophilized)  
Lysis Buffer

1.67X High Salt Wash Buffer

5x Low Salt Wash Buffer  
Elution Buffer  
DNase Reconstitution Buffer  
DNase Digestion Buffer

### Composition/information on ingredients

## Section 15. Regulatory information

Name	%	Classification
<b>β-Mercaptoethanol</b> β-Mercaptoethanol	100	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
<b>RNase-Free DNase I (Lyophilized)</b> Enzyme.	100	COMBUSTIBLE DUSTS
<b>Lysis Buffer</b> Guanidinium thiocyanate	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract
<b>1.67X High Salt Wash Buffer</b> Guanidinium thiocyanate	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract HNOC - Corrosive to respiratory tract
<b>DNase Reconstitution Buffer</b> Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
<b>DNase Digestion Buffer</b> Ethanol	≥25 - <50	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A HNOC - Defatting irritant

### State regulations

#### Massachusetts

: The following components are listed: 2-MERCAPTOETHANOL; GLYCERINE MIST; ETHYL ALCOHOL

#### New York

: None of the components are listed.

#### New Jersey

: The following components are listed: THIOGLYCOL; GLYCERIN; ETHYL ALCOHOL

#### Pennsylvania

: The following components are listed: ETHANOL, 2-MERCAPTO-; 1,2,3-PROPANETRIOL; ETHANOL

### California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

## Section 15. Regulatory information

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (CSCL)</b> : Not determined. <b>Japan inventory (ISHL)</b> : All components are listed or exempted.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: All components are active or exempted.
<b>Viet Nam</b>	: Not determined.

## Section 16. Other information

### Procedure used to derive the classification

Classification	Justification
<b>β-Mercaptoethanol</b> FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 2  <b>RNase-Free DNase I (Lyophilized)</b> COMBUSTIBLE DUSTS  <b>Lysis Buffer</b> ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3  <b>1.67X High Salt Wash Buffer</b> ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3  <b>DNase Reconstitution Buffer</b> EYE IRRITATION - Category 2B	On basis of test data On basis of test data On basis of test data On basis of test data Expert judgment Expert judgment Expert judgment Expert judgment Expert judgment On basis of test data Expert judgment  On basis of test data  Calculation method Calculation method Calculation method Calculation method  Calculation method Calculation method Calculation method Calculation method  Calculation method

## Section 16. Other information

### DNase Digestion Buffer

FLAMMABLE LIQUIDS - Category 3

On basis of test data

#### History

**Date of issue/Date of revision** : 01/29/2024

**Date of previous issue** : 01/15/2021

**Version** : 10

#### Key to abbreviations

: ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 N/A = Not available  
 UN = United Nations

📌 Indicates information that has changed from previously issued version.

#### Notice to reader

**Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.**