

SAFETY DATA SHEET

Amino Acids Kit, Part Number 5063-6588

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: Amino Acids Kit, Part Number 5063-6588
CAS number	: Sarcosine 107-97-1
	L-Tryptophan 73-22-3
	L-Norvaline 6600-40-4
	L-Glutamine 56-85-9
	L-Asparagine 70-47-3
	L-4-Hydroxyproline 51-35-4
	3,3'-Dithiodipropionic Acid 1119-62-6
	Fmoc reagent 10 ampoules 1ml ea for AAA Not applicable.
	OPA reagent, 10 mg/ml, 6 ampoules Not applicable.
	AA, std 10pmol 10/PK Not applicable.
	AA, std 25pmol 10/PK Not applicable.
	AA, standard 100PMOL 10/PK Not applicable.
	td 1nmol 10/PK Not applicable.
	AA, standard 250PMOL 10/PK Not applicable.
Part no. (chemical kit)	: 5063-6588
Part no.	: Sarcosine Not available.
	L-Tryptophan Not available.
	L-Norvaline Not available.
	L-Glutamine Not available.
	L-Asparagine Not available.
	L-4-Hydroxyproline Not available.
	3,3'-Dithiodipropionic Acid 5062-2479
	Fmoc reagent 10 ampoules 1ml ea for AAA 5061-3337
	OPA reagent, 10 mg/ml, 6 ampoules 5061-3335
	AA, std 10pmol 10/PK 5061-3334
	AA, std 25pmol 10/PK 5061-3333
	AA, standard 100PMOL 10/PK 5061-3332
	td 1nmol 10/PK 5061-3330
	AA, standard 250PMOL 10/PK 5061-3331

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	: Reagents and Standards for Analytical Chemistry Laboratory Use
	Sarcosine 1 g
	L-Tryptophan 1 g
	L-Norvaline 1 g
	L-Glutamine 1 g
	L-Asparagine 1 g
	L-4-Hydroxyproline 1 g
	3,3'-Dithiodipropionic Acid 1 x 5 g
	Fmoc reagent 10 ampoules 1ml ea for AAA 10 x 1 ml
	OPA reagent, 10 mg/ml, 6 ampoules 6 x 1 ml
	AA, std 10pmol 10/PK 10 x 1 ml

SECTION 1: Identification of the substance/mixture and of the company/undertaking

AA, std 25pmol 10/PK	10 x 1 ml
AA, standard 100PMOL 10/PK	10 x 1 ml
td 1nmol 10/PK	10 x 1 ml
AA, standard 250PMOL 10/PK	10 x 1 ml

Uses advised against : None known.

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Product definition	:	Sarcosine	Mono-constituent substance
		L-Tryptophan	Mono-constituent substance
		L-Norvaline	Mono-constituent substance
		L-Glutamine	Mono-constituent substance
		L-Asparagine	Mono-constituent substance
		L-4-Hydroxyproline	Mono-constituent substance
		3,3'-Dithiodipropionic Acid	Mono-constituent substance
		FMOC reagent 10 ampoules 1ml ea for AAA	Mixture
		OPA reagent, 10 mg/ml, 6 ampoules	Mixture
		AA, std 10pmol 10/PK	Mixture
		AA, std 25pmol 10/PK	Mixture
		AA, standard 100PMOL 10/PK	Mixture
		td 1nmol 10/PK	Mixture
		AA, standard 250PMOL 10/PK	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**3,3'-Dithiodipropionic Acid**

H315	SKIN CORROSION/IRRITATION	Category 2
H319	SERIOUS EYE DAMAGE/EYE IRRITATION	Category 2
H335	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation)	Category 3

FMOC reagent 10 ampoules 1ml ea for AAA

H225	FLAMMABLE LIQUIDS	Category 2
H302	ACUTE TOXICITY (oral)	Category 4
H312	ACUTE TOXICITY (dermal)	Category 4
H332	ACUTE TOXICITY (inhalation)	Category 4
H319	SERIOUS EYE DAMAGE/EYE IRRITATION	Category 2

SECTION 2: Hazards identification**OPA reagent, 10 mg/ml, 6 ampoules**

H290	CORROSIVE TO METALS	Category 1
H302	ACUTE TOXICITY (oral)	Category 4
H314	SKIN CORROSION/IRRITATION	Category 1A
H317	SKIN SENSITISATION	Category 1
H360FD	REPRODUCTIVE TOXICITY	Category 1B
H411	LONG-TERM (CHRONIC) AQUATIC HAZARD	Category 2

AA, std 10pmol 10/PK

H290	CORROSIVE TO METALS	Category 1
------	---------------------	------------

AA, std 25pmol 10/PK

H290	CORROSIVE TO METALS	Category 1
------	---------------------	------------

AA, standard 100PMOL 10/PK

H290	CORROSIVE TO METALS	Category 1
------	---------------------	------------

td 1nmol 10/PK

H290	CORROSIVE TO METALS	Category 1
------	---------------------	------------

AA, standard 250PMOL 10/PK

H290	CORROSIVE TO METALS	Category 1
------	---------------------	------------

Sarcosine	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
L-Tryptophan	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
L-Norvaline	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
L-Glutamine	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
L-Asparagine	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
L-4-Hydroxyproline	The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
3,3'-Dithiodipropionic Acid	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
Fmoc reagent 10 ampoules 1ml ea for AAA	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
OPA reagent, 10 mg/ml, 6 ampoules	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
AA, std 10pmol 10/PK	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
AA, std 25pmol 10/PK	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
AA, standard 100PMOL 10/PK	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
td 1nmol 10/PK	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	
AA, standard 250PMOL 10/PK	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.	

Ingredients of unknown toxicity : OPA reagent, 10 mg/ml, 6 ampoules

Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 1 - 10%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

SECTION 2: Hazards identification**2.2 Label elements****Hazard pictograms**

: 3,3'-Dithiodipropionic Acid

Fmoc reagent 10
ampoules 1ml ea for AAAOPA reagent, 10 mg/ml,
6 ampoules

AA, std 10pmol 10/PK



AA, std 25pmol 10/PK

AA, standard 100PMOL
10/PK

td 1nmol 10/PK

AA, standard 250PMOL
10/PK**Signal word**

: Sarcosine	No signal word.
L-Tryptophan	No signal word.
L-Norvaline	No signal word.
L-Glutamine	No signal word.
L-Asparagine	No signal word.
L-4-Hydroxyproline	No signal word.
3,3'-Dithiodipropionic Acid	Warning
Fmoc reagent 10 ampoules 1ml ea for AAA	Danger
OPA reagent, 10 mg/ml, 6 ampoules	Danger
AA, std 10pmol 10/PK	Warning
AA, std 25pmol 10/PK	Warning
AA, standard 100PMOL 10/PK	Warning
td 1nmol 10/PK	Warning
AA, standard 250PMOL 10/PK	Warning

SECTION 2: Hazards identification

Hazard statements	: Sarcosine L-Tryptophan L-Norvaline L-Glutamine L-Asparagine L-4-Hydroxyproline 3,3'-Dithiodipropionic Acid	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. H315 - Causes skin irritation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H225 - Highly flammable liquid and vapour.
	OPA reagent, 10 mg/ml, 6 ampoules	H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled. H319 - Causes serious eye irritation. H290 - May be corrosive to metals.
	AA, std 10pmol 10/PK AA, std 25pmol 10/PK AA, standard 100PMOL 10/PK td 1nmol 10/PK AA, standard 250PMOL 10/PK	H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H360FD - May damage fertility. May damage the unborn child. H411 - Toxic to aquatic life with long lasting effects. H290 - May be corrosive to metals. H290 - May be corrosive to metals. H290 - May be corrosive to metals.
Precautionary statements		
Prevention	: Sarcosine L-Tryptophan L-Norvaline L-Glutamine L-Asparagine L-4-Hydroxyproline 3,3'-Dithiodipropionic Acid	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. P280 - Wear protective gloves. Wear eye or face protection.
	Fmoc reagent 10 ampoules 1ml ea for AAA	P261 - Avoid breathing dust or mist. P264 - Wash thoroughly after handling. P280 - Wear protective gloves and protective clothing. Wear eye or face protection.
	OPA reagent, 10 mg/ml, 6 ampoules	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing vapour. P270 - Do not eat, drink or smoke when using this product. P201 - Obtain special instructions before use.
	AA, std 10pmol 10/PK AA, std 25pmol 10/PK AA, standard 100PMOL 10/PK td 1nmol 10/PK AA, standard 250PMOL 10/PK	P280 - Wear protective gloves, protective clothing and eye or face protection. P273 - Avoid release to the environment. P234 - Keep only in original packaging. P234 - Keep only in original packaging. P234 - Keep only in original packaging.

SECTION 2: Hazards identification

Response	: Sarcosine	Not applicable.
	L-Tryptophan	Not applicable.
	L-Norvaline	Not applicable.
	L-Glutamine	Not applicable.
	L-Asparagine	Not applicable.
	L-4-Hydroxyproline	Not applicable.
	3,3'-Dithiodipropionic Acid	P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell.
	Fmoc reagent 10 ampoules 1ml ea for AAA	P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell.
	OPA reagent, 10 mg/ml, 6 ampoules	P391 - Collect spillage.
		P308 + P313 - IF exposed or concerned: Get medical advice or attention.
	AA, std 10pmol 10/PK	P390 - Absorb spillage to prevent material damage.
	AA, std 25pmol 10/PK	P390 - Absorb spillage to prevent material damage.
	AA, standard 100PMOL 10/PK	P390 - Absorb spillage to prevent material damage.
	td 1nmol 10/PK	P390 - Absorb spillage to prevent material damage.
	AA, standard 250PMOL 10/PK	P390 - Absorb spillage to prevent material damage.
Storage	: Sarcosine	Not applicable.
	L-Tryptophan	Not applicable.
	L-Norvaline	Not applicable.
	L-Glutamine	Not applicable.
	L-Asparagine	Not applicable.
	L-4-Hydroxyproline	Not applicable.
	3,3'-Dithiodipropionic Acid	P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Not applicable.
	OPA reagent, 10 mg/ml, 6 ampoules	Not applicable.
	AA, std 10pmol 10/PK	Not applicable.
	AA, std 25pmol 10/PK	Not applicable.
	AA, standard 100PMOL 10/PK	Not applicable.
	td 1nmol 10/PK	Not applicable.
	AA, standard 250PMOL 10/PK	Not applicable.
Disposal	: Sarcosine	Not applicable.
	L-Tryptophan	Not applicable.
	L-Norvaline	Not applicable.
	L-Glutamine	Not applicable.
	L-Asparagine	Not applicable.
	L-4-Hydroxyproline	Not applicable.
	3,3'-Dithiodipropionic Acid	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	Fmoc reagent 10 ampoules 1ml ea for AAA	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	OPA reagent, 10 mg/ml, 6 ampoules	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	AA, std 10pmol 10/PK	Not applicable.
	AA, std 25pmol 10/PK	Not applicable.
	AA, standard 100PMOL 10/PK	Not applicable.
	td 1nmol 10/PK	Not applicable.
	AA, standard 250PMOL 10/PK	Not applicable.

SECTION 2: Hazards identification

Hazardous ingredients	:	Fmoc reagent 10 ampoules 1ml ea for AAA OPA reagent, 10 mg/ml, 6 ampoules	acetonitrile potassium hydroxide; boric acid; 3-mercaptopropionic acid; methanol and phthalaldehyde
Supplemental label elements	:	Sarcosine L-Tryptophan L-Norvaline L-Glutamine L-Asparagine L-4-Hydroxyproline 3,3'-Dithiodipropionic Acid Fmoc reagent 10 ampoules 1ml ea for AAA OPA reagent, 10 mg/ml, 6 ampoules AA, std 10pmol 10/PK AA, std 25pmol 10/PK AA, standard 100PMOL 10/PK td 1nmol 10/PK AA, standard 250PMOL 10/PK	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Contains isocyanates. May produce an allergic reaction. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Sarcosine L-Tryptophan L-Norvaline L-Glutamine L-Asparagine L-4-Hydroxyproline 3,3'-Dithiodipropionic Acid Fmoc reagent 10 ampoules 1ml ea for AAA OPA reagent, 10 mg/ml, 6 ampoules AA, std 10pmol 10/PK AA, std 25pmol 10/PK AA, standard 100PMOL 10/PK td 1nmol 10/PK AA, standard 250PMOL 10/PK	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Restricted to professional users. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Special packaging requirements			
Tactile warning of danger	:	Sarcosine L-Tryptophan L-Norvaline L-Glutamine L-Asparagine L-4-Hydroxyproline 3,3'-Dithiodipropionic Acid Fmoc reagent 10 ampoules 1ml ea for AAA OPA reagent, 10 mg/ml, 6 ampoules AA, std 10pmol 10/PK AA, std 25pmol 10/PK AA, standard 100PMOL 10/PK td 1nmol 10/PK AA, standard 250PMOL 10/PK	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

SECTION 2: Hazards identification**2.3 Other hazards**

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

PBT	P	B	T	vPvB	vP	vB
Sarcosine N/A	N/A	N/A	N/A	N/A	N/A	N/A
L-Tryptophan No	N/A	N/A	No	N/A	N/A	N/A
L-Norvaline N/A	N/A	N/A	N/A	N/A	N/A	N/A
L-Glutamine No	N/A	N/A	No	N/A	N/A	N/A
L-Asparagine No	N/A	N/A	No	N/A	N/A	N/A
L-4-Hydroxyproline No	N/A	N/A	No	N/A	N/A	N/A
3,3'-Dithiodipropionic Acid No	N/A	N/A	No	N/A	N/A	N/A

Fmoc reagent 10 ampoules 1ml ea for AAA
OPA reagent, 10 mg/ml, 6 ampoules
AA, std 10pmol 10/PK
AA, std 25pmol 10/PK
AA, standard 100PMOL 10/PK
td 1nmol 10/PK

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification

Sarcosine
L-Tryptophan
L-Norvaline
L-Glutamine
L-Asparagine
L-4-Hydroxyproline
3,3'-Dithiodipropionic Acid
Fmoc reagent 10 ampoules 1ml ea for AAA
OPA reagent, 10 mg/ml, 6 ampoules
AA, std 10pmol 10/PK
AA, std 25pmol 10/PK
AA, standard 100PMOL 10/PK
td 1nmol 10/PK
AA, standard 250PMOL 10/PK

May form combustible dust concentrations in air.
May form combustible dust concentrations in air.
May form combustible dust concentrations in air.
May form combustible dust concentrations in air.
May form combustible dust concentrations in air.
May form combustible dust concentrations in air.
May form combustible dust concentrations in air.
None known.
Causes severe digestive tract burns.
None known.
None known.
None known.
None known.
None known.

SECTION 3: Composition/information on ingredients

3.1 Substances	: Sarcosine	Mono-constituent substance
	L-Tryptophan	Mono-constituent substance
	L-Norvaline	Mono-constituent substance
	L-Glutamine	Mono-constituent substance
	L-Asparagine	Mono-constituent substance
	L-4-Hydroxyproline	Mono-constituent substance
	3,3'-Dithiodipropionic Acid	Mono-constituent substance
	Fmoc reagent 10 ampoules 1ml ea for AAA	Mixture
	OPA reagent, 10 mg/ml, 6 ampoules	Mixture
	AA, std 10pmol 10/PK	Mixture
	AA, std 25pmol 10/PK	Mixture
	AA, standard 100PMOL 10/PK	Mixture
	td 1nmol 10/PK	Mixture
	AA, standard 250PMOL 10/PK	Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type
Sarcosine sarcosine	EC: 203-538-6 CAS: 107-97-1	100	Not classified.	-	[1]
L-Tryptophan L-tryptophan	EC: 200-795-6 CAS: 73-22-3	100	Not classified.	-	[1]
L-Norvaline norvaline	EC: 229-543-3 CAS: 6600-40-4	100	Not classified.	-	[1]
L-Glutamine levoglutamide	EC: 200-292-1 CAS: 56-85-9	100	Not classified.	-	[1]
L-Asparagine asparagine	EC: 200-735-9 CAS: 70-47-3	100	Not classified.	-	[1]
L-4-Hydroxyproline L-4-hydroxyproline	EC: 200-091-9 CAS: 51-35-4	100	Not classified.	-	[1]
3,3'-Dithiodipropionic Acid 3,3'-dithiobispropionic acid	EC: 214-284-0 CAS: 1119-62-6	100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	-	[1]
Fmoc reagent 10 ampoules 1ml ea for AAA					

SECTION 3: Composition/information on ingredients

acetonitrile	EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3	≥90	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319	ATE [Oral] = 500 mg/kg ATE [Dermal] = 1100 mg/kg ATE [Inhalation (vapours)] = 11 mg/l	[1] [2]
OPA reagent, 10 mg/ml, 6 ampoules					
potassium hydroxide	EC: 215-181-3 CAS: 1310-58-3 Index: 019-002-00-8	≤10	Acute Tox. 4, H302 Skin Corr. 1A, H314	ATE [Oral] = 500 mg/kg Skin Corr. 1A, H314: C ≥ 5% Skin Corr. 1B, H314: 2% ≤ C < 5% Skin Irrit. 2, H315: 0.5% ≤ C < 2% Eye Irrit. 2, H319: 0.5% ≤ C < 2%	[1] [2]
boric acid	EC: 233-139-2 CAS: 10043-35-3 Index: 005-007-00-2	≤5	Repr. 1B, H360FD	-	[1] [2]
3-mercaptopropionic acid	EC: 203-537-0 CAS: 107-96-0	≤3	Met. Corr. 1, H290 Acute Tox. 3, H301 Acute Tox. 4, H332 Skin Corr. 1B, H314	ATE [Oral] = 96 mg/kg ATE [Inhalation (dusts and mists)] = 1.818 mg/l	[1]
methanol	EC: 200-659-6 CAS: 67-56-1 Index: 603-001-00-X	<3	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (vapours)] = 3 mg/l STOT SE 1, H370: C ≥ 10% STOT SE 2, H371: 3% ≤ C < 10%	[1] [2]
phthalaldehyde	EC: 211-402-2 CAS: 643-79-8	≤2.4	Acute Tox. 3, H301 Skin Corr. 1, H314 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 238.12 mg/kg M [Acute] = 10 M [Chronic] = 10	[1]
alkali salts and alkali earth salts of thiocyanic acid	EC: 206-370-1 CAS: 333-20-0 Index: 615-030-00-5	≤3	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Aquatic Chronic 3, H412	ATE [Oral] = 854 mg/kg ATE [Dermal] = 1100 mg/kg ATE [Inhalation (dusts and mists)] = 1.5 mg/l	[1] [2]
Dodecan-1-ol, ethoxylated	EC: 500-002-6 CAS: 9002-92-0	≤0.8	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2,	ATE [Oral] = 1000 mg/kg M [Acute] = 1	[1]

SECTION 3: Composition/information on ingredients

			H411 See Section 16 for the full text of the H statements declared above.		
--	--	--	---	--	--

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type	
Sarcosine	[1] Constituent
L-Tryptophan	[1] Constituent
L-Norvaline	[1] Constituent
L-Glutamine	[1] Constituent
L-Asparagine	[1] Constituent
L-4-Hydroxyproline	[1] Constituent
3,3'-Dithiodipropionic Acid	[1] Constituent
Fmoc reagent 10 ampoules 1ml ea for AAA	[1] Substance classified with a health or environmental hazard
	[2] Substance with a workplace exposure limit
OPA reagent, 10 mg/ml, 6 ampoules	[1] Substance classified with a health or environmental hazard
	[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Eye contact	: Sarcosine	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	L-Tryptophan	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	L-Norvaline	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	L-Glutamine	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	L-Asparagine	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	L-4-Hydroxyproline	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	3,3'-Dithiodipropionic Acid	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	OPA reagent, 10 mg/ml, 6 ampoules	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
	AA, std 10pmol 10/PK	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	AA, std 25pmol 10/PK	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SECTION 4: First aid measures**Inhalation**

AA, standard 100PMOL 10/PK	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
td 1nmol 10/PK	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
AA, standard 250PMOL 10/PK	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
: Sarcosine	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
L-Tryptophan	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
L-Norvaline	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
L-Glutamine	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
L-Asparagine	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
L-4-Hydroxyproline	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
3,3'-Dithiodipropionic Acid	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Fmoc reagent 10 ampoules 1ml ea for AAA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-

SECTION 4: First aid measures

mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

OPA reagent, 10 mg/ml,
6 ampoules

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

AA, std 10pmol 10/PK

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

AA, std 25pmol 10/PK

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

AA, standard 100PMOL
10/PK

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

td 1nmol 10/PK

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

AA, standard 250PMOL
10/PK

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact

: Sarcosine

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

L-Tryptophan

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

L-Norvaline

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

L-Glutamine

Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

L-Asparagine

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

L-4-Hydroxyproline

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

3,3'-Dithiodipropionic
Acid

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

FMOC reagent 10
ampoules 1ml ea for AAA

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

OPA reagent, 10 mg/ml,

Get medical attention immediately. Call a poison center or

SECTION 4: First aid measures

6 ampoules	physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
AA, std 10pmol 10/PK	Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
AA, std 25pmol 10/PK	Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
AA, standard 100PMOL 10/PK	Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
td 1nmol 10/PK	Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
AA, standard 250PMOL 10/PK	Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion

: Sarcosine	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
L-Tryptophan	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
L-Norvaline	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
L-Glutamine	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
L-Asparagine	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
L-4-Hydroxyproline	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
3,3'-Dithiodipropionic Acid	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

SECTION 4: First aid measures

FMOc reagent 10 ampoules 1ml ea for AAA	<p>tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
OPA reagent, 10 mg/ml, 6 ampoules	<p>Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
AA, std 10pmol 10/PK	<p>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</p>
AA, std 25pmol 10/PK	<p>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</p>
AA, standard 100PMOL 10/PK	<p>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</p>
td 1nmol 10/PK	<p>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</p>
AA, standard 250PMOL 10/PK	<p>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</p>
Protection of first-aiders : Sarcosine	<p>No action shall be taken involving any personal risk or without suitable training.</p>
L-Tryptophan	<p>No action shall be taken involving any personal risk or without suitable training.</p>
L-Norvaline	<p>No action shall be taken involving any personal risk or without suitable training.</p>
L-Glutamine	<p>No action shall be taken involving any personal risk or without suitable training.</p>
L-Asparagine	<p>No action shall be taken involving any personal risk or without suitable training.</p>
L-4-Hydroxyproline	<p>No action shall be taken involving any personal risk or without suitable training.</p>
3,3'-Dithiodipropionic Acid	<p>No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.</p>

SECTION 4: First aid measures

Fmoc reagent 10 ampoules 1ml ea for AAA	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
OPA reagent, 10 mg/ml, 6 ampoules	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
AA, std 10pmol 10/PK	No action shall be taken involving any personal risk or without suitable training.
AA, std 25pmol 10/PK	No action shall be taken involving any personal risk or without suitable training.
AA, standard 100PMOL 10/PK	No action shall be taken involving any personal risk or without suitable training.
td 1nmol 10/PK	No action shall be taken involving any personal risk or without suitable training.
AA, standard 250PMOL 10/PK	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed**Potential acute health effects**

Eye contact	: Sarcosine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-Tryptophan	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-Norvaline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-Glutamine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-Asparagine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-4-Hydroxyproline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	3,3'-Dithiodipropionic Acid	Causes serious eye irritation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Causes serious eye irritation.
	OPA reagent, 10 mg/ml, 6 ampoules	Causes serious eye damage.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.

SECTION 4: First aid measures

Inhalation	: Sarcosine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Tryptophan	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Norvaline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Glutamine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Asparagine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-4-Hydroxyproline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	3,3'-Dithiodipropionic Acid	May cause respiratory irritation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Harmful if inhaled.
	OPA reagent, 10 mg/ml, 6 ampoules	No known significant effects or critical hazards.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Skin contact	: Sarcosine	No known significant effects or critical hazards.
	L-Tryptophan	No known significant effects or critical hazards.
	L-Norvaline	No known significant effects or critical hazards.
	L-Glutamine	No known significant effects or critical hazards.
	L-Asparagine	No known significant effects or critical hazards.
	L-4-Hydroxyproline	No known significant effects or critical hazards.
	3,3'-Dithiodipropionic Acid	Causes skin irritation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Harmful in contact with skin.
	OPA reagent, 10 mg/ml, 6 ampoules	Causes severe burns. May cause an allergic skin reaction.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Ingestion	: Sarcosine	No known significant effects or critical hazards.
	L-Tryptophan	No known significant effects or critical hazards.
	L-Norvaline	No known significant effects or critical hazards.
	L-Glutamine	No known significant effects or critical hazards.
	L-Asparagine	No known significant effects or critical hazards.
	L-4-Hydroxyproline	No known significant effects or critical hazards.
	3,3'-Dithiodipropionic Acid	No known significant effects or critical hazards.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Harmful if swallowed.
	OPA reagent, 10 mg/ml, 6 ampoules	Severely corrosive to the digestive tract. Causes severe burns. Harmful if swallowed.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.

SECTION 4: First aid measures

AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
td 1nmol 10/PK	No known significant effects or critical hazards.
AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Sarcosine	Adverse symptoms may include the following: irritation redness
	L-Tryptophan	Adverse symptoms may include the following: irritation redness
	L-Norvaline	Adverse symptoms may include the following: irritation redness
	L-Glutamine	Adverse symptoms may include the following: irritation redness
	L-Asparagine	Adverse symptoms may include the following: irritation redness
	L-4-Hydroxyproline	Adverse symptoms may include the following: irritation redness
	3,3'-Dithiodipropionic Acid	Adverse symptoms may include the following: pain or irritation watering redness
	Fmoc reagent 10 ampoules 1ml ea for AAA	Adverse symptoms may include the following: pain or irritation watering redness
	OPA reagent, 10 mg/ml, 6 ampoules	Adverse symptoms may include the following: pain watering redness
	AA, std 10pmol 10/PK	No specific data.
	AA, std 25pmol 10/PK	No specific data.
	AA, standard 100PMOL 10/PK	No specific data.
	td 1nmol 10/PK	No specific data.
	AA, standard 250PMOL 10/PK	No specific data.
Inhalation	: Sarcosine	Adverse symptoms may include the following: respiratory tract irritation coughing
	L-Tryptophan	Adverse symptoms may include the following: respiratory tract irritation coughing
	L-Norvaline	Adverse symptoms may include the following: respiratory tract irritation coughing
	L-Glutamine	Adverse symptoms may include the following: respiratory tract irritation coughing
	L-Asparagine	Adverse symptoms may include the following: respiratory tract irritation coughing
	L-4-Hydroxyproline	Adverse symptoms may include the following: respiratory tract irritation

SECTION 4: First aid measures

	3,3'-Dithiodipropionic Acid	coughing Adverse symptoms may include the following: respiratory tract irritation coughing No specific data.
	Fmoc reagent 10 ampoules 1ml ea for AAA OPA reagent, 10 mg/ml, 6 ampoules	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	AA, std 10pmol 10/PK AA, std 25pmol 10/PK AA, standard 100PMOL 10/PK td 1nmol 10/PK AA, standard 250PMOL 10/PK	No specific data. No specific data. No specific data. No specific data. No specific data.
Skin contact	: Sarcosine L-Tryptophan L-Norvaline L-Glutamine L-Asparagine L-4-Hydroxyproline 3,3'-Dithiodipropionic Acid	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: irritation redness No specific data.
	Fmoc reagent 10 ampoules 1ml ea for AAA OPA reagent, 10 mg/ml, 6 ampoules	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced foetal weight increase in foetal deaths skeletal malformations
	AA, std 10pmol 10/PK AA, std 25pmol 10/PK AA, standard 100PMOL 10/PK td 1nmol 10/PK AA, standard 250PMOL 10/PK	No specific data. No specific data. No specific data. No specific data. No specific data.
Ingestion	: Sarcosine L-Tryptophan L-Norvaline L-Glutamine L-Asparagine L-4-Hydroxyproline 3,3'-Dithiodipropionic Acid Fmoc reagent 10 ampoules 1ml ea for AAA OPA reagent, 10 mg/ml, 6 ampoules	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: stomach pains reduced foetal weight increase in foetal deaths skeletal malformations
	AA, std 10pmol 10/PK AA, std 25pmol 10/PK	No specific data. No specific data.

SECTION 4: First aid measures

AA, standard 100PMOL 10/PK	No specific data.
td 1nmol 10/PK	No specific data.
AA, standard 250PMOL 10/PK	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	Sarcosine	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		L-Tryptophan	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		L-Norvaline	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		L-Glutamine	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		L-Asparagine	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		L-4-Hydroxyproline	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		3,3'-Dithiodipropionic Acid	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		FMOc reagent 10 ampoules 1ml ea for AAA	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		OPA reagent, 10 mg/ml, 6 ampoules	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		AA, std 10pmol 10/PK	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		AA, std 25pmol 10/PK	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		AA, standard 100PMOL 10/PK	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		td 1nmol 10/PK	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		AA, standard 250PMOL 10/PK	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	Sarcosine	No specific treatment.
		L-Tryptophan	No specific treatment.
		L-Norvaline	No specific treatment.
		L-Glutamine	No specific treatment.
		L-Asparagine	No specific treatment.
		L-4-Hydroxyproline	No specific treatment.
		3,3'-Dithiodipropionic Acid	No specific treatment.
		FMOc reagent 10 ampoules 1ml ea for AAA	No specific treatment.
		OPA reagent, 10 mg/ml, 6 ampoules	No specific treatment.
		AA, std 10pmol 10/PK	No specific treatment.
		AA, std 25pmol 10/PK	No specific treatment.
		AA, standard 100PMOL 10/PK	No specific treatment.
		td 1nmol 10/PK	No specific treatment.
		AA, standard 250PMOL 10/PK	No specific treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media	Sarcosine	Use dry chemical powder.
	L-Tryptophan	Use dry chemical powder.
	L-Norvaline	Use dry chemical powder.
	L-Glutamine	Use dry chemical powder.
	L-Asparagine	Use dry chemical powder.
	L-4-Hydroxyproline	Use dry chemical powder.
	3,3'-Dithiodipropionic Acid	Use dry chemical powder.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Use dry chemical, CO ₂ , water spray (fog) or foam.
	OPA reagent, 10 mg/ml, 6 ampoules	Use an extinguishing agent suitable for the surrounding fire.
	AA, std 10pmol 10/PK	Use an extinguishing agent suitable for the surrounding fire.
	AA, std 25pmol 10/PK	Use an extinguishing agent suitable for the surrounding fire.
	AA, standard 100PMOL 10/PK	Use an extinguishing agent suitable for the surrounding fire.
	td 1nmol 10/PK	Use an extinguishing agent suitable for the surrounding fire.
	AA, standard 250PMOL 10/PK	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	Sarcosine	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
	L-Tryptophan	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
	L-Norvaline	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
	L-Glutamine	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
	L-Asparagine	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
	L-4-Hydroxyproline	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
	3,3'-Dithiodipropionic Acid	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Do not use water jet.
	OPA reagent, 10 mg/ml, 6 ampoules	None known.
	AA, std 10pmol 10/PK	None known.
	AA, std 25pmol 10/PK	None known.
	AA, standard 100PMOL 10/PK	None known.
	td 1nmol 10/PK	None known.
	AA, standard 250PMOL 10/PK	None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	Sarcosine	May form explosible dust-air mixture if dispersed.
	L-Tryptophan	May form explosible dust-air mixture if dispersed.
	L-Norvaline	May form explosible dust-air mixture if dispersed.
	L-Glutamine	May form explosible dust-air mixture if dispersed.
	L-Asparagine	May form explosible dust-air mixture if dispersed.
	L-4-Hydroxyproline	May form explosible dust-air mixture if dispersed.
	3,3'-Dithiodipropionic Acid	May form explosible dust-air mixture if dispersed.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
	OPA reagent, 10 mg/ml,	In a fire or if heated, a pressure increase will occur and the

SECTION 5: Firefighting measures**Hazardous combustion products**

6 ampoules	container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
AA, std 10pmol 10/PK	In a fire or if heated, a pressure increase will occur and the container may burst.
AA, std 25pmol 10/PK	In a fire or if heated, a pressure increase will occur and the container may burst.
AA, standard 100PMOL 10/PK	In a fire or if heated, a pressure increase will occur and the container may burst.
td 1nmol 10/PK	In a fire or if heated, a pressure increase will occur and the container may burst.
AA, standard 250PMOL 10/PK	In a fire or if heated, a pressure increase will occur and the container may burst.
: Sarcosine	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
L-Tryptophan	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
L-Norvaline	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
L-Glutamine	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
L-Asparagine	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
L-4-Hydroxyproline	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
3,3'-Dithiodipropionic Acid	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
FMOC reagent 10 ampoules 1ml ea for AAA	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides cyanides
OPA reagent, 10 mg/ml, 6 ampoules	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides Formaldehyde.
AA, std 10pmol 10/PK	No specific data.
AA, std 25pmol 10/PK	No specific data.
AA, standard 100PMOL 10/PK	No specific data.
td 1nmol 10/PK	No specific data.

SECTION 5: Firefighting measures

AA, standard 250PMOL 10/PK No specific data.

5.3 Advice for firefighters**Special precautions for fire-fighters**

: Sarcosine	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
L-Tryptophan	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
L-Norvaline	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
L-Glutamine	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
L-Asparagine	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
L-4-Hydroxyproline	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
3,3'-Dithiodipropionic Acid	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Fmoc reagent 10 ampoules 1ml ea for AAA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
OPA reagent, 10 mg/ml, 6 ampoules	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
AA, std 10pmol 10/PK	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
AA, std 25pmol 10/PK	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
AA, standard 100PMOL 10/PK	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
td 1nmol 10/PK	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
AA, standard 250PMOL 10/PK	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

SECTION 5: Firefighting measures**Special protective equipment for fire-fighters**

: Sarcosine	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
L-Tryptophan	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
L-Norvaline	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
L-Glutamine	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
L-Asparagine	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
L-4-Hydroxyproline	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
3,3'-Dithiodipropionic Acid	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Fmoc reagent 10 ampoules 1ml ea for AAA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
OPA reagent, 10 mg/ml, 6 ampoules	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
AA, std 10pmol 10/PK	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
AA, std 25pmol 10/PK	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 5: Firefighting measuresAA, standard 100PMOL
10/PK

conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

td 1nmol 10/PK

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

AA, standard 250PMOL
10/PK

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency
personnel**

: Sarcosine

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

L-Tryptophan

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

L-Norvaline

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

L-Glutamine

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

L-Asparagine

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

L-4-Hydroxyproline

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard

SECTION 6: Accidental release measures

3,3'-Dithiodipropionic Acid	area. Avoid breathing dust. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Fmoc reagent 10 ampoules 1ml ea for AAA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
OPA reagent, 10 mg/ml, 6 ampoules	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
AA, std 10pmol 10/PK	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
AA, std 25pmol 10/PK	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
AA, standard 100PMOL 10/PK	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
td 1nmol 10/PK	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
AA, standard 250PMOL 10/PK	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders : Sarcosine	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
L-Tryptophan	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
L-Norvaline	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
L-Glutamine	If specialised clothing is required to deal with the spillage,

SECTION 6: Accidental release measures

L-Asparagine	take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
L-4-Hydroxyproline	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
3,3'-Dithiodipropionic Acid	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Fmoc reagent 10 ampoules 1ml ea for AAA	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
OPA reagent, 10 mg/ml, 6 ampoules	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
AA, std 10pmol 10/PK	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
AA, std 25pmol 10/PK	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
AA, standard 100PMOL 10/PK	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
td 1nmol 10/PK	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
AA, standard 250PMOL 10/PK	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Sarcosine	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
L-Tryptophan	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
L-Norvaline	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
L-Glutamine	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
L-Asparagine	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

SECTION 6: Accidental release measures

L-4-Hydroxyproline	(sewers, waterways, soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
3,3'-Dithiodipropionic Acid	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Fmoc reagent 10 ampoules 1ml ea for AAA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
OPA reagent, 10 mg/ml, 6 ampoules	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
AA, std 10pmol 10/PK	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
AA, std 25pmol 10/PK	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
AA, standard 100PMOL 10/PK	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
td 1nmol 10/PK	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
AA, standard 250PMOL 10/PK	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up**Methods for cleaning up** : Sarcosine

	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
L-Tryptophan	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
L-Norvaline	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
L-Glutamine	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
L-Asparagine	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
L-4-Hydroxyproline	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material

SECTION 6: Accidental release measures

3,3'-Dithiodipropionic Acid	and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Fmoc reagent 10 ampoules 1ml ea for AAA	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
OPA reagent, 10 mg/ml, 6 ampoules	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
AA, std 10pmol 10/PK	Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
AA, std 25pmol 10/PK	Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
AA, standard 100PMOL 10/PK	Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
td 1nmol 10/PK	Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
AA, standard 250PMOL 10/PK	Stop leak if without risk. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Move containers from spill area. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

- : See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Protective measures**

- : Sarcosine

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring

SECTION 7: Handling and storage

L-Tryptophan	material. Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
L-Norvaline	Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
L-Glutamine	Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
L-Asparagine	Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
L-4-Hydroxyproline	Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and

SECTION 7: Handling and storage

3,3'-Dithiodipropionic
Acid

bonding containers and equipment before transferring material.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Fmoc reagent 10
ampoules 1ml ea for AAA

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

OPA reagent, 10 mg/ml,
6 ampoules

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.

AA, std 10pmol 10/PK

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.

AA, std 25pmol 10/PK

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product

SECTION 7: Handling and storageAA, standard 100PMOL
10/PK

td 1nmol 10/PK

AA, standard 250PMOL
10/PK**Advice on general
occupational hygiene**

: Sarcosine

L-Tryptophan

L-Norvaline

L-Glutamine

L-Asparagine

L-4-Hydroxyproline

3,3'-Dithiodipropionic
Acid

residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

SECTION 7: Handling and storage

Fmoc reagent 10
ampoules 1ml ea for AAA

OPA reagent, 10 mg/ml,
6 ampoules

AA, std 10pmol 10/PK

AA, std 25pmol 10/PK

AA, standard 100PMOL
10/PK

td 1nmol 10/PK

AA, standard 250PMOL
10/PK

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities**Storage**

: Sarcosine

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

L-Tryptophan

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-

SECTION 7: Handling and storage

L-Norvaline

ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

L-Glutamine

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

L-Asparagine

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

L-4-Hydroxyproline

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

3,3'-Dithiodipropionic
Acid

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use.

SECTION 7: Handling and storage

Fmoc reagent 10
ampoules 1ml ea for AAA

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

OPA reagent, 10 mg/ml,
6 ampoules

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Store locked up. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

AA, std 10pmol 10/PK

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

AA, std 25pmol 10/PK

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

AA, standard 100PMOL
10/PK

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental

SECTION 7: Handling and storage

td 1nmol 10/PK

contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

AA, standard 250PMOL 10/PK

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds**Danger criteria**

Category	Notification and MAPP threshold	Safety report threshold
FMOC reagent 10 ampoules 1ml ea for AAA P5c	5000 tonne	50000 tonne
OPA reagent, 10 mg/ml, 6 ampoules E2	200 tonne	500 tonne

7.3 Specific end use(s)**Recommendations**

: Sarcosine	Industrial applications, Professional applications.
L-Tryptophan	Industrial applications, Professional applications.
L-Norvaline	Industrial applications, Professional applications.
L-Glutamine	Industrial applications, Professional applications.
L-Asparagine	Industrial applications, Professional applications.
L-4-Hydroxyproline	Industrial applications, Professional applications.
3,3'-Dithiodipropionic Acid	Industrial applications, Professional applications.
FMOC reagent 10 ampoules 1ml ea for AAA	Industrial applications, Professional applications.
OPA reagent, 10 mg/ml, 6 ampoules	Industrial applications, Professional applications.
AA, std 10pmol 10/PK	Industrial applications, Professional applications.
AA, std 25pmol 10/PK	Industrial applications, Professional applications.
AA, standard 100PMOL 10/PK	Industrial applications, Professional applications.
td 1nmol 10/PK	Industrial applications, Professional applications.
AA, standard 250PMOL 10/PK	Industrial applications, Professional applications.

SECTION 7: Handling and storage

Industrial sector specific solutions	Sarcosine	Not available.
	L-Tryptophan	Not available.
	L-Norvaline	Not available.
	L-Glutamine	Not available.
	L-Asparagine	Not available.
	L-4-Hydroxyproline	Not available.
	3,3'-Dithiodipropionic Acid	Not available.
	FMOC reagent 10 ampoules 1ml ea for AAA	Not available.
	OPA reagent, 10 mg/ml, 6 ampoules	Not available.
	AA, std 10pmol 10/PK	Not available.
	AA, std 25pmol 10/PK	Not available.
	AA, standard 100PMOL 10/PK	Not available.
	td 1nmol 10/PK	Not available.
	AA, standard 250PMOL 10/PK	Not available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limits**

Product/ingredient name	Exposure limit values
FMOC reagent 10 ampoules 1ml ea for AAA acetonitrile	NAOSH (Ireland, 5/2021). Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values OELV-8hr: 40 ppm 8 hours. OELV-8hr: 70 mg/m ³ 8 hours.
OPA reagent, 10 mg/ml, 6 ampoules potassium hydroxide	NAOSH (Ireland, 5/2021). Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV-15min: 2 mg/m ³ 15 minutes.
boric acid	NAOSH (Ireland, 5/2021). [borate compounds inorganic] Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV-8hr: 2 mg/m ³ 8 hours.
methanol	NAOSH (Ireland, 5/2021). Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values OELV-8hr: 200 ppm 8 hours. OELV-8hr: 260 mg/m ³ 8 hours.
alkali salts and alkali earth salts of thiocyanic acid	NAOSH (Ireland, 5/2021). [cyanides except hydrogen cyanide, cyanogen and cyanogen chloride; as CN] Absorbed through skin. Notes: Advisory Occupational Exposure Limit Values (OELVs) OELV-8hr: 5 mg/m ³ , (as CN) 8 hours.


Biological exposure indices

Product/ingredient name	Exposure indices
OPA reagent, 10 mg/ml, 6 ampoules methanol	NAOSH (Ireland, 1/2011) BMGV: 15 mg/l, methanol [in urine]. Sampling time: end of shift - As soon as possible after exposure ceases.

SECTION 8: Exposure controls/personal protection**Recommended monitoring procedures**

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
 L-Tryptophan L-Tryptophan	DNEL	Long term Oral	47 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	164 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	471 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	664 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	941 mg/kg bw/day	Workers	Systemic
L-Glutamine Levoglutamide	DNEL	Long term Oral	9.8 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	34.2 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	98.3 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	138.6 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	196.6 mg/kg bw/day	Workers	Systemic
L-Asparagine Asparagine	DNEL	Long term Oral	8.25 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	8.25 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	12.2 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	80.61 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	81.4 mg/m ³	Workers	Systemic
L-4-Hydroxyproline L-4-Hydroxyproline	DNEL	Long term Inhalation	4.35 mg/m ³	General population	Systemic
	DNEL	Long term Oral	5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	35.3 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	50 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	200 mg/kg bw/day	Workers	Systemic
FMOc reagent 10 ampoules 1ml ea for AAA acetonitrile	DNEL	Long term Oral	0.4 mg/kg	General	Systemic

SECTION 8: Exposure controls/personal protection

OPA reagent, 10 mg/ml, 6 ampoules	DNEL	Short term Oral	bw/day 0.6 mg/kg	population General	Systemic
	DNEL	Long term Dermal	bw/day 1.2 mg/kg	population General	Systemic
	DNEL	Long term Inhalation	bw/day 2.4 mg/m ³	population General	Systemic
potassium hydroxide	DNEL	Long term Inhalation	1 mg/m ³	General population	Local
	DNEL	Long term Inhalation	1 mg/m ³	Workers	Local
	DNEL	Short term Oral	0.98 mg/kg bw/day	General population	Systemic
boric acid	DNEL	Long term Oral	0.98 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	4.15 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	8.3 mg/m ³	Workers	Systemic
3-Mercaptopropionic acid	DNEL	Long term Dermal	196 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	392 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	0.59 mg/kg bw/day	Workers	Systemic
methanol	DNEL	Long term Inhalation	2.08 mg/m ³	Workers	Systemic
	DNEL	Short term Oral	4 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	4 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	4 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	4 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	20 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	20 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	26 mg/m ³	General population	Local
	DNEL	Long term Inhalation	26 mg/m ³	General population	Local
	DNEL	Short term Inhalation	26 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	26 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	130 mg/m ³	Workers	Local
	DNEL	Long term Inhalation	130 mg/m ³	Workers	Local
	DNEL	Short term Inhalation	130 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	130 mg/m ³	Workers	Systemic
Phthalaldehyde	DNEL	Long term Oral	0.82 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.82 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	2.3 mg/kg bw/day	Workers	Systemic

SECTION 8: Exposure controls/personal protection

alkali salts and alkali earth salts of thiocyanic acid	DNEL	Long term Inhalation	2.86 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	16.1 mg/m ³	Workers	Systemic
	DNEL	Long term Oral	0.3 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	0.9 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	2.6 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	3.6 mg/m ³	Workers	Systemic
Dodecan-1-ol, ethoxylated	DNEL	Long term Dermal	5.1 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Oral	0.5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	0.87 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	1.4 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	4.93 mg/m ³	Workers	Systemic

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

SECTION 8: Exposure controls/personal protection

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties**Appearance**

Physical state	Sarcosine	Solid. [Powder. Deliquescent solid.]
	L-Tryptophan	Solid. [Crystalline powder.]
	L-Norvaline	Solid. [Crystalline powder.]
	L-Glutamine	Solid. [Needles.]
	L-Asparagine	Solid. [Crystals.]
	L-4-Hydroxyproline	Solid. [Crystals.]
	3,3'-Dithiodipropionic Acid	Solid. [Powder.]
	Fmoc reagent 10 ampoules 1ml ea for AAA	Liquid. [Clear.]
	OPA reagent, 10 mg/ml, 6 ampoules	Liquid.
	AA, std 10pmol 10/PK	Liquid.
	AA, std 25pmol 10/PK	Liquid.
	AA, standard 100PMOL 10/PK	Liquid.
	td 1nmol 10/PK	Liquid.
	AA, standard 250PMOL 10/PK	Liquid.

Colour	Sarcosine	Not available.
	L-Tryptophan	White to yellowish.
	L-Norvaline	Not available.
	L-Glutamine	Not available.
	L-Asparagine	Not available.
	L-4-Hydroxyproline	White.
	3,3'-Dithiodipropionic Acid	White.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Colourless.
	OPA reagent, 10 mg/ml, 6 ampoules	Yellow. [Light]
	AA, std 10pmol 10/PK	Colourless.
	AA, std 25pmol 10/PK	Colourless.
	AA, standard 100PMOL 10/PK	Colourless.
	td 1nmol 10/PK	Colourless.
	AA, standard 250PMOL 10/PK	Colourless.

Odour	Sarcosine	Not available.
	L-Tryptophan	Odourless.
	L-Norvaline	Not available.
	L-Glutamine	Not available.
	L-Asparagine	Not available.
	L-4-Hydroxyproline	Odourless.
	3,3'-Dithiodipropionic Acid	Unpleasant. [Strong]
	Fmoc reagent 10 ampoules 1ml ea for AAA	Ethereal. [Slight]
	OPA reagent, 10 mg/ml, 6 ampoules	Slight
	AA, std 10pmol 10/PK	Not available.
	AA, std 25pmol 10/PK	Not available.

SECTION 9: Physical and chemical properties

	AA, standard 100PMOL 10/PK	Not available.
	td 1nmol 10/PK	Not available.
	AA, standard 250PMOL 10/PK	Not available.
Odour threshold	: Sarcosine	Not available.
	L-Tryptophan	Not available.
	L-Norvaline	Not available.
	L-Glutamine	Not available.
	L-Asparagine	Not available.
	L-4-Hydroxyproline	Not available.
	3,3'-Dithiodipropionic Acid	Not available.
	Fmoc reagent 10 ampoules 1ml ea for AAA	70 ppm
	OPA reagent, 10 mg/ml, 6 ampoules	Not available.
	AA, std 10pmol 10/PK	Not available.
	AA, std 25pmol 10/PK	Not available.
	AA, standard 100PMOL 10/PK	Not available.
	td 1nmol 10/PK	Not available.
	AA, standard 250PMOL 10/PK	Not available.
Melting point/freezing point	: Sarcosine	208 to 212°C
	L-Tryptophan	278.3 to 279.3°C [EU A.1]
	L-Norvaline	300°C
	L-Glutamine	Decomposes
	L-Asparagine	234 to 235°C
	L-4-Hydroxyproline	274°C
	3,3'-Dithiodipropionic Acid	155 to 158°C
	Fmoc reagent 10 ampoules 1ml ea for AAA	-45°C
	OPA reagent, 10 mg/ml, 6 ampoules	Not available.
	AA, std 10pmol 10/PK	0°C
	AA, std 25pmol 10/PK	0°C
	AA, standard 100PMOL 10/PK	0°C
	td 1nmol 10/PK	0°C
	AA, standard 250PMOL 10/PK	0°C
Initial boiling point and boiling range	: Sarcosine	Not available.
	L-Tryptophan	Not available.
	L-Norvaline	Not available.
	L-Glutamine	Not available.
	L-Asparagine	Not available.
	L-4-Hydroxyproline	Not available.
	3,3'-Dithiodipropionic Acid	Not available.
	Fmoc reagent 10 ampoules 1ml ea for AAA	81.6°C
	OPA reagent, 10 mg/ml, 6 ampoules	Not available.
	AA, std 10pmol 10/PK	100°C
	AA, std 25pmol 10/PK	100°C
	AA, standard 100PMOL 10/PK	100°C
	td 1nmol 10/PK	100°C
	AA, standard 250PMOL 10/PK	100°C

SECTION 9: Physical and chemical properties

Flammability	: Sarcosine	Not available.
	L-Tryptophan	Not available.
	L-Norvaline	Not available.
	L-Glutamine	Not available.
	L-Asparagine	Not available.
	L-4-Hydroxyproline	Not available.
	3,3'-Dithiodipropionic Acid	Not available.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Not applicable.
	OPA reagent, 10 mg/ml, 6 ampoules	Not applicable.
	AA, std 10pmol 10/PK	Not applicable.
	AA, std 25pmol 10/PK	Not applicable.
	AA, standard 100PMOL 10/PK	Not applicable.
	td 1nmol 10/PK	Not applicable.
	AA, standard 250PMOL 10/PK	Not applicable.
Upper/lower flammability or explosive limits	: Sarcosine	Not applicable.
	L-Tryptophan	Not applicable.
	L-Norvaline	Not applicable.
	L-Glutamine	Not applicable.
	L-Asparagine	Not applicable.
	L-4-Hydroxyproline	Not applicable.
	3,3'-Dithiodipropionic Acid	Not applicable.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Lower: 4.4%
		Upper: 16%
	OPA reagent, 10 mg/ml, 6 ampoules	Not available.
	AA, std 10pmol 10/PK	Not available.
	AA, std 25pmol 10/PK	Not available.
	AA, standard 100PMOL 10/PK	Not available.
	td 1nmol 10/PK	Not available.
	AA, standard 250PMOL 10/PK	Not available.
Flash point	: Sarcosine	Not applicable.
	L-Tryptophan	Not applicable.
	L-Norvaline	Not applicable.
	L-Glutamine	Not applicable.
	L-Asparagine	Not applicable.
	L-4-Hydroxyproline	Not applicable.
	3,3'-Dithiodipropionic Acid	Not applicable.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Closed cup: 2°C
	OPA reagent, 10 mg/ml, 6 ampoules	Not available.
	AA, std 10pmol 10/PK	Not available.
	AA, std 25pmol 10/PK	Not available.
	AA, standard 100PMOL 10/PK	Not available.
	td 1nmol 10/PK	Not available.
	AA, standard 250PMOL 10/PK	Not available.

SECTION 9: Physical and chemical properties**Auto-ignition temperature**

OPA reagent, 10 mg/ml, 6 ampoules				
methanol	9.7	Abel-Pensky	-	-
phthalaldehyde	>110	Setaflash	-	-
Sarcosine	Not applicable.			
L-Tryptophan	>400°C [VDI 2263]			
L-Norvaline	Not applicable.			
L-Glutamine	Not applicable.			
L-Asparagine	Not applicable.			
L-4-Hydroxyproline	Not applicable.			
3,3'-Dithiodipropionic Acid	Not applicable.			
Fmoc reagent 10 ampoules 1ml ea for AAA	524°C			

Decomposition temperature

OPA reagent, 10 mg/ml, 6 ampoules		
methanol	455	DIN 51794
Sarcosine	212°C	
L-Tryptophan	289°C	
L-Norvaline	Not available.	
L-Glutamine	185°C	
L-Asparagine	Not available.	
L-4-Hydroxyproline	275°C	
3,3'-Dithiodipropionic Acid	Not available.	
Fmoc reagent 10 ampoules 1ml ea for AAA	Not available.	
OPA reagent, 10 mg/ml, 6 ampoules	Not available.	
AA, std 10pmol 10/PK	Not available.	
AA, std 25pmol 10/PK	Not available.	
AA, standard 100PMOL 10/PK	Not available.	
td 1nmol 10/PK	Not available.	
AA, standard 250PMOL 10/PK	Not available.	

pH

Sarcosine	Not available.
L-Tryptophan	5.5 to 7 [Conc. (% w/w): 1%]
L-Norvaline	Not available.
L-Glutamine	Not available.
L-Asparagine	Not available.
L-4-Hydroxyproline	Not available.
3,3'-Dithiodipropionic Acid	Not available.
Fmoc reagent 10 ampoules 1ml ea for AAA	Not available.
OPA reagent, 10 mg/ml, 6 ampoules	10.4
AA, std 10pmol 10/PK	1.5
AA, std 25pmol 10/PK	1.5
AA, standard 100PMOL 10/PK	1.5
td 1nmol 10/PK	1.5
AA, standard 250PMOL 10/PK	1.5

SECTION 9: Physical and chemical properties

Viscosity	:	Sarcosine	Not applicable.
		L-Tryptophan	Not applicable.
		L-Norvaline	Not applicable.
		L-Glutamine	Not applicable.
		L-Asparagine	Not applicable.
		L-4-Hydroxyproline	Not applicable.
		3,3'-Dithiodipropionic Acid	Not applicable.
		Fmoc reagent 10 ampoules 1ml ea for AAA	Not available.
		OPA reagent, 10 mg/ml, 6 ampoules	Not available.
		AA, std 10pmol 10/PK	Not available.
		AA, std 25pmol 10/PK	Not available.
		AA, standard 100PMOL 10/PK	Not available.
		td 1nmol 10/PK	Not available.
		AA, standard 250PMOL 10/PK	Not available.

Solubility(ies)	:	Media	Result
		Sarcosine	
		water	Soluble
		L-Tryptophan	
		water	Soluble
		diethyl ether	Insoluble
		L-Norvaline	
		water	Soluble
		L-Glutamine	
		water	Soluble
		L-Asparagine	
		water	Soluble
		methanol	Insoluble
		diethyl ether	Insoluble
		L-4-Hydroxyproline	
		water	Soluble
		3,3'-Dithiodipropionic Acid	
		water	Soluble
		Fmoc reagent 10 ampoules 1ml ea for AAA	
		water	Soluble
		OPA reagent, 10 mg/ml, 6 ampoules	
		water	Soluble
		AA, std 10pmol 10/PK	
		water	Soluble
		AA, std 25pmol 10/PK	
		water	Soluble
		AA, standard 100PMOL 10/PK	
		water	Soluble
		td 1nmol 10/PK	
		water	Soluble
		AA, standard 250PMOL 10/PK	
		water	Soluble

Partition coefficient: n-octanol/water	:	Sarcosine	-2.78
		L-Tryptophan	-1.06
		L-Norvaline	-2.11
		L-Glutamine	-3.64
		L-Asparagine	-3.82
		L-4-Hydroxyproline	-3.17
		3,3'-Dithiodipropionic Acid	Not available.
		Fmoc reagent 10 ampoules 1ml ea for AAA	<1
		OPA reagent, 10 mg/ml,	Not applicable.

SECTION 9: Physical and chemical properties

6 ampoules
AA, std 10pmol 10/PK Not applicable.
AA, std 25pmol 10/PK Not applicable.
AA, standard 100PMOL 10/PK Not applicable.
td 1nmol 10/PK Not applicable.
AA, standard 250PMOL 10/PK Not applicable.

Vapour pressure : L-Tryptophan 0 kPa (0 mm Hg)
L-Glutamine 0.0000000025 kPa (0.000000019 mm Hg)
L-Asparagine 0.0000000064 kPa (0.000000048 mm Hg)
L-4-Hydroxyproline 0 kPa (0 mm Hg)

Ingredient name	Vapour Pressure at 20° C			Vapour pressure at 50° C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Fmoc reagent 10 ampoules 1ml ea for AAA						
acetonitrile	70.89	9.5	-	-	-	-
OPA reagent, 10 mg/ml, 6 ampoules						
methanol	126.96	16.9	-	-	-	-
water	17.5	2.3	-	92.258	12.3	-
AA, std 10pmol 10/PK						
water	17.5	2.3	-	92.258	12.3	-
AA, std 25pmol 10/PK						
water	17.5	2.3	-	92.258	12.3	-
AA, standard 100PMOL 10/PK						
water	17.5	2.3	-	92.258	12.3	-
td 1nmol 10/PK						
water	17.5	2.3	-	92.258	12.3	-
AA, standard 250PMOL 10/PK						
water	17.5	2.3	-	92.258	12.3	-

SECTION 9: Physical and chemical properties

Evaporation rate	:	Sarcosine	Not available.
		L-Tryptophan	Not available.
		L-Norvaline	Not available.
		L-Glutamine	Not available.
		L-Asparagine	Not available.
		L-4-Hydroxyproline	Not available.
		3,3'-Dithiodipropionic Acid	Not available.
		Fmoc reagent 10 ampoules 1ml ea for AAA	5.79 (butyl acetate = 1)
		OPA reagent, 10 mg/ml, 6 ampoules	<1 (butyl acetate = 1)
		AA, std 10pmol 10/PK	Not available.
		AA, std 25pmol 10/PK	Not available.
		AA, standard 100PMOL 10/PK	Not available.
		td 1nmol 10/PK	Not available.
		AA, standard 250PMOL 10/PK	Not available.
Relative density	:	Sarcosine	Not available.
		L-Tryptophan	1.34
		L-Norvaline	Not available.
		L-Glutamine	1.469 [OECD 109]
		L-Asparagine	1.54 [OECD 109]
		L-4-Hydroxyproline	1.479 [OECD 109]
		3,3'-Dithiodipropionic Acid	Not available.
		Fmoc reagent 10 ampoules 1ml ea for AAA	0.78
		OPA reagent, 10 mg/ml, 6 ampoules	1.045
		AA, std 10pmol 10/PK	Not available.
		AA, std 25pmol 10/PK	Not available.
		AA, standard 100PMOL 10/PK	Not available.
Vapour density	:	Sarcosine	Not applicable.
		L-Tryptophan	Not applicable.
		L-Norvaline	Not applicable.
		L-Glutamine	Not applicable.
		L-Asparagine	Not applicable.
		L-4-Hydroxyproline	4.5 [Air = 1]
		3,3'-Dithiodipropionic Acid	Not applicable.
		Fmoc reagent 10 ampoules 1ml ea for AAA	Not available.
		OPA reagent, 10 mg/ml, 6 ampoules	Not available.
		AA, std 10pmol 10/PK	Not available.
		AA, std 25pmol 10/PK	Not available.
		AA, standard 100PMOL 10/PK	Not available.

SECTION 9: Physical and chemical properties

Explosive properties	:	Sarcosine	Not available.
		L-Tryptophan	Not available.
		L-Norvaline	Not available.
		L-Glutamine	Not available.
		L-Asparagine	Not available.
		L-4-Hydroxyproline	Not available.
		3,3'-Dithiodipropionic Acid	Not available.
		Fmoc reagent 10 ampoules 1ml ea for AAA	Not available.
		OPA reagent, 10 mg/ml, 6 ampoules	Not available.
		AA, std 10pmol 10/PK	Not available.
		AA, std 25pmol 10/PK	Not available.
		AA, standard 100PMOL 10/PK	Not available.
		td 1nmol 10/PK	Not available.
		AA, standard 250PMOL 10/PK	Not available.

Oxidising properties	:	Sarcosine	Not available.
		L-Tryptophan	Not available.
		L-Norvaline	Not available.
		L-Glutamine	Not available.
		L-Asparagine	Not available.
		L-4-Hydroxyproline	Not available.
		3,3'-Dithiodipropionic Acid	Not available.
		Fmoc reagent 10 ampoules 1ml ea for AAA	Not available.
		OPA reagent, 10 mg/ml, 6 ampoules	Not available.
		AA, std 10pmol 10/PK	Not available.
		AA, std 25pmol 10/PK	Not available.
		AA, standard 100PMOL 10/PK	Not available.
		td 1nmol 10/PK	Not available.
		AA, standard 250PMOL 10/PK	Not available.

Particle characteristics

Median particle size	:	Sarcosine	Not available.
		L-Tryptophan	Not available.
		L-Norvaline	Not available.
		L-Glutamine	Not available.
		L-Asparagine	Not available.
		L-4-Hydroxyproline	Not available.
		3,3'-Dithiodipropionic Acid	Not available.
		Fmoc reagent 10 ampoules 1ml ea for AAA	Not applicable.
		OPA reagent, 10 mg/ml, 6 ampoules	Not applicable.
		AA, std 10pmol 10/PK	Not applicable.
		AA, std 25pmol 10/PK	Not applicable.
		AA, standard 100PMOL 10/PK	Not applicable.
		td 1nmol 10/PK	Not applicable.
		AA, standard 250PMOL 10/PK	Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: Sarcosine	No specific test data related to reactivity available for this product or its ingredients.
	L-Tryptophan	No specific test data related to reactivity available for this product or its ingredients.
	L-Norvaline	No specific test data related to reactivity available for this product or its ingredients.
	L-Glutamine	No specific test data related to reactivity available for this product or its ingredients.
	L-Asparagine	No specific test data related to reactivity available for this product or its ingredients.
	L-4-Hydroxyproline	No specific test data related to reactivity available for this product or its ingredients.
	3,3'-Dithiodipropionic Acid	No specific test data related to reactivity available for this product or its ingredients.
	Fmoc reagent 10 ampoules 1ml ea for AAA	No specific test data related to reactivity available for this product or its ingredients.
	OPA reagent, 10 mg/ml, 6 ampoules	No specific test data related to reactivity available for this product or its ingredients.
	AA, std 10pmol 10/PK	No specific test data related to reactivity available for this product or its ingredients.
	AA, std 25pmol 10/PK	No specific test data related to reactivity available for this product or its ingredients.
	AA, standard 100PMOL 10/PK	No specific test data related to reactivity available for this product or its ingredients.
	td 1nmol 10/PK	No specific test data related to reactivity available for this product or its ingredients.
	AA, standard 250PMOL 10/PK	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Sarcosine	The product is stable.
	L-Tryptophan	The product is stable.
	L-Norvaline	The product is stable.
	L-Glutamine	The product is stable.
	L-Asparagine	The product is stable.
	L-4-Hydroxyproline	The product is stable.
	3,3'-Dithiodipropionic Acid	The product is stable.
	Fmoc reagent 10 ampoules 1ml ea for AAA	The product is stable.
	OPA reagent, 10 mg/ml, 6 ampoules	The product is stable.
	AA, std 10pmol 10/PK	The product is stable.
	AA, std 25pmol 10/PK	The product is stable.
	AA, standard 100PMOL 10/PK	The product is stable.
	td 1nmol 10/PK	The product is stable.
	AA, standard 250PMOL 10/PK	The product is stable.
10.3 Possibility of hazardous reactions	: Sarcosine	Under normal conditions of storage and use, hazardous reactions will not occur.
	L-Tryptophan	Under normal conditions of storage and use, hazardous reactions will not occur.
	L-Norvaline	Under normal conditions of storage and use, hazardous reactions will not occur.
	L-Glutamine	Under normal conditions of storage and use, hazardous reactions will not occur.
	L-Asparagine	Under normal conditions of storage and use, hazardous reactions will not occur.
	L-4-Hydroxyproline	Under normal conditions of storage and use, hazardous reactions will not occur.
	3,3'-Dithiodipropionic	Under normal conditions of storage and use, hazardous

SECTION 10: Stability and reactivity

Acid	reactions will not occur.
Fmoc reagent 10 ampoules 1ml ea for AAA	Under normal conditions of storage and use, hazardous reactions will not occur.
OPA reagent, 10 mg/ml, 6 ampoules	Under normal conditions of storage and use, hazardous reactions will not occur.
AA, std 10pmol 10/PK	Under normal conditions of storage and use, hazardous reactions will not occur.
AA, std 25pmol 10/PK	Under normal conditions of storage and use, hazardous reactions will not occur.
AA, standard 100PMOL 10/PK	Under normal conditions of storage and use, hazardous reactions will not occur.
td 1nmol 10/PK	Under normal conditions of storage and use, hazardous reactions will not occur.
AA, standard 250PMOL 10/PK	Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid	: Sarcosine	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
	L-Tryptophan	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
	L-Norvaline	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
	L-Glutamine	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
	L-Asparagine	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
	L-4-Hydroxyproline	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
	3,3'-Dithiodipropionic Acid	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Store away from direct sunlight.
	OPA reagent, 10 mg/ml,	No specific data.

SECTION 10: Stability and reactivity

6 ampoules	
AA, std 10pmol 10/PK	No specific data.
AA, std 25pmol 10/PK	No specific data.
AA, standard 100PMOL 10/PK	No specific data.
td 1nmol 10/PK	No specific data.
AA, standard 250PMOL 10/PK	No specific data.


10.5 Incompatible materials

: Sarcosine	Reactive or incompatible with the following materials: oxidising materials
L-Tryptophan	Reactive or incompatible with the following materials: oxidising materials
L-Norvaline	Reactive or incompatible with the following materials: oxidising materials
L-Glutamine	Reactive or incompatible with the following materials: oxidising materials
L-Asparagine	Reactive or incompatible with the following materials: oxidising materials
L-4-Hydroxyproline	Reactive or incompatible with the following materials: oxidising materials
3,3'-Dithiodipropionic Acid	Reactive or incompatible with the following materials: oxidising materials
Fmoc reagent 10 ampoules 1ml ea for AAA	Reactive or incompatible with the following materials: oxidising materials
OPA reagent, 10 mg/ml, 6 ampoules	Reactive or incompatible with the following materials: metals
AA, std 10pmol 10/PK	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals
AA, std 25pmol 10/PK	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals
AA, standard 100PMOL 10/PK	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals
td 1nmol 10/PK	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals
AA, standard 250PMOL 10/PK	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals

SECTION 10: Stability and reactivity**10.6 Hazardous decomposition products**

: Sarcosine	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
L-Tryptophan	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
L-Norvaline	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
L-Glutamine	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
L-Asparagine	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
L-4-Hydroxyproline	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
3,3'-Dithiodipropionic Acid	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
FMOc reagent 10 ampoules 1ml ea for AAA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
OPA reagent, 10 mg/ml, 6 ampoules	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
AA, std 10pmol 10/PK	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
AA, std 25pmol 10/PK	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
AA, standard 100PMOL 10/PK	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
td 1nmol 10/PK	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
AA, standard 250PMOL 10/PK	Under normal conditions of storage and use, hazardous decomposition products should not be produced.


SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
 L-Tryptophan	LD50 Oral	Rat	>16 g/kg	-
L-Glutamine Levoglutamide	LD50 Oral	Rat	7500 mg/kg	-
FMOc reagent 10 ampoules 1ml ea for AAA acetonitrile	LC50 Inhalation Vapour LD50 Oral	Rat Rat	17100 ppm 2460 mg/kg	4 hours -
OPA reagent, 10 mg/ml, 6 ampoules potassium hydroxide boric acid	LD50 Oral LC50 Inhalation Dusts and mists LD50 Dermal	Rat Rat - Male, Female Rabbit - Male, Female	273 mg/kg >2.12 mg/l >2000 mg/kg	- 4 hours -
3-Mercaptopropionic acid	LC50 Inhalation Dusts and mists	Rat - Male, Female	1818 mg/m ³	4 hours
methanol	LD50 Oral LC50 Inhalation Vapour LC50 Inhalation Vapour LC50 Inhalation Vapour LC50 Inhalation Vapour LD50 Dermal	Rat Rat Rat Rat Rabbit	96 mg/kg 189.95 mg/l 145000 ppm 83.84 mg/l 64000 ppm 15800 mg/kg	- 1 hours 1 hours 4 hours 4 hours -
Phthalaldehyde	LD50 Oral LD50 Dermal LD50 Oral	Rat Rat Rat	5600 mg/kg >2000 mg/kg 238.12 mg/kg	- - -


SECTION 11: Toxicological information

alkali salts and alkali earth salts of thiocyanic acid	LD50 Oral	Rat	854 mg/kg	-
Dodecan-1-ol, ethoxylated	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat - Female	1000 mg/kg	-

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
 Levoglutamine Levoglutamide	7500	N/A	N/A	N/A	N/A
FMOc reagent 10 ampoules 1ml ea for AAA FMOc reagent 10 ampoules 1ml ea for AAA acetonitrile	502.5 500	1105.5 1100	N/A N/A	11.1 11	N/A N/A
OPA reagent, 10 mg/ml, 6 ampoules OPA reagent, 10 mg/ml, 6 ampoules potassium hydroxide	1715.2 500	13200.0 N/A	N/A N/A	150.0 N/A	56.6 N/A
boric acid	5100	N/A	N/A	N/A	N/A
3-Mercaptopropionic acid	96	N/A	N/A	N/A	1.818
methanol	100	300	N/A	3	N/A
Phthalaldehyde	238.12	N/A	N/A	N/A	N/A
alkali salts and alkali earth salts of thiocyanic acid	854	1100	N/A	N/A	1.5
Dodecan-1-ol, ethoxylated	1000	N/A	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
 FMOc reagent 10 ampoules 1ml ea for AAA acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 uL	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
OPA reagent, 10 mg/ml, 6 ampoules potassium hydroxide	Eyes - Moderate irritant	Rabbit	-	24 hours 1 mg	-
	Skin - Severe irritant	Guinea pig	-	24 hours 50 mg	-
	Skin - Severe irritant	Rabbit	-	24 hours 50 mg	-
methanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	40 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 mg	-
Dodecan-1-ol, ethoxylated	Eyes - Severe irritant	Rabbit	-	24 hours 750 ug	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 mg	-

Sensitiser**Conclusion/Summary** : Not available.**Mutagenicity****Conclusion/Summary** : Not available.**Carcinogenicity**

SECTION 11: Toxicological information**Conclusion/Summary** : Not available.**Reproductive toxicity****Conclusion/Summary** : Not available.**Teratogenicity****Conclusion/Summary** : Not available.**Specific target organ toxicity (single exposure)**

Product/ingredient name	Category	Route of exposure	Target organs
3,3'-Dithiodipropionic Acid 3,3'-dithiobispropionic acid	Category 3	-	Respiratory tract irritation
OPA reagent, 10 mg/ml, 6 ampoules methanol Phthalaldehyde	Category 1 Category 3	- -	- Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

Sarcosine	Not available.
L-Tryptophan	Not available.
L-Norvaline	Not available.
L-Glutamine	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
L-Asparagine	Not available.
L-4-Hydroxyproline	Not available.
3,3'-Dithiodipropionic Acid	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Fmoc reagent 10 ampoules 1ml ea for AAA	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
OPA reagent, 10 mg/ml, 6 ampoules	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
AA, std 10pmol 10/PK	Not available.
AA, std 25pmol 10/PK	Not available.
AA, standard 100PMOL 10/PK	Not available.
td 1nmol 10/PK	Not available.
AA, standard 250PMOL 10/PK	Not available.

Potential acute health effects

Inhalation	Sarcosine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Tryptophan	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Norvaline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Glutamine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-Asparagine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
	L-4-Hydroxyproline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

SECTION 11: Toxicological information

	3,3'-Dithiodipropionic Acid	May cause respiratory irritation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Harmful if inhaled.
	OPA reagent, 10 mg/ml, 6 ampoules	No known significant effects or critical hazards.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Ingestion	: Sarcosine	No known significant effects or critical hazards.
	L-Tryptophan	No known significant effects or critical hazards.
	L-Norvaline	No known significant effects or critical hazards.
	L-Glutamine	No known significant effects or critical hazards.
	L-Asparagine	No known significant effects or critical hazards.
	L-4-Hydroxyproline	No known significant effects or critical hazards.
	3,3'-Dithiodipropionic Acid	No known significant effects or critical hazards.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Harmful if swallowed.
	OPA reagent, 10 mg/ml, 6 ampoules	Severely corrosive to the digestive tract. Causes severe burns. Harmful if swallowed.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Skin contact	: Sarcosine	No known significant effects or critical hazards.
	L-Tryptophan	No known significant effects or critical hazards.
	L-Norvaline	No known significant effects or critical hazards.
	L-Glutamine	No known significant effects or critical hazards.
	L-Asparagine	No known significant effects or critical hazards.
	L-4-Hydroxyproline	No known significant effects or critical hazards.
	3,3'-Dithiodipropionic Acid	Causes skin irritation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	Harmful in contact with skin.
	OPA reagent, 10 mg/ml, 6 ampoules	Causes severe burns. May cause an allergic skin reaction.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Eye contact	: Sarcosine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-Tryptophan	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-Norvaline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
	L-Glutamine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

SECTION 11: Toxicological information

L-Asparagine	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
L-4-Hydroxyproline	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
3,3'-Dithiodipropionic Acid	Causes serious eye irritation.
Fmoc reagent 10 ampoules 1ml ea for AAA	Causes serious eye irritation.
OPA reagent, 10 mg/ml, 6 ampoules	Causes serious eye damage.
AA, std 10pmol 10/PK	No known significant effects or critical hazards.
AA, std 25pmol 10/PK	No known significant effects or critical hazards.
AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
td 1nmol 10/PK	No known significant effects or critical hazards.
AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	:	Sarcosine	Adverse symptoms may include the following: respiratory tract irritation coughing
		L-Tryptophan	Adverse symptoms may include the following: respiratory tract irritation coughing
		L-Norvaline	Adverse symptoms may include the following: respiratory tract irritation coughing
		L-Glutamine	Adverse symptoms may include the following: respiratory tract irritation coughing
		L-Asparagine	Adverse symptoms may include the following: respiratory tract irritation coughing
		L-4-Hydroxyproline	Adverse symptoms may include the following: respiratory tract irritation coughing
		3,3'-Dithiodipropionic Acid	Adverse symptoms may include the following: respiratory tract irritation coughing
		Fmoc reagent 10 ampoules 1ml ea for AAA	No specific data.
		OPA reagent, 10 mg/ml, 6 ampoules	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		AA, std 10pmol 10/PK	No specific data.
		AA, std 25pmol 10/PK	No specific data.
		AA, standard 100PMOL 10/PK	No specific data.
		td 1nmol 10/PK	No specific data.
		AA, standard 250PMOL 10/PK	No specific data.

SECTION 11: Toxicological information

Ingestion	: Sarcosine	No specific data.
	L-Tryptophan	No specific data.
	L-Norvaline	No specific data.
	L-Glutamine	No specific data.
	L-Asparagine	No specific data.
	L-4-Hydroxyproline	No specific data.
	3,3'-Dithiodipropionic Acid	No specific data.
	Fmoc reagent 10 ampoules 1ml ea for AAA	No specific data.
	OPA reagent, 10 mg/ml, 6 ampoules	Adverse symptoms may include the following: stomach pains reduced foetal weight increase in foetal deaths skeletal malformations
	AA, std 10pmol 10/PK	No specific data.
	AA, std 25pmol 10/PK	No specific data.
	AA, standard 100PMOL 10/PK	No specific data.
	td 1nmol 10/PK	No specific data.
Skin contact	AA, standard 250PMOL 10/PK	No specific data.
	: Sarcosine	No specific data.
	L-Tryptophan	No specific data.
	L-Norvaline	No specific data.
	L-Glutamine	No specific data.
	L-Asparagine	No specific data.
	L-4-Hydroxyproline	No specific data.
	3,3'-Dithiodipropionic Acid	Adverse symptoms may include the following: irritation redness
	Fmoc reagent 10 ampoules 1ml ea for AAA	No specific data.
	OPA reagent, 10 mg/ml, 6 ampoules	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced foetal weight increase in foetal deaths skeletal malformations
	AA, std 10pmol 10/PK	No specific data.
	AA, std 25pmol 10/PK	No specific data.
	AA, standard 100PMOL 10/PK	No specific data.
Eye contact	td 1nmol 10/PK	No specific data.
	AA, standard 250PMOL 10/PK	No specific data.
	: Sarcosine	Adverse symptoms may include the following: irritation redness
	L-Tryptophan	Adverse symptoms may include the following: irritation redness
	L-Norvaline	Adverse symptoms may include the following: irritation redness
	L-Glutamine	Adverse symptoms may include the following: irritation redness
	L-Asparagine	Adverse symptoms may include the following:

SECTION 11: Toxicological information

	irritation redness
L-4-Hydroxyproline	Adverse symptoms may include the following: irritation redness
3,3'-Dithiodipropionic Acid	Adverse symptoms may include the following: pain or irritation watering redness
Fmoc reagent 10 ampoules 1ml ea for AAA	Adverse symptoms may include the following: pain or irritation watering redness
OPA reagent, 10 mg/ml, 6 ampoules	Adverse symptoms may include the following: pain watering redness
AA, std 10pmol 10/PK	No specific data.
AA, std 25pmol 10/PK	No specific data.
AA, standard 100PMOL 10/PK	No specific data.
td 1nmol 10/PK	No specific data.
AA, standard 250PMOL 10/PK	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

General	: Sarcosine	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	L-Tryptophan	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	L-Norvaline	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	L-Glutamine	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	L-Asparagine	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	L-4-Hydroxyproline	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	3,3'-Dithiodipropionic Acid	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	Fmoc reagent 10 ampoules 1ml ea for AAA	No known significant effects or critical hazards.
	OPA reagent, 10 mg/ml, 6 ampoules	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.

SECTION 11: Toxicological information

	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Carcinogenicity	: Sarcosine	No known significant effects or critical hazards.
	L-Tryptophan	No known significant effects or critical hazards.
	L-Norvaline	No known significant effects or critical hazards.
	L-Glutamine	No known significant effects or critical hazards.
	L-Asparagine	No known significant effects or critical hazards.
	L-4-Hydroxyproline	No known significant effects or critical hazards.
	3,3'-Dithiodipropionic Acid	No known significant effects or critical hazards.
	Fmoc reagent 10 ampoules 1ml ea for AAA	No known significant effects or critical hazards.
	OPA reagent, 10 mg/ml, 6 ampoules	No known significant effects or critical hazards.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Mutagenicity	: Sarcosine	No known significant effects or critical hazards.
	L-Tryptophan	No known significant effects or critical hazards.
	L-Norvaline	No known significant effects or critical hazards.
	L-Glutamine	No known significant effects or critical hazards.
	L-Asparagine	No known significant effects or critical hazards.
	L-4-Hydroxyproline	No known significant effects or critical hazards.
	3,3'-Dithiodipropionic Acid	No known significant effects or critical hazards.
	Fmoc reagent 10 ampoules 1ml ea for AAA	No known significant effects or critical hazards.
	OPA reagent, 10 mg/ml, 6 ampoules	No known significant effects or critical hazards.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.
Reproductive toxicity	: Sarcosine	No known significant effects or critical hazards.
	L-Tryptophan	No known significant effects or critical hazards.
	L-Norvaline	No known significant effects or critical hazards.
	L-Glutamine	No known significant effects or critical hazards.
	L-Asparagine	No known significant effects or critical hazards.
	L-4-Hydroxyproline	No known significant effects or critical hazards.
	3,3'-Dithiodipropionic Acid	No known significant effects or critical hazards.
	Fmoc reagent 10 ampoules 1ml ea for AAA	No known significant effects or critical hazards.
	OPA reagent, 10 mg/ml, 6 ampoules	May damage fertility. May damage the unborn child.
	AA, std 10pmol 10/PK	No known significant effects or critical hazards.
	AA, std 25pmol 10/PK	No known significant effects or critical hazards.
	AA, standard 100PMOL 10/PK	No known significant effects or critical hazards.
	td 1nmol 10/PK	No known significant effects or critical hazards.
	AA, standard 250PMOL 10/PK	No known significant effects or critical hazards.

SECTION 11: Toxicological information**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Not available.

11.2.2 Other information

Fmoc reagent 10 ampoules 1ml ea for AAA

Adverse symptoms may include the following: May cause headache, weakness, dizziness, shortness of breath, cyanosis, rapid heart beat, unconsciousness and possible death.

OPA reagent, 10 mg/ml, 6 ampoules

Adverse symptoms may include the following: blurred or double vision, Eye contact can result in corneal damage or blindness. Repeated or prolonged exposure to the substance can produce liver damage. May cause eye irritation. Repeated or prolonged exposure to the substance can produce reproductive system damage. Narcotic effect. May cause nervous system disturbances.


SECTION 12: Ecological information**12.1 Toxicity**


Product/ingredient name	Result	Species	Exposure
L-Glutamine Levoglutamide	Acute EC50 >100 mg/l Fresh water Acute EC50 >100 mg/l Fresh water Acute NOEC 100 mg/l Fresh water Acute NOEC 100 mg/l Fresh water	Algae Daphnia Algae Daphnia	72 hours 48 hours 72 hours 48 hours
L-Asparagine Asparagine	Acute EC50 >100 mg/l Fresh water Acute NOEC 100 mg/l Fresh water	Algae - <i>Pseudokirchneriella subcapitata</i> Algae - <i>Pseudokirchneriella subcapitata</i>	72 hours 72 hours
L-4-Hydroxyproline L-4-Hydroxyproline	Acute EC50 71.6 mg/l Fresh water Acute EC50 >100 mg/l Fresh water Acute NOEC 25 mg/l Fresh water Acute NOEC 100 mg/l Fresh water	Algae - <i>Pseudokirchneriella subcapitata</i> Daphnia Algae - <i>Pseudokirchneriella subcapitata</i> Daphnia	72 hours 48 hours 72 hours 48 hours
Fmoc reagent 10 ampoules 1ml ea for AAA acetonitrile	Acute IC50 3685000 µg/l Fresh water Acute LC50 3600000 µg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic NOEC 1000000 µg/l Fresh water Chronic NOEC 160000 µg/l Fresh water	Aquatic plants - <i>Lemna minor</i> Daphnia - <i>Daphnia magna</i> Fish - <i>Pimephales promelas</i> Aquatic plants - <i>Lemna minor</i> Daphnia - <i>Daphnia magna</i>	96 hours 48 hours 96 hours 96 hours 21 days
OPA reagent, 10 mg/ml, 6 ampoules potassium hydroxide boric acid	Acute LC50 80 ppm Fresh water Acute LC50 45.5 mg/l Fresh water Acute LC50 133000 µg/l Fresh water	Fish - <i>Gambusia affinis</i> - Adult Crustaceans - <i>Ceriodaphnia dubia</i> Daphnia - <i>Daphnia magna</i> - Neonate	96 hours 48 hours 48 hours
3-Mercaptopropionic acid	Acute LC50 75 mg/l Marine water Chronic NOEC 6000 µg/l Fresh water Chronic NOEC 2100 µg/l Fresh water Acute EC50 26 mg/l Fresh water Acute EC50 9 mg/l Fresh water Acute LC50 98 mg/l Fresh water	Fish - <i>Pagrus major</i> Daphnia - <i>Daphnia magna</i> Fish - <i>Oncorhynchus mykiss</i> Algae Daphnia Fish	96 hours 21 days 87 days 72 hours 48 hours 96 hours
methanol	Acute NOEC 4.1 mg/l Fresh water Acute EC50 2736 mg/l Marine water Acute LC50 2500000 µg/l Marine water	Algae Algae - <i>Ulva pertusa</i> Crustaceans - <i>Crangon crangon</i>	72 hours 96 hours 48 hours

SECTION 12: Ecological information

Phthalaldehyde	Acute LC50 3289 mg/l Fresh water	- Adult Daphnia - <i>Daphnia magna</i> - Neonate	48 hours
	Acute LC50 290 mg/l Fresh water	Fish - <i>Danio rerio</i> - Egg	96 hours
	Chronic NOEC 9.96 mg/l Marine water	Algae - <i>Ulva pertusa</i>	96 hours
	Acute EC50 90 ppb Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 20 ppb Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours
	Acute LC50 11000 µg/l Fresh water	Daphnia - <i>Daphnia pulex</i>	48 hours
alkali salts and alkali earth salts of thiocyanic acid	Acute LC50 13.3 mg/l Fresh water	Fish - <i>Salvelinus fontinalis</i>	96 hours
	Chronic NOEC 1100 µg/l Fresh water	Fish - <i>Lepomis macrochirus</i> - Juvenile (Fledgling, Hatchling, Weanling)	124 days
Dodecan-1-ol, ethoxylated	Acute LC50 6460 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 1500 µg/l Fresh water	Fish - <i>Salmo salar</i> - Parr	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
 L-Tryptophan L-Tryptophan	OECD 301B Ready Biodegradability - CO2 Evolution Test	77 % - 28 days	-	-
Fmoc reagent 10 ampoules 1ml ea for AAA acetonitrile	OECD 310 Ready Biodegradability - CO2 in Sealed Vessels (Headspace Test)	70 % - Readily - 21 days	-	Activated sludge
OPA reagent, 10 mg/ml, 6 ampoules 3-Mercaptopropionic acid	301A Ready Biodegradability - DOC Die-Away Test	96 % - Readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
 L-Tryptophan L-Tryptophan	-	-	Readily
L-Glutamine Levoglutamide	-	-	Readily
L-Asparagine Asparagine	-	-	Readily
L-4-Hydroxyproline L-4-Hydroxyproline	-	-	Readily
3,3'-Dithiodipropionic Acid 3,3'-dithiobispropionic acid	-	-	Readily
Fmoc reagent 10 ampoules 1ml ea for AAA acetonitrile	-	-	Readily

SECTION 12: Ecological information

OPA reagent, 10 mg/ml, 6 ampoules			
boric acid	-	-	Not readily
3-Mercaptopropionic acid	-	-	Readily
methanol	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Sarcosine Sarcosine	-2.78	-	Low
L-Tryptophan L-Tryptophan	-1.06	-	Low
L-Norvaline Norvaline	-2.11	-	Low
L-Glutamine Levoglutamide	-3.64	-	Low
L-Asparagine Asparagine	-3.82	-	Low
L-4-Hydroxyproline L-4-Hydroxyproline	-3.17	-	Low
FMOc reagent 10 ampoules 1ml ea for AAA FMOc reagent 10 ampoules 1ml ea for AAA	<1	-	Low
acetonitrile	-0.34	3	Low
OPA reagent, 10 mg/ml, 6 ampoules boric acid	-1.09	-	Low
3-Mercaptopropionic acid	-2.32	-	Low
methanol	-0.77	<10	Low
Phthalaldehyde	0.99	-	Low
alkali salts and alkali earth salts of thiocyanic acid	-2.52	-	Low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
Sarcosine Sarcosine	N/A	N/A	N/A	N/A	N/A	N/A	N/A
L-Tryptophan L-Tryptophan	No	N/A	N/A	No	N/A	N/A	N/A
L-Norvaline Norvaline	N/A	N/A	N/A	N/A	N/A	N/A	N/A

SECTION 12: Ecological information

L-Glutamine Levoglutamide	No	N/A	N/A	No	N/A	N/A	N/A
L-Asparagine Asparagine	No	N/A	N/A	No	N/A	N/A	N/A
L-4-Hydroxyproline L-4-Hydroxyproline	No	N/A	N/A	No	N/A	N/A	N/A
3,3'-Dithiodipropionic Acid 3,3'-dithiobispropionic acid	No	N/A	N/A	No	N/A	N/A	N/A

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.




Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	UN3316	UN3316	UN3316
14.2 UN proper shipping name	CHEMICAL KIT	CHEMICAL KIT	Chemical kit
14.3 Transport hazard class(es)	9 	9 	9 
14.4 Packing group	II	II	II
14.5 Environmental hazards	No.	No.	No.

Additional information

SECTION 14: Transport information

Remarks: De minimis quantities

- ADR/RID** : **Hazard identification number** 90
Limited quantity See SP 251
Special provisions 251, 340, 671
Tunnel code (E)
- IMDG** : **Emergency schedules** F-A, _S-P_
Special provisions 251, 340
- IATA** : **Quantity limitation** Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960.
Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960.
Special provisions A44, A163
- 14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Regulation (EC) No. 1907/2006 (REACH)****Annex XIV - List of substances subject to authorisation****Annex XIV**

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property	Status	Reference number	Date of revision
OPA reagent, 10 mg/ml, 6 ampoules boric acid	Toxic to reproduction	Recommended	ED/69/2013	7/1/2015

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product / Ingredient name	Identifiers	Designation [Usage]
FMOC reagent 10 ampoules 1ml ea for AAA FMOC reagent 10 ampoules 1ml ea for AAA	-	3
OPA reagent, 10 mg/ml, 6 ampoules OPA reagent, 10 mg/ml, 6 ampoules	-	3 30 30
boric acid	EC: 233-139-2 CAS: 10043-35-3 Index: 005-007-00-2	30
methanol	EC: 200-659-6 CAS: 67-56-1 Index: 603-001-00-X	69

- Label** : Sarcosine Not applicable.
L-Tryptophan Not applicable.
L-Norvaline Not applicable.
L-Glutamine Not applicable.
L-Asparagine Not applicable.
L-4-Hydroxyproline Not applicable.
3,3'-Dithiodipropionic Acid Not applicable.
FMOC reagent 10 ampoules 1ml ea for AAA Not applicable.
OPA reagent, 10 mg/ml, 6 Restricted to professional users.

SECTION 15: Regulatory information

ampoules	
AA, std 10pmol 10/PK	Not applicable.
AA, std 25pmol 10/PK	Not applicable.
AA, standard 100PMOL 10/PK	Not applicable.
td 1nmol 10/PK	Not applicable.
AA, standard 250PMOL 10/PK	Not applicable.

Other EU regulations

Industrial emissions (integrated pollution prevention and control) - Air : Listed

Industrial emissions (integrated pollution prevention and control) - Water : Listed

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

Danger criteria

Category
FMOc reagent 10 ampoules 1ml ea for AAA P5c
OPA reagent, 10 mg/ml, 6 ampoules E2

National regulations

Product/ingredient name	List name	Name on list	Classification	Notes
OPA reagent, 10 mg/ml, 6 ampoules boric acid	Ireland Occupational Exposure Limits	borate compounds inorganic	Repro. Repr.1B	-

International regulations**Chemical Weapon Convention List Schedules I, II & III Chemicals**

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

SECTION 15: Regulatory information

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Eurasian Economic Union	: Russian Federation inventory : All components are listed or exempted.
Japan	: Japan inventory (CSCL) : Not determined. Japan inventory (ISHL) : Not determined.
New Zealand	: Not determined.
Philippines	: All components are listed or exempted.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: All components are listed or exempted.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
-----------------------------------	---

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
3,3'-Dithiodipropionic Acid Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	Expert judgment Expert judgment Expert judgment
FMOc reagent 10 ampoules 1ml ea for AAA Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319	On basis of test data Calculation method Calculation method Calculation method Calculation method
OPA reagent, 10 mg/ml, 6 ampoules Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Skin Sens. 1, H317 Repr. 1B, H360FD Aquatic Chronic 2, H411	Expert judgment Calculation method Calculation method Calculation method Calculation method Calculation method
AA, std 10pmol 10/PK Met. Corr. 1, H290	Expert judgment

SECTION 16: Other information

AA, std 25pmol 10/PK Met. Corr. 1, H290	Expert judgment
AA, standard 100PMOL 10/PK Met. Corr. 1, H290	Expert judgment
td 1nmol 10/PK Met. Corr. 1, H290	Expert judgment
AA, standard 250PMOL 10/PK Met. Corr. 1, H290	Expert judgment

[Full text of abbreviated H statements](#)

3,3'-Dithiodipropionic Acid H315 H319 H335	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
FMOc reagent 10 ampoules 1ml ea for AAA H225 H302 H312 H319 H332	Highly flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. Harmful if inhaled.
OPA reagent, 10 mg/ml, 6 ampoules H225 H290 H301 H302 H311 H312 H314 H315 H317 H319 H331 H332 H335 H360FD H370 H400 H410 H411 H412	Highly flammable liquid and vapour. May be corrosive to metals. Toxic if swallowed. Harmful if swallowed. Toxic in contact with skin. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic if inhaled. Harmful if inhaled. May cause respiratory irritation. May damage fertility. May damage the unborn child. Causes damage to organs. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
AA, std 10pmol 10/PK H290	May be corrosive to metals.
AA, std 25pmol 10/PK H290	May be corrosive to metals.
AA, standard 100PMOL 10/PK H290	May be corrosive to metals.
td 1nmol 10/PK H290	May be corrosive to metals.
AA, standard 250PMOL 10/PK H290	May be corrosive to metals.

[Full text of classifications \[CLP/GHS\]](#)

SECTION 16: Other information

3,3'-Dithiodipropionic Acid Eye Irrit. 2 Skin Irrit. 2 STOT SE 3 FMOc reagent 10 ampoules 1ml ea for AAA Acute Tox. 4 Eye Irrit. 2 Flam. Liq. 2 OPA reagent, 10 mg/ml, 6 ampoules Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 2 Aquatic Chronic 3 Eye Irrit. 2 Flam. Liq. 2 Met. Corr. 1 Repr. 1B Skin Corr. 1 Skin Corr. 1A Skin Corr. 1B Skin Irrit. 2 Skin Sens. 1 Skin Sens. 1A STOT SE 1 STOT SE 3 AA, std 10pmol 10/PK Met. Corr. 1 AA, std 25pmol 10/PK Met. Corr. 1 AA, standard 100PMOL 10/PK Met. Corr. 1 td 1nmol 10/PK Met. Corr. 1 AA, standard 250PMOL 10/PK Met. Corr. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3 ACUTE TOXICITY - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 CORROSIVE TO METALS - Category 1 REPRODUCTIVE TOXICITY - Category 1B SKIN CORROSION/IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1A SKIN CORROSION/IRRITATION - Category 1B SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1A SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3 CORROSIVE TO METALS - Category 1 CORROSIVE TO METALS - Category 1 CORROSIVE TO METALS - Category 1 CORROSIVE TO METALS - Category 1 CORROSIVE TO METALS - Category 1
---	---

Date of issue/ Date of revision : 12/12/2023

Date of previous issue : 28/04/2023

Version : 1.1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.