

SAFETY DATA SHEET



High Sensitivity D5000 Reagents, Part Number 5067-5593

Section 1. Identification

Product identifier : High Sensitivity D5000 Reagents, Part Number 5067-5593
Part no. (chemical kit) : 5067-5593
Part no. : High Sensitivity D5000 Sample Buffer 5190-7745
 High Sensitivity D5000 Ladder 5067-5594

Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical chemistry.
 High Sensitivity D5000 Sample Buffer 1 x 300 µl vials
 High Sensitivity D5000 Ladder 1 x 20 µl vials

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
 679 Springvale Road
 Mulgrave
 Victoria 3170, Australia
 1800 802 402

Emergency telephone number (with hours of operation) : CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

High Sensitivity D5000 Sample Buffer	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%
--------------------------------------	--

GHS label elements

Signal word	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No signal word. No signal word.
Hazard statements	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Precautionary statements</u>		
Prevention	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not applicable. Not applicable.
Response	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not applicable. Not applicable.
Storage	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not applicable. Not applicable.

Section 2. Hazard(s) identification

Disposal	: High Sensitivity D5000 Sample Buffer	Not applicable.
	High Sensitivity D5000 Ladder	Not applicable.
Supplemental label elements		
Additional warning phrases	: High Sensitivity D5000 Sample Buffer	Not applicable.
	High Sensitivity D5000 Ladder	Not applicable.
Other hazards which do not result in classification	: High Sensitivity D5000 Sample Buffer	None known.
	High Sensitivity D5000 Ladder	None known.

Section 3. Composition and ingredient information

Substance/mixture	: High Sensitivity D5000 Sample Buffer	Mixture
	High Sensitivity D5000 Ladder	Mixture

CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
High Sensitivity D5000 Sample Buffer Sucrose	≥10 - ≤30	57-50-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: High Sensitivity D5000 Sample Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	High Sensitivity D5000 Ladder	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: High Sensitivity D5000 Sample Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	High Sensitivity D5000 Ladder	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: High Sensitivity D5000 Sample Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	High Sensitivity D5000 Ladder	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Section 4. First aid measures

Ingestion	: High Sensitivity D5000 Sample Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	High Sensitivity D5000 Ladder	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	High Sensitivity D5000 Ladder	No known significant effects or critical hazards.
Inhalation	: High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	High Sensitivity D5000 Ladder	No known significant effects or critical hazards.
Skin contact	: High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	High Sensitivity D5000 Ladder	No known significant effects or critical hazards.
Ingestion	: High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	High Sensitivity D5000 Ladder	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: High Sensitivity D5000 Sample Buffer	No specific data.
	High Sensitivity D5000 Ladder	No specific data.
Inhalation	: High Sensitivity D5000 Sample Buffer	No specific data.
	High Sensitivity D5000 Ladder	No specific data.
Skin contact	: High Sensitivity D5000 Sample Buffer	No specific data.
	High Sensitivity D5000 Ladder	No specific data.
Ingestion	: High Sensitivity D5000 Sample Buffer	No specific data.
	High Sensitivity D5000 Ladder	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: High Sensitivity D5000 Sample Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	High Sensitivity D5000 Ladder	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 4. First aid measures

Specific treatments	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific treatment. No specific treatment.
Protection of first-aiders	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	None known. None known.
Specific hazards arising from the chemical	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Decomposition products may include the following materials: carbon dioxide carbon monoxide No specific data.
Special protective actions for fire-fighters	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Section 6. Accidental release measures

For non-emergency personnel	: High Sensitivity D5000 Sample Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	High Sensitivity D5000 Ladder	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: High Sensitivity D5000 Sample Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	High Sensitivity D5000 Ladder	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: High Sensitivity D5000 Sample Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	High Sensitivity D5000 Ladder	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up	: High Sensitivity D5000 Sample Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	High Sensitivity D5000 Ladder	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: High Sensitivity D5000 Sample Buffer	Put on appropriate personal protective equipment (see Section 8).
	High Sensitivity D5000 Ladder	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: High Sensitivity D5000 Sample Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	High Sensitivity D5000	Eating, drinking and smoking should be prohibited in

Section 7. Handling and storage

Ladder

areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : High Sensitivity D5000 Sample Buffer

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

High Sensitivity D5000 Ladder

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
High Sensitivity D5000 Sample Buffer Sucrose	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Section 8. Exposure controls and personal protection

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

- Physical state** : High Sensitivity D5000 Sample Buffer Liquid.
High Sensitivity D5000 Ladder Liquid.
- Colour** : High Sensitivity D5000 Sample Buffer Colourless.
High Sensitivity D5000 Ladder Colourless.
- Odour** : High Sensitivity D5000 Sample Buffer Odourless.
High Sensitivity D5000 Ladder Odourless.
- Odour threshold** : High Sensitivity D5000 Sample Buffer Not available.
High Sensitivity D5000 Ladder Not available.
- pH** : High Sensitivity D5000 Sample Buffer 8
High Sensitivity D5000 Ladder 8
- Melting point** : High Sensitivity D5000 Sample Buffer Not available.
High Sensitivity D5000 Ladder 0°C (32°F)
- Boiling point** : High Sensitivity D5000 Sample Buffer ~189°C (372°F)
High Sensitivity D5000 Ladder 100°C (212°F)
- Flash point** : High Sensitivity D5000 Sample Buffer Not available.
High Sensitivity D5000 Ladder Not available.
- Evaporation rate** : High Sensitivity D5000 Sample Buffer Not available.
High Sensitivity D5000 Ladder Not available.
- Flammability (solid, gas)** : High Sensitivity D5000 Sample Buffer Not applicable.
High Sensitivity D5000 Ladder Not applicable.

Section 9. Physical and chemical properties

Lower and upper explosive (flammable) limits	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.
Vapour pressure	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.
Vapour density	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.
Relative density	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.
Solubility	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.
Auto-ignition temperature	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.
Decomposition temperature	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.
Viscosity	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Not available. Not available.

Section 10. Stability and reactivity

Reactivity	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	The product is stable. The product is stable.
Possibility of hazardous reactions	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific data. No specific data.

Section 10. Stability and reactivity

Incompatible materials	: High Sensitivity D5000 Sample Buffer	May react or be incompatible with oxidising materials.
	: High Sensitivity D5000 Ladder	May react or be incompatible with oxidising materials.
Hazardous decomposition products	: High Sensitivity D5000 Sample Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	: High Sensitivity D5000 Ladder	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
High Sensitivity D5000 Sample Buffer Sucrose	LD50 Oral	Rat	29700 mg/kg	-

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.

Potential acute health effects

Eye contact	: High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	: High Sensitivity D5000 Ladder	No known significant effects or critical hazards.
Inhalation	: High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	: High Sensitivity D5000 Ladder	No known significant effects or critical hazards.

Section 11. Toxicological information

Skin contact	: High Sensitivity D5000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D5000	No known significant effects or critical hazards.
Ingestion	: High Sensitivity D5000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D5000	No known significant effects or critical hazards.
	Ladder	

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: High Sensitivity D5000	No specific data.
	Sample Buffer	
	High Sensitivity D5000	No specific data.
Inhalation	: High Sensitivity D5000	No specific data.
	Sample Buffer	
	High Sensitivity D5000	No specific data.
Skin contact	: High Sensitivity D5000	No specific data.
	Sample Buffer	
	High Sensitivity D5000	No specific data.
Ingestion	: High Sensitivity D5000	No specific data.
	Sample Buffer	
	High Sensitivity D5000	No specific data.
	Ladder	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Long term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

General	: High Sensitivity D5000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D5000	No known significant effects or critical hazards.
Carcinogenicity	: High Sensitivity D5000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D5000	No known significant effects or critical hazards.
Mutagenicity	: High Sensitivity D5000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D5000	No known significant effects or critical hazards.
Teratogenicity	: High Sensitivity D5000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D5000	No known significant effects or critical hazards.
Developmental effects	: High Sensitivity D5000	No known significant effects or critical hazards.
	Sample Buffer	
	High Sensitivity D5000	No known significant effects or critical hazards.
	Ladder	

Section 11. Toxicological information

Fertility effects	: High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	: High Sensitivity D5000 Ladder	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
High Sensitivity D5000 Sample Buffer Sucrose	-3.7	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

6

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: All components are listed or exempted.
Europe	: Not determined.
Japan	: Japan inventory (ENCS) : Not determined. Japan inventory (ISHL) : Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of revision : 26/03/2018

Date of previous issue : 07/07/2016

Version : 3

Key to abbreviations

ADG = Australian Dangerous Goods
 ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 NOHSC = National Occupational Health and Safety Commission

Section 16. Any other relevant information

SUSMP = Standard Uniform Schedule of Medicine and Poisons
UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

✔ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.