

# SAFETY DATA SHEET

High Sensitivity D5000 Reagents, Part Number 5067-5593

## Section 1. Identification

### 1.1 Product identifier

<b>Product name</b>	: High Sensitivity D5000 Reagents, Part Number 5067-5593		
<b>Part no. (chemical kit)</b>	: 5067-5593		
<b>Part no.</b>	: High Sensitivity D5000 Sample Buffer	5190-7745	
	: High Sensitivity D5000 Ladder	5067-5594	
<b>Validation date</b>	: 3/26/2018		

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Material uses</b>	: Analytical chemistry.		
	: High Sensitivity D5000 Sample Buffer	1 x 300 µl vials	
	: High Sensitivity D5000 Ladder	1 x 20 µl vials	

### 1.3 Details of the supplier of the safety data sheet

<b>Supplier/Manufacturer</b>	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
------------------------------	---

### 1.4 Emergency telephone number

<b>In case of emergency</b>	: CHEMTREC®: 1-800-424-9300
-----------------------------	-----------------------------

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

<b>OSHA/HCS status</b>	: <input checked="" type="checkbox"/> High Sensitivity D5000 Sample Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	: High Sensitivity D5000 Ladder	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

### Classification of the substance or mixture

Not classified.

<b>Ingredients of unknown toxicity</b>	: <input checked="" type="checkbox"/> High Sensitivity D5000 Sample Buffer	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 10 - 30%
--	--	---

### 2.2 GHS label elements

<b>Signal word</b>	: High Sensitivity D5000 Sample Buffer	No signal word.
	: High Sensitivity D5000 Ladder	No signal word.
<b>Hazard statements</b>	: <input checked="" type="checkbox"/> High Sensitivity D5000 Sample Buffer	No known significant effects or critical hazards.
	: High Sensitivity D5000 Ladder	No known significant effects or critical hazards.

## Section 2. Hazards identification

### Precautionary statements

<b>Prevention</b>	: High Sensitivity D5000 Sample Buffer	Not applicable.
	: High Sensitivity D5000 Ladder	Not applicable.
<b>Response</b>	: High Sensitivity D5000 Sample Buffer	Not applicable.
	: High Sensitivity D5000 Ladder	Not applicable.
<b>Storage</b>	: High Sensitivity D5000 Sample Buffer	Not applicable.
	: High Sensitivity D5000 Ladder	Not applicable.
<b>Disposal</b>	: High Sensitivity D5000 Sample Buffer	Not applicable.
	: High Sensitivity D5000 Ladder	Not applicable.
<b>Supplemental label elements</b>	: High Sensitivity D5000 Sample Buffer	None known.
	: High Sensitivity D5000 Ladder	None known.
<b>2.3 Other hazards</b>		
<b>Hazards not otherwise classified</b>	: High Sensitivity D5000 Sample Buffer	None known.
	: High Sensitivity D5000 Ladder	None known.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	: High Sensitivity D5000 Sample Buffer	Mixture
	: High Sensitivity D5000 Ladder	Mixture

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

## Section 4. First aid measures

### 4.1 Description of necessary first aid measures

<b>Eye contact</b>	: High Sensitivity D5000 Sample Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	: High Sensitivity D5000 Ladder	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	: High Sensitivity D5000 Sample Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	: High Sensitivity D5000 Ladder	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin contact</b>	: High Sensitivity D5000 Sample Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	: High Sensitivity D5000 Ladder	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

## Section 4. First aid measures

<b>Ingestion</b>	: High Sensitivity D5000 Sample Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	High Sensitivity D5000 Ladder	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Inhalation</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Ingestion</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific data. No specific data.
<b>Inhalation</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific data. No specific data.
<b>Skin contact</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific data. No specific data.
<b>Ingestion</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific data. No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific treatment. No specific treatment.

## Section 4. First aid measures

<b>Protection of first-aiders</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.
-----------------------------------	---	--

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	None known. None known.

### 5.2 Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal decomposition products</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	Decomposition products may include the following materials: carbon dioxide carbon monoxide No specific data.

### 5.3 Advice for firefighters

<b>Special protective actions for fire-fighters</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

## Section 6. Accidental release measures


<b>For non-emergency personnel</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>6.2 Environmental precautions</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<b>6.3 Methods and materials for containment and cleaning up</b>		
<b>Methods for cleaning up</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

<b>Protective measures</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
----------------------------	---	--

## Section 7. Handling and storage

<b>Advice on general occupational hygiene</b>	: High Sensitivity D5000 Sample Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	High Sensitivity D5000 Ladder	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	:  High Sensitivity D5000 Sample Buffer	Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	High Sensitivity D5000 Ladder	Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
<b><u>7.3 Specific end use(s)</u></b>		
<b>Recommendations</b>	: High Sensitivity D5000 Sample Buffer	Industrial applications, Professional applications.
	High Sensitivity D5000 Ladder	Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	: High Sensitivity D5000 Sample Buffer	Not applicable.
	High Sensitivity D5000 Ladder	Not applicable.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
None.	

### 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	: High Sensitivity D5000 Sample Buffer	Liquid.
	: High Sensitivity D5000 Ladder	Liquid.
<b>Color</b>	: High Sensitivity D5000 Sample Buffer	Colorless.
	: High Sensitivity D5000 Ladder	Colorless.
<b>Odor</b>	: High Sensitivity D5000 Sample Buffer	Odorless.
	: High Sensitivity D5000 Ladder	Odorless.

## Section 9. Physical and chemical properties

<b>Odor threshold</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>pH</b>	: High Sensitivity D5000 Sample Buffer	8
	: High Sensitivity D5000 Ladder	8
<b>Melting point</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	0°C (32°F)
<b>Boiling point</b>	: High Sensitivity D5000 Sample Buffer	~189°C (372°F)
	: High Sensitivity D5000 Ladder	100°C (212°F)
<b>Flash point</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Evaporation rate</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Flammability (solid, gas)</b>	: High Sensitivity D5000 Sample Buffer	Not applicable.
	: High Sensitivity D5000 Ladder	Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Vapor pressure</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Vapor density</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Relative density</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Solubility</b>	: High Sensitivity D5000 Sample Buffer	Easily soluble in the following materials: cold water and hot water.
	: High Sensitivity D5000 Ladder	Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Auto-ignition temperature</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Decomposition temperature</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.
<b>Viscosity</b>	: High Sensitivity D5000 Sample Buffer	Not available.
	: High Sensitivity D5000 Ladder	Not available.



## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	The product is stable. The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No specific data. No specific data.
<b>10.5 Incompatible materials</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
<b>10.6 Hazardous decomposition products</b>	: High Sensitivity D5000 Sample Buffer  High Sensitivity D5000 Ladder	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

#### Sensitization

Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Conclusion/Summary** : Not available.

#### Reproductive toxicity

**Conclusion/Summary** : Not available.

#### Teratogenicity

**Conclusion/Summary** : Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

## Section 11. Toxicological information

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : High Sensitivity D5000 Sample Buffer Not available.  
High Sensitivity D5000 Ladder Not available.

### Potential acute health effects

**Eye contact** : High Sensitivity D5000 Sample Buffer No known significant effects or critical hazards.  
High Sensitivity D5000 Ladder No known significant effects or critical hazards.

**Inhalation** : High Sensitivity D5000 Sample Buffer No known significant effects or critical hazards.  
High Sensitivity D5000 Ladder No known significant effects or critical hazards.

**Skin contact** : High Sensitivity D5000 Sample Buffer No known significant effects or critical hazards.  
High Sensitivity D5000 Ladder No known significant effects or critical hazards.

**Ingestion** : High Sensitivity D5000 Sample Buffer No known significant effects or critical hazards.  
High Sensitivity D5000 Ladder No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : High Sensitivity D5000 Sample Buffer No specific data.  
High Sensitivity D5000 Ladder No specific data.

**Inhalation** : High Sensitivity D5000 Sample Buffer No specific data.  
High Sensitivity D5000 Ladder No specific data.

**Skin contact** : High Sensitivity D5000 Sample Buffer No specific data.  
High Sensitivity D5000 Ladder No specific data.

**Ingestion** : High Sensitivity D5000 Sample Buffer No specific data.  
High Sensitivity D5000 Ladder No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

**General** : High Sensitivity D5000 Sample Buffer No known significant effects or critical hazards.  
High Sensitivity D5000 Ladder No known significant effects or critical hazards.

**Carcinogenicity** : High Sensitivity D5000 Sample Buffer No known significant effects or critical hazards.  
High Sensitivity D5000 Ladder No known significant effects or critical hazards.

## Section 11. Toxicological information

<b>Mutagenicity</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Teratogenicity</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Developmental effects</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Fertility effects</b>	: High Sensitivity D5000 Sample Buffer High Sensitivity D5000 Ladder	No known significant effects or critical hazards. No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### 12.1 Toxicity

Not available.

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient ( $K_{oc}$ )** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

**DOT / TDG / Mexico / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL and the IBC Code** : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
High Sensitivity D5000 Sample Buffer Sodium azide	≤0.1	Yes.	500	-	1000	-

**SARA 304 RQ** : 4000000 lbs / 1816000 kg

### SARA 311/312

**Classification** : High Sensitivity D5000 Sample Buffer Not applicable.  
High Sensitivity D5000 Ladder Not applicable.

## Section 15. Regulatory information

### Composition/information on ingredients

Name	%	Classification
High Sensitivity D5000 Sample Buffer Sucrose	≥10 - ≤25	COMBUSTIBLE DUSTS

### State regulations

- Massachusetts** : The following components are listed: SUCROSE DUST
- New York** : None of the components are listed.
- New Jersey** : None of the components are listed.
- Pennsylvania** : The following components are listed: .ALPHA.-D-GLUCOPYRANOSIDE, .BETA.-D-FRUCTOFURANOSYL

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

- Australia** : Not determined.
- Canada** : Not determined.
- China** : All components are listed or exempted.
- Europe** : Not determined.
- Japan** : **Japan inventory (ENCS)**: Not determined.  
**Japan inventory (ISHL)**: Not determined.
- Malaysia** : Not determined.
- New Zealand** : Not determined.
- Philippines** : Not determined.
- Republic of Korea** : Not determined.
- Taiwan** : All components are listed or exempted.
- Thailand** :  Not determined.
- Turkey** : Not determined.
- United States** : Not determined.
- Viet Nam** :  Not determined.

## Section 16. Other information

### History

**Date of issue** : 03/26/2018

**Date of previous issue** : 07/07/2016

**Version** : 3

### Procedure used to derive the classification

<b>Classification</b>	<b>Justification</b>
Not classified.	

✔ Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.