

# SAFETY DATA SHEET

Gene Expression Hybridization Kit, Part Number 5188-5242

## Section 1. Identification

### 1.1 Product identifier

**Product name** : Gene Expression Hybridization Kit, Part Number 5188-5242  
**Part no. (chemical kit)** : 5188-5242  
**Part no.** : 10X Gene Expression Blocking Agent 5188-5971  
 2X GEx Hyb Buffer (HI-RPM) 5188-6521  
 25X Fragmentation Buffer 5188-5976  
**Validation date** : 4/26/2018

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.  
 10X Gene Expression Blocking Agent 10 Hybs lyophilized  
 25X Fragmentation Buffer 4 x 0.1 ml  
 2X GEx Hyb Buffer (HI-RPM) 2 x 1.4 ml

### 1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
 5301 Stevens Creek Blvd  
 Santa Clara, CA 95051, USA  
 800-227-9770

### 1.4 Emergency telephone number

**In case of emergency** : CHEMTREC®: 1-800-424-9300

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

**OSHA/HCS status** : 10X Gene Expression Blocking Agent This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
 2X GEx Hyb Buffer (HI-RPM) This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
 25X Fragmentation Buffer This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture

#### 10X Gene Expression Blocking Agent

H315 SKIN IRRITATION - Category 2  
 H319 EYE IRRITATION - Category 2A  
 H335 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

#### 2X GEx Hyb Buffer (HI-RPM)

H314 SKIN CORROSION - Category 1A  
 H318 SERIOUS EYE DAMAGE - Category 1  
 H335 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3  
 H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (cardiovascular system, central nervous system (CNS), kidneys, thyroid) - Category 2

#### 25X Fragmentation Buffer




H315 SKIN IRRITATION - Category 2

## Section 2. Hazards identification

H319	EYE IRRITATION - Category 2A	
<b>Ingredients of unknown toxicity</b>	: 10X Gene Expression Blocking Agent	Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 10 - 30% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown oral toxicity: 10 - 30%
	2X GEx Hyb Buffer (HI-RPM)	Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 10 - 30% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 10 - 30% Percentage of the mixture consisting of ingredient (s) of unknown oral toxicity: 10 - 30%
	25X Fragmentation Buffer	Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 10 - 30% Percentage of the mixture consisting of ingredient (s) of unknown oral toxicity: 1 - 10%

### 2.2 GHS label elements

#### Hazard pictograms

: 10X Gene Expression Blocking Agent	
2X GEx Hyb Buffer (HI-RPM)	
25X Fragmentation Buffer	

#### Signal word

: 10X Gene Expression Blocking Agent	Warning
2X GEx Hyb Buffer (HI-RPM)	Danger
25X Fragmentation Buffer	Warning

#### Hazard statements

: 10X Gene Expression Blocking Agent	H319 - Causes serious eye irritation.
2X GEx Hyb Buffer (HI-RPM)	H315 - Causes skin irritation. H335 - May cause respiratory irritation. H314 - Causes severe skin burns and eye damage.
25X Fragmentation Buffer	H335 - May cause respiratory irritation. H373 - May cause damage to organs through prolonged or repeated exposure. (cardiovascular system, central nervous system (CNS), kidneys, thyroid) H319 - Causes serious eye irritation. H315 - Causes skin irritation.

#### Precautionary statements

## Section 2. Hazards identification

### Prevention

: 10X Gene Expression Blocking Agent

P280 - Wear protective gloves. Wear eye or face protection.

P271 - Use only outdoors or in a well-ventilated area.

P261 - Avoid breathing dust.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing.

P271 - Use only outdoors or in a well-ventilated area.

P260 - Do not breathe vapor.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves. Wear eye or face protection.

P264 - Wash hands thoroughly after handling.

2X GEx Hyb Buffer (HI-RPM)

25X Fragmentation Buffer

### Response

: 10X Gene Expression Blocking Agent

P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

P332 + P313 - If skin irritation occurs: Get medical attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical attention.

P314 - Get medical attention if you feel unwell.

P304 + P340 + P310 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician.

P301 + P310 + P330 + P331 - IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 + P363 + P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician.

P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

P332 + P313 - If skin irritation occurs: Get medical attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical attention.

2X GEx Hyb Buffer (HI-RPM)

25X Fragmentation Buffer

## Section 2. Hazards identification

<b>Storage</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	P405 - Store locked up. P405 - Store locked up. Not applicable.
<b>Disposal</b>	: 10X Gene Expression Blocking Agent  2X GEx Hyb Buffer (HI-RPM)  25X Fragmentation Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. Not applicable.
<b>Supplemental label elements</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM)  25X Fragmentation Buffer	None known. Do not taste or swallow. Wash thoroughly after handling. None known.
<b>2.3 Other hazards</b>		
<b>Hazards not otherwise classified</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	None known. Causes digestive tract burns. None known.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Mixture Mixture Mixture
--------------------------	--	-------------------------------

Ingredient name	%	CAS number
<b>10X Gene Expression Blocking Agent</b>		
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	≥25 - ≤50	1185-53-1
Trometamol	≥25 - ≤50	77-86-1
<b>2X GEx Hyb Buffer (HI-RPM)</b>		
Lithium chloride	≤13	7447-41-8
Lithium dodecyl sulphate	≤6.7	2044-56-6
Polyoxyethylene octyl phenyl ether	≤6.7	9002-93-1
Lithium hydroxide monohydrate	≤5	1310-66-3
Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether	≤2	134180-76-0
<b>25X Fragmentation Buffer</b>		
Trometamol	<10	77-86-1
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	<10	1185-53-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

## Section 4. First aid measures

### 4.1 Description of necessary first aid measures

<b>Eye contact</b>	: 10X Gene Expression Blocking Agent	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	2X GEx Hyb Buffer (HI-RPM)	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
	25X Fragmentation Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
<b>Inhalation</b>	: 10X Gene Expression Blocking Agent	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	2X GEx Hyb Buffer (HI-RPM)	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	25X Fragmentation Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or

## Section 4. First aid measures

### Skin contact

: 10X Gene Expression Blocking Agent

2X GEx Hyb Buffer (HI-RPM)

25X Fragmentation Buffer

oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

### Ingestion

: 10X Gene Expression Blocking Agent

2X GEx Hyb Buffer (HI-RPM)

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

## Section 4. First aid measures

### 25X Fragmentation Buffer

Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Causes serious eye irritation. Causes serious eye damage. Causes serious eye irritation.
<b>Inhalation</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	May cause respiratory irritation. May cause respiratory irritation. No known significant effects or critical hazards.
<b>Skin contact</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Causes skin irritation. Causes severe burns. Causes skin irritation.
<b>Ingestion</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	No known significant effects or critical hazards. Corrosive to the digestive tract. Causes burns. No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: 10X Gene Expression Blocking Agent	Adverse symptoms may include the following: pain or irritation watering redness
	2X GEx Hyb Buffer (HI-RPM)	Adverse symptoms may include the following: pain watering redness
	25X Fragmentation Buffer	Adverse symptoms may include the following: pain or irritation watering redness

## Section 4. First aid measures

<b>Inhalation</b>	: 10X Gene Expression Blocking Agent	Adverse symptoms may include the following: respiratory tract irritation coughing
	2X GEx Hyb Buffer (HI-RPM)	Adverse symptoms may include the following: respiratory tract irritation coughing
	25X Fragmentation Buffer	No specific data.
<b>Skin contact</b>	: 10X Gene Expression Blocking Agent	Adverse symptoms may include the following: irritation redness
	2X GEx Hyb Buffer (HI-RPM)	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	25X Fragmentation Buffer	Adverse symptoms may include the following: irritation redness
<b>Ingestion</b>	: 10X Gene Expression Blocking Agent	No specific data.
	2X GEx Hyb Buffer (HI-RPM)	Adverse symptoms may include the following: stomach pains
	25X Fragmentation Buffer	No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: 10X Gene Expression Blocking Agent	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	2X GEx Hyb Buffer (HI-RPM)	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	25X Fragmentation Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	: 10X Gene Expression Blocking Agent	No specific treatment.
	2X GEx Hyb Buffer (HI-RPM)	No specific treatment.
	25X Fragmentation Buffer	No specific treatment.
<b>Protection of first-aiders</b>	: 10X Gene Expression Blocking Agent	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	2X GEx Hyb Buffer (HI-RPM)	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	25X Fragmentation Buffer	No action shall be taken involving any personal risk



## Section 4. First aid measures

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM)  25X Fragmentation Buffer	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	None known.  None known. None known.

### 5.2 Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM)  25X Fragmentation Buffer	No specific fire or explosion hazard.  In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal decomposition products</b>	: 10X Gene Expression Blocking Agent   2X GEx Hyb Buffer (HI-RPM)   25X Fragmentation Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

### 5.3 Advice for firefighters

<b>Special protective actions for fire-fighters</b>	: 10X Gene Expression Blocking Agent  2X GEx Hyb Buffer (HI-RPM)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or
---	--	---

## Section 5. Fire-fighting measures

	25X Fragmentation Buffer	without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: 10X Gene Expression Blocking Agent	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	2X GEx Hyb Buffer (HI-RPM)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	25X Fragmentation Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: 10X Gene Expression Blocking Agent	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	2X GEx Hyb Buffer (HI-RPM)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	25X Fragmentation Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	: 10X Gene Expression Blocking Agent	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	2X GEx Hyb Buffer (HI-RPM)	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	25X Fragmentation Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also

## Section 6. Accidental release measures

the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: 10X Gene Expression Blocking Agent

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

2X GEx Hyb Buffer (HI-RPM)

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

25X Fragmentation Buffer

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

#### Methods for cleaning up

: 10X Gene Expression Blocking Agent

Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

2X GEx Hyb Buffer (HI-RPM)

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

25X Fragmentation Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

#### Protective measures

: 10X Gene Expression Blocking Agent

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

2X GEx Hyb Buffer (HI-RPM)

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.

## Section 7. Handling and storage

	25X Fragmentation Buffer	Empty containers retain product residue and can be hazardous. Do not reuse container. Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Advice on general occupational hygiene</b>	: 10X Gene Expression Blocking Agent	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	2X GEx Hyb Buffer (HI-RPM)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	25X Fragmentation Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	: 10X Gene Expression Blocking Agent	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	2X GEx Hyb Buffer (HI-RPM)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	25X Fragmentation Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a

## Section 7. Handling and storage

dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

<b>Recommendations</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not applicable. Not applicable. Not applicable.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
<b>10X Gene Expression Blocking Agent</b> 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Trometamol	None. None.
<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride Lithium dodecyl sulphate Polyoxyethylene octyl phenyl ether Lithium hydroxide monohydrate Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether	None. None. None. None. None.
<b>25X Fragmentation Buffer</b> Trometamol 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	None. None.

### 8.2 Exposure controls

<b>Appropriate engineering controls</b>	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
<b>Environmental exposure controls</b>	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

## Section 8. Exposure controls/personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	: 10X Gene Expression Blocking Agent	Solid. [lyophilized pellets]
	2X GEx Hyb Buffer (HI-RPM)	Liquid.
	25X Fragmentation Buffer	Liquid.
<b>Color</b>	: 10X Gene Expression Blocking Agent	Not available.
	2X GEx Hyb Buffer (HI-RPM)	Yellow. [Light]
	25X Fragmentation Buffer	Yellow. [Light]
<b>Odor</b>	: 10X Gene Expression Blocking Agent	Odorless.
	2X GEx Hyb Buffer (HI-RPM)	Not available.
	25X Fragmentation Buffer	Odorless.
<b>Odor threshold</b>	: 10X Gene Expression Blocking Agent	Not available.
	2X GEx Hyb Buffer (HI-RPM)	Not available.
	25X Fragmentation Buffer	Not available.
<b>pH</b>	: 10X Gene Expression Blocking Agent	Not available.
	2X GEx Hyb Buffer (HI-RPM)	6.1
	25X Fragmentation Buffer	7.6

## Section 9. Physical and chemical properties

<b>Melting point</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Boiling point</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Flash point</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Evaporation rate</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Flammability (solid, gas)</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not applicable. Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Vapor pressure</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Vapor density</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Relative density</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Solubility</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM)  25X Fragmentation Buffer	Soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water.  Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Auto-ignition temperature</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.
<b>Decomposition temperature</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	Not available. Not available. Not available.

## Section 9. Physical and chemical properties

<b>Viscosity</b>	: 10X Gene Expression Blocking Agent	Not available.
	2X GEx Hyb Buffer (HI-RPM)	Not available.
	25X Fragmentation Buffer	Not available.

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	: 10X Gene Expression Blocking Agent	No specific test data related to reactivity available for this product or its ingredients.
	2X GEx Hyb Buffer (HI-RPM)	No specific test data related to reactivity available for this product or its ingredients.
	25X Fragmentation Buffer	No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: 10X Gene Expression Blocking Agent	The product is stable.
	2X GEx Hyb Buffer (HI-RPM)	The product is stable.
	25X Fragmentation Buffer	The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: 10X Gene Expression Blocking Agent	Under normal conditions of storage and use, hazardous reactions will not occur.
	2X GEx Hyb Buffer (HI-RPM)	Under normal conditions of storage and use, hazardous reactions will not occur.
	25X Fragmentation Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: 10X Gene Expression Blocking Agent	No specific data.
	2X GEx Hyb Buffer (HI-RPM)	No specific data.
	25X Fragmentation Buffer	No specific data.
<b>10.5 Incompatible materials</b>	: 10X Gene Expression Blocking Agent	May react or be incompatible with oxidizing materials.
	2X GEx Hyb Buffer (HI-RPM)	May react or be incompatible with oxidizing materials.
	25X Fragmentation Buffer	May react or be incompatible with oxidizing materials.
<b>10.6 Hazardous decomposition products</b>	: 10X Gene Expression Blocking Agent	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	2X GEx Hyb Buffer (HI-RPM)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	25X Fragmentation Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity



## Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
<b>10X Gene Expression Blocking Agent</b> Trometamol	LD50 Dermal LD50 Oral	Rat Rat	>5000 mg/kg 5000 mg/kg	- -
<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride	LC50 Inhalation Dusts and mists LD50 Dermal LD50 Dermal LD50 Oral	Rat Rabbit Rat Rat	>5.57 mg/l 1629 mg/kg 1488 mg/kg 526 mg/kg	4 hours - - -
Lithium dodecyl sulphate	LD50 Oral	Rat	>5000 mg/kg	-
Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-
Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-(trimethylsilyloxy)-1-disiloxanyl]propyl] ether	LC50 Inhalation Dusts and mists  LD50 Dermal LD50 Oral	Rat  Rabbit Rat	1.08 mg/l  1550 mg/kg 3200 mg/kg	4 hours  - -
<b>25X Fragmentation Buffer</b> Trometamol	LD50 Dermal LD50 Oral	Rat Rat	>5000 mg/kg 5000 mg/kg	- -

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>10X Gene Expression Blocking Agent</b> Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	- -	25 Percent 500 milligrams	- -
<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride	Eyes - Moderate irritant  Skin - Severe irritant	Rabbit  Rabbit	-  -	24 hours 100 milligrams 24 hours 500 milligrams	-  -
Polyoxyethylene octyl phenyl ether	Eyes - Moderate irritant  Skin - Mild irritant	Rabbit  Rabbit	-  -	24 hours 10 microliters 24 hours 500 microliters	-  -
Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-(trimethylsilyloxy)-1-disiloxanyl]propyl] ether	Skin - Mild irritant  Eyes - Severe irritant	Rabbit  Rabbit	-  -	-  -	-  -
<b>25X Fragmentation Buffer</b> Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	- -	25 Percent 500 milligrams	- -

## Section 11. Toxicological information

### Sensitization

Product/ingredient name	Route of exposure	Species	Result
<b>2X GEx Hyb Buffer (HI-RPM)</b> Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-(trimethylsilyloxy)-1-disiloxanyl]propyl] ether	skin	Guinea pig	Not sensitizing

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
<b>10X Gene Expression Blocking Agent</b> 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation
Trometamol	Category 3	Not applicable.	Respiratory tract irritation
<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride	Category 3	Not applicable.	Respiratory tract irritation
Lithium dodecyl sulphate	Category 3	Not applicable.	Respiratory tract irritation
Polyoxyethylene octyl phenyl ether	Category 3	Not applicable.	Respiratory tract irritation
<b>25X Fragmentation Buffer</b> Trometamol	Category 3	Not applicable.	Respiratory tract irritation
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride	Category 2	Not determined	cardiovascular system, central nervous system (CNS), kidneys and thyroid

### Aspiration hazard

Not available.

## Section 11. Toxicological information

<b>Information on the likely routes of exposure</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>Routes of entry anticipated: Oral, Dermal, Inhalation.</p> <p>Routes of entry anticipated: Oral, Dermal, Inhalation.</p> <p>Routes of entry anticipated: Oral, Dermal, Inhalation.</p>
<b><u>Potential acute health effects</u></b>		
<b>Eye contact</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>Causes serious eye irritation.</p> <p>Causes serious eye damage.</p> <p>Causes serious eye irritation.</p>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>May cause respiratory irritation.</p> <p>May cause respiratory irritation.</p> <p>No known significant effects or critical hazards.</p>
<b>Skin contact</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>Causes skin irritation.</p> <p>Causes severe burns.</p> <p>Causes skin irritation.</p>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>No known significant effects or critical hazards.</p> <p>Corrosive to the digestive tract. Causes burns.</p> <p>No known significant effects or critical hazards.</p>

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>Adverse symptoms may include the following:</p> <p>pain or irritation</p> <p>watering</p> <p>redness</p> <p>Adverse symptoms may include the following:</p> <p>pain</p> <p>watering</p> <p>redness</p> <p>Adverse symptoms may include the following:</p> <p>pain or irritation</p> <p>watering</p> <p>redness</p>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>Adverse symptoms may include the following:</p> <p>respiratory tract irritation</p> <p>coughing</p> <p>Adverse symptoms may include the following:</p> <p>respiratory tract irritation</p> <p>coughing</p> <p>No specific data.</p>
<b>Skin contact</b>	<ul style="list-style-type: none"> <li>: 10X Gene Expression Blocking Agent</li> <li>2X GEx Hyb Buffer (HI-RPM)</li> <li>25X Fragmentation Buffer</li> </ul>	<p>Adverse symptoms may include the following:</p> <p>irritation</p> <p>redness</p> <p>Adverse symptoms may include the following:</p> <p>pain or irritation</p> <p>redness</p> <p>blistering may occur</p> <p>Adverse symptoms may include the following:</p>

## Section 11. Toxicological information

<b>Ingestion</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM)  25X Fragmentation Buffer	irritation redness No specific data.  Adverse symptoms may include the following: stomach pains No specific data.
------------------	--	---

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

<b>General</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM)  25X Fragmentation Buffer	No known significant effects or critical hazards.  May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Teratogenicity</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Developmental effects</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Fertility effects</b>	: 10X Gene Expression Blocking Agent 2X GEx Hyb Buffer (HI-RPM) 25X Fragmentation Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

## Section 11. Toxicological information

Route	ATE value
<b>10X Gene Expression Blocking Agent</b> Oral	11666.7 mg/kg
<b>2X GEx Hyb Buffer (HI-RPM)</b> Oral Dermal Inhalation (dusts and mists)	2699 mg/kg 12855.5 mg/kg 21.99 mg/l
<b>25X Fragmentation Buffer</b> Oral	68493.2 mg/kg

## Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<b>10X Gene Expression Blocking Agent</b> Trometamol	Acute EC50 >980 mg/l Fresh water Acute NOEC 520 mg/l Fresh water	Daphnia Daphnia	48 hours 48 hours
<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride	Acute EC50 112 mg/l Fresh water Acute EC50 249 mg/l Fresh water Acute LC50 17000 µg/l Fresh water	Algae Daphnia Fish - Ptychocheilus lucius - Swim-up	72 hours 48 hours 96 hours
Polyoxyethylene octyl phenyl ether	Acute NOEC 25 mg/l Fresh water Acute NOEC 63.4 mg/l Fresh water Acute NOEC 59.4 mg/l Fresh water Acute LC50 5.85 mg/l Fresh water	Algae Daphnia Fish Crustaceans - Ceriodaphnia rigaudi - Neonate	72 hours 48 hours 96 hours 48 hours
Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether	Acute LC50 11.2 mg/l Fresh water  Acute LC50 4500 µg/l Fresh water EC50 28.2 mg/l	Daphnia - Daphnia magna - Neonate Fish - Pimephales promelas Algae	48 hours  96 hours 72 hours
<b>25X Fragmentation Buffer</b> Trometamol	EC50 1.1 mg/l  Acute EC50 >980 mg/l Fresh water Acute NOEC 520 mg/l Fresh water	Daphnia  Daphnia Daphnia	48 hours  48 hours 48 hours

### 12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride Polyoxyethylene octyl phenyl ether	- -	- -	Readily Readily

### 12.3 Bioaccumulative potential

## Section 12. Ecological information

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>10X Gene Expression Blocking Agent</b> Trometamol	-1.56	-	low
<b>2X GEx Hyb Buffer (HI-RPM)</b> Polyoxyethylene octyl phenyl ether	4.86	-	high
<b>25X Fragmentation Buffer</b> Trometamol	-1.56	-	low

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

**DOT / TDG / Mexico / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 14. Transport information

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) PAIR: Polyoxyethylene octyl phenyl ether  
 TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
 Clean Water Act (CWA) 307: Zinc acetate, dihydrate  
 Clean Water Act (CWA) 311: Zinc acetate, dihydrate

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

### SARA 311/312

<p><b>Classification</b> :</p> <p>10X Gene Expression Blocking Agent</p> <p>2X GEx Hyb Buffer (HI-RPM)</p> <p>25X Fragmentation Buffer</p>	<p>SKIN IRRITATION - Category 2</p> <p>EYE IRRITATION - Category 2A</p> <p>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3</p> <p>SKIN CORROSION - Category 1A</p> <p>SERIOUS EYE DAMAGE - Category 1</p> <p>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3</p> <p>SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (cardiovascular system, central nervous system (CNS), kidneys, thyroid) - Category 2</p> <p>HNOC - Corrosive to digestive tract</p> <p>SKIN IRRITATION - Category 2</p> <p>EYE IRRITATION - Category 2A</p>
--	--

#### Composition/information on ingredients

Name	%	Classification
10X Gene Expression Blocking Agent		
2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride	≥25 - ≤50	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Trometamol	≥25 - ≤50	COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract

## Section 15. Regulatory information

<b>2X GEx Hyb Buffer (HI-RPM)</b> Lithium chloride	≤13	irritation) - Category 3  ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (cardiovascular system, central nervous system (CNS), kidneys, thyroid) - Category 2 COMBUSTIBLE DUSTS
Dilithium N,N'-ethylenebis[N-(carboxymethyl)aminoacetate]	≤10	
Lithium dodecyl sulphate	≤6.7	FLAMMABLE SOLIDS - Category 1 COMBUSTIBLE DUSTS ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Polyoxyethylene octyl phenyl ether	≤6.7	ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Lithium hydroxide monohydrate	≤5	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1 HNOC - Corrosive to digestive tract
Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyloxy)-1-disiloxanyl]propyl] ether	≤2	ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A
<b>25X Fragmentation Buffer</b> Trometamol	<10	COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride	<10	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

### State regulations

- Massachusetts** : None of the components are listed.
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: LITHIUM HYDROXIDE MONOHYDRATE
- Pennsylvania** : None of the components are listed.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)



## Section 15. Regulatory information

Not listed.

### [UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

### [Inventory list](#)

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: Not determined.
<b>Europe</b>	: Not determined.
<b>Japan</b>	: <b>Japan inventory (ENCS):</b> Not determined. <b>Japan inventory (ISHL):</b> Not determined.
<b>Malaysia</b>	: Not determined.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: Not determined.
<b>Thailand</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: Not determined.
<b>Viet Nam</b>	: <input checked="" type="checkbox"/> Not determined.

## Section 16. Other information

### [History](#)

<b>Date of issue</b>	: 04/26/2018
<b>Date of previous issue</b>	: 04/26/2016
<b>Version</b>	: 5

### [Procedure used to derive the classification](#)

Classification	Justification
<input checked="" type="checkbox"/> <b>10X Gene Expression Blocking Agent</b> SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	Calculation method Calculation method Calculation method
<b>2X GEx Hyb Buffer (HI-RPM)</b> SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (cardiovascular system, central nervous system (CNS), kidneys, thyroid) - Category 2	Calculation method Calculation method Calculation method Calculation method
<b>25X Fragmentation Buffer</b> SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A	Calculation method Calculation method

Indicates information that has changed from previously issued version.

### [Notice to reader](#)

## Section 16. Other information

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.