

SAFETY DATA SHEET

Agilent Oligo aCGH Hybridization Kit (100), Part Number 5188-5380

Section 1. Identification

Product identifier : Agilent Oligo aCGH Hybridization Kit (100), Part Number 5188-5380

Part no. (chemical kit) : 5188-5380

Part no. : 2X Hi-RPM Hybridization Buffer 5188-6420
10X aCGH Blocking Agent 5190-0405

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.
 2X Hi-RPM Hybridization Buffer 25 ml
10X aCGH Blocking Agent 100 reactions

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

Emergency telephone number (with hours of operation) : CHEMTREC®: 1-800-424-9300

Section 2. Hazard identification

Classification of the substance or mixture

Hi-RPM Hybridization

Buffer

H315 SKIN IRRITATION - Category 2
H318 SERIOUS EYE DAMAGE - Category 1
H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
H400 AQUATIC HAZARD (ACUTE) - Category 1
H411 AQUATIC HAZARD (LONG-TERM) - Category 2

GHS label elements

Hazard pictograms

: Hi-RPM Hybridization Buffer



Signal word

: Hi-RPM Hybridization Buffer
10X aCGH Blocking Agent

Danger

No signal word.

Hazard statements

: Hi-RPM Hybridization Buffer

10X aCGH Blocking Agent

H315 - Causes skin irritation.

H318 - Causes serious eye damage.
H373 - May cause damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life.
H411 - Toxic to aquatic life with long lasting effects.
No known significant effects or critical hazards.

Precautionary statements

Section 2. Hazard identification

Prevention	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer	P280 - Wear protective gloves. Wear eye or face protection. P273 - Avoid release to the environment. P260 - Do not breathe vapor. P264 - Wash thoroughly after handling. Not applicable.
Response	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	P391 - Collect spillage. P314 - Get medical advice or attention if you feel unwell. P362 + P364 - Take off contaminated clothing and wash it before reuse. P302 + P352 - IF ON SKIN: Wash with plenty of water. P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. Not applicable.
Storage	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	Not applicable. Not applicable.
Disposal	: 2X Hi-RPM Hybridization Buffer	Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: 10X aCGH Blocking Agent 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer	Not applicable. None known. None known. Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 15.9%
Other hazards which do not result in classification	: 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	None known. None known.

Section 3. Composition/information on ingredients

Substance/mixture	: 2X Hi-RPM Hybridization Buffer	Mixture
	: 10X aCGH Blocking Agent	Mixture

Ingredient name	Synonyms	% (w/w)	CAS number
<input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer			
Lithium chloride	Lithium chloride	≥10 - ≤30	7447-41-8
Lithium dodecyl sulphate	sulfuric acid, monododecyl ester, lithium salt	≥5 - ≤10	2044-56-6
Polyoxyethylene octyl phenyl ether	Triton X-100	≥5 - ≤10	9002-93-1
Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether	Methyloxirane	≥1 - ≤5	134180-76-0

Section 3. Composition/information on ingredients

10X aCGH Blocking Agent			
Trometamol	Tris	≥5 - ≤10	77-86-1

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact

: Hi-RPM Hybridization Buffer

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

10X aCGH Blocking Agent

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: Hi-RPM Hybridization Buffer

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

10X aCGH Blocking Agent

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Hi-RPM Hybridization Buffer

Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

10X aCGH Blocking Agent

Section 4. First-aid measures

Ingestion	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
------------------	--	--

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	Causes serious eye damage. No known significant effects or critical hazards.
Inhalation	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	Causes skin irritation. No known significant effects or critical hazards.
Ingestion	: 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	Adverse symptoms may include the following: pain watering redness No specific data.
Inhalation	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	No specific data. No specific data.
Skin contact	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	Adverse symptoms may include the following: pain or irritation redness blistering may occur No specific data.
Ingestion	: 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	Adverse symptoms may include the following: stomach pains No specific data.

Section 4. First-aid measures

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: 2X Hi-RPM Hybridization Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	: 10X aCGH Blocking Agent	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: 2X Hi-RPM Hybridization Buffer	No specific treatment.
	: 10X aCGH Blocking Agent	No specific treatment.
Protection of first-aiders	: 2X Hi-RPM Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	: 10X aCGH Blocking Agent	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	: 2X Hi-RPM Hybridization Buffer	Use an extinguishing agent suitable for the surrounding fire.
	: 10X aCGH Blocking Agent	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: 2X Hi-RPM Hybridization Buffer	None known.
	: 10X aCGH Blocking Agent	None known.
Specific hazards arising from the chemical	: 2X Hi-RPM Hybridization Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	: 10X aCGH Blocking Agent	No specific fire or explosion hazard.
Hazardous thermal decomposition products	: 2X Hi-RPM Hybridization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
	: 10X aCGH Blocking Agent	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides

Section 5. Fire-fighting measures

		halogenated compounds
Special protective actions for fire-fighters	: 2X Hi-RPM Hybridization Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	10X aCGH Blocking Agent	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: 2X Hi-RPM Hybridization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	10X aCGH Blocking Agent	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: <input checked="" type="checkbox"/> 2X Hi-RPM Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	10X aCGH Blocking Agent	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: 2X Hi-RPM Hybridization Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	10X aCGH Blocking Agent	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: <input checked="" type="checkbox"/> 2X Hi-RPM Hybridization Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
	10X aCGH Blocking Agent	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 6. Accidental release measures

Methods and materials for containment and cleaning up

Methods for cleaning up	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	10X aCGH Blocking Agent	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	10X aCGH Blocking Agent	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: 2X Hi-RPM Hybridization Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	10X aCGH Blocking Agent	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: 2X Hi-RPM Hybridization Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	10X aCGH Blocking Agent	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until

Section 7. Handling and storage

ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known.

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer	Liquid.
	: 10X aCGH Blocking Agent	Solid. [Lyophilized]
Color	: 2X Hi-RPM Hybridization Buffer	Not available.
	: 10X aCGH Blocking Agent	Not available.
Odor	: 2X Hi-RPM Hybridization Buffer	Not available.
	: 10X aCGH Blocking Agent	Not available.
Odor threshold	: 2X Hi-RPM Hybridization Buffer	Not available.
	: 10X aCGH Blocking Agent	Not available.
pH	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer	6 to 6.2
	: 10X aCGH Blocking Agent	7.5 [Conc. (% w/w): 100%]
Melting point/freezing point	: 2X Hi-RPM Hybridization Buffer	Not available.
	: 10X aCGH Blocking Agent	Not available.
Boiling point, initial boiling point, and boiling range	: 2X Hi-RPM Hybridization Buffer	Not available.
	: 10X aCGH Blocking Agent	Not available.

Flash point	:	Closed cup			Open cup		
		Ingredient name	°C	°F	Method	°C	°F
		<input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer					
		Polyoxyethylene octyl phenyl ether	>109.85	>229.7	-	-	-

Evaporation rate	: 2X Hi-RPM Hybridization Buffer	Not available.
	: 10X aCGH Blocking Agent	Not available.

Flammability	: 2X Hi-RPM Hybridization Buffer	Not applicable.
	: 10X aCGH Blocking Agent	Not available.

Lower and upper explosion limit/flammability limit	: <input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer	Not available.
	: 10X aCGH Blocking Agent	Not applicable.

Vapor pressure	:	Vapor Pressure at 20°C			Vapor pressure at 50°C		
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa
		<input checked="" type="checkbox"/> Hi-RPM Hybridization Buffer					
		water	17.5	2.3	-	92.258	12.3
		Polyoxyethylene octyl phenyl ether	0.997581	0.13	-	-	-

Section 9. Physical and chemical properties and safety characteristics

Relative vapor density : 2X Hi-RPM Hybridization Buffer Not available.
10X aCGH Blocking Agent Not applicable.

Relative density : 2X Hi-RPM Hybridization Buffer Not available.
10X aCGH Blocking Agent Not available.

Solubility(ies)	Media	Result
	<input checked="" type="checkbox"/> 2X Hi-RPM Hybridization Buffer water	Soluble
	10X aCGH Blocking Agent water	Soluble

Partition coefficient: n-octanol/water : 2X Hi-RPM Hybridization Buffer Not applicable.
10X aCGH Blocking Agent Not applicable.

Auto-ignition temperature	Ingredient name	°C	°F	Method
	<input checked="" type="checkbox"/> 2X Hi-RPM Hybridization Buffer			
	Lithium dodecyl sulphate	366	690.8	-

Decomposition temperature : 2X Hi-RPM Hybridization Buffer Not available.
10X aCGH Blocking Agent Not available.

Viscosity : 2X Hi-RPM Hybridization Buffer Not available.
10X aCGH Blocking Agent Not applicable.

Particle characteristics

Median particle size : 2X Hi-RPM Hybridization Buffer Not applicable.
10X aCGH Blocking Agent Not available.

Section 10. Stability and reactivity

Reactivity : 2X Hi-RPM Hybridization Buffer No specific test data related to reactivity available for this product or its ingredients.
10X aCGH Blocking Agent No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : 2X Hi-RPM Hybridization Buffer The product is stable.
10X aCGH Blocking Agent The product is stable.

Possibility of hazardous reactions : 2X Hi-RPM Hybridization Buffer Under normal conditions of storage and use, hazardous reactions will not occur.
10X aCGH Blocking Agent Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : 2X Hi-RPM Hybridization Buffer No specific data.
10X aCGH Blocking Agent No specific data.

Incompatible materials : 2X Hi-RPM Hybridization Buffer May react or be incompatible with oxidizing materials.
10X aCGH Blocking Agent May react or be incompatible with oxidizing materials.

Section 10. Stability and reactivity

Hazardous decomposition products	: 2X Hi-RPM Hybridization Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	: 10X aCGH Blocking Agent	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2X Hi-RPM Hybridization Buffer Lithium chloride	LC50 Inhalation Dusts and mists	Rat - Male, Female	>5.57 mg/l	4 hours
	LD50 Dermal	Rabbit	1629 mg/kg	-
	LD50 Dermal	Rat	1488 mg/kg	-
	LD50 Oral	Rat	526 mg/kg	-
Lithium dodecyl sulphate	LD50 Oral	Rat	>5000 mg/kg	-
Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-
10X aCGH Blocking Agent Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2X Hi-RPM Hybridization Buffer Lithium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Skin - Severe irritant	Rabbit	-	24 hours 500 mg	-
Polyoxyethylene octyl phenyl ether	Skin - Mild irritant	Rabbit	-	24 hours 500 uL	-
10X aCGH Blocking Agent Trometamol	Skin - Moderate irritant	Rabbit	-	25 %	-
	Skin - Severe irritant	Rabbit	-	500 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

Name	Category	Route of exposure	Target organs
2X Hi-RPM Hybridization Buffer Lithium chloride	Category 3	-	Respiratory tract irritation
Lithium dodecyl sulphate	Category 3	-	Respiratory tract irritation
10X aCGH Blocking Agent Trometamol	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
2X Hi-RPM Hybridization Buffer Lithium chloride	Category 2	-	cardiovascular system, central nervous system (CNS), kidneys, thyroid

Aspiration hazard

Not available.

Information on the likely routes of exposure : **2X Hi-RPM Hybridization Buffer** Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
10X aCGH Blocking Agent Not available.

Potential acute health effects

Eye contact : **2X Hi-RPM Hybridization Buffer** Causes serious eye damage.
10X aCGH Blocking Agent No known significant effects or critical hazards.

Inhalation : **2X Hi-RPM Hybridization Buffer** No known significant effects or critical hazards.
10X aCGH Blocking Agent No known significant effects or critical hazards.

Skin contact : **2X Hi-RPM Hybridization Buffer** Causes skin irritation.
10X aCGH Blocking Agent No known significant effects or critical hazards.

Ingestion : **2X Hi-RPM Hybridization Buffer** No known significant effects or critical hazards.
10X aCGH Blocking Agent No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : **2X Hi-RPM Hybridization Buffer** Adverse symptoms may include the following:
 pain
 watering
 redness
10X aCGH Blocking Agent No specific data.

Inhalation : **2X Hi-RPM Hybridization Buffer** No specific data.
10X aCGH Blocking Agent No specific data.

Section 11. Toxicological information

Skin contact	: <input checked="" type="checkbox"/> 2X Hi-RPM Hybridization Buffer	Adverse symptoms may include the following: pain or irritation redness blistering may occur
	: 10X aCGH Blocking Agent	No specific data.
Ingestion	: 2X Hi-RPM Hybridization Buffer	Adverse symptoms may include the following: stomach pains
	: 10X aCGH Blocking Agent	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards.
Carcinogenicity	: 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: 2X Hi-RPM Hybridization Buffer 10X aCGH Blocking Agent	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
<input checked="" type="checkbox"/> 2X Hi-RPM Hybridization Buffer					
2X Hi-RPM Hybridization Buffer	2598.7	10804.4	N/A	565.6	23.1
Lithium chloride	526	1488	N/A	N/A	N/A
Lithium dodecyl sulphate	500	N/A	N/A	N/A	1.5
Polyoxyethylene octyl phenyl ether	1800	N/A	N/A	N/A	N/A
Oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyloxy)-1-disiloxy]propyl] ether	N/A	N/A	N/A	11	N/A

Other information	: <input checked="" type="checkbox"/> 2X Hi-RPM Hybridization Buffer	Adverse symptoms may include the following: May cause skin sensitization.
--------------------------	--	---

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
2X Hi-RPM Hybridization Buffer Lithium chloride	Acute EC50 112 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Acute EC50 249 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 17000 µg/l Fresh water	Fish - <i>Ptychocheilus lucius</i> - Swim-up	96 hours
	Acute NOEC 25 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Acute NOEC 63.4 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute NOEC 59.4 mg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours
Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - <i>Ceriodaphnia rigaudi</i> - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - <i>Daphnia magna</i> - Neonate	48 hours
	Acute LC50 4500 µg/l Fresh water	Fish - <i>Pimephales promelas</i>	96 hours
	Chronic NOEC 0.004 mg/l Fresh water	Fish - <i>Gambusia holbrooki</i>	28 days
10X aCGH Blocking Agent Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
10X aCGH Blocking Agent Trometamol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	97.1 % - Readily - 28 days	30 mg/l	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2X Hi-RPM Hybridization Buffer Lithium chloride	-	-	Readily
Lithium dodecyl sulphate	-	-	Readily
Polyoxyethylene octyl phenyl ether	-	-	Readily
10X aCGH Blocking Agent Trometamol	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2X Hi-RPM Hybridization Buffer Polyoxyethylene octyl phenyl ether	4.86	-	High
10X aCGH Blocking Agent Trometamol	-2.31	-	Low

Section 12. Ecological information

Mobility in soil




Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	TDG Classification	IMDG	IATA
UN number	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyoxyethylene octyl phenyl ether)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyoxyethylene octyl phenyl ether)	Environmentally hazardous substance, liquid, n.o.s. (Polyoxyethylene octyl phenyl ether)
Transport hazard class(es)			
Packing group	III	III	III
Environmental hazards	Yes.	Yes.	Yes.

Proof of classification statement : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark).

Additional information

Remarks: Excepted Quantity

TDG Classification

: Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail.

Explosive Limit and Limited Quantity Index 5

Special provisions 16, 99

Section 14. Transport information

IMDG : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Emergency schedules F-A, S-F

Special provisions 274, 335, 969

IATA : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Quantity limitation Passenger and Cargo Aircraft: 450 L. Packaging instructions: 964. Cargo Aircraft Only: 450 L. Packaging instructions: 964. Limited Quantities - Passenger Aircraft: 30 kg. Packaging instructions: Y964.

Special provisions A97, A158, A197, A215

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : The following components are listed: octylphenol and its ethoxylates

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Canada : Not determined.

United States : Not determined.

Section 16. Other information

History

Date of issue/Date of revision : 11/29/2023

Date of previous issue : 03/29/2021

Version : 7

Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations
-----------------------------	---

Procedure used to derive the classification

Classification	Justification
2X Hi-RPM Hybridization Buffer SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 2	Calculation method Calculation method Calculation method Calculation method Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.