

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/13/2015

Reviewed on 05/13/2015

## 1 Identification

- **Product identifier**
- **Product Name:** 6020 Interference Check Solution A, Part Number 5188-6526
- **Part Number:** 5188-6526
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture**  
Analytical Chemistry  
A 100mL Solution
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA
- **Information department:** product safety department
- **Emergency telephone number:**  
Emergency Phone Number (24 hours)  
CHEMTREC (800-424-9300)  
Outside US: 703-527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Corrosive

Causes burns.



Harmful

Harmful by inhalation, in contact with skin and if swallowed.

- **Information concerning particular hazards for human and environment:**  
The product has to be labeled due to the calculation procedure of international guidelines.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05

- **Signal word** Danger

- **Hazard-determining components of labeling:**  
nitric acid

- **Hazard statements**

Causes severe skin burns and eye damage.

- **Precautionary statements**

Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

(Contd. on page 2)

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMS-ratings (scale 0 - 4)**

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

7697-37-2	nitric acid	5.0%
7647-01-0	hydrochloric acid	2.0%
7664-39-3	hydrofluoric acid	0.1%

- **Chemical identification of the substance/preparation**

7440-70-2	Calcium from Calcium carbonate	0.3%
7439-89-6	iron	0.25%
7440-23-5	Sodium from Sodium carbonate	0.25%
7440-44-0	Carbon from Oxalic acid	0.2%
7429-90-5	aluminium	0.1%
7439-95-4	magnesium	0.1%
7440-09-7	Potassium from Potassium nitrate	0.1%
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate	0.1%
7783-20-2	ammonium sulphate	0.1%
7439-98-7	molybdenum	0.002%
7440-32-6	titanium	0.002%
7732-18-5	water, distilled, conductivity or of similar purity	91.396%

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Immediately call a doctor.  
Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 2)

- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**7697-37-2 nitric acid**

 PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

 REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm

 Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

 TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm

 Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

**7647-01-0 hydrochloric acid**

 PEL Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm

 REL Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm

 TLV Ceiling limit value: 2.98 mg/m<sup>3</sup>, 2 ppm

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 3)

**7664-39-3 hydrofluoric acid**

PEL Long-term value: 3 ppm  
as F

REL Long-term value: 2.5 mg/m<sup>3</sup>, 3 ppm  
Ceiling limit value: 5\* mg/m<sup>3</sup>, 6\* ppm  
\*15-min, as F

TLV Long-term value: 0.41 mg/m<sup>3</sup>, 0.5 ppm  
Ceiling limit value: 1.64 mg/m<sup>3</sup>, 2 ppm  
as F; Skin, BEI

**Ingredients with biological limit values:**

**7664-39-3 hydrofluoric acid**

BEI 3 mg/g creatinine  
Medium: urine  
Time: prior to shift  
Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine  
Medium: urine  
Time: end of shift  
Parameter: Fluorides (background, nonspecific)

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**



Tightly sealed goggles

US

(Contd. on page 5)

**Safety Data Sheet**  
 acc. to OSHA HCS

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 4)

**9 Physical and chemical properties**

 · **Information on basic physical and chemical properties**

 · **General Information**

 · **Appearance:**

Form: Liquid

Color: Colorless

 · **Odor:** Odorless

 · **Odour Threshold:** Not applicable.

 · **pH-value:** <1

 · **Change in condition**

Melting point/Melting range: 0 °C (32°F)

Boiling point/Boiling range: 100 °C (212°F)

 · **Flash point:** Not applicable.

 · **Flammability (solid, gaseous):** Not applicable.

 · **Ignition temperature:**

Decomposition temperature: Not applicable.

 · **Auto igniting:** Product is not selfigniting.

 · **Danger of explosion:** Product does not present an explosion hazard.

 · **Explosion limits:**

Lower: Not applicable.

Upper: Not applicable.

 · **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

 · **Density** 1.0 g/mL @ 20 °C

 · **Relative density** Not applicable.

 · **Vapour density** Not applicable.

 · **Evaporation rate** Not applicable.

 · **Solubility in / Miscibility with**

Water: Miscible

 · **Partition coefficient (n-octanol/water):** Not applicable.

 · **Viscosity:**

Dynamic: Not applicable.

Kinematic: Not applicable.

 · **Solvent content:**

Organic solvents: 0.0 %

Water: 91.4 %

Solids content: 1.5 %

 · **Other information** No further relevant information available.

**10 Stability and reactivity**

 · **Reactivity**

 · **Chemical stability**

 · **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

 · **Possibility of hazardous reactions** No dangerous reactions known.

 · **Conditions to avoid** No further relevant information available.

 · **Incompatible materials:** No further relevant information available.

 · **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 6)

**Safety Data Sheet**  
 acc. to OSHA HCS

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 5)

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

 · **LD/LC50 values that are relevant for classification:**
**7664-39-3 hydrofluoric acid**

Oral	LD50	1276 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
 The product shows the following dangers according to internally approved calculation methods for preparations:  
 Harmful  
 Corrosive  
 Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

 · **Carcinogenic categories**

 · **IARC (International Agency for Research on Cancer)**

7647-01-0	hydrochloric acid	3
-----------	-------------------	---

 · **NTP (National Toxicology Program)**

None of the ingredients is listed.

 · **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
 Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN3264

(Contd. on page 7)



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 6)

<ul style="list-style-type: none"> <li>· <i>UN proper shipping name</i></li> <li>· <i>DOT</i></li> </ul>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrochloric acid)
<ul style="list-style-type: none"> <li>· <i>ADR</i></li> </ul>	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrochloric acid)
<ul style="list-style-type: none"> <li>· <i>IMDG, IATA</i></li> </ul>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION, HYDROCHLORIC ACID)
<ul style="list-style-type: none"> <li>· <i>Transport hazard class(es)</i></li> <li>· <i>DOT</i></li> </ul>	
	
<ul style="list-style-type: none"> <li>· <i>Class</i></li> <li>· <i>Label</i></li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· <i>ADR, IMDG, IATA</i></li> </ul>	
	
<ul style="list-style-type: none"> <li>· <i>Class</i></li> <li>· <i>Label</i></li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· <i>Packing group</i></li> <li>· <i>DOT, ADR, IMDG, IATA</i></li> </ul>	III
<ul style="list-style-type: none"> <li>· <i>Environmental hazards:</i></li> <li>· <i>Marine pollutant:</i></li> </ul>	No
<ul style="list-style-type: none"> <li>· <i>Special precautions for user</i></li> <li>· <i>Danger code (Kemler):</i></li> <li>· <i>EMS Number:</i></li> <li>· <i>Segregation groups</i></li> </ul>	Warning: Corrosive substances 80 F-A,S-B Acids
<ul style="list-style-type: none"> <li>· <i>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</i></li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· <i>Transport/Additional information:</i></li> </ul>	
<ul style="list-style-type: none"> <li>· <i>ADR</i></li> <li>· <i>Excepted quantities (EQ)</i></li> </ul>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> <li>· <i>IMDG</i></li> <li>· <i>Limited quantities (LQ)</i></li> <li>· <i>Excepted quantities (EQ)</i></li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> <li>· <i>UN "Model Regulation":</i></li> </ul>	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrochloric acid), 8, III

**15 Regulatory information**

- *Safety, health and environmental regulations/legislation specific for the substance or mixture*
- *Sara*

 · *Section 355 (extremely hazardous substances):*

7697-37-2 | nitric acid

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 7)

7647-01-0	hydrochloric acid
7664-39-3	hydrofluoric acid
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	nitric acid
7647-01-0	hydrochloric acid
7429-90-5	aluminium
7664-39-3	hydrofluoric acid
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate
7783-20-2	ammonium sulphate

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

7647-01-0	hydrochloric acid	A4
7429-90-5	aluminium	A4
7439-98-7	molybdenum	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

nitric acid

· **Hazard statements**

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

US

(Contd. on page 9)





**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 05/13/2015

Reviewed on 05/13/2015

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 8)

## 16 Other information

*Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.*

· **Department issuing SDS:** product safety department

· **Contact:**

Agilent Technologies, Inc.  
800-227-9770

· **Date of preparation / last revision** 05/13/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1