



## Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

### 1 Identification

- **Product identifier**
- **Product Name:** 6020 Interference Check Solution A, Part Number 5188-6526
- **Part Number:** 5188-6526
- **Application of the substance / the mixture**  
Reagents and Standards for Analytical Chemistry Laboratory Use  
A 100mL Solution
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc.  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA
- **Information department:** product safety department
- **Emergency telephone number:**  
Emergency Phone Number (24 hours)  
CHEMTREC (800-424-9300)  
Outside US: 703-527-3887

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
nitric acid  
hydrochloric acid
- **Hazard statements**  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center/doctor.  
Specific treatment (see on this label).  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3  
Fire = 0  
Reactivity = 0

(Contd. on page 2)

**Safety Data Sheet**  
 acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 1)

**· HMIS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 3 | Health = 3     |
| FIRE       | 0 | Fire = 0       |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

**· Dangerous components:**

|           |                   |      |
|-----------|-------------------|------|
| 7697-37-2 | nitric acid       | 5.0% |
| 7647-01-0 | hydrochloric acid | 2.0% |

**· Chemical identification of the substance/preparation**

|           |   |         |
|-----------|---|---------|
| 7440-70-2 | Calcium from Calcium carbonate                      | 0.3%    |
| 7439-89-6 | iron  | 0.25%   |
| 7440-23-5 | Sodium from Sodium carbonate                        | 0.25%   |
| 7440-44-0 | Carbon from Oxalic acid                             | 0.2%    |
| 7429-90-5 | aluminium   | 0.1%    |
| 7439-95-4 | magnesium   | 0.1%    |
| 7440-09-7 | potassium   | 0.1%    |
| 7664-39-3 | hydrofluoric acid                                   | 0.1%    |
| 7723-14-0 | red phosphorus                                      | 0.1%    |
| 7783-20-2 | ammonium sulphate                                   | 0.1%    |
| 7439-98-7 | molybdenum  | 0.002%  |
| 7440-32-6 | titanium  | 0.002%  |
| 7732-18-5 | water, distilled, conductivity or of similar purity | 91.396% |

**4 First-aid measures**

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

US

(Contd. on page 3)

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 2)

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Use neutralizing agent.  
 Dispose contaminated material as waste according to item 13.  
 Ensure adequate ventilation.
- **Reference to other sections**  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

**· PAC-1:**

|           |                              |                        |
|-----------|------------------------------|------------------------|
| 7697-37-2 | nitric acid                  | 0.16 ppm               |
| 7647-01-0 | hydrochloric acid            | 1.8 ppm                |
| 7439-89-6 | iron                         | 3.2 mg/m <sup>3</sup>  |
| 7440-23-5 | Sodium from Sodium carbonate | 13 mg/m <sup>3</sup>   |
| 7440-44-0 | Carbon from Oxalic acid      | 6 mg/m <sup>3</sup>    |
| 7439-95-4 | magnesium                    | 18 mg/m <sup>3</sup>   |
| 7440-09-7 | potassium                    | 2.3 mg/m <sup>3</sup>  |
| 7723-14-0 | red phosphorus               | 0.27 mg/m <sup>3</sup> |
| 7783-20-2 | ammonium sulphate            | 13 mg/m <sup>3</sup>   |
| 7439-98-7 | molybdenum                   | 30 mg/m <sup>3</sup>   |
| 7440-32-6 | titanium                     | 30 mg/m <sup>3</sup>   |

**· PAC-2:**

|           |                              |                       |
|-----------|------------------------------|-----------------------|
| 7697-37-2 | nitric acid                  | 24 ppm                |
| 7647-01-0 | hydrochloric acid            | 22 ppm                |
| 7439-89-6 | iron                         | 35 mg/m <sup>3</sup>  |
| 7440-23-5 | Sodium from Sodium carbonate | 140 mg/m <sup>3</sup> |
| 7440-44-0 | Carbon from Oxalic acid      | 330 mg/m <sup>3</sup> |
| 7439-95-4 | magnesium                    | 200 mg/m <sup>3</sup> |
| 7440-09-7 | potassium                    | 25 mg/m <sup>3</sup>  |
| 7723-14-0 | red phosphorus               | 3 mg/m <sup>3</sup>   |
| 7783-20-2 | ammonium sulphate            | 140 mg/m <sup>3</sup> |
| 7439-98-7 | molybdenum                   | 330 mg/m <sup>3</sup> |
| 7440-32-6 | titanium                     | 330 mg/m <sup>3</sup> |

**· PAC-3:**

|           |                              |                         |
|-----------|------------------------------|-------------------------|
| 7697-37-2 | nitric acid                  | 92 ppm                  |
| 7647-01-0 | hydrochloric acid            | 100 ppm                 |
| 7439-89-6 | iron                         | 150 mg/m <sup>3</sup>   |
| 7440-23-5 | Sodium from Sodium carbonate | 870 mg/m <sup>3</sup>   |
| 7440-44-0 | Carbon from Oxalic acid      | 2,000 mg/m <sup>3</sup> |
| 7439-95-4 | magnesium                    | 1,200 mg/m <sup>3</sup> |
| 7440-09-7 | potassium                    | 150 mg/m <sup>3</sup>   |
| 7723-14-0 | red phosphorus               | 18 mg/m <sup>3</sup>    |
| 7783-20-2 | ammonium sulphate            | 840 mg/m <sup>3</sup>   |
| 7439-98-7 | molybdenum                   | 2,000 mg/m <sup>3</sup> |
| 7440-32-6 | titanium                     | 2,000 mg/m <sup>3</sup> |

US

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 3)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**7697-37-2 nitric acid**

|     |  |
|-----|--|
| PEL | Long-term value: 5 mg/m <sup>3</sup> , 2 ppm   |
| REL | Short-term value: 10 mg/m <sup>3</sup> , 4 ppm<br>Long-term value: 5 mg/m <sup>3</sup> , 2 ppm   |
| TLV | Short-term value: 10 mg/m <sup>3</sup> , 4 ppm<br>Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm |

**7647-01-0 hydrochloric acid**

|     |   |
|-----|---|
| PEL | Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm    |
| REL | Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm    |
| TLV | Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

- Nitrile Glove
- Thickness: ≥0.11 mm
- Breakthrough time: > 480 minutes
- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

**Safety Data Sheet**  
 acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 4)

 · **Eye protection:**


Tightly sealed goggles

**9 Physical and chemical properties**

 · **Information on basic physical and chemical properties**

 · **General Information**

 · **Appearance:**

|                           |                 |
|---------------------------|-----------------|
| · <b>Form:</b>            | Liquid          |
| · <b>Color:</b>           | Colorless       |
| · <b>Odor:</b>            | Odorless        |
| · <b>Odour Threshold:</b> | Not applicable. |

 · **pH-value:** <1

 · **Change in condition**

|                                       |               |
|---------------------------------------|---------------|
| · <b>Melting point/Melting range:</b> | 0°C (32°F)    |
| · <b>Boiling point/Boiling range:</b> | 100°C (212°F) |

 · **Flash point:** Not applicable.

 · **Flammability (solid, gaseous):** Not applicable.

 · **Decomposition temperature:** Not applicable.

 · **Auto igniting:** Product is not selfigniting.

 · **Danger of explosion:** Product does not present an explosion hazard.

 · **Explosion limits:**

|                 |                 |
|-----------------|-----------------|
| · <b>Lower:</b> | Not applicable. |
| · <b>Upper:</b> | Not applicable. |

 · **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

 · **Density** 1.0 g/mL @ 20°C

 · **Relative density** Not applicable.

 · **Vapor density** Not applicable.

 · **Evaporation rate** Not applicable.

 · **Solubility in / Miscibility with**

 · **Water:** Miscible

 · **Partition coefficient (n-octanol/water):** Not applicable.

 · **Viscosity:**

|                     |                 |
|---------------------|-----------------|
| · <b>Dynamic:</b>   | Not applicable. |
| · <b>Kinematic:</b> | Not applicable. |

 · **Solvent content:**

|                       |        |
|-----------------------|--------|
| · <b>Water:</b>       | 91.4 % |
| · <b>VOC content:</b> | 0.00 % |

 · **Solids content:** 1.5 %

 · **Other information** No further relevant information available.

**10 Stability and reactivity**

 · **Reactivity** No further relevant information available.

 · **Chemical stability**

 · **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

 · **Possibility of hazardous reactions** No dangerous reactions known.

 · **Conditions to avoid** No further relevant information available.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 5)

- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Corrosive  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7647-01-0 hydrochloric acid

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA**

UN3264

(Contd. on page 7)

**Safety Data Sheet**  
 acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 6)

|   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrochloric acid)<br>3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, Hydrochloric acid)<br>CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION, HYDROCHLORIC ACID) |
|---|--|

 · **Transport hazard class(es)**

 · **DOT**

 · **Class**  
 · **Label**

 8 Corrosive substances  
 8

 · **ADR, IMDG, IATA**

 · **Class**  
 · **Label**

 8 Corrosive substances  
 8

 · **Packing group**

 · **DOT, ADR, IMDG, IATA**

III

 · **Environmental hazards:**

Not applicable.

 · **Special precautions for user**

Warning: Corrosive substances

 · **Danger code (Kemler):**

80

 · **EMS Number:**

F-A,S-B

 · **Segregation groups**

Acids

 · **Stowage Category**

A

 · **Stowage Code**

SW2 Clear of living quarters.

 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC**

 · **Code**

Not applicable.

 · **Transport/Additional information:**

 · **ADR**

 · **Excepted quantities (EQ)**

 Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

 · **IMDG**

 · **Limited quantities (LQ)**

5L

 · **Excepted quantities (EQ)**

 Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

 · **UN "Model Regulation":**

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION, HYDROCHLORIC ACID), 8, III

US

(Contd. on page 8)

**Safety Data Sheet**  
 acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 7)

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

**· Section 313 (Specific toxic chemical listings):**

|           |                   |
|-----------|-------------------|
| 7697-37-2 | nitric acid       |
| 7647-01-0 | hydrochloric acid |
| 7429-90-5 | aluminium         |
| 7664-39-3 | hydrofluoric acid |
| 7723-14-0 | red phosphorus    |
| 7783-20-2 | ammonium sulphate |

**· TSCA (Toxic Substances Control Act):**

|           |   |
|-----------|---|
| 7697-37-2 | nitric acid   |
| 7647-01-0 | hydrochloric acid                                   |
| 7440-70-2 | Calcium from Calcium carbonate                      |
| 7439-89-6 | iron  |
| 7440-23-5 | Sodium from Sodium carbonate                        |
| 7440-44-0 | Carbon from Oxalic acid                             |
| 7429-90-5 | aluminium   |
| 7439-95-4 | magnesium   |
| 7440-09-7 | potassium   |
| 7723-14-0 | red phosphorus                                      |
| 7783-20-2 | ammonium sulphate                                   |
| 7439-98-7 | molybdenum  |
| 7440-32-6 | titanium  |
| 7732-18-5 | water, distilled, conductivity or of similar purity |

**· Proposition 65**
**· Chemicals known to cause cancer:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**· TLV (Threshold Limit Value established by ACGIH)**

|           |                   |    |
|-----------|-------------------|----|
| 7647-01-0 | hydrochloric acid | A4 |
| 7429-90-5 | aluminium         | A4 |
| 7439-98-7 | molybdenum        | A3 |

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/11/2018

Reviewed on 09/11/2018

**Product Name: 6020 Interference Check Solution A, Part Number 5188-6526**

(Contd. of page 8)

· **Hazard pictograms**



GHS05

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*nitric acid*

*hydrochloric acid*

· **Hazard statements**

*H314 Causes severe skin burns and eye damage.*

· **Precautionary statements**

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a poison center/doctor.*

*Specific treatment (see on this label).*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.*

· **Department issuing SDS:** *product safety department*

· **Contact:**

*Agilent Technologies, Inc.*

*800-227-9770*

· **Date of preparation / last revision** *09/11/2018 / -*

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Skin Corr. 1B: Skin corrosion/irritation – Category 1B*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*