

SAFETY DATA SHEET

3100 OFFGEL 12 Well Frame Set

Section 1. Identification

Product identifier : 3100 OFFGEL 12 Well Frame Set
Part no. (chemical kit) : 5188-8012
Part no. : 12 Well Frame Set 5067-1588
 Mineral Oil 5188-6443
 Glycerol 50 percent 5188-6440

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical chemistry.
 Mineral Oil 50 ml
 Glycerol 50 percent 10 ml

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
 679 Springvale Road
 Mulgrave
 Victoria 3170, Australia
 1800 802 402

Emergency telephone number (with hours of operation) : CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Glycerol 50 percent
 H320 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B

GHS label elements

Signal word : Mineral Oil No signal word.
 Glycerol 50 percent WARNING

Hazard statements : Mineral Oil No known significant effects or critical hazards.
 Glycerol 50 percent H320 - Causes eye irritation.

Precautionary statements

Prevention : Mineral Oil Not applicable.
 Glycerol 50 percent Not applicable.

Response : Mineral Oil Not applicable.
 Glycerol 50 percent P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 - If eye irritation persists: Get medical advice or attention.

Storage : Mineral Oil Not applicable.
 Glycerol 50 percent Not applicable.

Disposal : Mineral Oil Not applicable.
 Glycerol 50 percent Not applicable.

Supplemental label elements

Additional warning phrases : Mineral Oil Not applicable.
 Glycerol 50 percent Not applicable.

Section 2. Hazard(s) identification

Other hazards which do not result in classification : Mineral Oil

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapour may cause flash fire or explosion.
None known.

Glycerol 50 percent

Section 3. Composition and ingredient information

Substance/mixture : Mineral Oil
Glycerol 50 percent

Substance
Mixture

CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
Mineral Oil mineral oil	100	8042-47-5
Glycerol 50 percent Glycerol	≥30 - ≤60	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Mineral Oil

Glycerol 50 percent

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Inhalation : Mineral Oil

Glycerol 50 percent

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact : Mineral Oil

Glycerol 50 percent

Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing

Section 4. First aid measures

Ingestion	: Mineral Oil	<p>before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
	Glycerol 50 percent	

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. Causes eye irritation.
Inhalation	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: Mineral Oil Glycerol 50 percent	Defatting to the skin. May cause skin dryness and irritation. No known significant effects or critical hazards.
Ingestion	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Mineral Oil Glycerol 50 percent	No specific data. Adverse symptoms may include the following: irritation watering redness
Inhalation	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.
Skin contact	: Mineral Oil Glycerol 50 percent	Adverse symptoms may include the following: irritation dryness cracking No specific data.
Ingestion	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Mineral Oil Glycerol 50 percent	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Mineral Oil Glycerol 50 percent	No specific treatment. No specific treatment.

Section 4. First aid measures

Protection of first-aiders	: Mineral Oil Glycerol 50 percent	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
-----------------------------------	--	--

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: Mineral Oil Glycerol 50 percent	Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog). Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Mineral Oil Glycerol 50 percent	Do not use water jet. None known.

Specific hazards arising from the chemical	: Mineral Oil Glycerol 50 percent	This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly-grounded containers. Static accumulation may be significantly increased by the presence of small quantities of water or other contaminants. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
---	--	--

Hazardous thermal decomposition products	: Mineral Oil Glycerol 50 percent	Decomposition products may include the following materials: carbon dioxide carbon monoxide Decomposition products may include the following materials: carbon dioxide carbon monoxide
---	--	--

Special protective actions for fire-fighters	: Mineral Oil Glycerol 50 percent	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
---	--	--

Special protective equipment for fire-fighters	: Mineral Oil Glycerol 50 percent	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
---	--	--

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Mineral Oil	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Glycerol 50 percent	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: Mineral Oil	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Glycerol 50 percent	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Mineral Oil	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Glycerol 50 percent	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up	: Mineral Oil	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Glycerol 50 percent	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Mineral Oil	Put on appropriate personal protective equipment (see Section 8). Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Restrict flow velocity according to API 2003 (2008), NFPA 77 (2007), and Laurence Britton, "Avoiding
----------------------------	---------------	--

Section 7. Handling and storage

		Static Ignition Hazards in Chemical Operations". To reduce potential for static discharge, ensure that all equipment is properly grounded and bonded and meets appropriate electrical classification requirements.
	Glycerol 50 percent	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Mineral Oil	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Glycerol 50 percent	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Mineral Oil	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Glycerol 50 percent	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

[Control parameters](#)

[Occupational exposure limits](#)

Section 8. Exposure controls and personal protection

Ingredient name	Exposure limits
Mineral Oil mineral oil	Safe Work Australia (Australia, 10/2022). [Oil mist, refined mineral] TWA: 5 mg/m ³ 8 hours. Form: Mist
Glycerol 50 percent Glycerol	Safe Work Australia (Australia, 10/2022). TWA: 10 mg/m ³ 8 hours.

Biological exposure indices

No exposure indices known.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	: Mineral Oil	Liquid. [Oily liquid.]
	Glycerol 50 percent	Liquid.
Colour	: Mineral Oil	Colourless.
	Glycerol 50 percent	Not available.
Odour	: Mineral Oil	Not available.
	Glycerol 50 percent	Not available.
Odour threshold	: Mineral Oil	Not available.
	Glycerol 50 percent	Not available.
pH	: Mineral Oil	Not available.
	Glycerol 50 percent	Not available.
Melting point/freezing point	: Mineral Oil	-60 to -9°C (-76 to 15.8°F) [ASTM D 97]
	Glycerol 50 percent	Not available.
Boiling point, initial boiling point, and boiling range	: Mineral Oil	179 to 210°C (354.2 to 410°F) [ASTM D 1160]
	Glycerol 50 percent	Not available.
Flash point	: Mineral Oil	Closed cup: 135°C (275°F) [ISO 2719]
	Glycerol 50 percent	Not available.

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
Glycerol 50 percent						
Glycerol	-	-	-	177	350.6	-

Evaporation rate	: Mineral Oil	Not available.
	Glycerol 50 percent	Not available.
Flammability	: Mineral Oil	Not applicable.
	Glycerol 50 percent	Not applicable.
Lower and upper explosion limit/flammability limit	: Mineral Oil	Not available.
	Glycerol 50 percent	Not available.
Vapour pressure	: Mineral Oil	0.011 kPa (0.08 mm Hg) [OECD 104]

Ingredient name	Vapour Pressure at 20 °C			Vapour pressure at 50 °C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Glycerol 50 percent						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-

Relative vapour density	: Mineral Oil	Not available.
	Glycerol 50 percent	Not available.
Relative density	: Mineral Oil	0.875 to 0.905
	Glycerol 50 percent	Not available.

Solubility(ies)	Media	Result
	Mineral Oil	Insoluble
	water	
	Glycerol 50 percent	Soluble
	water	

Partition coefficient: n-octanol/water	: Mineral Oil	>6
	Glycerol 50 percent	Not applicable.

Section 9. Physical and chemical properties and safety characteristics

Auto-ignition temperature	: Mineral Oil	260 to 371.11°C (500 to 700°F) [ASTM E 659]			
		Ingredient name	°C	°F	Method
		Glycerol 50 percent			
		Glycerol	370	698	-
Decomposition temperature	: Mineral Oil	Not available.			
	: Glycerol 50 percent	Not available.			
Viscosity	: Mineral Oil	Kinematic (40°C (104°F)): >1.3 mm ² /s (>1.3 cSt)			
	: Glycerol 50 percent	Not available.			
Particle characteristics					
Median particle size	: Mineral Oil	Not applicable.			
	: Glycerol 50 percent	Not applicable.			

Section 10. Stability and reactivity

Reactivity	: Mineral Oil	No specific test data related to reactivity available for this product or its ingredients.
	: Glycerol 50 percent	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Mineral Oil	The product is stable.
	: Glycerol 50 percent	The product is stable.
Possibility of hazardous reactions	: Mineral Oil	Under normal conditions of storage and use, hazardous reactions will not occur.
	: Glycerol 50 percent	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Mineral Oil	No specific data.
	: Glycerol 50 percent	No specific data.
Incompatible materials	: Mineral Oil	May react or be incompatible with oxidising materials.
	: Glycerol 50 percent	May react or be incompatible with oxidising materials.
Hazardous decomposition products	: Mineral Oil	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	: Glycerol 50 percent	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Mineral Oil mineral oil	LC50 Inhalation Dusts and mists LD50 Oral	Rat Rat	>5 mg/l >5000 mg/kg	4 hours -
Glycerol 50 percent Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Glycerol 50 percent Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : Mineral Oil
Glycerol 50 percent

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact : Mineral Oil
Glycerol 50 percent

No known significant effects or critical hazards.
Causes eye irritation.

Inhalation : Mineral Oil
Glycerol 50 percent

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact : Mineral Oil
Glycerol 50 percent

Defatting to the skin. May cause skin dryness and irritation.
No known significant effects or critical hazards.

Ingestion : Mineral Oil
Glycerol 50 percent

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Mineral Oil
Glycerol 50 percent

No specific data.
Adverse symptoms may include the following:
irritation
watering
redness

Inhalation : Mineral Oil
Glycerol 50 percent

No specific data.
No specific data.

Skin contact : Mineral Oil
Glycerol 50 percent

Adverse symptoms may include the following:
irritation
dryness
cracking
No specific data.

Section 11. Toxicological information

Ingestion : Mineral Oil No specific data.
 Glycerol 50 percent No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Glycerol 50 percent Glycerol	12600	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Glycerol 50 percent Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Glycerol 50 percent Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Mineral Oil mineral oil	-	-	Readily

Bioaccumulative potential

Section 12. Ecological information

Product/ingredient name	LogP _{ow}	BCF	Potential
Mineral Oil mineral oil	>6	-	High
Glycerol 50 percent Glycerol	-1.76	-	Low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

5

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

Section 15. Regulatory information

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

Australia : All components are listed or exempted.

New Zealand : All components are listed or exempted.

United States : All components are active or exempted.

Section 16. Any other relevant information

[History](#)

Date of issue/Date of revision : 22/08/2024


Date of previous issue : 22/06/2021

Version : 4

[Key to abbreviations](#)

: ADG = Australian Dangerous Goods
 : ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
 : ATE = Acute Toxicity Estimate
 : BCF = Bioconcentration Factor
 : GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 : IATA = International Air Transport Association
 : IBC = Intermediate Bulk Container
 : IMDG = International Maritime Dangerous Goods
 : LogPow = logarithm of the octanol/water partition coefficient
 : MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 : N/A = Not available
 : SUSMP = Standard Uniform Schedule of Medicine and Poisons
 : UN = United Nations

[Procedure used to derive the classification](#)

Classification	Justification
 Glycerol 50 percent SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B	Calculation method

 Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.