

Section 2. Hazard identification

Response	: Mineral Oil Glycerol 50 percent	Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage	: Mineral Oil Glycerol 50 percent	Not applicable. Not applicable.
Disposal	: Mineral Oil Glycerol 50 percent	Not applicable. Not applicable.
Supplemental label elements	: Mineral Oil Glycerol 50 percent	Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and receiving equipment. These alone may be insufficient to remove static electricity. Avoid contact with skin and clothing. Wash thoroughly after handling. None known.
Other hazards which do not result in classification	: Mineral Oil Glycerol 50 percent	None known. None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mineral Oil Glycerol 50 percent	Substance Mixture
--------------------------	--------------------------------------	----------------------

Ingredient name	Synonyms	% (w/w)	CAS number
Mineral Oil mineral oil	White mineral oil (petroleum)	100	8042-47-5
Glycerol 50 percent Glycerol	Glycerol	≥30 - ≤60	56-81-5

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact	: Mineral Oil	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	Glycerol 50 percent	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Section 4. First-aid measures

Inhalation

: Mineral Oil

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Glycerol 50 percent

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Mineral Oil

Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Glycerol 50 percent

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Mineral Oil

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Glycerol 50 percent

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First-aid measures

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. Causes eye irritation.
Inhalation	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: Mineral Oil Glycerol 50 percent	Defatting to the skin. May cause skin dryness and irritation. No known significant effects or critical hazards.
Ingestion	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Mineral Oil Glycerol 50 percent	No specific data. Adverse symptoms may include the following: irritation watering redness
Inhalation	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.
Skin contact	: Mineral Oil Glycerol 50 percent	Adverse symptoms may include the following: irritation dryness cracking No specific data.
Ingestion	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Mineral Oil Glycerol 50 percent	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Mineral Oil Glycerol 50 percent	No specific treatment. No specific treatment.
Protection of first-aiders	: Mineral Oil Glycerol 50 percent	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	: Mineral Oil	Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog). Use an extinguishing agent suitable for the surrounding fire.
	Glycerol 50 percent	
Unsuitable extinguishing media	: Mineral Oil	Do not use water jet. None known.
	Glycerol 50 percent	
Specific hazards arising from the chemical	: Mineral Oil	This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static accumulation may be significantly increased by the presence of small quantities of water or other contaminants. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
	Glycerol 50 percent	
Hazardous thermal decomposition products	: Mineral Oil	Decomposition products may include the following materials: carbon dioxide carbon monoxide Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Glycerol 50 percent	
Special protective actions for fire-fighters	: Mineral Oil	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Glycerol 50 percent	
Special protective equipment for fire-fighters	: Mineral Oil	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Glycerol 50 percent	

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Mineral Oil	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
------------------------------------	---------------	--

Section 6. Accidental release measures

	Glycerol 50 percent	Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: Mineral Oil	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Glycerol 50 percent	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Mineral Oil	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Glycerol 50 percent	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<u>Methods and materials for containment and cleaning up</u>		
Methods for cleaning up	: Mineral Oil	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Glycerol 50 percent	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Mineral Oil	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations.
----------------------------	---------------	---

Section 7. Handling and storage

		Restrict flow velocity according to API 2003 (2008), NFPA 77 (2007), and Laurence Britton, "Avoiding Static Ignition Hazards in Chemical Operations". To reduce potential for static discharge, ensure that all equipment is properly grounded and bonded and meets appropriate electrical classification requirements.
	Glycerol 50 percent	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Mineral Oil	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Glycerol 50 percent	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Mineral Oil	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Glycerol 50 percent	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Mineral Oil Liquid. [Oily liquid.]
Glycerol 50 percent Liquid.
- Color** : Mineral Oil Colorless.
Glycerol 50 percent Not available.
- Odor** : Mineral Oil Not available.
Glycerol 50 percent Not available.
- Odor threshold** : Mineral Oil Not available.
Glycerol 50 percent Not available.
- pH** : Mineral Oil Not available.
Glycerol 50 percent Not available.
- Melting point/freezing point** : Mineral Oil -60 to -9°C (-76 to 15.8°F) [ASTM D 97]
Glycerol 50 percent Not available.
- Boiling point, initial boiling point, and boiling range** : Mineral Oil 179 to 210°C (354.2 to 410°F) [ASTM D 1160]
Glycerol 50 percent Not available.
- Flash point** : Mineral Oil Closed cup: 135°C (275°F) [ISO 2719]
Glycerol 50 percent Not available.

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
Glycerol 50 percent						
Glycerol	-	-	-	177	350.6	-

- Evaporation rate** : Mineral Oil Not available.
Glycerol 50 percent Not available.
- Flammability** : Mineral Oil Not applicable.
Glycerol 50 percent Not applicable.
- Lower and upper explosion limit/flammability limit** : Mineral Oil Not available.
Glycerol 50 percent Not available.

Section 9. Physical and chemical properties and safety characteristics

Vapor pressure : Mineral Oil 0.011 kPa (0.08 mm Hg) [OECD 104]

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Glycerol 50 percent						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-

Relative vapor density : Mineral Oil Not available.

Glycerol 50 percent Not available.

Relative density : Mineral Oil 0.875 to 0.905

Glycerol 50 percent Not available.

Solubility(ies)

Media	Result
Mineral Oil	
water	Insoluble
Glycerol 50 percent	
water	Soluble

Partition coefficient: n-octanol/water : Mineral Oil >6

Glycerol 50 percent Not applicable.

Auto-ignition temperature : Mineral Oil 260 to 371.11°C (500 to 700°F) [ASTM E 659]

Ingredient name	°C	°F	Method
Glycerol 50 percent			
Glycerol	370	698	-

Decomposition temperature : Mineral Oil Not available.

Glycerol 50 percent Not available.

Viscosity : Mineral Oil Kinematic (40°C (104°F)): >1.3 mm²/s (>1.3 cSt)

Glycerol 50 percent Not available.

Particle characteristics

Median particle size : Mineral Oil Not applicable.

Glycerol 50 percent Not applicable.

Section 10. Stability and reactivity

Reactivity : Mineral Oil No specific test data related to reactivity available for this product or its ingredients.

Glycerol 50 percent No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Mineral Oil The product is stable.

Glycerol 50 percent The product is stable.

Possibility of hazardous reactions : Mineral Oil Under normal conditions of storage and use, hazardous reactions will not occur.

Glycerol 50 percent Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Mineral Oil No specific data.

Glycerol 50 percent No specific data.

Section 10. Stability and reactivity

Incompatible materials : Mineral Oil : May react or be incompatible with oxidizing materials.
Glycerol 50 percent : May react or be incompatible with oxidizing materials.

Hazardous decomposition products : Mineral Oil : Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Glycerol 50 percent : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Mineral Oil mineral oil	LC50 Inhalation Dusts and mists LD50 Oral	Rat Rat	>5 mg/l >5000 mg/kg	4 hours -
Glycerol 50 percent Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Glycerol 50 percent Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Classification

Product/ingredient name	IARC	NTP	ACGIH
Mineral Oil mineral oil	-	-	A4

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure : Mineral Oil
Glycerol 50 percent
Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
Causes eye irritation.

Inhalation : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact : Mineral Oil
Glycerol 50 percent
Defatting to the skin. May cause skin dryness and irritation.
No known significant effects or critical hazards.

Ingestion : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Mineral Oil
Glycerol 50 percent
No specific data.
Adverse symptoms may include the following:
irritation
watering
redness

Inhalation : Mineral Oil
Glycerol 50 percent
No specific data.
No specific data.

Skin contact : Mineral Oil
Glycerol 50 percent
Adverse symptoms may include the following:
irritation
dryness
cracking
No specific data.

Ingestion : Mineral Oil
Glycerol 50 percent
No specific data.
No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : Mineral Oil
Glycerol 50 percent
Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
No known significant effects or critical hazards.

Carcinogenicity : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Mutagenicity : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Reproductive toxicity : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Numerical measures of toxicity

Section 11. Toxicological information

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Glycerol 50 percent Glycerol	12600	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Glycerol 50 percent Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Glycerol 50 percent Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Mineral Oil mineral oil	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Mineral Oil mineral oil	>6	-	High
Glycerol 50 percent Glycerol	-1.76	-	Low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill

Section 13. Disposal considerations

should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed.

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Canada : All components are listed or exempted.

United States : All components are active or exempted.

Section 16. Other information

History

Date of issue/Date of revision : 08/22/2024

Date of previous issue : 06/22/2021

Version : 4

Key to abbreviations

ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HPR = Hazardous Products Regulations
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods

Section 16. Other information

LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships,
 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 N/A = Not available
 UN = United Nations

Procedure used to derive the classification

Classification	Justification
Mineral Oil Physical Hazards Not Otherwise Classified - Category 1 Health Hazards Not Otherwise Classified - Category 1 Glycerol 50 percent EYE IRRITATION - Category 2B	On basis of test data On basis of test data Calculation method

✔ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.