

SAFETY DATA SHEET

3100 OFFGEL 24 Well Frame Set, Part Number 5188-8013

Section 1. Identification

1.1 Product identifier

Product name	: 3100 OFFGEL 24 Well Frame Set, Part Number 5188-8013		
Part no. (chemical kit)	: 5188-8013		
Part no.	<input checked="" type="checkbox"/> Mineral Oil	5188-6443	
	Glycerol 50 percent	5188-6440	
Validation date	: 7/11/2018		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: <input checked="" type="checkbox"/> Reagents and Standards for Analytical Chemistry Laboratory Use		
	<input checked="" type="checkbox"/> Mineral Oil	50 ml	
	Glycerol 50 percent	10 ml	

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770		
-----------------------	---	--	--

1.4 Emergency telephone number

In case of emergency	: CHEMTREC®: 1-800-424-9300
----------------------	-----------------------------

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status	<input checked="" type="checkbox"/> Mineral Oil	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Glycerol 50 percent	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

<input checked="" type="checkbox"/> Glycerol 50 percent	EYE IRRITATION - Category 2B	
H320		
Ingredients of unknown toxicity	<input checked="" type="checkbox"/> Glycerol 50 percent	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%

2.2 GHS label elements

Signal word	<input checked="" type="checkbox"/> Mineral Oil Glycerol 50 percent	No signal word. Warning
Hazard statements	<input checked="" type="checkbox"/> Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. H320 - Causes eye irritation.
Precautionary statements		
Prevention	<input checked="" type="checkbox"/> Mineral Oil Glycerol 50 percent	Not applicable. P264 - Wash hands thoroughly after handling.

Section 2. Hazards identification

Response	: Mineral Oil Glycerol 50 percent	Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
Storage	: Mineral Oil Glycerol 50 percent	Not applicable. Not applicable.
Disposal	: Mineral Oil Glycerol 50 percent	Not applicable. Not applicable.
Supplemental label elements	: Mineral Oil Glycerol 50 percent	None known. None known.
2.3 Other hazards		
Hazards not otherwise classified	: Mineral Oil Glycerol 50 percent	None known. None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mineral Oil Glycerol 50 percent	Substance Mixture
--------------------------	--------------------------------------	----------------------

Ingredient name	%	CAS number
Mineral Oil mineral oil	100	8042-47-5
Glycerol 50 percent Glycerol	≥50 - ≤75	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: Mineral Oil Glycerol 50 percent	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Inhalation	: Mineral Oil Glycerol 50 percent	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give

Section 4. First aid measures

Skin contact	: Mineral Oil Glycerol 50 percent	mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Mineral Oil Glycerol 50 percent	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. Causes eye irritation.
Inhalation	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Mineral Oil Glycerol 50 percent	No specific data. Adverse symptoms may include the following: irritation watering redness
Inhalation	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.

Section 4. First aid measures

Skin contact	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.
Ingestion	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Mineral Oil Glycerol 50 percent	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Mineral Oil Glycerol 50 percent	No specific treatment. No specific treatment.
Protection of first-aiders	: Mineral Oil Glycerol 50 percent	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media



Suitable extinguishing media	: Mineral Oil Glycerol 50 percent	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Mineral Oil Glycerol 50 percent	None known. None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: Mineral Oil Glycerol 50 percent	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Mineral Oil Glycerol 50 percent	Decomposition products may include the following materials: carbon dioxide carbon monoxide Decomposition products may include the following materials: carbon dioxide carbon monoxide



5.3 Advice for firefighters


Section 5. Fire-fighting measures

<p>Special protective actions for fire-fighters :  Mineral Oil</p> <p style="padding-left: 150px;">Glycerol 50 percent</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p> <p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>Special protective equipment for fire-fighters :  Mineral Oil</p> <p style="padding-left: 150px;">Glycerol 50 percent</p>	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</p> <p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</p>

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

<p>For non-emergency personnel :  Mineral Oil</p> <p style="padding-left: 150px;">Glycerol 50 percent</p>	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p>
<p>For emergency responders :  Mineral Oil</p> <p style="padding-left: 150px;">Glycerol 50 percent</p>	<p>If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p> <p>If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</p>

<p>6.2 Environmental precautions :  Mineral Oil</p> <p style="padding-left: 150px;">Glycerol 50 percent</p>	<p>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p>
---	---

6.3 Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Methods for cleaning up

: Mineral Oil

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Glycerol 50 percent

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

: Mineral Oil

Put on appropriate personal protective equipment (see Section 8).

Glycerol 50 percent

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Mineral Oil

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Glycerol 50 percent

7.2 Conditions for safe storage, including any incompatibilities

: Mineral Oil

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Glycerol 50 percent

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been

Section 7. Handling and storage

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: Mineral Oil Glycerol 50 percent	Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: Mineral Oil Glycerol 50 percent	Not applicable. Not applicable.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Mineral Oil mineral oil	<p>ACGIH TLV (United States, 3/2017). TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction</p> <p>NIOSH REL (United States, 10/2016). TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist</p> <p>OSHA PEL (United States, 6/2016). TWA: 5 mg/m³ 8 hours.</p>
Glycerol 50 percent Glycerol	<p>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust</p> <p>OSHA PEL (United States, 6/2016). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust</p>

8.2 Exposure controls

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
-------------------------	---

Section 8. Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: Mineral Oil Glycerol 50 percent	Liquid. [Oily liquid.] Liquid.
Color	: Mineral Oil Glycerol 50 percent	Colorless. Not available.
Odor	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Odor threshold	: Mineral Oil Glycerol 50 percent	Not available. Not available.
pH	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Melting point	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Boiling point	: Mineral Oil Glycerol 50 percent	179 to 210°C (354.2 to 410°F) Not available.
Flash point	: Mineral Oil Glycerol 50 percent	Closed cup: 135°C (275°F) Not available.
Evaporation rate	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Flammability (solid, gas)	: Mineral Oil Glycerol 50 percent	Not applicable. Not applicable.
Lower and upper explosive (flammable) limits	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Vapor pressure	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Vapor density	: Mineral Oil Glycerol 50 percent	Not available. Not available.

Section 9. Physical and chemical properties

Relative density	: Mineral Oil Glycerol 50 percent	0.875 to 0.905 Not available.
Solubility	: Mineral Oil Glycerol 50 percent	Insoluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Auto-ignition temperature	: Mineral Oil Glycerol 50 percent	260 to 371.11°C (500 to 700°F) Not available.
Decomposition temperature	: Mineral Oil Glycerol 50 percent	Not available. Not available.
Viscosity	: Mineral Oil Glycerol 50 percent	Not available. Not available.

Section 10. Stability and reactivity

10.1 Reactivity	: Mineral Oil Glycerol 50 percent	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Mineral Oil Glycerol 50 percent	The product is stable. The product is stable.
10.3 Possibility of hazardous reactions	: Mineral Oil Glycerol 50 percent	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.
10.5 Incompatible materials	: Mineral Oil Glycerol 50 percent	May react or be incompatible with oxidizing materials. May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	: Mineral Oil Glycerol 50 percent	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
<input checked="" type="checkbox"/> Mineral Oil mineral oil	LC50 Inhalation Dusts and mists LD50 Oral	Rat Rat	>5 mg/l >5000 mg/kg	4 hours -
<input checked="" type="checkbox"/> Glycerol 50 percent Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<input checked="" type="checkbox"/> Glycerol 50 percent Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
<input checked="" type="checkbox"/> Mineral Oil mineral oil	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure : Mineral Oil
Glycerol 50 percent
Not available.
Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
Causes eye irritation.

Inhalation : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Ingestion : Mineral Oil
Glycerol 50 percent
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Section 11. Toxicological information

Eye contact	: Mineral Oil Glycerol 50 percent	No specific data. Adverse symptoms may include the following: irritation watering redness
Inhalation	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.
Skin contact	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.
Ingestion	: Mineral Oil Glycerol 50 percent	No specific data. No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: Mineral Oil Glycerol 50 percent	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Glycerol 50 percent Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

12.2 Persistence and degradability

Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
Glycerol 50 percent Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Mineral Oil mineral oil	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Mineral Oil mineral oil	>6	-	high
Glycerol 50 percent Glycerol	-1.76	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : **Mineral Oil** Not applicable.
Glycerol 50 percent EYE IRRITATION - Category 2B

Composition/information on ingredients

Name	%	Classification
Mineral Oil mineral oil	100	ASPIRATION HAZARD - Category 1
Glycerol 50 percent Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2A

State regulations

Massachusetts : **The following components are listed:** OIL MIST, MINERAL; GLYCERINE MIST

New York : None of the components are listed.

New Jersey : **The following components are listed:** OIL MIST, MINERAL; MINERAL OIL (HIGHLY REFINED); GLYCERIN; 1,2,3-PROPANETRIOL

Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL

International regulations

Section 15. Regulatory information

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: <input checked="" type="checkbox"/> All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: <input checked="" type="checkbox"/> Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
Malaysia	: <input checked="" type="checkbox"/> Not determined.
New Zealand	: <input checked="" type="checkbox"/> All components are listed or exempted.
Philippines	: <input checked="" type="checkbox"/> All components are listed or exempted.
Republic of Korea	: <input checked="" type="checkbox"/> All components are listed or exempted.
Taiwan	: <input checked="" type="checkbox"/> All components are listed or exempted.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: <input checked="" type="checkbox"/> All components are listed or exempted.
United States	: All components are listed or exempted.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

Section 16. Other information

History

Date of issue	: 07/11/2018
Date of previous issue	: 07/28/2014
Version	: 3

Procedure used to derive the classification

Classification	Justification
<input checked="" type="checkbox"/> Glycerol 50 percent EYE IRRITATION - Category 2B	Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.