



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.05.2015

Revision: 13.05.2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- English additional compounds
- 1.1 Product identifier
- Product Name: ICP-MS Tuning Solution 10 ppm 100mL, Part Number 5190-0465
- Part Number: 5190-0465
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture  
Analytical Chemistry  
A 100mL Solution
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:  
Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany
- Further information obtainable from: product safety department
- 1.4 Emergency telephone number: CHEMTREC®: +(44)-870-8200418

### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

- R36/38: Irritating to eyes and skin.
- Information concerning particular hazards for human and environment:  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS07

- Signal word Warning
- Hazard statements  
Causes skin irritation.  
Causes serious eye irritation.
- Precautionary statements  
If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Specific treatment (see on this label).  
Take off contaminated clothing and wash before reuse.  
If skin irritation occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.05.2015

Revision: 13.05.2015

**Product Name: ICP-MS Tuning Solution 10 ppm 100mL, Part Number 5190-0465**






















(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

|   |  |         |
|---|--|---------|
| CAS: 7697-37-2<br>EINECS: 231-714-2                         | nitric acid<br> C R35;  O R8<br> Ox. Liq. 3, H272;  Skin Corr. 1A, H314   | 2.0%    |
| <b>CHEMICAL IDENTIFICATION OF THE SUBSTANCE/PREPARATION</b> |  |         |
| CAS: 7440-48-4<br>EINECS: 231-158-0                         | cobalt<br> Xn R42/43<br>R53<br> Resp. Sens. 1, H334;  Skin Sens. 1, H317; Aquatic Chronic 4, H413   | 0.001%  |
| CAS: 7439-93-2<br>EINECS: 209-062-5                         | Lithium from Lithium carbonate<br> Xn R22;  Xi R36<br> Acute Tox. 4, H302; Eye Irrit. 2, H319   | 0.001%  |
| CAS: 7440-45-1  | Cerium from Cerium(III) nitrate hexahydrate<br> Xi R41;  O R8<br> Ox. Liq. 2, H272;  Eye Dam. 1, H318  | 0.001%  |
| CAS: 7439-95-4<br>EINECS: 231-104-6                         | magnesium<br> F R15-17<br> Pyr. Sol. 1, H250; Water-react. 1, H260   | 0.001%  |
| CAS: 7440-28-0<br>EINECS: 233-273-1                         | Thallium from Thallium nitrate<br> T+ R26/28;  N R51/53<br>R33<br> Acute Tox. 2, H300; Acute Tox. 2, H330;  STOT RE 2, H373;  Aquatic Chronic 2, H411 | 0.001%  |
| CAS: 7440-65-5<br>EINECS: 215-233-5                         | Yttrium from Yttrium oxide   | 0.001%  |
| CAS: 7732-18-5<br>EINECS: 231-791-2                         | water, distilled, conductivity or of similar purity  | 97.994% |

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.05.2015

Revision: 13.05.2015

**Product Name: ICP-MS Tuning Solution 10 ppm 100mL, Part Number 5190-0465**

(Contd. of page 2)

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

7697-37-2 nitric acid

WEL Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.05.2015

Revision: 13.05.2015

**Product Name: ICP-MS Tuning Solution 10 ppm 100mL, Part Number 5190-0465**

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

**SECTION 9: Physical and chemical properties**
**· 9.1 Information on basic physical and chemical properties**
**· General Information**
**· Appearance:**

**Form:** Liquid  
**Colour:** Colourless

· **Odour:** Odourless

· **Odour threshold:** Not applicable.

· **pH-value:** <1

**· Change in condition**

**Melting point/Melting range:** 0 °C (32°F)

**Boiling point/Boiling range:** 100 °C (212°F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

**· Ignition temperature:**

**Decomposition temperature:** Not applicable.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

**· Explosion limits:**

**Lower:** Not applicable.

**Upper:** Not applicable.

· **Vapour pressure at 20 °C:** 23 hPa

· **Density:** 1.0 g/mL @ 20 °C

· **Relative density:** Not applicable.

· **Vapour density:** Not applicable.

· **Evaporation rate:** Not applicable.

**· Solubility in / Miscibility with water:**

Miscible

· **Partition coefficient (n-octanol/water):** Not applicable.

**· Viscosity:**

**Dynamic:** Not applicable.

**Kinematic:** Not applicable.

**· Solvent content:**

**Organic solvents:** 0.0 %

**Water:** 98.0 %

**VOC (EC)** 0.00 %

· **9.2 Other information** No further relevant information available.

GB

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.05.2015

Revision: 13.05.2015

**Product Name: ICP-MS Tuning Solution 10 ppm 100mL, Part Number 5190-0465**

(Contd. of page 4)

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitisation:** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | UN3264  |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> </ul> | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION) |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>   | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)      |

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.05.2015

Revision: 13.05.2015

**Product Name: ICP-MS Tuning Solution 10 ppm 100mL, Part Number 5190-0465**

(Contd. of page 5)

**14.3 Transport hazard class(es)**
**ADR, IMDG, IATA**


|         |                         |
|---------|-------------------------|
| · Class | 8 Corrosive substances. |
| · Label | 8                       |

**14.4 Packing group**
**ADR, IMDG, IATA** III

**14.5 Environmental hazards:**
**Marine pollutant:** No

**14.6 Special precautions for user**

|                         |                                |
|-------------------------|--------------------------------|
| · Danger code (Kemler): | Warning: Corrosive substances. |
| · EMS Number:           | 80                             |
| · Segregation groups    | F-A,S-B<br>Acids               |

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**Transport/Additional information:**
**ADR**

|                            |  |
|----------------------------|--|
| · Limited quantities (LQ)  | 5L   |
| · Excepted quantities (EQ) | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · Transport category       | 3  |
| · Tunnel restriction code  | E  |

**IMDG**

|                            |  |
|----------------------------|--|
| · Limited quantities (LQ)  | 5L   |
| · Excepted quantities (EQ) | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |

**UN "Model Regulation":**

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION), 8, III

**SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

*Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.*

**Relevant phrases**

H272 May intensify fire; oxidiser.  
H314 Causes severe skin burns and eye damage.

R35 Causes severe burns.  
R8 Contact with combustible material may cause fire.

**Department issuing SDS:** product safety department

**Contact:**

Agilent Technologies Manufacturing GmbH & Co. KG  
0800 603 1000

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.05.2015

Revision: 13.05.2015

**Product Name: ICP-MS Tuning Solution 10 ppm 100mL, Part Number 5190-0465**

(Contd. of page 6)

*pdl-msds\_author@agilent.com*

**Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*Ox. Liq. 3: Oxidising Liquids, Hazard Category 3*

*Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A*

*Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2*

GB